

REFERENCES

- Abd El-Halim F., (2002):*** Control of Infection in the Critically Ill Patient. The 7th Annual Conference and the First Scientific Week, the General Organization for Teaching Hospitals and Institutes, October, p. 195.
- Abd El-Motaleb K., (2007):*** Mother's Practical Knowledge Regarding Care of their Premature Infants after Discharge from Neonatal Intensive Care Unit "An Assessment Study", Master Thesis, Pediatric Nursing Department, Faculty of Nursing, Benha University, pp: 122-134.
- Abd El-wahab M., (2004):*** Effect of Mode of Feeding of Low Birth Weight Infants During Early Months on Iron and Vitamin A Status. Master Thesis, Pediatric Department, Faculty of Medicine, Benha University, pp: 117-135.
- Abdou, W., A., (2005):*** Stressors Experienced by Parents of Intubated and Non-Intubated Children at the PICU at El-Mansoura University Hospital. Master Thesis, Pediatric Nursing Department, Cairo University, PP: 106-118.
- Abou- Elfotoh, A., M., (2006):*** Effect of Cup Feeding for Premature Infants' Feeding in Comparison to Bottle Feeding. Master Thesis, Pediatric Nursing Department, Cairo University, PP: 122-128.
- Abrahams C., and Katz M., (2002):*** A Perspective on The Diagnosis of Preterm Labor, Journal of Neonatal and Prenatal Nursing, 16(1), pp: 1-11.

- Affleck G., Tennen H., Rowe J., Roscher B., and Walker L., (2009):** Effects of Formal Support on Mothers' Adaptation to the Hospital-to-Home Transition of High-risk Infants: The Benefits and Costs of Helping. *Child Development Journal*, 60, pp: 488-501.
- Alberman E., (2008):** Low Birth Weight and Prematurity, A Report from the National Institute of Child Health and Human Development, Neonatal Research Network, *Pediatrics Journal*, 13(2): 72-76.
- Alexander J., M., Mclintire D., D., and Leveno K., J., (2001):** Prolonged Pregnancy; Induction of Labor and Cesarean Births, *American Journal of Obstetrics and Gynecology*, 97(6): 911-915.
- Allen P., J., and Vessey J., A., (2004):** Primary Care of the Child with a Chronic Condition, 4th ed., Mosby, USA, pp: 682-707.
- Al-Mommani, M., (2002):** Quality of Nursing Care Provided in the Neonatal Intensive Care Unit of Princess Badia Teaching Hospitals, Jordan. Doctorate Thesis, Public Health Sciences, Health Administration and Planning Department, Faculty of Medicine, Alexandria University, pp: 224-238.
- Altimer L., and Lutes L., (2001):** Co-bedding Multiples, *Newborn Infant Nurse Rev.*, 1(4): 205-206.
- Altimier L., B., Lott J., W., and McCain G., (2000):** Evaluating the Use of Hospital Cover Gowns in a Neonatal Intensive Care Unit; *Neonatal Intensive Care*, 9 (7): 52-56.
- American Academy of Neurology, (2002):** Practice Parameter Neuro Imaging of the Neonate; Report of the Quality Standers Subcommittee of American Academy of Neurology and the

Practice Committee of the Child Neurology Society, Neurology, 58, pp: 1726-1783.

American Academy of Pediatrics (AAP), (2000): Changing Concepts of Sudden Infant Death Syndrome; Imprecations for Infants Sleeping Environment and Sleep Position, Pediatrics Journal, 105(3): 650-656.

American Academy of Pediatrics (AAP), (2001): Family Shopping Guide to Car Seats. Available at, <http://www.aap.org/family/famshop.htm> 23-9-2001

American Academy of Pediatrics (AAP), (2003): Red Book: Report of the Committee of Infectious Diseases, 26th ed., ELK Grove Village, IL., Pediatrics Journal, 100(4): 558-568.

American Academy of Pediatrics (AAP) and American Heart Association (2006): Neonatal Re-visitation Textbook, Newborn Resuscitation, Circulation, 102 (1): 343-346.

American Academy of Pediatrics, (AAP) (2009): Immunization Protects Children, Immunization Schedules, pp: 21-23. Available at: <http://www.aap.org/immunization/scheduleneonatal.htm> 25-9-2009

American Academy of Pediatrics, and Committee on Fetus and Newborn, (2001): Hospital Discharge of High-Risk Neonates Proposed Guidelines, Pediatrics Journal, 102(2): 411-417.

American College of Obstetricians and Gynecologists, (2005): Management of Preterm Labor, Practices Bultet in, n 43, Journal of Obstetric and Gynecology, 42(2): 115-122

Amin, M., F., (1999): Perceived Maternal Stressor among Mothers and Nurses Related to Hospitalized Neonates in El-Mansoura

University Hospital. Master Theses, Pediatric Nursing Department, Faculty of Nursing, Alexandria University, pp: 98-104.

Ammari S.,(2009): CS10 Prepare A discharge Plan with Children and Young People, and those Involved in their Care, Final Version Approved June 2007 (Revised Version of CS6.1 v4-3 December 2008).

Ammari A, Schulze K.F., Ohira-Kist K., Kashyap S., Fifer W.P., Myers M., and Sahni R. (2009): Effects of Body Position on Thermal, Cardiorespiratory and Metabolic Activity in Low Birthweight Infants. *Early Human Development*, 85(1): 497-501.

Anderson M., S., and Hay W., W., (2007): Intrauterine Growth Restriction and The Small for Gestational Age Infant, Lippincott Williams and Wilkins company, Philadelphia, pp: 119-128.

Annibale, D. J., and Shelley C., S., (2010): Screening of Infants for Hyperbilirubinemia to Prevent Chronic Bilirubin Encephalopathy: US Preventive Services Taskforce Recommendation Statement, *Pediatrics Journal*, Modified in October 2010;124(4): 1172-1177.

Anyaegbunam B, (2010): Textbook of Neonatology; Respiratory Problems for High Risk Neonates, 5th ed., Lippincott Williams and Wilkins Company, Philadelphia, pp: 1463-1497.

Arafa K., (2003): Study of Nosocomial Infection in the NICU at Benha University Hospital. Doctorate Thesis, Pediatric Department, Faculty of Medicine, Benha University, pp: 93-113.

- Arnaud F., (2004):** Discharge of Very Preterm Infants from Neonatology, American Journal of Gynecological and Obstetrics, Biological Report, 33(1): 108- 110.
- Association of Women's Health, Obstetric and Neonatal Nurses (AWHONN), (2001):** Evidence- Based Clinical Practice Guidelines, Neonatal Skin Care, Washington, pp: 223-232.
- Bakewell-Saches S., and Gennaro S., (2004):** Parenting the Post NICU Premature Infant, American Journal of Maternal and Child Nursing, 29 (6): 398- 403.
- Bang, et al., (2005):** Premature Infants and their characteristics, Available at; [http// livestrong.com](http://livestrong.com) last updated on: 08/12/2010
- Barnard K., E., Magyary D., Sumner G., Booth C.L., Mitchell S.,K., and Spieker S., (2008):** Prevention of Parenting Alterations for Women with Low Social Support. Psychiatry Journal, 51(2): 248-253.
- Baumgart S., Harrasch S. C., and Touch s. M., (2000):** Textbook of Neonatology; Thermal Regulation, 5th ed., Lippincott Williams and Wilkins Company, Philadelphia, pp: 1463-1497.
- Bayoumi M., H., (2009):** Discharge Guide Program for Mothers of Children with Bronchial Asthma. Doctorate Thesis, Pediatric Nursing Department, Benha Faculty of Nursing, , pp: 127-142.
- Beck-Sague C., M., (2004):** Blood Stream Infections in Neonatal Intensive Care Unit Patients; Result from a Multi-center Study, Journal of Pediatric Infectious Diseases, 13 (1): 1110-1116.

- Beherman R., F., Kliegman R., M., and Jensen H., B., (2007):** Nelson Textbook of Pediatrics, 17th ed., WB Saunders Company, Philadelphia, pp: 1124-1136.
- Berkwitz C.,(2006):** Pediatrics, A primary Care Approach, W.B. Saunders Company, Philadelphia, pp: 50-52.
- Bernbaum J., C., (2000):** Textbook of Neonatology; Preterm Infants in Primary Care Guide to Office Management; Medical Care after Discharge, 5th ed., Lippincott Williams and Wilkins Company, Philadelphia, pp: 1463-1497.
- Bernestian S., Hermelr R., and Sasidharn P., (2002):** Approaching the Management of the Neonatal Intensive Care Units Graduate through History and Physical Assessment, Pediatrics Clinics of North America, 45(1): 79-105.
- Bialoskurski M. M., Cox C. L., and Wiggins R. D., (2002):** The Relationship between Maternal Needs and Priorities in a Neonatal Intensive Care Environment, Journal of Advanced Nursing, 37(1): 62-69.
- Blackburn S., (2003):** Maternal Fetal- Neonatal Physiology; A clinical Perspective, 2nd ed., Saunders Company, Philadelphia, pp: 812-826.
- Blake W. W., and Murray J. A., (2002):** Heat Balance. In Merenstein GB, Gardener SL, editors: Handbook of Neonatal Intensive Care, 5th ed., St Louis, Mosby, pp: 252- 259.
- Bowden V., and Greenberg C., (2010):** Children and their Families, A Continuum of Care, 4th ed., W.B. Saunders Company, Philadelphia, pp. 139-148, 268-276.

Bradly C., (2008): Psychological Consequences of Intervention in Late Birth Process, Canadian Journal of Behavior Science, 1983, and updated 15 October 2008, 15(4): 422-438.

Brooten D., Kumar S., and Brown L. A., (2008): Randomized Clinical Trial of Early Hospital Discharge and Home Follow-Up of Very-Low-Birth-Weight Infants. Medical Journal, 315(2): 934-939.

Burklow K., A., McGrath A., M., and Kaul A., (2002): Management and Prevention of Feeding Problems in Young Children with Prematurity and Very Low Birth Weight, Journal of Infants and Young Children, 14(4): 19-30.

Burns C., E., Dunn A., M., Brady M., A., (2004): Pediatric Primary Care; A Handbook for Nurse Practitioners, 3rd ed., Saunders Company, USA, pp: 1083-1127.

Byer's J., F., (2003): Care and the Evidence for their Use in the NICU, American Pediatrics Journal, 28(3): 175-182.

Callery P., (2009): Caring for Parents of Hospitalized Children: A Hidden are of Nursing Work. Journal of Advanced Nursing; 86 (3): 1122-1128.

Carfoot S., Williamson P., and Dickson R.,(2005): Intervention to Prevent Hyperthermia A randomised Controlled Trial in the North of England Examining the Effects of Skin-to-Skin Care on Breast Feding. Midwifery Journal, pp: 21-27

Carroll J., Slobodzian R., Deborah K., and Steward, (2005): Exteremly Low Birth weight Infants; Issues Related to Growth, Journal of MCN, 30(5), pp: 312- 318.

- Carson E., and Penick, (2010):** Characteristics of Premature Infants, Available at; [http:// livestrong.com](http://livestrong.com) last updated on: 08/12/2010
- Center of Disease Control and Prevention (CDC), (2000):** Contribution of Assistive Reproductive Technology and Ovulation-Inducing Drugs to Triplet and Higher Order Multiple Births, USA, 41: 3-11.
- Chan K., Onlsson A., and Synnes, A., et al. (2001):** Survival Morbidity an Resource Use of Infants of 25 weeks gestational Age or Less, American Journal of Obstetric and Gynecology, 185(2): 220-226.
- Cheryl, M.,(2010):** Common Premie Health Problems, Hypoglycemia, Updated August 14, 2010 About.com Health's Disease and Condition content, Available at: <http://www.about.com/health/review.htm>
- Chorne D., David M., Mohanty S, et al., (2007):** Common Premie Health Problems, Hypoglycemia, Updated August 14, 2010, Available at: [http://www.about.com/ health/review.htm](http://www.about.com/health/review.htm)
- Conde-Agudelo A., Diaz-Rossello J., L., and Belizan J., M., (2000):** Cochrane Neonatal Review: Kangaroo Mother Care to Reduce Morbidity and Mortality in Low Birth Weight Infants, Available at [http://www.nichd.nih.gov/ cochraneneonatal/Vickers.htm](http://www.nichd.nih.gov/cochraneneonatal/Vickers.htm).
- Cooke, M., Golemon M. S., et al., (2006):** The Contribution of Prematurity and Fetal Growth Retardation on ELBW in Developing and Developed Society, American Journal of Obstetric and Gynecology, 173(3): 793-795.

Daly S., and Kennedy C., (2000): Meta-analysis: Effects of Interventions on Premature Infants' Feeding, *Journal of perinatal and Neonatal Nursing*, 14(3): 62-77.

David E., Trachtenbarg M., D., Thomas B., and Golemon M., D., (2010): Common Medical and Surgical Problems; Office Care of Premature Infants: part II, *American Family Physician Journal*, modified on August 29/2010, 57 (10): 543-549.

Department of Health and Human Services (DHHS), (2000): Healthy People 2010, Washington, DC. Available at <http://www.health.gov/healthypeople> (accessed Nov 19, 2002).

Derbyshire F., Davies D. P., and Haxby V., (2002): Short Reports: Discharge of Preterm Babies from Neonatal Units. *Medical Journal*, 284: 233-234.

Deshpande, Yadav R., Singh V., Singh P., and Mohanty S., et al., (2010): Handbook of Neonatal Nursing, Neonatal Jaundice, Breast Milk Jaundice, Saunders Company, Philadelphia, pp: 535-551.

Difiore J., M., (2001): Cardio Respiratory Events in Preterm Infants Referred for Apnea Monitoring Studies, *Pediatrics Journal*, 108 (6): 1304-1308.

Divinceti M., (2007): Administrrating Nursing Service, 19th ed., Little Brownian, Boston Company, pp; 258-261.

Dramstadt G.L., Kumar V., Yadav R., Singh V., Singh P., and Mohanty S., et al. (2008): Introduction of Community-Based Skin-to-Skin Care in Rural Uttar Pradesh, India. *Journal of Perinatology* 26(3): 597-604.

El-Kassas M., (2010): Low Birth Weight and Premature Babies, Qualiobya Governorate, Summary Report Child Survival Project, Egypt, 113.

El-Kholy A., (2002): Neonatal Sepsis in Cairo University Pediatric Hospital: Frequently Isolated pathogens from 1998-2001 and their Antimicrobial Susceptibility Patterns, the 7th Annual Conference and the 1st Scientific week, the General Organization for Teaching Hospitals and Institutes, Abstract Book, October, pp: 150-151.

El-Naggar N., (2004): Discharge Guide Program for Mothers of Premature Infants. Doctorate Thesis, Pediatric Nursing, Faculty of Nursing, Ain Shams University, pp: 180-206.

EMRO/WHO, (2002): Safe Motherhood in Eastern Mediterranean Region. in World Health Day Safe Motherhood, Alexandria. pp: 111-120.

Engelbreton J., C., (2002): Development of a Pacifier for Low-Birth Weight Infants on Nutritive Sucking, Journal of Obstetrics, Gynecology and Neonatal Nursing, 16(6): 660-664.

Erlandsson K., Dsilna A., Fagerberg I., and Christensson K. (2007); Skin-to-Skin Care with the Father after Cesarean Birth and its Effect on Newborn Crying and Prefeeding Behavior. Birth 34:105-14.

Eschobar G. J., Armstrong M. A., Gardener M, N., and Flack B. F., (2000): Neonatal Sepsis Work Groups in Infants $\geq$ 2000 Grams at Birth, Pediatrics Journal, 116 (2): 256-263.

Feldman R., E., Eidelman A., I., Sirota L., and Weller E., (2002): Comparison of Skin-to-Skin (*Kangaroo*) and Traditional Care;

Parenting Outcomes and Preterm Infant Development, Pediatrics Journal, 110(1): 16-26.

Finer J., et al., (2006): Preventing Common Feeding Problems in Infants and Young Children, Pediatric Clinics of North America, 33 (4): 775-779.

Flanagan M., F., (2000): Textbook of Neonatology; Cardiac Disease; 5th ed., Lippincott Williams and Wilkins Company, Philadelphia, pp: 577-646.

Fox J., A., (2002): Primary Health Care of Infants, Children, and Adolescents, 2nd ed., Mosby company, Toronto, pp: 322-329.

Gallagher K., (2007): Premature Infants, Pediatrics Journal, 110(5): 1024-1028.

Gardapee P., (2010): The Role of the Neonatal Nurse, updated: June 25, 2010, available at <http://www.ehow.com/members/>

Gaynor,A.,(2010): Premature Babies Overview, Last updated on: 09/07/10, available at <http://www.livestrong.com>

Geeta G., Singh B., and Singh J., (2010): Breastfeeding and its Acceptability, Low Birth Weight Infants, Pediatrics Journal, 118(2): 124-128.

Georgieff M., K., (2000): Textbook of Neonatology; Nutrition, 5th ed., Lippincott Williams and Wilkins Company, Philadelphia, pp: 363-394.

Giniger, R., P., Millet,V., et al.,(2007): Renal Effects of Ibuprofen for the Treatment of Patents Ductus Arteriosus in Premature Infants, Journal of Maternal-Fetal and Neonatal Medicine, 20, 275-283.

- Gomella T., and Cunningham M., et al. (2011):** Neonatology 8th ed., Appleton and Lang, Lippincott Williams and Wilkins Company, United State of America, pp: 318-322, 364-368.
- Grant P.,(2006):** Psychosocial Needs of Families of High Risk Infants, Family and Community Health , 1978, updated on August 2006, 11,93, Coded in May K., and Mahlemeister L., (2006): Maternal and Neonatal Nursing, Family Centerd Care, Lippincott Company, Philadelphia, pp:1130-1133.
- Gray L., watt L., and Blass E., M., (2000):** Skin-To-Skin Contact Is Analgesic in Healthy Newborns, Pediatrics Journal, 105 (1): 110-111, Available at www.pediatrics.org/cgi/content/full/105/1/e14.
- Green, C.J. and Wilkinson, J.M., (2004):** Maternal Newborn Nursing Care Plan. St. Louis: Mosby Company, P.615.
- Hall D., (2009):** Health for All Children, 8th ed., British Pediatrics Association, Saunders Company, Oxford, pp: 44-53.
- Hall R., (2011):** Nutritional Follow-up of the Breast Feeding Premature Infant After Hospital Discharge, Pediatric Clinics of North America, 48(2); 453-460.
- Hansen A. R., and Snyder E. Y., (2006):** Medical Management of Neonatal Post Hemorrhagic Hydrocephalus, Neurosurgery Clinics of North America, 9(1): 95-104.
- Hawtreay C., (2011):** Undescended Tests and Orchipexy; Recent Observations, Pediatrics Review, 11(1): 165-169.
- Hernandez C., G., Singleton J., K., and Aronzon D., Z., (2001):** Primary Care Pediatrics, Lippincott Williams and Wilkins Copmany, Philadelphia, pp: 199-210.

Hildebrand W., L., Hilliard J., Schreiner R., Goodrich T., and kisling J., (2006): Use and Abuse of the Oxygen in the Newborn, American Family physicians Journal, 108(3): 125-132.

Hill A., and Volpe J., J., (2002): Textbook of Neonatology; Neurological and Neuromuscular Disorders, 5th ed., Lippincott Williams and Wilkins Company, Philadelphia, pp: 1231-1252.

Holditch-Davis D., Blackburn S., T., and Vandenberg K., (2003): Newborn and Infant Neurobehavioral Development; Comprehensive Neonatal Nursing: A physiologic Perspective, W B Saunders Company, Philadelphia, pp: 158-164.

<http://www.nichd.nih.gov/external.cfm?theURL=http://www.thecochranelibrary.com>

Hummel P., and Cronin J., (2004): Home Care of the High Risk Infants, Journal of Advanced Neonatal Care, 4(6): 354-364.

Hunsberger M., Betz E., L., (2004): Family-Centered Nursing Care of Children, 4th ed., Mosby Company, London, pp: 1081-1111.

Hunter J., (2001): The Intensive Care Unit; Occupational Therapy for Children, 4th ed., Mosby company, St Lous, pp: 871-890.

Ibrahim E., Wassif O., Tantawy M., and Gamal Eldeein M., (2006): Maternal and Child Health Survey, Cairo, Child Survival Project in collaboration with US Aid, pp: 18-20.

Irene and Brummond, Mckinney E., S., and Murray S., S., (2010): Foundations of Maternal Newborn Nursing, 4th ed., WB Saunders Company, USA, pp: 810-845.

Isenberg S., J., (2000): Textbook of Neonatology; Eye Disorders, 5th ed., Lippincott Williams and Wilkins Company, Philadelphia, pp: 1285-1300.

- Ismail G., (2009):** Work Stress and Coping Strategies among Employees Working in Banking Sectors. Master Thesis, Community Health Nursing, Faculty of Nursing, Cairo University, pp: 121.
- Jackson K., Ternestedt B., M., Schollin J., (2005):** From Alienation to Familiarity: Experiences of Mothers and Fathers of Preterm Infants, *Advanced Journal of Nursing*, 43(1): 120-9. Available at <http://www.ncbi.nlm.nih.gov/enterz/query.fcgi?>
- Jadcheria S., R., (2002):** Gastro Esophageal Reflux in the Neonates, *Pediatrics Journal*, 29 (1): 135-158. Available at http://www.en.wikiedia.org/wiki/premature_birth
- Jenkins J., McCall E., Alderdice F., Halliday H., and Vohra S., (2010):** Interventions to Prevent Hypothermia at Birth in Preterm and/or Low Birth Weight Babies. *Cochrane Database Syst Rev*. 2005; Updated on 12 February 2010, Available at: http://www.nursingcenter.com/prodev/ce_article.asp
- Johanson R.B, Spencer S.A, Rolfe P., Jones P., and Malla D.S., (2001):** Effect of Post-delivery Care on Neonatal Body Temperature. *Acta Paediatrica* 1992; 81(1): 859-63.
- John D., Catherine T., Abhy T., B., Sanjay B., B., Hanimi M., R., Mahesh D. D., and Rani A., B., (2005):** Low Birth Weight and Preterm Neonates; Can they be Managed at Home by Mother and A trained Village Health Worker? *Journal of Perinatology*, 25(1): 572-581.
- Jones E., and DeCherney (2010):** A. Fetal and Neonatal Physiology. *High-Risk Neonates*, Philadelphia, PA: Saunders Company, pp: 254- 269

- Juinn D. A., and Gribbs R., S., (2003):** Preterm labor and Delivery, 9th ed., Lippincott Williams and Wilkins Company, Philadelphia, pp: 173-190.
- Kaneshiro, R., Gorwin M., J., Hunt C., E., and Lister G., (2009):** Cardio Respiratory Events Recorded in Home Monitors, Referred for Apnea Monitoring Studies II, Pediatrics Journal, 295(1): 2399-2407.
- Kaplan H.C., Breig R., Meek-Silvers D., Hallett-Voss C., Corcoran N., and Falciglia H., et al., (2009):** Intervention to Reduce Delivery Room Cold Stress in Very Low Birthweight Infants. In: Marathon Multimedia LLC [\[www.pas.meeting.org/\]](http://www.pas.meeting.org/), Pediatric Academic Societies' Annual Meeting. May 2-5, 2009.
- Kapur P., Catx M., G., and Glick P., C., (2008):** Pediatric Hernia and Hydroceles, American Pediatrics Journal, 45(4): 773-784.
- Kenner C., Amlung S., R., and Flanermeyer A., A., (2008):** Protocols in Neonatal Nursing, WB Saunders, Philadelphia, pp: 102-118.
- Kenner C., K., and Lott J., W., (2004):** Handbook of Neonatal Nursing, Saunders Company, Philadelphia, pp: 535-551.
- Keren R., Luan, X., Fridedman, S., et al., (2008):** Comparison of Alternative Risk Assessment Strategies for Predicting Significant Neonatal hyperbilirubinemia in Term and Near-term Infants, Journal of Pediatrics, 121, e170-e179, Retrieved February 10, 2008, from <http://pediatrics.aap-publications.org/cgi/content/full/121/1/e170>.
- Khalil T., (2008):** Designing Implementing and Evaluating Another Education Program in The Maternal and Child Health Center,

Public Health Department, Institute of Postgraduate Child Hood Studies, Ain Shams University, pp: 18-21.

Kimberly A., (2010): The Experience of Distress in Parents of Chronically Ill children Potential or Likely Outcomes. Journal of Clinical Child Psychology, 19(12): 356-364.

Klaus M., H., and Fanorff A., A. , (2005) : Care of the High–Risk Neonates; 4th ed, W.B. Saunders Company, Tokyo, pp : 198-208 . Available at <http://www.neonatalnetwork.com/nicuink/>

Klein C., (2002): Nutritional Requirments for Preterm Infant Formulas, Journal of Nutrition, 132(6), pp: 395-404. Available at <http://www.parentcare.org.nz/>,

Kliegman R., M., (2002): Fetal and Neonatal Medicines Essential of Pediatrics, 4th ed., Saunders, Philadelphia, pp: 199- 249.

Kliegman, R., M., Behrman, H., B.,(2007): Nelson Textbook of Pediatrics, 18th ed., Saunders Company, UK, pp: 344-354.

Klossner N., J., Hatfield N., T., (2006): Introductory Maternity and Pediatric Nursing, 1st ed., W.B. Saunders Company, Philadelphia, pp: 475-508.

Knight D., Bevan C., Harding J., Teele R., and Rowely R., (2001): Chest Physiotherapy in Very Premature Infants, Journal of Pediatrics and Child Health, 378(6), pp: 554-558.

Knoebel R., Vohra S., Lehmann C.,U., and Holditch-Davis D.,(2007): Thermoregulation and Heat Loss Prevention after birth and During Neonatal Intensive Care Unit Stabilization of Extremely Low Birth Weight Infants, Journal of Obstetric, Gynecology and Neonatal Nursing, 36(1): 280-287.

- Krasvec K., and Anderson M., (2007):** Maternal Nutrition and Pregnancy Outcomes, anthropometric Assessment, Journal of Nursing Times, 128(6), pp; 108-116.
- Kumar H., S., and Clive J., (2002):** Inguinal Hernia in Preterm Infants, Pediatric Surgery Journal, 18 (1): 147-152.
- Kumar V., Mohanty S., Kumar A., Misra R.P., Santosham S., and Baqui A.H., et al; (2008):** The Saksham Study Group. Effect of community-Based Behaviour Change Management on Neonatal Mortality in Shivgarh, Uttar Pradesh, India: A Cluster-randomised Controlled Trial. the Lancet 2008;372:1151-1162.
- Kun S., and Warburton D., (2003):** Telephone Assessment of Parents' Knowledge of Home-Care Treatments and Readmission Outcomes for High-Risk Infants and Toddlers. American Journal of Children Diseases, 141(1): 888-892. Available at <http://www.parentcare.org.nz/>,
- Lawhon G., (2002):** Facilitation of Parenting of Premature Infants within the Newborn Intensive Care Unit, Journal of Perinatal and Neonatal Nurse, 16(1): 58-70.
- Lee J., (2001):** Comparing Two Indomethacine Dosing Regimes for Treating Patent Ductus Arteriosus, Journal of Perinatal and Neonatal Nursing, 56(3): 387- 390.
- Lloyd J., Askie L., Smith J., Tarnow-Mordi W., (2003):** Supplemental Oxygen for the Treatment of Prethreshold Retinopathy of Prematurity, Cochrane Database System Review, p. 482.
- Littelton L., Y., and Engebreston J., C., (2005):** Maternity Nursing Care, 2nd ed., Thomson Company, Australia, pp: 821-872.

- Loper L., (2007):** Developmental Intervention for Preterm and High-risk Infants, Role of Neonatal Nurse, Mosby company, 6th ed., Philadelphia, pp: 363-381.
- Lund C., H., (2001):** Neonatal Skin Care; Clinical Outcomes of the AWHONN/ NANN Evidence-Based Clinical Practice Guideline, American Journal of Obstetrics and Gynecology and Neonatal Nursing, 30(1): 41-47.
- Malcolm S., Magoon M., Belardo C., and Caldito G., (2008):** Delay in Immunization of High-Risk Infants during The First Two Years of Life; Special Care for the High-Risk Infants Shouldn't Mean Special Immunization Schedules, Journal of Perinatology, 15(1): 222-228.
- Manco J., Rodden D., J., and Collin S., S., (2002):** Hand Book of Neonatal Intensive Care; Newborn Neonatology, 5th ed., Mosby Company, St. Louis, pp: 677-686.
- Mansour E., Eissa A. N., Nofel L.M., Kharboush I., and Reda A. A., (2005):** Morbidity and Mortality of Low- Birth Weight Infants in Egypt, Journal of Eastern Mediterranean Health, 11(4), pp: 723-731.
- Mansour E., Eissa A. N., Nofel L.M., Kharboush I., Wagida A., and Sallam I., (2002):** Incidence and Factors Leading to Low-Birth Weight in Egypt, Journal of International Pediatrics, 17(4), pp: 223-230.
- March of Dimes Foundations, Prematurity, (2002):** Aveliable at <http://www.marchofdimes.com/prematurity/>
- March of Dimes Foundations, Prematurity, (2010):** Aveliable at <http://www.marchofdimes.com/prematurity/causesofpreterm birth>

- Marks, G.M. (2008):** Broadribb's Introductory Pediatric Nursing 5th ed., Philadelphia: Lippincott company, PP:126-138.
- Martin J., A., (2002):** Final Data for 2001, National Vital Statistics Reports, 51(2):119
- Martin J., A., Hamilton B., E., and Sutton P., D., et al., (2007):** Births; Final Data for 2005, National Vital Statistics Reports, 56(6), 1-104. Retrieved January 20, 2008, from <http://www.cdc.gov/nchs/data/nvsr/nvsr56>.
- Martin J., L., Hamilton B., E., Ventura S., J., Menacker F., and Park M., M., (2002):** Births; Final Data for 2000; Vital Statistics, 50(8), pp: 1-101.
- Martinson M., Widmer G., and Protillo G., (2002):** Home Health Care Nursing, 2nd ed., W.B. Saunders, Tronto, pp: 209-229.
- Mattison M., Widmer G., and Protillo G., (2010):** Community Health Nursing, Home Visits for Pediatric Patients and their Families, 5th ed., W.B. Saunders, Tronto, pp: 1279-1288.
- McCall, E., M., Alderdice F., A., and Halliday, H., L., et al., (2010):** Interventions to Prevent Hypothermia at Birth in Preterm and/or Low Birth Weight Babies, Cochrane Database of Systematic Reviews, 1, CD004210.
- Medical Education Division, Brookside Associates, (2010):** The Premature Infant, Available at: <http://www.brooksideassociates.org/prematureinfant>.
- Medical Egyptian Journal, (2002):** Medical Egypt Children's Issues, Computeny Company, Available at www.medicalegypt.com.

- Mello D., F., Rocha S., M., Sochi C., G., and Lima R., A., (2002);** Brazilian Mother's Experiences of Home Care for their Low Birth Weight Infants, *Journal of Neonatal Network*, 21(1), pp: 30-34.
- Merenestein G., B., and Gardener S., L., (2004):** Handbook of Neonatology, 4th ed., Mosby, London, pp: 881- 899.
- Merenestein G., B., and Gardener S., L., (2006):** Handbook of Neonatal Intensive Care, 6th ed., Mosby, London, pp: 833- 846
- Michael and Jennifer, (2010):** Admission and Discharge Policies and the Elderly: A Survey of Queensland Public Hospitals”, *Australian Journal on Ageing*; 16(4): pp.151-154.
- Michael P., Mary B., S., Anthony F., P., and Craig T., S., (2004):** Follow- Up of the NICU Patient, Available at <http://www.emedicine Specialties/pediatrics/neonatology/>
- Miles M., Davis D., H., and Shepherd H., (2006):** Maternal Concern about Parenting, Prematurity Born Children, 23(2): 70-75.
- Ministry of Health and Population , (1997):** LBW Study in Egypt 1995-1997, Arab Republic of Egypt, Healthy Mother/ Healthy Child Project in Collaboration with US Aid, pp: 27-29.
- Ministry of Health and Population, (2001):** Neonatal Care, Protocol for Physicians, Arab Republic of Egypt, pp: 65-72, pp: 129-133.
- Mohammed S., A., (2006):** Maternal Stress Response among Mothers of Premature Neonates, Master Thesis, Pediatric Nursing Department, Benha Faculty of Nursing, , pp: 70-79.

- Moore K., and Anderson M., (2007):** Maternal Nutrition and Pregnancy Outcomes, Anthropometric Assessment, Journal of Nursing Times, 83(10), pp: 100-103.
- Morton J., A., (2002):** Strategies to Support Extended Breast Feeding of The Preterm Infant, Advances in Neonatal Care, 12(5): 267-282.
- Muscara E., (2001):** Lippincott's Review Series, Pediatric Nursing, 3rd ed., Lippincott Williams and Wilkins, New York, pp: 46-59.
- Najati N., Saboktakin L., (2010):** Prevalence and Underlying Etiologies of Neonatal Hypoglycemia, Pakistan Journal of Biological Sciences, 13(15), pp: 753- 756.
- Namasivayam A., (2010):** Fluid, Electrolyte, and Nutrition Management of the Newborn, Updated: Jun 29, 2010, Available at: http://www.nursingcenter.com/nutrition/ce_article.asp
- Narayanan N., M., (2000):** Prophylactic Indomethacin Factors Determining Permanent Ductus Arteriosus Closure, pp: 136-141.
- National center of health statistics (nchs), (2002):** Report of Final Mortality Statistics, 2000, Retrieved December 26, 2002 from <http://www.cdc.gov/nchs/releases/facts/information.html>.
- National center of health statistics (nchs), (2010):** Report of Final Mortality Statistics, 2008, Retrieved October 28, 2008 from <http://www.cdc.gov/nchs/releases/statistics/facts/information.html>.
- Niermeyer S., Kattwinkel J., Van Reempts P., Nadkarni V., Phillips B., and Zideman D., et al., (2000):** International Guidelines for Neonatal Resuscitation: an Excerpt from the Guidelines 2000

for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care: International Consensus on Science. Contributors and Reviewers for the Neonatal Resuscitation Guidelines. *Pediatrics*, 106:E29.

Noyes J., (2009): The Impact of Knowing your Child is Critically Ill, A palliative Study of Mothers Experiences, *Journal of advanced Nursing*, 29(4): 427.

O’conner A., R., Stephenson T., and Johonson A., (2002): Long Term Ophthalmic Outcomes of Low Birth Weight Children, *Pediatrics Journal*, 109(1): 12-18.

Ohls R., K., Ehrenkranz R., A., Wright L., L., Lemons J., A., and Korones S., B., (2001): Effect of Early Erythropoietin Therapy on The Transfusion Requirements of Preterm Infants below 1250 Grams Birth Weight, *American Journal of Pediatrics*, 108 (4), pp: 934-942.

Olds S., B., London M., L., Ladewing P., A., and Davidson M., R., (2004): Maternal-Newborn Nursing and Women’s Health Care, 7th ed., Pearson Company, USA, pp: 888-936.

Olsen I., E., Richardsn D., K., Schmid C., H., Ausman I., M., and Dwyer J., T., (2002): Inter Site Differences in Weight Growth Velocity of Extremely Premature Infants, *Pediatrics Journal*, 110 (6): 1125-1131.

Owens D., Van Reempts P, Nadkarni V, Phillips B, Zideman D et al., (2007): International Guidelines for Neonatal Resuscitation II: an excerpt from the Guidelines 2007 for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care: International Consensus on Science. Contributors and

Reviewers for the Neonatal Resuscitation Guidelines.
Pediatrics, 106:E29

Parks D., K., and Yetman R., J., (2004): Perinatal Conditions, 1st ed.,
Saunders Company, Philadelphia, pp: 112-127.

Patra, K., Wilson-Costello, D., Taylor, G., et al., (2006): Grades I-II
Intraventricular Hemorrhage in Extremely Low Birth Weight
Infants: Effect of Neurodevelopment, Journal of Pediatrics,
149(1): 169-173.

Pillitteri A., (2009): Maternal and Child Health Nursing: Care of the
Child Bearing and Child Rearing Family, 6th ed., Lippincott
Williams and Wilkins company, Philadelphia, pp: 698-742.

Polak J., D., Ringler N., and Daugherty B., (2004): Unit- Based
Procedures; Impact on the Incidence of Nosocomial Infections
in the Newborn Intensive Care Unit, NINR, 4 (1): 38-45.

Quinn D., Copper B., and Chyman R., I., (2002): Factors Associated
with Permanent Closure of the Ductus Arteriosus; A Role of
Prolonged Indomethacine Therapy, pp: 643-652.

Ramanathan R., Gorwin M., J., Hunt C., E., and Lister G., (2001):
Cardio Respiratory Events Recorded in Home Monitors,
Referred for Apnea Monitoring Studies, Pediatrics Journal,
285, pp: 2199-2207.

Ramirez P., L., Emere U., and Giambruna A., (2005): Index of
Suspicion in the Nursery, Neo Reviews, August, 6(8): 399-
402.

Remington J., S., and Klein J., O., (2002): Infectious Disease of the
Newborn 5th ed., Saunders, Philadelphia, pp: 112-121.

Rennine J., M., and Robertson N., (2002): A manual of Neonatal Intensive Care, 4th ed., Arnold company, London, pp: 33-61.

Reutter L., (2009): Socio Economic Departments of Health in Community Nursing, Promoting Health, 5th ed., WB Saunders, Tronto, pp: 223-225.

Ritchie .S .K, (2002): Primary Care of The Premature Infant, Discharged from The Neonatal Intensive Care Unit, American Journal of Maternal and Child Health Nursing, 27(2), pp: 76-85.

Roberts J., R., and John A., (2008): Use of A stockinet Cap on Premature Infants after Delivery [dissertation]. Denton (TX): Texas Woman's University Stratified Randomisation by Gestational Age 32 to 34 and 35 to 36 Completed Weeks' Gestation. Blinding of Randomisation.

Robison M., Piark C., and Morrell C., (2010): Multidisciplinary Discharge Assessment of The Medically and Socially High-Risk Infant, Journal of Perinatal and Neonatal Nursing, 13(4), pp: 67-86.

Rudolph A., M., Hoffman J., E., (2003): The Newborn Infant, 3rd ed., Asimon and Schuster Company. USA, pp: 230 –248.

Sabry A.,(2006): Effect of Designed Breast Feeding Educational Program on Breast Feeding Practices Among Mothers of Premature Infants, Doctorate Thesis in Pediatric Nursing, Faculty of Nursing, Cairo University, pp: 18-20, 118-130.

Schneck and Bellinger, and Hawtrey C., (2007): Undescended Testes and Orchiopexy; Physical Examination and Recent Observations, Pediatrics Review, 11(1): 165-169.

- Sells, C., Robinson N., Brown Z., et al., (2007):** Long Term Developmental Follow-up of High Risk Infants, *Journal of Pediatrics*, 125(7): 17-33.
- Sifuentes M., (2000):** Well-child Care for Preterm Infants, *Pediatrics in Primary Care Approach*, 2nd ed, Philadelphia, WB Saunders Company, pp: 342-351.
- Singh J., and Sinha S., (2002):** Necrotizing Enterocolitis; An unconquered Disease, *Indian Pediatric Journal*, 39(3): 229-237.
- Slocum F., (2009):** Preventing Common Feeding Problems in Infants and Young Children, *Pediatric Clinics of North America*, 33 (4): 775-779.
- Smith, J.C. (2010):** Understanding Stress and Coping. Mothers' Stress Regarding Preterm Infants, 4th ed., Mosby Company, Philadelphia, pp: 710-744.
- Soliman H., A., (2001):** Feeding in High-Risk Newborn, Master Thesis, Pediatric Department, Faculty of Medicine, Benha University, pp: 144-154.
- Stenzel J., (2004):** Common Health Problems of Premies, *American Family Physicians Journal*, 98(2): 316-321.
- Stoll, B., Hansen, N., and Adam-Champan, I., et al., (2004):** Neurodevelopmental and Growth Impairment among Extremely Low-Birth Weight Infants with Neonatal Infection, *Journal of American Medical Association*, 292 (19): 2357-2365.
- STOP-ROP Multicenter Study Group: (2000):** Supplemental Therapeutic Oxygen for Pre-threshold Retinopathy of

Prematurity: A randomized Controlled Trial of Primary Outcomes, *Pediatrics Journal*, 105(1): 295.

Symington A., and Pinelli J., (2003): Developmental Care for Promoting Development and Preventing Morbidity in Preterm Infants. In *The Cochrane Library*, Issue 1, Oxford.

The Kaiser Family Foundation, (2010): Health Status Indicators, Common Problems of Premature Infants, Washington, DC: The Kaiser Family Foundation; 2010. Available at: http://www.nursingcenter.com/prodev/ce_article.asp

Theobald G., A., and Allen S., I., (2000): Respiratory Distress in Preterm Infants, 4th ed., Mosby Company, Philadelphia, pp: 710-744.

Thilo E., H., and Rosenberg A., A., (2001): The Newborn Infant, 1st ed., Saunders Company, Philadelphia, pp: 119-126.

Thome M., and Alder B., (2000): A Telephone Intervention to Reduced Fatigue and Symptoms Distress in Mothers with Difficult Infants in The Community, *Journal of Advanced Nursing*, Blackwell Science Limited, 29(2): 128-135.

Thompson M., (2000): Gastro Esophageal Reflux, Nutritional Care of High –risk Newborns, 3rd ed., Mosby Company, Chicago, pp: 1012-1023.

UNICEF and WHO (United Nations Children Fund and World Health Organization), (2004): Low Birth Weight; Country, Regional and Global Estimates, France, pp: 1-27.

Van Z., Asperen P., Cahill A., and Alexander K., (2010): Discharge Guidelines for Children with Acute Asthma: A consensus Statement. *Journal of Paediatric Child Health*; (37): pp.539–541.

- VandenBerg K., (2003):** What to Tell Parents about Developmental Needs of their Baby at Discharge, Neonatal Network, 18(1): 57-59.
- Villar J., and Belizan J., (2008):** The Relative Contribution of Prematurity and Fetal Growth Retardation on LBW in Developing and Developed Society, American Journal of Obstetric and Gynecology, 173(3): 793-795.
- Volpe J., J., (2001):** Neurology of the Newborn, Saunders Company, Philadelphia, pp: 1108-1124.
- Walsh, M., C., Morris, B., H., and Wrage, L., A., et al., (2005):** Extremely Low Birth Weight Neonates with Protected Ventilation: Mortality and 18 Month Neurodevelopmental Outcomes, Journal of Pediatrics, 146(1): 798-804.
- Wannous S., and Arous S., (2001):** Incidence and Determinants of Low Birth Weight in Syrian Governorate Hospitals, Journal of Eastern Mediterranean Health, 7(6): 966-974.
- Weinberger B., Laskin D., L., Heck D., E., and Laskin J., D., (2002):** Oxygen Toxicity in Premature Infant, Journal of Pediatrics, 181 (1): 60-67.
- Wendel G., D., Leveno K., J., Sanche P., J., and Jackson G., L., (2002):** Prevention of Neonatal Group B Streptococcal Disease, American Journal of Gynecological and Obstetrics, 186 (4): 618-626.
- White K., (2000):** Early Onset Group B Streptococcal Disease, USA, Pediatrics Journal, 49(3): 793-796.

- WHO (2009):** Care of Mother and Baby at the Health Center, A protocol Guide geneva, pp: 32-37. Aveliable at: <http://www.who.gov/cochraneneonatal/Vickers.htm>
- William D., (2008):** Socio Economic Differentials in Health: A review and Redirection, Journal of Social Psychology Quarterly, 63(2): 81-99.
- Winterburn S., and Frasen R., (2000):** Does the Duration of Postnatal Stay Influence Breast Feeding Rates at one Month in Women Giving Birth for the First time? A Randomized Control Trial, Journal of Advanced Nursing, Blackwell science Limited, 35(5): 1152-1157.
- Wolfe R., Carlin J.B., and Oswald H., (2010):** Association between Allergy and Asthma from Childhood to Middle Adulthood in an Australian Cohort Study (episodes). Am J Respir Crit Care Med; (162):2177-81.
- Wong D., L., Hockenberry M., J., Wilson D., and Winkelstein M., L., (2005):** Wong's Essentials of Pediatric Nursing, 7th ed., Mosby, Philadelphia, pp: 222-306.
- Wong D., L., Hockenberry M., J., Wilson D., Winkelstein M., L., and Kline N., E., (2007):** Wong's Nursing Care of Infants and Children, 9th ed., Mosby, Philadelphia, pp: 383-420.
- Wong D., L., Hockenberry M., J., Wilson D., Winkelstein M., L., and Kline N., E., (2003):** Wong's Nursing Care of Infants and Children, 7th ed., Mosby, Philadelphia, pp: 333-410.
- Wood A., J., (2001):** Neonatal Hyperbilirubinaemia, Medical Journal, 344, pp: 581-588.

- World Health Organization (WHO), (1997):** Infant and Child Mortality, Healthy Mother, Healthy Child Project in Collaborations with USA and ARE, p.9.
- Worner B., B., Keily J., L., and Donovan E., F., (2000):** Multiple Births and Outcomes, Clinics in Perinatology, 27(2): 347-362.
- Ylihervya A., Olsen P., and Jarvelin M., (2001):** linguistic Skills in Relation to Neurological Findings at 8 Years of Age in Children Born Preterm, Journal of Advanced Nursing, 31(2): 66-75.
- Zafir N., (2001):** Improving Survival of Vulnerable Infants Increases Neonatal Intensive Care Nosocomial Infection Rate, Pediatrics Journal, 155(1): 1098-1104.
- Zylberberg R., and Pepper M., (2001):** Continuous Insulin Infusion; Promoting Growth in Low Birth Weight Infants; Neonatal Network, 20 (1): 17-24.