

REFERENCES

- Abd El Fatah, B.,(2009):*** Quality of life for elderly people with cardiovascular disease at home in rural areas, unpublished Master thesis faculty of nursing Benha university; Pp .17-18.
- Abdel Messih, S., (2004):*** Vision & quality of life among the elderly Attending Ophthalmic out patient clinics in Alexandria, Master thesis, High institute of public health, Alexandria university; p.28.
- Agdi, M., & Tulandi, T.,(2008):*** Edosopic management of uterine, Best Practice & research Clinical obstetrics & Gynecology, on line publication 4 March.
- Albert, S., &Lagsdon, R., (2000):*** Assessing quality of life in Alzheimer's disease. New York: Springer publishing company ;Pp .722 - 725.
- Alexander L., Lorosa J ., Bader H., & Garfield S., (2004):*** New dimensions in womans health , 3rd ed., co. sudbary , MA : Jones and Bartlett publishers ; p .160 .
- American Academy of family physician, (2007):*** Uterine fibroids tumors: Diagnosis & treatment 15 May, available at <http://familydoctor.org> ; p.1452.
- American College of Obstetricians and Gynecologists, (2009):*** Uterinefibroids.Availableathttp://www.acog.org/publications/patient_education/bp074.cfm. Accessed April 22.
- ASHmonga J., (2006):*** Gynecology by Ten Teachers ,18th ed. Co .Hodder Arnold ., India , p.105.

American College of Obstetricians and Gynecologists, (2008) : Uterine Fibroid Symptoms, Diagnosis and Treatment may available at <http://www.acorg.org>.

American Society for Reproductive Medicine, (2003): Ontario Uterine Fibroid Embolization ; Trial. Part 1. Baseline patient characteristics, fibroid burden, and impact on life: FERTILITY AND STERILITY, Elsevier Science Inc. U – S - A (79): 1 .

Anderw, I ., & Sokol E ., (2007): General gynecology: the requisites in obstetrics & gynecology , 1st ed., Mosby , Elsevier Inc .compony , U S A ., Pp. 459-460 .

Ausk, K., & Reed S ., (2004): Alternative approaches for treatment for uterine leiomyoma : Alternative therapies' in women health 6 (9):Pp 65 -70 .

Anderson and Iutendorf, (2006): Quality of life measurement in uterine fibroids; 92 : (34) ;33- 536.

Bahtla , N., (2001) :tumor of corpus uterus . in Jeffcoates principles of Gynecology 5th ed., Arnold , New Deihi ; Pp.466 – 467 .

Baranoski , S . & Ayello , E ., (2004): Wound care essentials practice principle , London : Williams & Wilkins Company ; P . 4 .

Benecke, C, Kruger T, & Siebert T., (2005): Effect of fibroids on fertility in patients undergoing assisted reproduction. A structured literature review. Gynecol Obstet Invest; (59)225 -230.

- Berek, J ., (2008) :** Berek & NOvaks Gynecology , 14th ed., co. Philadelphia Lippincott Williams &Wilkins , U S A.,P p. 469 – 473 .
- Bick, D., Macarthur C ., & Winter H ., (2009) :** Post natal care evidence & Guide lines for mangment . 2nd ed ., Co. Eselvier , china ; p. 19.
- Black, J .,& Hawks J .,(2007) :** Medical surgical nursing clinical mangment for positive out comes 7th ed., co. Lippincott willams wilkins, U. S. A ; Pp . 163-164.
- Borgaokar , M ., & Vine L ., (2005):** Quality of life measurement in uterine fibroids : FERTILITY AND STERILITY; 47 (3): 444-454.
- Boynton-Harrett, R.,alspeis S.,Missmer S., ad Wright R. (2005) :** A prospective study of hypertension and risk or uterine leiomyomata. Am J Epid; (161) : 629-638.
- Bradley, V., (2009):** 41 Years- Old Woman With Menorrhagia , Anemia , and Fibroids , Review Of Treatment Of Uterine Fibroids : [http // : JAMA on line 2 Jan; 301 \(1\) : 82 – 83 .](http://jama.onlinelibrary.com/doi/10.1001/jama.291.1.82)
- Brow , K ., (2000):** Management Guide Lines for women's health nurse practionners , 11th ed., Co., Divis , Canda; p. 85 .
- Bukulmez ,K., & Doody J (2006):** Clinical features of myomas, Obstet Gynaecol Clin N Am ;(33); pp. 69–80.
- Center for Disease control and prevention, (CDC) (2005) :** Women's reproductive health : hysterectomy . CDC Reproductive health.

- Chalas, E., Constantino p., Wickerham L., Wolmark N., Lewis G., Bergman, C., et al.(2005):** Benign gynecologic conditions among participants in the breast cancer prevention trial. *Am J Obstet Gynecol*; Pp.192- 230.
- Chaparala ,p., Fawole A., Ambrose N.,& Chapman A.,. (2004):** Large bowel obstruction due to benign uterine leiomyoma. *Gut*;(53): Pp.386 -430.
- Condon, M., 2004):**Women's health : an integrated approach to wellness and illness , Upper Saddle River , NJ : prentice Hall ; p . 159 .
- Colwell, H ., Mathies S., & Henning J., (2008):** A health related quality of life instrument for symptomatic patients with endometriosis
Avalidaton> *Am J Obestat gynecol* (168) : 47.
- Cowlin, A., (2007):** Verneys Mide Wifery, Women and Exercise 4th ed., Jones Bartlett Publishers, Boston,Pp.187-188.
- Cook, J., & Walker L., (2004) :** Treatment strategies for uterine leiomyoma: the role of hormonal modulation. *Seminars in Reproductive Med* ;(22):Pp. 105 -106.
- Cooper, N., and Okolo S.,(2005):** Fibroids in pregnancy-common but poorly understood. *Obstet Gynecol Surv*; Pp.32-33 .
- Chambers, M., (2004):** Aguidance to community quality f life assessment. Available at : [http// www.pubmedcentral .gov](http://www.pubmedcentral.gov).
- Day Baird, D ., Dunson B., & Hill , C .,(2003):** High Cumulative incidence of uterine liomyoma in black & white :Ultrasound

evidence .Am J Obstetric & Gynecology . Jan ; 188 (1) : 100 – 107 .

Decherny, A., and Nathan L.,(2003): Current Obstetric & Gynecologic & Treatment 9th ed ., Co .McGraw –Hill ,United State of America; p.694.

Drewnowski , A., & Evans , W (2006): Nutrition , physical activity and quality of life in patient with uterine fibroids: Summary Journals of gynecology . 56 ; 89 – 94 .

Dzimiri , N., (2009): Uterine fibroids & reproductive health : Life style ; p .105 .

Donald, L., Holly E.,& Keith A.,(2010): Monorrhagia Impact Questionnaire :assessing the influence of heavy menstrual bleeding of quality of life . Current research & option . 12 October; (26): 2745 -2746.

Edwards, RD., Moss JG, Lumsden MA; et al, (2007) : Committee of the Randomized Trial of Embolization versus Surgical Treatment for Fibroids. Uterine-artery embolization versus surgery for symptomatic uterine fibroids. *N Engl J Med.*;356(4):360-361.

Evergreen Net, (2009): Definition of quality of life Neuroscience Institue booth Gardner Parkinsons care center , n-comprehensive care , quality of life , 10 February , available at [http :// www. American org / present , jhtm / identifier . 3o44857](http://www.American.org/present_jhtm/identifier.3o44857).

Fairley, D ., (2009) : Lecture notes : Obstetrics & gynecology , 3rd ed., Co. Wiley – Black Well , Songaphore ; P. 218.

- Eath, D., Walls M., Hodgins M., & Cronin M.,(2006):** Paper Quality of life of young people with Intellectual Disability in Ireland . National Disability. Available at :[http // www .nda .ie /cntmgmtnew .nsf](http://www.nda.ie/cntmgmtnew.nsf) .
- Falcone T., & Walters M., (2008):** Hysterectomy for benign disease. *Obstet Gynecol.* ;111(3):753-754.
- Fallon , E ., Kaff , M ., Mcduffie , J ., Cohen , M & Yanavusk , J., (2005) :** Health related quality of life among women with uterine fibroids ; P. 75 .
- Farrell, S.,& Kieser K., (2008):** Sexuality after hysterectomy. *Obstet Gynecol*; (95):1045-1046.
- Farser, I. , Critchley H. , Munro M., & Broder M., (2008):** Aprocess designed to lead to international agreement on terminologies and definations used to describe abnormalities of menstrual bleeding. *Fertile Sterile*; 87 :P. 466 .
- Ferrero , S., Abbamonte L. , & Giordano M. , (2006):** Uterine myomas , Dyspareunia , and sexual function . *Fertil Steril* ; (86) : 1504 .
- Fahey J., (2008):** Verneys Mide wifery ,Nutrition in Women's Health sth ed ., Jones and Bartelett Publishers , Boston ,P.118.
- Flake,G.,, Anderson ,J ., &Dixon D., (2003) :** Etiology and– pathogenesis of uterine Lieomyomas: areview, *Environmental health perspectives*,2nd ed.,(111): Pp.1037 - 1038.
- Fraser , D ., & Cooper , M., (2003) :** Myles text book for mid wives , 14th ed ., Co. Elsevier , China Pp. 112 – 113 .

Frantz, Z., (2001): Health related quality of life of women with uterine tumors ;(109): Pp.362-363.

Frytak, J., (2009) : Assessment of quality of life in older adults .In measures , meaning and practical application . Oxford University press .In corporate .New York ; Pp.200 .

Gaylene, P., Marsha C.,& Jennifer S., (2010):The Ontario Uterine Fibroid Embolization Collaborative Group, University of Toronto, Toronto; Sunnybrook and Women's College Health Sciences Center, Toronto; St Joseph's Health Care, London.

Gotay, C., & Muraoka M.,(2006): Quality of life in long term survivors of adult , onset , Cancers, Journal of national Cancers cancer institute ;(110): 720 -721 .

Greimel, E., and Bottomley A., (2001): Quality of life issue in Gynecological cancer , Expert Rev . Pharmacoeconomics out comes Res ; (1) : Pp. 93 -94.

Gallicchio , L ., (2007) : The relationship between gender , social support and health related quality of life in community – based study in woshengton counter Mary Land , Qualiylife Res; (16): Pp.77 – 78 .

Halloway , N., (2004): Medical surgical nursing planning, 4th ed., co. Lippincott Williams & wilkins , Philadphia , U .S .A ; Pp. 609 – 6010 .

Hamed , A .,(2004): Health related quality of life among adloscents with epilepsy . Master thesis , High institute of public health , Alexandria university ; p. 26 .

Hanafi, M. (2005): Predictors of leiomyoma recurrence after myomectomy. *Obstetrics & Gynecology* ;(105):P. 877 .

Handerson ,C.,& Macdonald S.(2005): Mayes Midwifery: A text book for Mid wives , 14 ed., co .Elsevier , China ; P . 833.

Haney, A. (2008) : Leiomyomata. In: Gibb RS, et al. *Danforth's Obstetrics and Gynecology*. 10th ed. Co., Philadelphia: Lippincott Williams & Wilkins; Pp. 916 - 920.

Hanh, V ., Guillemin F ., Cong D ., & Bariamcon s ., (2008) :Health related quality of life in Vietnam : Cross – cultural adaptation & validation of adolescent Duke health profile , *Journal of Adolescent* , Februray , Vol 28 , No .1 , Elsverir LTD ; Pp. 127 – 128 .

Harding, K.,Coyne c, &Thompson J.,(2008): The responsiveness of the uterine fibroid symptom and health-related quality of life questionnair(UFS-QOLHealthQualityLife Outcomes,12Novamner ;(6) : Pp. 99-100.

Holeme, N., (2006) Assessing the quality- -related or impossible dream? Adiscusion paper. *International Journal of Nursing Studies* ;(42) :Pp.491- 492.

Hartmann, K., Birnbaum H., Ben-Hamadi R., et al. (2006): Annual costs associated with diagnosis of uterine leiomyomata. *Obstet Gyneco* ;(108): Pp.930 – 931.

Hartmann K., & Lamvu G., et al: (2004) : Quality of life and sexual function after hysterectomy in women with preoperative pain and depression. *Obstet Gynecol* ;(104) : Pp.701–702.

Hehenkamp W, Volkers N, & Reekers J (2009):Symptomatic uterine fibroids: treatment with uterine artery embolization leiomyoma. *Fertil Steril.*;91(1): Pp.240-241.

Hiller J., Miller M., & Stavas J., (2005): Uterine artery embolization :Aminimally invasive option to end fibroids symptoms .Advance for nurse practionniers ; 13 (10) :Pp.20 – 21 .

Hindley J, Gedroyc W, Regan L, et al. (2004) : MRI guidance of focused ultrasound therapy of uterine fibroids: early results. *AJR Am J Roentgenol*;(183):171 ; 3-9.

Hockenberry M, Wilson, D & Winkelstein, M (2005): Wongs essentials of pediatrics nursing (7th ed .) Phladelphia : Els evier Mosby Comp.,Pp.500 – 501 .

Hodge, J.&Morton, C. (2007). "Genetic heterogeneity among uterine leiomyomata: insights into malignant progression". *Human molecular genetics* 16 Spec No 1: Pp. 7- 9.

Hseih , y ., Change , C ., & Tsai , H ., (2004) : Tumor necrosis factor – Alpha – 308 Promoter. 1177 .

Imberly , C., & Dana , D., (2010) : Using the SF 36 to determine perceived health related quality of life , *Journal of Allied Health* ; (35) : P. 161.

Isobe, A., Takeda, T., Sakata, M.& Miyake, A.,. (2007): "Dual repressive effect of angiotensin II-type 1 receptor blocker telmisartan on angiotensin II-induced and estradiol-induced uterine leiomyoma cell proliferation".

Johnson, N ., Barlow D ., Lethaby A ., Tavender E., Curr E., & Garry R .,(2005):Surgical approach to hysterectomy for benign gynecological disease . Cochrane Data base of Systematic Reviews , 2006 Issue 2. Chichester U K : John Wily & Sons

Jones G., Kennedy S., & Jenkenson C., (2002):Health related quality of life instrument in women with common benign gynecologic conditions : Asystematic review Am J Obstet Gynecol: (187) : 501 .

Kailasam, C.,& Cahill, D., (2008): "Review of the safety, efficacy and patient acceptability of the levonorgestrel-releasing intrauterine system". *Patient preference and adherence* 2: 293–294. PMID 19920976. edit

Katz A., (2002):Sexuality after hystriectomy . Journal of obstetrics & Gynecologic, & National Nursing . (3):256 – 257 .

Kim K., & Lee K., (2004) : Symptoms experience in women after Hystriectomy . Journal of obstetric and gynecologic and neonatal Nursing ; 30 (5) :472 .

Kjerulff, K., Langenberg P., Rhodes J., Harvey L., & Stolley P.,(2000):Effectiveness of hysterectomy. Obstet Gynecol; (95): Pp.319-320.

Klatsky, P ., Lane D., & Ryan I., (2008): Fibroids and reproductive outcomes : a systematic literature review from conception to delivery . Am J Obestatric and gynecology, Pp.198- 199.

Klatsky, P., Lane D., Ryan I., et al. (2007): The effect of fibroids without cavity involvement on ART outcomes independent of ovarian age. *Human Reproduction* ;(22): 521 -522.

Kovac, S.,(2004): Clinical opinion: guidelines for hysterectomy. *Am J Obstet Gynecol*;(191):Pp .635-640.

Kuppermann, M., Varner R.,& Summitt R., (2009): Effect of hysterectomy vs. medical treatment on health related quality of life and sexual functioning: TheMedicine or Surgery (Ms) Randomized Trial. *JAMA*291:1447–1448,

King, C.,& Hids P., (2004) : Evaluation of quality of life in oncology nursing . *Quality of life: from nursing and patient perspective* .1st ed., Jones and Bartleu publishers. U.S.A Pp.3-4.

Kurtus, E., (2009): Lifestyle factors affecting quality of life in late adulthood ,*Nursing protocols for best practice* , 2nd . New York : Springer ;Pp.255- 256.

Larson, R. (2003) : Hormone –dependant : Begin Gynecologic disorders , *Williams Text book of endocrinology* , 10th ed., ch . 16 , Pp .587 – 588 .

Laughin, S ., Baird D ., & Savity D ., (2009) : Prevalence of uterine lieomyomas in the first trimester of pregnancy :an ultrasound – screening study . *Obstetric and gynecology*: (113): 630 .

Lee C., & Miller ,E., (2008) : Deja review : obstetric &gynecology , 1st ed.,co. Mcgraw – Hill singapore; Pp. 106-107.

Lefebvre G., Vilos G., & Birch C., et al (2003) : The mangment of uterine leiomyomas. Journal of obstatrice and gynecology ; 25 (5) :396 – 397.

LeMone, P., & Burke K., (2005): Medical surgical nursing ; Critical Thinking in client care , 1st ed., Elsevier Inc , printed India ; P. 1809 .

Lethaby, A ., & Vollenhoven B.(2005) : Clinical Evidence Concise: Fibroids. Am Fam Phys; (71):Pp.1753-1754.

Lowder milk D., & Peery S ., (2007): Maternity & Women's Health care 9th ed., Co. Mosby Inc ., an affiliate of elselvier Inc., china ; Pp. 158-159.

Lowder milk , D., & perry S. (2004) : Maternity and womens health care 8th ed., st Louis : Mosby; P. 530.

Lurie, S., Piper I., Woliovitch I .,& Glezerman M. (2005) : Age-related prevalence of sonographically confirmed uterine myomas. J Obstetrics&Gyncology ; (25): Pp . 42 -43.

Lerner, D., Chang H., &Renzulli K.,(2008) : Impact of work performance among women with symptomatic uterine fibroids , 10 October (5); P. 1154.

Lovell, M., (2006): Subjectively perceived quality of life. Scheduled evaluation of individual quality of life ;(42): P. 44.

Marino,L., Eskenazi B.,&Warner M., (2004): Uterine leiomyoma and menstrual cycle characteristics in a population-based cohort study. Human Rep;19: Pp..2350-2351 .

Marshburn, p., Matthews M., Hurst B., (2006): Uterine artery embolization as a treatment option for uterine myomas. *Obstet Gynecol Clin North Am*; (33):125 ; P.44 .

Mohamed, R., (2002): Effect of Genital malignancy and its Treatment on Women's Quality Of Life. Master thesis Ain shams university , Maternity and new born nursing , Pp. 125 -128.

Moreau , D., (2008) : Straig A's Maternal – Neonatal Nursing , 2ed ., Lippincott Williams & Wilkins company , Printed In U. S. A . Pp. 23 – 24 .

Marcogjude, J. (2008): Clinical presentation of fibroids, *Best Practice & Research Clinical Obstetrics & Gynaecology* August ;22 (4) : Pp.615-616.

National uterine Fibroids Foundation , (2009):<http://www.nih.gov/about/research> results for the public/Uterine Fibroids. PDF.

Nicholson, T., (2004): Out come in patients undergoing unilateral artery embolization for symptomatic fibroids ,*Clinical radiology* ;59 (2): .Pp.284- 285.

Okolo, S. (2008): "Incidence, aetiology and epidemiology of uterine fibroids". *Best practice & research. Clinical obstetrics & gynaecology* ;22 (4): P. 571.

Olivia ,M., (2007) : The quality of life of women who suffer from uterine fibroids: When is the dysfunction enough .

Orshan, S ., & Matters H., (2008): Maternity , new born and womens healh nursing : Comprehensive care across the life ,co

.Lippincott Williams & Wolters Kluwer business , U .S.A.,
Pp.248 - 250.

Palomba, S ., Qrio F ., Fusso A., Cascella T., &Doldo P., (2004) :
Long term effectiveness and safety of GnRH agonist plus
raloxifen administration in women with leiomyomas . Human
reproduction ; 19 (6) :Pp.1308 – 1309.

Parker, W., (2007):Etiology, symptomatology, and diagnosis of uterine
myomas. Fertil Steril;(87): Pp.725-726.

Peddada, S.(2008): Growth of uterine leiomyomata among
premenopausal black and white women . proc Natl Acad Sci U S
A ; 105 :P. 198 .

Polena, V., (2007): Long-term results of hysteroscopic myomectomy in
235 patients." European Journal of Obstetrics & Gynecology and
Reproductive Biology (130);Pp 232-233. Available at [http // en.
Wikipedia / org/ wiki / uterine fibroids](http://en.Wikipedia.org/wiki/uterine_fibroids).

**Practice Committee of the American society for reproductive
medicine, (2004):** Myoma & reproductive function. Fertile sterile
Septmber available at [http: // en. Wikipedia. Org / wiki / uterine
fibroids](http://en.Wikipedia.Org/wiki/uterine_fibroids) ; 82 (1) : Pp. 111- 112 .

Pritts, E ., Parker W ., & Olive D .,(2008) : Fibroids and infertility :
an up dated systematic review of the evidence . Fertil Steril . P.
218 .

Pruitt, B., & Stein J (2003): Healthy style and care for women with
uterine fibroids ; (42): Pp.1234- 1235.

Proth ,C .,(2005): pathophysiology : concept of altered health states, 7th ed., co. Lippincott : Philadelphia ; P. 163 .

Pataki, G., Governor C., &Antonia C., (2004): Chart book on disability in new york state 1998 -2000 .Health statuse and quality of life ;27 (3) , Pp.5127 – 5128.

Prone G ., Cohen M., &Bell S., (2003): The Ontario Uterine fibroids Embolization Trial part 1. Basiline patient chracteristcs , fibroids burden and impact on quality life . Fertile Sterile; (79): Pp.112 – 113.

Qidwai, I., Caughey A.,& Jacoby A., (2006): Outcomes in women with sonographically identified uterine leiomyomata. Obstet Gynecol (107):Pp. 376 -377.

Rackow B.,& Arici A.,(2005): Fibroid sand-vitro fertilization: which comes first? Curr Opin Obstet Gyn;(17): 225-226.

Rackow, B., & Arici A. (2006): Options for medical treatment of myomas. Obstet Gynecol Clin North Am;(33) : Pp.97-98.

Ray , A.,(2005) : Medical surgical nursing , 1st ed., Co .,Lipponcott WilliamWillikins , U. S . A ., p. 185- 186 .

Rhoalds , J.(2006):Advanced health assessment & diagnostic reasoning , 1st ed., Co. Lippincott Williams & Wilkins, Phladelphia .USA ., Pp.217 – 218.

Ricci, S., (2007) : Essential of Maternity , New born, and womens Health Nursing 1st ed., Co., . Lippincott Williams & Wilkins , USA , Pp . 1067-1069 .

Robert, A., (2006): Mid- and Long-Term Quality-of-Life Assessment in Patients Undergoing Uterine Fibroid Embolization 7February; (186):Pp.877–878.

Rock, J.,(2005) : Quality-of-life assessment in gynecologic surgery. J Reprod Med;46 : Pp.515-516.

Roussis N., Waltrous L., & Cabbad M.,(2004): Sexual response in patient after hysterectomy :Total abdominal versus vaginal procedure . American Journal of Obstetric and Gynecology ;190 (5): Pp.1427 -1428 .

Rowe M., Kanouse D.,& Mittman B.,(2006):Quality of life among women undergoing hysterectomies. Obstet Gynecol ; (93): 915.

Renwick R., (2005): Being belonging and becoming. The center of health promotion model of quality of life in health promotion and rehabilitation , conceptual approach , issues and applications Pp. 75-88.

Sandberg, A., (2005): Updates on the cytogenetics and molecular genetics of bone and soft tissue tumors: leiomyoma. Cancer Genet Cytogenet; 158.

Sankaran, S.,& Manyonda, L., (2008): Medical management of fibroids". *Best Practice & Research Clinical Obstetrics & Gynecology* 22 (4): 655. doi:10.1016/j.bpobgyn..03.001. PMID 18468953.edithhttp://www.britishfibroidtrust.org.uk/journals/bft_Sankaran.pdf

Sayyah, M., Tehrani S., & Gatrehsamani, F (2009):. "Comparison of the effect of gonadotropin-releasing hormone agonist and

- dopamine receptor agonist on uterine myoma growth. Histologic, sonographic, and intra-operative changes". *Saudi medical journal*; **30** (8): 1024.
- Schwartz ,S ., (2007) :** Epidemiology of uterine Leiomyomata .Clinical Obstetrics & Gynecology ;Jan 44 (2) :524.
- Schwartz, P., Kelly M., (2006):** Malignant transformation of myomas: myth or reality? *Obstet Gynecol Clin North Am*;33: (98) ; 183.
- Smeltzer S. , & Bare ., (2008):** Medical Surgical Nursing , Williams & Wilkins Company, 9th ed . ,U .S .A. , P. 514.
- Society of obstetricians & Gynecologists of Canda (SOGC) (2005)** :SOGC clinical guide lines : uterine fibroids embolization . *International Journal of Gynecologists & obstetrics* ; 89 (3) :305 .
- Speroff, L., &Fritz M., (2005):** Clinical gynecology : endocrinology and infertility, (7th ed.,) co. Lippincott Williams & Wilkins , Philadelphia ; p.245 .
- Spies, J, WarrenE., & Walsh S., (2009):** Uterine fibroid embolization: measurement of health related quality of life before and after therapy. *J Vasc Interv Radiol*;(10):Pp.1293–1294.
- Susan, S., (2008) :** Menorrhagia measured blood loss, clinical features, and outcome in women with heavy periods: a survey with follow-up data. *Am J Obstet* (124);Pp .716- 718.
- Steve, E, (2008):** Uterine Fibroid Symptoms, Diagnosis and Treatment , 13August,available at <http://www.acog.org/> .

Stewart, E., (2009): Epidemiology, clinical manifestations, diagnosis, and natural history of uterine leiomyomas. Available at <http://www.uptodate.com/home/index.htm>

Stewart,E., & Morton C., (2006): The genetics of uterine leiomyomata: what clinicians need to know. *Obstet Gynecol*; (107); Pp. 917 - 918.

Stovall , V ., (2007): Clinical symptomatology of uterine leiomyomas . *Clinical Obstetrics & Gynecology* . Jan ; 44 (2) : Pp.364 – 365 .

Swearingen, p., (2007): Medical - Surgical Nursing Care : nursing intervention and collaborative management 6th co . Mosby INC, Elsevier inc., U .S.A.,Pp. 692 - 693 .

Sobhonslid suk ,Goten A., &fatiz I., (2006): health related quality of life Questioner ; 6 (105): P.197.

Thakar, R., Ayers, S., Georgakapolou A., et al., (2004) :Hysterectomy improves quality of life and decreases psychiatric symptoms: A prospective and randomized comparison of total versus subtotal hysterectomy. *BJOG* (111) : 1115.

Timby, B., & Smith N. , (2007):Introductory Medical – Surgical Nursing 9th ed., Co. Lippincott Williams & Willikins , printed in United States of America; Pp . 1035 - 1036 .

U.S .department of health and human services(USDHHS), (2005) : Healthy people 2010. Understanding and improving health, Vol. (1) & (11) Jones and Bartlett publishers' .U S A ., P. 10.

Venkatachala, S., Bagratee J., & Moodley J., (2004): Medical management of uterine fibroids with medroxyprogesterone acetate (Depo Provera): a pilot study. *J Obstet Gynaecol*;(24):798.

Valerie ,A ., Williams p., & Georgina J.(2006): Uterine fibroids : a review of health related quality of life assessment ; *Journal of women's health* ; 7 Number ,(15) Pp . 818 - 819.

Wallach , E ., & Vlahos F ., (2004) : Uterine myomas an overview of development , Clinical features & management . *Obstetrics & Gynecology* .Aug : (2) :Pp. 393 – 394.

Warner P., Critchley H., & Lumsden M, (2004) : Menorrhagia I: measured blood loss, clinical features, and outcome in women with heavy periods: a survey with follow-up data. *Am J Obstet Gynecol*; 190 (12):Pp.16-17.

Wientjes , K ., (2003) Mind body techniques in wound healing , (4th ed.) Philadelphia Lippincott & Wilkins . Pp. 225 – 226 .

Wikipedia organization ,(2009) : Quality of life 26 February , Available at : [http : //en . wikipedia. org / wiki / measuring – wellbeing .](http://en.wikipedia.org/wiki/measuring_wellbeing)

Wikipedia organization, (2010): Uterine fibroids 3 November at 49:51.

Wise, L., Palmer J., & Stewart E.,(2005): Age-specific incidence rates for self-reported uterine leiomyomata in the Black Women's Health Study. *Obstet Gynecol*;(105): P.563 .

Wise, L., Palmer J., Harlow B, et al. (2004): Reproductive factors, hormonal contraception, and risk of uterine leiomyomata in

African-American women: a prospective study. *Am J Epidemiol*;159:113-123 .

Wortman, C., & Dunkel, S., (2006): Interpersonal relationships and uterine fibroids : Atheoretical analysis , *Journal of Social Issues* ; 35 (1) : Pp.150 – 152 .

Whalen G., & Ferrans C., (2007) : Quality of life as a out come in clinical trials and cancer care : aprimer for surgeons . *Jounal of surgical oncology* ;(77) :Pp. 270-271.

Warner P., Chritchley H., Lumsden H., et al., (2009): Monorrhagia II : is 80ml. blood loss criterion useful in mangment of complaint of menorrhagia ? *Am J Obstet Gynecol* ; (128):Pp. 1229- 1231.

Youngkin, E ., & Davis , M., (2004): Womens health : aprimary care and clinical guide , 3rd ., New Jersey : Prentice Hall ; p. 158.

Younsie M.,(2008): quality of life for women monorrhagia and heavy periods .*Am J Obstet Gynecol* ; (142):Pp.225-226.

Zaher S., & Regan L., (2008): Magnetic Resonance-guided Focused Ultrasound for Uterine Fibroids, *Global Library of women medicine , GLOWM DoL*; (10) : *Pp.1756-1757.*