



References

- Abd El All, E. M., (2008):*** Health education program to improve quality of life among female adolescents' students at Benha city, unpublished doctorate thesis, Faculty of Nursing, Benha University, p 35.
- Abd El Hameed, A., Emam, H., Fouad, W., and Abd El Mohsen, A., (2008):*** Evaluation of health education intervention program for female employees towards osteoporosis. Journal of Applied Sciences Research, 4(7): 863-870.
- Abd El Messih, S., (2004):*** Vision and quality of life among the elderly attending ophthalmic outpatient clinics in Alexandria, unpublished master thesis, High Institute of Public Health, Alexandria University, p 28.
- Abd El Rahman, A. A., Abd El Hameed., H. S., and Ramadan, S. A., (2003):*** Osteoporosis education programs: changes knowledge and behaviors among 20-60 years old females. Bulletin of High Institute of Public Health, 33(3): 601-616.
- Abd El-Aal, B.G., Habib, F. M., and El-Abd, S.F.,(2005):*** Correlation between lifestyle profile and health related indicators among middle age working women. The New Egyptian Journal of Medicine, 33(5):7-15.
- Abdalla, K., El Hamid, M., El Gawly, H., (1998):*** Comparative study between different lines of treatment of osteoporosis (diet, exercise and drugs). Suez Canal Univ Med J., 1(2): 99-110.
- Abdalla, Y.A., (1999):*** Menopausal syndrome. 22nd International Annual Ain Shams University Medical Congress, p133.
- Abo Yousef, M., (1984):*** Introduction in statistics, Qatar University, Eldawha, p 159.



- Adachi, J.D., Ioannidis, G. A., Olszynski, W.P., Brown, J.P., Hanley, D.A., and Sebaldt, R.J., (2002):** The impact of incident vertebral and non-vertebral fractures on health related quality of life in postmenopausal women. *BMC Musculoskelet Disord.*, 3:11-18.
- Ageborg, M., Allenius, B.L., and Cederfjall, C., (2005):** quality of life, self-care ability, and sense of coherence in hemodialysis patients: a comparative study. *Hemodialysis International*, 9:S8-S10.
- Ahmed, M.E., (2004):** Assessment of lifestyle of osteoporotic women, unpublished mater thesis, Faculty of Nursing, Cairo University, pp 103-107.
- Ailinger, R.L., Braun, M.A., and Lasus, H., (2005):** Factors influencing osteoporosis knowledge: a community study. *J Community Health Nurs.*, 22(3):135-142.
- Akman, N., (2003):** Osteoporosis. *Actual Medicine Journal*, 9(1): 60-64.
- Al-Bahnasy, R.D., Farahat, T. M., Refaat, A. M., El- Sharkawi, S.H., Abousalem, M., and Bader, S.A., (2003):** A study of risk factors for osteoporosis among Egyptian women (40-65) years old, *Tanta Medical Journal*, 31(1):18-30.
- Albertazzi, P., and Coupland, K., (2002):** Polyunsaturated fatty acids, is there a role in postmenopausal osteoporosis prevention?. *Maturitas*, 42:13-22.
- Alexander, L.L., LaRosa, J.H., and Bader, H., (2007):** New dimensions in women's health, 4th ed., Jones and Bartlett Publisher, Boston, pp 442-444.
- Ali, J.S., Mekayee, M.M., Khidre, T. M., and Mohamed, W, Y., (2005):** Study impact of a designed nursing intervention protocol on performing self-care activities among rheumatoid arthritis women. *Ass. Univ. Bull. Environ. Res.*, 8 (1): 17-31.
- Altinda, A., Soran, N., and Demrkol, A., (2007):** A quality of life and depression in osteoporosis. *Turk J Phys Med Rehab.*, 53:61-64.



- Amarantos, E., Martinez, A., and Dwyer, J., (2001):** Nutrition and quality of life in older adults. *Journal of Gerontology*, 56A (special issue II): 54-64.
- American College of Obstetricians and Gynecologists (ACOG), (2004):** Osteoporosis practice bulletin, *Obstetrics and Gynecology*, 103(1): 203-216.
- American College of Rheumatology, (2004):** Glucocorticoid-induced osteoporosis, Retrieved from http://www.rheumatology.org/public/factsheets/gi_osteopor_new. October 6, 2004.
- American Dietetic Association, (2004):** Position of the American Dietetic Association and dietitians of Canada: nutrition and women's health. *Journal of the American Dietetic Association*, 104 (6): 984-1001.
- Anderson, J., (2004):** Nutrition for bone health: in Mahan, L., and Escott-Stump, S., (Eds.), *Krause's food, nutrition and diet therapy* 11th ed., Saunders, Philadelphia, pp 642- 666.
- Antinoro, L., (2001):** How to build better bones: overview of all the new osteoporosis, *Environmental Nutrition*: 24(9):4-5.
- Aranha, L.L., Canelo, J.A., Alonso, S. M., Del Pino, M. J., and Gonzalez, M.C., (2006):** Health-related quality of life in Spanish women with osteoporosis. *Rev Saude Publica.*, 40:298-303.
- Aree-Ue, S., Pothiban, L., Sucamvang, K., and Panuthai, S., (2006):** Osteoporosis preventive behavior in Thai older adults: feasibility and acceptability. *J Gerontol Nurs.*, 32(7):23-30.
- Armstrong, C., (2006):** Practice guidelines: updates recommendations on diagnosis and management of osteoporosis in postmenopausal women. *American Family Physician*, 74(9): 1-4.



- Badia, X., Díez-Pérez, A., Lahoz, R., Lizan, L., Nogues, X., and Xborra, J., (2004):** The ECOS-16 questionnaire for the evaluation of health related quality of life in postmenopausal women with osteoporosis. *Health and quality of life outcomes*, 2:41-55.
- Badia, X., Prieto, L., Roset, M., and Díez-Pérez, A., (2000):** Development of the ECOS-16 clinical questionnaire for assessment of quality of life in patients with osteoporosis. *Med Clin (Barc)*, 114(3):68-75.
- Ballagh, S. A., (2005):** Vaginal hormone therapy for urogenital and menopausal symptoms. *Seminars in Reproductive Medicine*, 23(2): 126-140.
- Bartl, R., and Frisch, B., (2009):** Osteoporosis: diagnosis, prevention, therapy, 2nd ed., Springer-Verlag Berlin Heidelberg, pp 83-90, p 200.
- Battle, C. U., (2009):** Essentials of public health biology, Jones and Bartlett Publishers, Boston, pp 491-495.
- Bellantoni, M., (2000):** Approach to the diagnosis and management of the elderly patient. In Kelley's textbook of internal medicine. Humes, H.D., (Ed). Lippincott Williams and Wilkins, Philadelphia.
- Berek, J.S., (2007):** Berek and Novak's gynecology, 14th ed., Lippincott Williams and Wilkins, USA, p 1323.
- Bernis, C., and Sven Reher, D., (2007):** Environmental contexts of menopause in Spain: comparative results from recent research. *Menopause*, 4 (3): 777- 787.
- Bianchi, M.L., Orsini, M.R., Saraifoger, S., Ortolani, S., Radaelli, G., and Betti, S., (2005):** Quality of life in postmenopausal osteoporosis. *Health and Quality of Life Outcomes*, 3:78doi:10.1186/1477-7525-3-78, published December, 2005.
- Bissinger, M., (2000):** Exercise guidelines for women with osteoporosis. *Menopause Management*, 9: 8-19.



- Black, J.M., and Hawks, J.H., (2005):** Medical-surgical nursing, volume 1, 7th ed., Elsevier Inc, Indian, p 602.
- Black, J.M., and Hawks, J.H., (2009):** Medical-surgical nursing clinical management for positive outcomes, 8th ed. Elsevier com, USA, p 411.
- Blalock, S.J., Currey, S.S., DeVellis, R.F., DeVellis, B.M., Giorgino, K.B., Anderson, J.J., Dooley, M.A., and Gold, D.T., (2000):** Effect of educational materials concerning osteoporosis on women's knowledge, beliefs, and behavior. Am J Health Promot., 14(3):161-169.
- Bonnelye, E., and Aubin, J., (2005):** Estrogen receptor-related receptor alpha: a mediator of estrogen response in bone, J. Clin. Endocrinol. Metab., 90:3115-3121.
- Bono, C.M., Einhorn, T.A., (2003):** Overview of osteoporosis: pathophysiology and determinants of bone strength. Eur Spine J. Oct., 12 (2):S90-S96.
- Boon, N.A., Colledge, N.R., and Walker, B.R., (2006):** Davidson's principles and practice of medicine, 20th ed., volume II, Churchill Livingstone, London, pp 1125-1126.
- Boonen, S., Vanderschueren, D., Haentjens, P., and Lips, P., (2006):** Calcium and vitamin D in the prevention and treatment of osteoporosis: a clinical update. Journal of Internal Medicine, 259:539-552.
- Borer, K., Gross, M., La New, J., and Dengel, D., (2007):** Walking intensity for postmenopausal bone mineral preservation and accrual. Bone, 41 (1): 713-721.
- Borer, K.T., (2005):** Physical activity in prevention and amelioration of osteoporosis in women: interaction of mechanical, hormonal, and dietary factors. Sports Med., 35:1-53.



- Braam, L.A., Knapen, M.H., and Geusens, P., (2003):** Vitamin K1 supplementation retards bone loss in postmenopausal women between 50 and 60 years of age. *Calcif Tissue Int.*, 73:21-26.
- Braithwaite, R.S., Col, N.F., and Wong, J.B., (2003):** Estimating hip fracture morbidity, mortality and costs. *J Am Geriatr Soc.*, 51(3):364-370.
- Brown, J.E., Isaacs, J.S., Krinke, U.B., Murtaugh, M.A., Sharbaugh, C., Stang, J., and Wooldridge, N.H., (2008):** Nutrition: through the life cycle, 3rded., Thomson, Australia, pp 497-501.
- Bruce, D., and Rymer, J., (2009):** Symptoms of the menopause. *Best practice and research clinical: Obstetrics and Gynecology*, 23 (1): 25-32.
- Burge, R., Dawson-Hughes, B., Solomon, D., and Wong, J., (2007):** Incidence and economic burden of osteoporosis-related fractures in the United States, 2005-2025. *Journal of Bone and Mineral Research*, 22(3):465-475.
- Burke, S., (2001):** Boning up on osteoporosis. *Nursing Journals*, 31(10): 36-45.
- Buti, M., Wong, J., Cassado, M., and Esteban, R., (2006):** Quality of life and cost effectiveness of anti"HCV" therapy in HIV- infected patients. *Science Direct Journal of Hepatology*, 1(44):560-564.
- Butler, R.N., (1998):** Towards a definition of quality of life for an ageing society, the quality of life in old age: views from various culture perspectives. London, International Longevity Center, p 23.
- Canalis, E., Giustina, A., and Bilezikian, J., (2007):** Mechanisms of anabolic therapies for osteoporosis. *N Engl J Med.*, 357 (1): 905-916.
- Canley, J., Robbins, J., and Chen, Z., (2003):** Effects of estrogen plus progestin on risk of fracture and bone mineral density:



the women's health initiative randomized trial. JAMA, 290:1729-1738.

Carol, A.S., Margaret, O.D., Patricia, J.E., and Richard, A.Z., (2005): Tailored interventions to enhance osteoporosis prevention in women. National Association of Orthopedic Nurses, 24(4):270-276.

Cauley, J.A., Black, D.M., and Barrett-Connor, E., (2001): Effects of hormone replacement therapy on clinical fractures and height loss: The Heart and Estrogen/Progestin Replacement Study (HERS). Am J Med., 110(1): 442-450.

Chamberlin, M.E., Fulwider, B.D., Sander, S.L., and Medeiros, X. A., (2005): Does fear of falling influence spatial and temporal gait parameters in elderly persons beyond changes associated with normal ageing?. Journals of Gerontology: Series A, Biological sciences and medical sciences, 60:1163-1167.

Chan, K., Anderson, M., and Lau, M., (2003): Exercise interventions: defusing the world's osteoporosis time bomb. Bulletin of the World Health Organization, 81 (11): 827-830.

Chan, M.F., Ko, C.Y., Day, M.C., (2005): The effectiveness of an osteoporosis prevention education program for women in Hong Kong: a randomized controlled trial. J Clin Nurs., 14(9): 1112-1123.

Chang, S.F., (2006): Knowledge, health beliefs and behaviors in first-degree relatives of women suffering from osteoporosis. J Clin Nurs., 15(2):227-229.

Chaudhri, T., (2006): Identifying nutritional and life-style risk factors associated with the development of osteoporosis in women of Asian origin at the Aga Khan University Hospital, Nairobi, Kenya, master thesis, University of Stellenbosch, pp 15-17, p 31.



- Chavez, J., (2009):** Preventing and treating osteoporosis: pharmacologic and nonpharmacologic approaches, Journal for Nurse Practitioners, available on www.npjjournal.org June, 2009, S13-S20.
- Coelho, R., Silva, C., Maia, A., Parata, J., and Barros, H., (1999):** Bone mineral density and depression: a community study in women, J Psychosom Res., 46:29-35.
- Cohen, L.S., Soares, C. N., Vitonis, A. F., Otto, M.W., and Harlow, B. L., (2006):** Risk for new onset of depression during the menopausal transition: the Harvard study of moods and cycles. Archives of General Psychiatry, 63(4): 385-390.
- Cole, Z., Dennison, E., and Cooper, C., (2008):** Update on the treatment of postmenopausal osteoporosis. British Medical Bulletin, 86(1):129-143.
- Craven, R.F., and Hirnle, C.J., (2007):** Fundamentals of nursing: human health and function. 5th ed., Lippincott Williams and Wilkins, Philadelphia, p 48.
- Cure-Cure, C., Cure-Ramirez, P., Teran, E., and Lopez-Jaramillo, P., (2002):** Bone mass peak in multiparity and reduced risk of bone fractures in menopause. Int J Obstet Gynaecol., 76 (1):285-291.
- Daniels, R., Nosek, L., and Nicoll, L., (2007):** Contemporary medical-surgical nursing, Thomson Delmar Learning, USA, p 1985.
- Davidson, M., London, M., and Ladewig, P., (2008):** Olds maternal-newborn nursing and women's health across the life span, 8th ed., Pearson education international, INC., Upper Saddle River, New Jersey, p 69, pp 83-87.
- Dawson-Hughes, B., Heaney, R., Holick, M., Lips, P., Meunier, P., and Vieth, R., (2005):** Estimates of optimal vitamin D status. Osteoporosis Int, 16: 713-716



- De Carvalho, C.M., Fonseca, C.C., and Pedrosa, J. I., (2004):** Health education on osteoporosis for elderly university students. *Cad Saude Publica.*, 20(3):719-726.
- De La Loge, C., Sullivan, K., Pinckney, R., Marquis, P., Roux, C., and Meunier, P., (2005):** Cross-cultural validation and analysis of responsiveness of the QUALIOST: quality of life questionnaire in osteoporosis, Health and Quality of life outcomes, **available on //www.hqlo.com/content.** November 10, 2005.
- De Laet, C., Kanis, J., and Oden, A., (2005):** Body mass index as a predictor of fracture risk: a meta-analysis. *Osteoporosis Int.*, 16:1330-1338.
- Definition of term (2006):****From <http://www.unicef.org/lifeskills/index>.**
Retrieved on February 24, 2006.
- Delaney, M.F., (2006):** Strategies for the prevention and treatment of osteoporosis during early postmenopause. *Am J Obstet Gynecol.*, 194(2):S12-23.
- Delmas, P.D. , Khaltayev, N., Arriagada, M., Brandi, M.L., Cannata, J., Lau, E., Lederman, R., Lorenc, R., Minne, H., Morales-Torres, J., Morii, H., Sambrook, P., Torralba, T., Zanchetta1, J., and Reginster, J.Y., (2005):** The management of postmenopausal osteoporosis: a position paper of the world health origination collaborating center on public health aspects of rheumatic diseases. *J Musculoskelet Neuronal Interact.*, 5(2):105-109.
- Demir, B., Haberal, A., Geyik, P., Baskan,B., Ozturkoglu, E., Karacay, O., and Deveci, S., (2008):** Identification of the risk factors for osteoporosis among postmenopausal women. *Maturitas*, 60(1):253-256.
- Dennerstein, L., and Leher, P., (2004):** Modeling mid-aged women's sexual functioning: a prospective, population-based study. *Journal of Sex and Marital Therapy*, 30 (3): 173-183.



- Dennerstein, L., Lehert, P., Burger, H., and Guthrie, J., (2005):** Sexuality. *American Journal of Medicine*, 118 (12B): 59-63.
- Deroo, B.J., and Korach, K.S., (2006):** Estrogen receptors and human disease. *Journal of Clinical Investigation*, 116(3): 561-570.
- Dhillon, V., Hurst, N., Hannan, J., and Nuki, G., (2005):** Association of low general health status, measured prospectively by Euroqol EQ5D, with osteoporosis, independent of a history of prior fracture. *Osteoporos Int.*, 16(1): 483-489.
- DiPiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G. R., Wells, B.G., and Posey, L.M., (2002):** Pharmacotherapy: a path physiologic approach, 5th ed., McGraw-Hill Companies, Inc. p 105.
- Drozdzick, L. W., and Edelstein, B. A., (2001):** Correlates of fear of falling in older adults who have experienced a fall. *Journal of Clinical Geropsychology*, 7(1):1-13.
- Easth, D., Wells, M., Hodgins, M., and Cronin, M., (2006):** Quality of life of young people with intellectual disability in Ireland, National disability. Located at: <http://www.nda.ie/cntmgmtnew.nsf>. Accessed April 15, 2006.
- Edelman, C., and Mandle, C., (2006):** Health promotion throughout the life span, 6th ed., Mosby Elsevier Comp., Canada, pp 210-213.
- Eiser, C., and Morse, R., (2001):** The measurement of quality of life in children: past and future perspectives. *Journal of Development and Behavioral Pediatrics*, 22(1): 248-256.
- El-Nemer, A., El-Huseeny, S., Aeed, A., Soliman, S., and Ayoub, N., (2009):** Osteoporosis: Egyptian women's lifestyle and their quality of life. 8th European Congress on Menopause/ Maturitas, 63(1):S1-S136.
- Ettinger, B., Ensrud, K., and Wallace, R., (2004):** Effects of ultralow-dose transdermal estradiol on bone mineral density: a randomized clinical trial. *Obstet Gynecol.*, 104:443-451.



- Ettinger, B., Harris, S. T., Kendler, D., Kessel, B., and McClung, M.R., (2006):** Management of osteoporosis in postmenopausal women: position statement of The North American Menopause Society. Journal of the North American Menopause Society, 13 (3): 340-367.
- Fernandes, G., Lawrence, R., and Sun, D., (2003):** Protective role of n-3 lipids and soy protein in osteoporosis. Prostaglandins Leukot Essent Fatty Acids, 68:361-372.
- Ferreira N. D., Arthuso, M., Da Silva, R., Pedro, A.O., Neto, A.M., and Costa-Paiva, L., (2009):** Quality of life in women with postmenopausal osteoporosis: correction between QUALEFFO 41 and SF-36. Maturitas, 62(1):85-90.
- Feskanich, D., Willet, W. C., and Colditz, G. A., (2003):** Calcium, vitamin D, milk consumption, and hip fractures: a prospective study among postmenopausal women. American Journal of Clinical Nutrition, 77 (2): 504-511.
- Feskanich, D., Willett, W.C., and Colditz, G. A., (2002):** Walking and leisure-time activity and risk of hip fracture in postmenopausal women. JAMA, 288:2300-2306.
- Fletcher, S.W., and Colditz, G.A., (2002):** Failure of estrogen plus progestin therapy for prevention. JAMA, 288(3): 366-368.
- Fogel, C.I., and Woods, N.F., (2008):** Women's health care in advanced practice nursing, Springer Publishing Company, New York, pp 225-230.
- Freedman,R.R., (2005):** Hot flashes: behavioral treatments, mechanisms, and relation to sleep. American Journal of Medicine, 118 (12): 124-130.



- Gelisli, Y., Ersoy, Y., and Konokman, G. B., (2009):** Determining the impact of nutrition training given to women to women on their knowledge about osteoporosis. *Procedia Social and Behavioral Science*, 1(1): 2524-2528.
- Genuis, S. J., and Schwalfenberg, G. K., (2006):** Time for an oil check: the role of essential omega 3 fatty acids in maternal and pediatric health. *Journal of Perinatology*, 26:359-365.
- Genuis, S. J., and Schwalfenberg, G. K., (2007):** Picking a bone with contemporary osteoporosis management: nutrient strategies to enhance skeletal integrity. *Clinical Nutrition*, 26:193-207.
- Gill, T., Taylor, A., Leach, G., Parsons, J., and Phillips, P., (2002):** Osteoporosis in South Australia prevalence, effects and impact. Department of Human Services, South Australia, printed, 30/07/2002.
- Gillespie, L.D., Gillespie, W.J., and Robertson, M.C., (2003):** Interventions for preventing falls in elderly people. *Cochrane Database Syst Rev.*, CD000340.
- Gohar, I. E., (2005):** Design, implementation and evaluation of a reproductive health informational guide for postmenopausal women, unpublished master thesis, Faculty of Nursing, Alexandria University, p 94.
- Gold, D.T., (2001):** The non skeletal consequences of osteoporotic fractures: psychological and social outcomes. *Rheum Dis Clin North Am.*, 27: 255-262.
- Gueldner, S. H., Grabo, T. N., Newman, E. D., and Cooper, D.R., (2008):** Osteoporosis: clinical guidelines for prevention, diagnosis and management, Springer Publishing Company, USA, pp 105-109, 160-180.



- Gwad, S.F., (2001):** Assessment of postmenopausal problems among women in rural area, unpublished master thesis, Faculty of Nursing, Benha University, p 91.
- Haczynski, J., and Jakimiuk, A., (2001):** Vertebral fractures: a hidden problem of osteoporosis. *Med Sci Monit.*, 7:1108-1117.
- Hamilton-Fairley, D., (2009):** Lecture notes: obstetrics and gynecology, 3rd ed., Wiley-Blackwell, Singapore, p 294.
- Hamilton-Fairley, D., Holloway, D., and Taylor, G., (2003):** Clinic handbook of women's health, BIOS scientific publishers limited, Taylor and Francis E-Library, p 135.
- Hannon, C., (2007):** A survey of nurses and midwives' knowledge of risks and lifestyle factors associated with osteoporosis. *Osteoporosis International*, 18(3): 265-269.
- Heaney, R. P., and Weaver, C. M., (2005):** New perspectives on calcium nutrition and bone quality. *J Am Coll Nutr.*, 24 (6): S574- S581.
- Heaney, R. R., Carey, R., and Harkness, L., (2005):** Roles of vitamin D, n-3 polyunsaturated fatty acid, and soy isoflavones in bone health, *Journal of the American Dietetic Association*, 105: 1700-1702.
- Heaney, R., and Layman, D., (2008):** Amount and type of protein in influences bone health. *Am J Clin Nutr.*, 87: S1567- S1570.
- Heaney, R.P., (2003):** Advances in therapy for osteoporosis. *Clin Med Res.*, 1: 93-99.
- Hernandez-Rauda, R., and Martinez- Garcia, S., (2004):** Osteoporosis-related life habits and knowledge about osteoporosis among women in Salvador, across sectional study. *BMC musculoskeletal disorders*, 5:29. Located at <http://www.biomedcentral.com/1471-2474/5/29>. Accessed August, 26 2004.



- Hillsdon, M., Foster, C., and Thorogood, M., (2005):** Interventions for promoting physical activity. *Cochrane Database Syst Rev.*, CD003180.
- Hitchcock, J.E., Schubert, P.E., and Thomas, S.A., (1999):** Community health nursing: caring in action, Albany, NY: Delmar publisher.
- Ho, S.C., Chen, Y., and Woo, J. L., (2005):** Educational level and osteoporosis risk in postmenopausal Chinese women. *American Journal of Epidemiology*, 161(7):680-690.
- Holick, M. F., (2004):** Vitamin D: importance in the prevention of cancers, type I diabetes, heart disease, and osteoporosis. *American Journal of Clinical Nutrition*, 79: 362-371.
- Horng, F.F., and Chueh, K.H., (2004):** Effectiveness of telephone follow-up and counseling in aftercare for alcoholism. *Journal on Nursing Research*, 12(1):11-19.
- Huopio, J., Kroger, H., and Honkanen, R., (2000):** Risk factors for perimenopausal fractures: a prospective study. *Osteoporosis Int.*, 11:219-227.
- Ibrahim, N. A., (1998):** Lifestyle and osteoporotic fractures in middle aged women in Alexandria. *Journal of the Medical Research Institute*, 19(2):83-104.
- Iwamoto, J., Takeda, T., and Sato, Y., (2004):** Effects of vitamin K2 on osteoporosis. *Curr Pharm Des.*, 10:2557-2576.
- Jalili, Z., Nakhaee, N., Askari, R., and Sharifi, V., (2007):** Knowledge, attitude and preventive practice of women concerning osteoporosis. *Iranian J Publ Health.*, 36(2): 19-24.
- Kanis, J., Burlet, N., and Cooper, C., (2008):** European guidance for the diagnosis and management of osteoporosis in postmenopausal women. *Osteoporos Int.*, 19(1): 399-428.



- Kanis, J., Seeman, E., Johnell, O., Rizzoli, R., and Delmas, P., (2005):** The perspective of the international osteoporosis foundation on the official positions of the international society for clinical densitometry. *Osteoporosis International*, 16:456-459.
- Kaplan, R.J., Andrew, N. D., Stitik, T.P., Kamen, L.B., Bitar, A. A., and Shin, V.C., (2005):** Osteoporosis assessment, treatment and rehabilitation. *Archives of Physical Medicine and Rehabilitation*, 86 (3):S40-S45.
- Kaur, S., (2009):** Osteoporosis in Indians: roles of nurses in prevention. 8th European Congress on Menopause/Maturitas, 63(1): S120-S136.
- Kelman, A., and Lane, N., (2005):** The management of secondary osteoporosis. *Best Pract Res Clin Rheumatol.*, 19(6):1021-1037.
- Kerstetter, J.E., O'Brien, K.O., and Insogna, K.L., (2003):** Dietary protein, calcium metabolism, and skeletal homeostasis revisited. *Am J Clin Nutr.*, 78: S584-S592.
- Kettler, D.B., (2001):** Can manipulation of the ratios of essential fatty acids slow the rapid rate of postmenopausal bone loss? *Altern Med Rev.*, 6:61-77.
- Khamis, A.M., (2005):** Awareness of pre-menopausal women employed about menopausal change. *ASNJ.*, 4(1):67-78.
- Khaton, S.E., (2008):** Relationship between rural women's perception about osteoporosis and their related lifestyle, unpublished master thesis, Faculty of Nursing, Tanta University, pp 82-83.
- Khaw, K., Reeve, J., Luben, R., Bingham, S., Welch, A., Wareham, N., Oakes, S., and Day, N., (2004):** Prediction of total and hip fracture risk in men and women by quantitative ultrasound of the calcaneus: EPIC-Norfolk prospective population study. *Lancet*, 363:197-202.



- Kind, P., (1996):** The EuroQoL instrument: an index of health- related quality of life. In: Spilker, B., (Ed) quality of life and pharmacoeconomics in clinical trials, 2nd ed., Lippincott-Raven, Philadelphia, pp 191-201.
- King, C. R., and Hinds, P. S., (2003):** Quality of life: from nursing and patient perspectives, 2nd ed., Jones and Bartlett publishers, London, p 9.
- Kingsberg, S.A., (1996):** Maintaining and evaluating quality of life after menopause, the Female Patient, 21:19-24.
- Kleerekoper, M., and Al-Khayer, F., (2004):** Osteoporosis, overview, encyclopedia of endocrine diseases, volume 3. Elsevier. Inc.
- Klevay, L.M., and Wildman, R.E., (2002):** Meat diets and fragile bones: inferences about osteoporosis.J Trace Elem Med Biol., 16:149-154.
- Klossner, N.J., and Hatfield, N.T., (2006):** Introductory maternity and pediatric nursing, Lippincott Williams and Wilkins, London, p 61.
- Koelen, M., and VandenBan, A., (2004):** Health education and health promotion, Wageningen academic comp., p 32.
- Kolotkin, R.L., Zeller, M., and Modi, A.C., (2006):** Assessing weight-related quality of life in adolescents. Obesity Search, 14:448-457.
- Kosmin, D., Hobar, A., and Shanmugam, S., (2008):** Osteoporosis, available on [http// www.emedicine.com](http://www.emedicine.com) , updated: Oct. 14, 2008.
- Kotz, K., Deleger, S., Cohen, R., Kamigaki, A., and Kurata, J., (2004):** Osteoporosis and health-related quality of life outcomes in the Alameda County study population, centers for disease control and prevention, Available from: URL: http://www.cdc.gov/pcd/issues/2004/Jan/03_0005.htm



- Kullp, J., Rone, S., and Bachmann, G., (2004):** Impact of preventive osteoporosis education on patient behavior: immediate and three months follow up. *Menopause*, 11(1):116-119.
- Kustal, Y. G., Atalay, A., Arslan, S., Basaran, A., Canturk, F., Cindas, A., Eryavuz, M., Irdesel, J., Karadavit, K. I., Kirazli, Y., Sindel, D., Senel, K., Guler-Uysal, F., and Yildirim, K., (2005):** Awareness of osteoporotic patients. *Osteoporos Int.*, 16(2):128-133.
- Laslett, L.L., McNeil, J. D., and Lynch, J., (2004):** Patient education, the forgotten link in the management of osteoporosis. *Australian Family Physician*, 33(3):121-124.
- Last, B., Grootenhuys, M., and Eiser, C., (2005):** International comparison of contributions to psychosocial research on survivors of childhood cancer. *Journal of Pediatric Psychology*, 30(1): 99-113.
- Lauritzen, C., and Studd, J., (2005):** Current management of the menopause, Taylor and Francis, United Kingdom, pp 180-182.
- Le Mone, P., and Burke, K., (2008):** Medical-surgical nursing: critical thinking in client care, 4th ed., Pearson education, Inc., New Jersey, pp 1433-1439.
- Lehtonen-Veromaa, M. K., Mottonen, T.T., Nuotio, I. O., Irjala, K.M., Leino, A. E., and Viikari, J.S., (2002):** Vitamin D and attainment of peak bone mass among peripubertal Finnish girls: a 3-y prospective study. *Am J Clin Nutr.*, 76:1446-1453.
- Lewis, S. L., Kemper, M. M., Dirksen, S. R., O'Brien, P.G., and Bucher, L., (2007):** Medical-surgical nursing, assessment of clinical problems, Mosby-year book, Inc. St-Louis, p 808.



- Li, W.C., Chen, Y.C., Yang, R.S., and Tsauo, J.Y., (2009):** Effects of exercise programs on quality of life in osteoporotic and osteoporotic postmenopausal women: a systematic review and meta-analysis. *Clin Rehabil.*, 23(10):888-896.
- Lindsay, R., (2001):** The menopause and osteoporosis. *Obstet Gynecol.*, 87(2):65-95.
- Lips, P., and Van Schoor, N., (2005):** Quality of life in patients with osteoporosis. *Osteoporos Int.*, 16: 447-455.
- Lips, P., Cooper, C., Agnusdei, D., Caulin, F., Egger, P., and Johnell O., (1999):** Quality of life in patients with vertebral fractures: validation of the quality of life questionnaire of the European Foundation for Osteoporosis (Qualeffo). *Osteoporos Int.*, 10:150-160.
- Liza, H., Darat, H., and Pande, K., (2009):** Knowledge about osteoporosis in Bruneian women attending an orthopedic clinic. *Malaysian Orthopedic Journal*, 3 (1): 28-31.
- Lord, S. R., Hylton, B. M., and Sherrington, C. A., (2004):** Falls in older people. In Geusens, P., Sambrook, N., and Lindsay, R., (Eds.), *osteoporosis in clinical practical: a practical guide for diagnosis and treatment*. 2nd ed., Springer. London, pp 93-107.
- Loutfy, I., Abdel Aziz, F., Dabbous, N.I., and Hassan, M.H., (2006):** Women's perception and experience of menopause: a community-based study in Alexandria. *Eastern Mediterranean Health Journal*, 12(2):S93-S105.
- Lovitt, A. M., (2004):** Perimenopause education in rural Wyoming, master thesis of sciences in nursing, Fay W. Whitney School of nursing, University of Wyoming, pp 21-23.
- Lowermilk, D. L., and Perry, S. S., (2007):** Maternity and women's health care, 9th ed., Mosby, China, pp 161-162, p 170.



- Luesley, M.D., and Baker, P. N., (2004):** Obstetrics and gynecology: an evidence-based text for MRCOG, Arnold, India, p 600.
- Lydick, E., Martin, A., and Yawn, B., (1996):** Impact of fears on quality of life in patients with a silent disease: osteoporosis. Clin Ther., 18(6):1307-1315.
- Mar, J. H., (2004):** The role of exercise in osteoporosis prevention: an educational module for clinicians, master thesis, University of Arizona, pp 26-27.
- Marchbein, H., and Kleerekoper, M., (2001):** Osteoporosis: prevention of osteoporosis, available at. www.obgyn.net. Retrieved on November 10, 2001.
- Marcus, R., Feldman, D., and Kelsey, J., (2001):** Osteoporosis, 2nd ed., Volume 1, Academic Press, Stanford, California, pp 653- 658.
- Maricic, M. J., (2006):** Osteoporosis: In Bartlett, S. J., Bingham, C. O., Maricic, M. J., Iverson, M. D., and Ruffing, V., (Eds.), clinical care in the rheumatic diseases, 3rd ed., Association of Rheumatology Health Professionals, Atlanta, pp 135-140.
- Martin, A. R., Sornay-Rendu, E., Chandler, J. M., Duboeuf, F., Girman, C. J., and Delmas, P. D., (2002):** The impact of osteoporosis on quality-of-life: the OFELY cohort. Bone, 31(1): 32-36.
- Masi, L., and Brandi, M.L., (2001):** Physiopathological basis of bone turnover. Q J Nucl Med., 45:2-6.
- Mauck, K.F., and Clark, B. L., (2006):** Diagnosis, screening, prevention, and treatment of osteoporosis. Mayo Clinic Proceedings, 81(5): 662-672.
- McClung, M., Geusens, P., Miller, P., Zippel, H., Bensen, W., and Roux, C., (2001):** Effect of risedronate on the risk of hip fracture in elderly women, hip intervention program study group. N Engl J Med., 344:333-340.



- Mckinney, E.S., James, S.R., Murray, S.S., and Ashwill, J.W., (2009):** Maternal-child nursing, 3rd ed., Saunders Elsevier, Canada, p 783.
- Mikhail, I.E., (2005):** Design, implementation, and evaluation of a reproductive health informational guide for postmenopausal women, unpublished master thesis. Faculty of Nursing, Alexandria University, p 94.
- Miller, C. A., (2009):** Nursing for wellness in older adults: theory and practice, 5th ed., Lippincott Williams and Wilkins, Philadelphia, pp 471- 479, 383-401.
- Mitchell, E. S., and Woods, N. F., (2001):** Midlife women's attributions about perceived memory changes: observations from the Seattle midlife women's health study. Journal of Women's Health and Gender Based Medicine, 10 (4):351-362.
- Mitwally, H.H., and Salem, Y.M., (1998):** Osteoporosis and women at menopause, 9th International congress on women's health issues, June 22-25, Alexandria, Egypt.
- Mohamed, H.A., (2000):** Effect of counseling on menopausal women's health, unpublished doctorate thesis, Faculty of Nursing, Ain Shams University, p 115.
- Mohamed, H.A., (2009):** Assessment and modification of nutritional risk behavior for osteoporosis among childbearing working women, unpublished doctorate thesis, Faculty of Nursing, Menoufiya University, pp 110-117.
- Mohamed, H.T., (1996):** Factors affecting osteoporosis among Egyptian females, unpublished master thesis, Faculty of Medicine, Al-Azhar University, pp 166-167.
- Mohamed, M.A., El-Shafiey, O.L., and Rashad, S.M., (2000):** Health teaching program for working women at high risk of osteoporosis. The Egyptian Medical Journal, 18(1):1-12.



- Moore, A., (2003):** Menopausal health strategies: focus on osteoporosis. American Journal for Nurse Practitioners, 7(2): 9-21.
- Mora, S., and Gilsanz, V., (2003):** Establishment of peak bone mass. Endocrinol Metab Clin North Am., 32(1):39-63.
- Moynihan, F., and Neighbor, M., (2007):** Medical surgical nursing, 8th ed., Mosby, Toronto, pp 1575-1580.
- Murphy, F.T., Kibitz, A. J., and Sands, E. E., (2003):** Management of postmenopausal osteoporosis. Journal of American Osteoporosis Association, 103 (6): 6-11.
- Murphy, S. L., Williams, C. S., and Gill, T. M., (2002):** Characteristics associated with fear of falling and activity restriction in community-living older persons. Journal of American Geriatric Society, 50: 516-520.
- Murray, S. S., and McKinney, E. S., (2006):** Foundation of maternal-newborn nursing, 4th ed., Elsevier, USA, pp 901- 905.
- Mustafa, M. N., (2005):** Design, implementation and evaluation of a health practices informational guide for postpartum women, unpublished master thesis, Faculty of Nursing, Alexandria University, p 89.
- National Center for Complementary and Alternative Medicine (NCCAM), (2006):** Do Complementary and Alternative Medicine therapies help menopausal symptoms?, available on <http://nccam.nih.gov/health/menopauseandcam>. March 8, 2006.
- National Osteoporosis Foundation (2003):** Boning up on osteoporosis: a guide to prevention and treatment. Washington, DC: Retrieved from <http://www.nof.org>. November, 2003.
- National Osteoporosis Foundation, (2006):** Medications to prevent and treat osteoporosis. Accessed <http://www.nof.org/patientinfo/medications>, April 11, 2006



- National Osteoporosis Foundation, (2007):** Updated recommendations for calcium and vitamin D intake. Available at: http://www.nof.org/prevention/calcium_and_vitamin_D.htm Retrieved November 28, 2007.
- National Osteoporosis Foundation, (2008):** Fast facts on osteoporosis. Available at: <http://www.nof.org/osteoporosis/diseasefacts.htm>. Accessed September 30, 2008.
- Neer, R.M., Arnaud, C.D., and Zanchetta, J.R., (2001):** Effect of parathyroid hormone (1- 34) on fractures and bone mineral density in postmenopausal women with osteoporosis. *N Engl J Med.*, 344:1434-1441.
- Nguyen, T.V., Center, J.R., and Eisman, J.A., (2000):** Osteoporosis in elderly men and women: effects of dietary calcium, physical activity, and body mass index. *J Bone Miner Res.*, 15: 322-331.
- Oelsey, D., (2003):** Nursing theories and practice, 10th ed., Philadelphia, Mosby, p 30.
- Olds, S.B., London, M.L., Ladewig, P.W., and Davidson, M.R., (2004):** Maternal-newborn nursing and women's health care, 7thed., Pearson education, New Jersey, pp 81-85.
- Orshan, S., (2008):** Maternity, newborn, and women' health nursing: comprehensive care across the life span, Lippincott Williams and Wilkins, Philadelphia, p38, pp 984-997.
- Osmers, R., Friede, M., Liske, E., Schnitker, J., Freudenstein, J., and Zepelin, H., (2005):** Efficacy and safety of isopropanolic black cohosh extract for climacteric symptoms. *Obstetrics and Gynecology*, 105(5): 1074-1083.
- Padilla, V., (1993):** State of the art in quality of life research communicating nursing research, USA, Mosby Co., pp 26-30.



- Panda, K., Tripathi, S., Kanoi, R., and Patle, S., (2005):** Poor knowledge about osteoporosis in learned Indian women, JAPI., 53: 433-436, available on [www. Japi.org](http://www.Japi.org). Accessed on May 2005.
- Parvez, T., (2004):** Postmenopausal osteoporosis. JK-Practitioner, 11(4):281-283.
- Phipps, W. J., Monahan, F.D., Sandy, J.K., and Marek, J.F., (2003):** Medical surgical nursing: health and illness perspective, 7th ed., Mosby, Toronto, p 1557.
- Pillitteri, A., (2010):** Maternal and child health nursing, 6th ed., Lippincott Williams and Wilkins, China, p 103.
- Porth, C.M., (2005):** Pathophysiology: concepts of altered health stats, 7th ed., Lippincott, Philadelphia, pp 150-154.
- Raisz, L.G., (2005):** Pathogenesis of osteoporosis: concepts, conflicts, and prospects. J Clin Invest., 115 (12): 3318-3325.
- Ratka, A., Miller, V., Brown, K., Raut, A., Cipher, D., Meczekalski, B., and Simpkins, J., (2006):** Menopausal vasomotor symptoms survey for assessment of hot flashes. Journal of Women's Health, 15(1): 77-89.
- Ravn, P., Cizza, G., Bjarnason, N., Thompson, D., Daley, M., and Wasnich, R.,(1999):** Low body mass index is an important risk factor for low bone mass and increased bone loss in early postmenopausal women, Early Postmenopausal Intervention Cohort study group. J Bone Miner Res., 14: 1622-1327.
- Recker, R., Lappe, J., Davies, K., and Heaney, R., (2000):** Characterization of perimenopausal bone loss: a prospective study. Journal of Bone Miner Res., 15 (1):1965-1973.
- Reginster, J.Y., (2005):** The high prevalence of inadequate serum vitamin D levels and implications for bone health. Current Medical Research and Opinion, 21: 579-585.



- Reginster, J.Y., and Burlet, N., (2006):** Osteoporosis: a still increasing prevalence. *Bone*, 38: S4-S9.
- Reid, I. R., (2002):** Relationships among body mass, its components, and bone. *Bone*, 31:547-555.
- Reid, I., Brown, J., Burckhardt, P., Horowitz, Z., Richardson, P., and Trecksel, U., (2002):** Intravenous zoledronic acid in postmenopausal women with low bone mineral density. *New England Journal of Medicine*, 346:653-661.
- Riaz, M., Abid, N., Patel, J., Tariq, M., Khan, M., and Zuberi, L., (2008):** Knowledge about osteoporosis among healthy women attending a tertiary care hospital. *J Pak Med Assoc.*, 58(4): 190-194.
- Riggs, B.L., and Hartmann, L.C., (2003):** Selective estrogen receptor modulators-mechanisms of action and application to clinical practice. *N Engl J Med.*, 348:618-629.
- Roberto, K. A., (2004):** Care practices and quality of life of rural older women with osteoporosis. *Journal of American Medical Women's Association*, 59 (4): 295-301.
- Rolnick, S.J., Kopher, R., Jackson, J., Fischer, L.R., and Compo, R., (2001):** What is the impact of osteoporosis education and bone mineral density testing for postmenopausal women in a managed care setting?, *Menopause*, 8(2):141-148.
- Rose, V. L., (1998):** Consensus statement update on depression in late life. *Am Fam Phys.*, 57:2013-2016.
- Rosen, C. J., (2005):** Postmenopausal osteoporosis. *New England Journal of Medicine*, 353(6):595-603. Available on www.NEJM.org August 11, 2005.



- Rubin, C., Recker, R., Cullen, D., Ryaby, J., McCabe, J., and McLeod, K., (2004):** Prevention of postmenopausal bone loss by a low-magnitude, high-frequency mechanical stimuli: a clinical trial assessing compliance, efficacy, and safety. *J Bone Miner Res.*, 19:343-351.
- Sadler, C., and Huff, M., (2007):** African-American women: health beliefs, lifestyles, and osteoporosis. *Orthopedic Nursing*, 26(2):96-101.
- Sallam, H., Galal, A.F., and Rashed, A., (2006):** Menopause in Egypt: past and present perspectives. *Climacteric*, 9(6): 421-429.
- Schmidt, P.J., Haq, N. A., and Rubinow, D. R., (2004):** A longitudinal evaluation of the relationship between reproductive status and mood in perimenopausal women. *American Journal of Psychiatry*, 161(12):2238-2244.
- Schoen, D.C., (2000):** Adult orthopedic nursing, Lippincott, Philadelphia, p 5.
- Schulman, J.E., William, S., Khera, T., Sahba, J., and Michelson, K., (2007):** Effective osteoporosis education in outpatient orthopedic setting. *J Bone Joint Surg Am.*, 89 (2): 301-306.
- Scott, J.R., Gibbs, R. S., Karlan, B.Y., and Haney, A.F., (2003):** Danforth's obstetrics and gynecology, 9th ed., Lippincott Williams and Wilkins, Philadelphia, pp 729- 730.
- Seeman, E., and Delmas, P., (2006):** Bone quality: the material and structural basis of bone strength and fragility. *N Engl J Med.*, 354(21): 2250-2261.
- Sharami, S.H., Millani, F., Alizadeh, A., Ranjbar, Z.A., Shakiba, M., and Mohammadi, A., (2008):** Risk factors of osteoporosis in women over 50 years of age: a population based study in the north of Iran. *J Turkish-German Gynecol Assoc.*, 9(1): 38-44.



- Shearer, M.J., (1997):** The roles of vitamins D and K in bone health and osteoporosis prevention. *Proc Nutr Soc.*, 56:915-937.
- Shilbayeh, S., (2003):** Prevalence of osteoporosis and its reproductive risk factors among Jordanian women: a cross-sectional study. *Osteoporos Int.*, 14(11): 929-940.
- Sief, N.Y., Ragheb, S.G., Abd El Aziz, N.A., and Shenoda, M.S., (2008):** Women's practices during menopause: instructional guidelines for better coping. *The new Egyptian Journal of Medicine*, 38(5): 7-22.
- Silverman, S.L., Minshall, M.E., Shen, W., Harper, K.D., and Xie, S., (2001):** Results from the multiple outcomes of Raloxiene evaluations study. *Arthritis Rheum.*, 44:2611-2619.
- Silverman, S.L., Piziak, V.K., Chen, P., Misurski, D.A., and Wagman, R.B., (2005):** Relationship of health related quality of life to prevalent and new or worsening back pain in postmenopausal women with osteoporosis. *Journal of Rheumatology*, 32(1):2405-2409.
- Simon, J. A., and Mack, C. J., (2003):** Prevention and management of osteoporosis, Excerpta Medica, Inc. Clinical Cornerstone Supplement 2, S5-SI2.
- Simon, L. S., (2005):** Osteoporosis. *Clinics in geriatric medicine*, 21(1): 603 - 629.
- Simopoulos, A. P., (2002):** Omega-3 fatty acids in inflammation and autoimmune diseases. *J Am Coll Nutr.*, 21:495-505.
- Siris, E.S., Miller, P.D., and Barrett-Connor, E., (2001):** Identification and fracture outcomes of undiagnosed low bone mineral density in postmenopausal women. Results from the national osteoporosis risk assessment. *Journal of the American Medical Association*, 286: 2815-2822.



- Smeltzer, S.C., Bare, B.G., Hinkle, J.L., and Cheever, K.H., (2008):** Brunner and Suddarth's textbook of medical-surgical nursing, volume 2, 11th ed., Lippincott Williams and Wilkins, India, p 2410.
- South-Paul, J.E., (2001):** Osteoporosis: part II; nonpharmacologic and pharmacologic treatment. American Family Physician, 63(6):1121-1128.
- Speroff, L., and Fritz, M., (2005):** Clinical gynecologic endocrinology and infertility, 7thed., Philadelphia, Lippincott Williams and Wilkins, p 50.
- Steinweg, K., (2002):** Menopause, bone physiology, and osteoporosis prevention. Clinical Family Practice, 4(1): 89-111.
- Stokes, M., (2004):** Soy and menopausal symptoms. Accessed www.ahcpub.com/hot_topics, April 10, 2006.
- Studd, J., (2003):** The management of the menopause, 3rd ed., Parthenon publishing, Inc. USA, p 189.
- Sue, C.A., (2000):** Health beliefs and quality of life in postmenopausal women on hormone replacement therapy, doctorate of philosophy, College of Pharmacy, University of Cincinnati, p 18.
- Tamparo, C., and Lewis, M., (2005):** Diseases of the human body, 4th ed., Philadelphia, F.A. Davis, p 100.
- Tharpe, N.L., and Farley, C.L., (2009):** Clinical practice guidelines for midwifery and women's health, 3rded., Jones and Bartlett Publishers, London, p 270.
- Thorpe, B. M., (2009):** Integrating osteoporosis prevention and treatment into clinical practice. Journal for Nurse Practitioners, pp S21-S33. Available on www.npjjournal.org, June 2009.
- Tierney, L.M., Mcphee, S.J., and Papadakis, M. A., (2002):** Current medical diagnosis and treatment, 41st ed., McGraw-Hill companies, USA, p 1166.



- Timby, B.K., and Smith, N. E., (2007):** Introductory medical surgical nursing. 9th ed., Lippincott Williams and Wilkins, Philadelphia, pp 3, 1237.
- Tischler, L., and Hobson, S., (2005):** Fear of falling: a qualitative study among community-dwelling older adults. *Physical and Occupational Therapy in Geriatrics*, 23(4): 37-53.
- Tsaioun, K.I., (1999):** Vitamin K-dependent proteins in the developing and aging nervous system. *Nutr Rev.*, 57(1): 231- 40.
- Tucker, K. L., Morita, K., Qiao, N., Hannan, M. T., Cupples, L. A., and Kiel, D. P., (2006):** Colas, but not other carbonated beverages, are associated with low bone mineral density in older women: the Framingham Osteoporosis Study. *Am J Clin Nutr.*, 84 (4):936-942.
- U.S. Department of Health and Human Services, (2004):** Bone health and Osteoporosis: a report of the Surgeon General. Rockville, MD: Office of the Surgeon General. Available on <http://www.surgeongeneral.gov/library/bonehealth/>. Retrieved on August 27, 2007.
- Usmani, S., and Shahid, Z., (2004):** Osteoporosis, postmenopausal prevention and control. *Pakistan Journal of Medical Sciences*, 20(3): 270-275.
- Van Voorhis, B. J., (2005):** Genitourinary symptoms in the menopausal transition. *American Journal of Medicine*, 118 (12): 47-53.
- Vasundhra, M, K., (2008):** Community health nursing, 2nd ed., Jaypee Brothers Medical Publishers, New Delhi, p 214.
- Vytrisalova, M., Kubena, A., Vleek, J., Palicka, V., Hala, T., and Pavelka, K., (2007):** Knowledge of osteoporosis corrected with hormone therapy use and health status. *Maturitas*, 56(1):21-29.
- Wallace, R. B., (2000):** Bone health in nursing home residents. *JAMA*, 284(8):1018-1019.



- Wallace, R. B., and Cumming, R.G., (2002):** Systematic review of randomized trials of the effect of exercise on bone mass in pre- and postmenopausal women. *Calcif Tissue Int.*, 67:10-18.
- Waller, D., and McPherson, A., (2003):** Women's health, 5th ed., Oxford University Press, p 99.
- Ward, K.D., and Klesges, R.C., (2001):** A meta-analysis of the effects of cigarette smoking on bone mineral density. *Calcified Tissue International*, 68:259-270.
- Warms, C., (2006):** Physical activity measurement in persons with chronic and disabling conditions methods, strategies, and issues. *Family Community Health*, 29(1): S78-S88.
- Wehren, L., and Magaziner, J., (2003):** Hip fracture: risk factors and outcomes. *Curr Osteoporosis Rep.*, 1:78-85.
- Wein, M. N., Jones, D. C., and Glimcher, L. H., (2005):** Turning down the system: counter-regulatory mechanisms in bone and adaptive immunity. *Immunol Rev.*, 208: 66-79.
- Weiss, L., Barrett-Connor, E., and Von Muhlen, D., (2005):** Ratio of n-6 to n-3 fatty acids and bone mineral density in older adults: the Rancho Bernardo Study. *Am J Clin Nutr.*, 81: 934-938.
- Wells, G., Tugwell, P., and Shea, B., (2002):** Meta-analysis of the efficacy of hormone replacement therapy in treating and preventing osteoporosis in postmenopausal women. *Endocr Rev.*, 23:529-539.
- Wolin, K. Y., Glynn, R. J., Colditz, G. A., Lee, I. M., and Kawachi, I., (2007):** Long-term physical activity patterns and health-related quality of life in U.S. women. *American Journal of Preventive Medicine*, 32(6):490-499.
- Woodward, J., (2005):** Hormone therapy in menopause: review of evidence based guidelines. *Clin Rev.*, 15(4): 46-52.



- Woolf, A., and Akesson, K., (2008):** An Atlas of investigation and management. Osteoporosis clinical publishing, Oxford, pp103-105.
- World Health Organization (2004):** Appropriate body mass index for Asian populations and its implications for policy and intervention strategies. Lancet, 157-163.
- World Health Organization, (1994a):** Assessment of fracture risks and its application to screening for postmenopausal osteoporosis: a report of WHO study group. WHO Technical Report Series 843. Geneva.
- World Health Organization, (1994b):** Measurement of quality of life in children. Report of WHO/IACAPAP working party. WHO/MNH/PSE/94, Geneva.
- World Health Organization, (2003):** Prevention and management of osteoporosis: WHO Technical Report Series No. 921. Available at: http://whqlibdoc.who.int/trs/WHO_TRS_921.pdf.
- World Health Organization, (2005):** Measuring quality of life. Available at: <http://www.who.int/evidence/assessment-instruments/QOL/index.htm>. Accessed: March 30, 2005.
- Wu, F., Mason, B., Horne, A., Ames, R., Clearwater, J., Liu, M., Evans, M., Gamble, G., and Reid, I., (2002):** Fractures between the ages of 20 and 50 years increase women's risk of subsequent fractures. Archives of Internal Medicine, 162: 33-36.
- Yardley, L., and Smith, H., (2002):** A prospective study of the relationship between feared consequences of falling and avoidance of activity in community-living older people, Gerontologist, 42: 17-23.
- Zizic, T., (2004):** Pharmacologic prevention of osteoporosis. American Family Physician, 70(7):1293-1300.