

REFERENCES

- Abdel Messih, S. (2004):** Vision and quality of life among elderly attending ophthalmic out patient clinics in Alexandria, Master Thesis, High Institute of Public Health, Alexandria University, p 28.
- Abdullah M. (2010):** Enhancing the quality of life for children with cerebral palsy at Benha City Doctorate (Thesis), Faculty of nursing, Benha University.
- Aboul Fotouh, M., Nofall, & Safwat, H. (1990):** Growth and nutritional status of preschool child attending the well-baby clinic. Journal of the Egyptian Publication Health Association; 31 (8): 26.
- Albert, S. M., & Logsdon, R. G. (2010):** Assessing quality of life in Alzheimer's disease. Springer Publishing Company: New York: New York.
- Alfaro, L.R. (2004):** Critical thinking and clinical judgment, (3rd ed.,) W.B, Saunders: Philadelphia, pp. 249-250.
- American Academy of Neurology (2010):** provides valuable resources for medical specialists Available [at: www.aan.com](http://www.aan.com) (accessed on 5 July, 2010).
- American Health Assistance Foundation. (2011):** Anatomy of the brain Clarksburg, Maryland Available at: <http://www.ahaf.org/>

Appleton, R.E. (2003): Mortality in pediatric epilepsy. Arch Dis Child; 88: 1091-1094.

Arukumkar, G., Wyllie, E., Kotagal, P., & Gilliam, F. (2000): Parent and patient-validated content for pediatric epilepsy quality of life assessment. Epilepsia; 41:1474-1484.

Austin, J.K. (2010): Assessment of coping mechanisms used by parents and children with chronic illness. Matern Child Nurs; 15:98-102. [2.]

Austin, J.K., Harezlak, J., & Dunn, D.W. (2001): Behavior problems in children before first recognized seizure; Pediatrics;107:115-122.

Baker, R. (2006): Pediatric primary care. Lippincott: Philadelphia, 1st ed. pp.233-249.

Ball, J., & Bindler, R. (2006): Child health nursing: Parenting with children and families. Pearson Education. Inc. Com: new Jersey, chapter 34, pp.1397-1400.

Bauder, F., Wohlrab, G., & Schmitt, B. (2007): Neonatal seizures: Eyes open or closed. Epilepsia; 48: 394-396.

Bazil,C.W. (2005): Epilepsy. In LP Rowland, Merritt's Neurology, Williams and Wilkins, Lippincott, Philadelphia, 11th ed., pp. "1014.

Bell G.S. (2008): Drowning people with epilepsy: How great is the risk? Neurology Aug 19.17 (8): 578-820.

Bendabis, S.R., Tatum, W.O and Stanford L. (2003): Idiopathic generalized epilepsy and choice of antiepileptic drugs. *Neurology*; 61: 1793-1795.

Berto,P.,(2009): Quality of life in patients with epilepsy and impact of treatments.: F. A. Davis Company: Philadelphia pp 1039-1059.

Bhaduri, A., Acosta-Cabronero, J., Nestor, P.J., Kapur, N., Graham, K.S., Hodges, J.R . & Zeman, A.Z, (2009): Transient epileptic amnesia: Regional brain atrophy and its relationship to memory deficits. *Brain*, 132: 357–368.

Bjorner,J.B., & Kosinski, M.(2003): The potential synergy between cognitive models and modern psychometric models. *Quality of Life Research*; 12:261-274.

Blume,W.T.(2001): Pathogenesis of Lennox-Gastaut syndrome: Considerations and hypotheses. *Epileptic Disorder*; 3 (4):183-196.

[British Epilepsy Association](#). (2010): Epilepsy Action. "Epilepsy Action: Simple partial seizures. England vol. 234343. Accessed at, ".19 February 2011.

Browne, T., & Holmes, G. (2004): Handbook of epilepsy, (3rd rd.,) Lippincott, Philadelphia: pp.1-21, 121-138, 162-165.

Butler, C.R., Bhaduri, A., Acosta-Cabronero, J., Nestor, P.J., Kapur, N., Graham, K.S., Hodges, J.R. & Zeman, A,Z. (2009): Transient epileptic amnesia: Regional brain atrophy and its relationship to memory deficits. *Brain*; 132: 357-368.

Butler, C. R. & Zeman, A. (2008): A case of transient epileptic amnesia with radiological localization. <http://www.NeuroscienceandRehabilitation> vol, 6; pp13-14 Accessed on 5-1 -2010

Carcione, J. (2007): Epilepsy types of epileptic Seizures, Available at: <http://www. /Seizure Types and Symptoms>. Accessed on 5-1 -2010

Catterall WA, Dib-Hajj S, Meisler MH, Pietrobon D, J. Neurosci. (2008): Available at: <http://www.jneurosci.org/cgi/pmidlookup?> Accessed on 5-1 -2010

Chapieski, L. Brewer, V. Evankovich, K. Culhane-Shelburne, K. Zelman, K. (2005): A. Adaptive functioning in children with Seizures: impact of maternal anxiety about epilepsy. *Epilepsy Behav* ; 7:246–52.

Chang ,L. (2010): Common Epilepsy Causes and Seizure Triggers. [Wikipedia Foundation,Inc](http://www.WikipediaFoundation,Inc). Accessed, on 22-3- 2010.

Choi, S., Chung, C., Kim, H., Lee, S., Yoon, S., & Kho, H. (2003): Factors affecting the quality of life in patients with epilepsy in Seoul, South Korea. *Acta Erotology Scand*; 108: 428-438.

Christy, L. & Jon, B. (2006): Strategies and innovations for successful quality improvement in behavioral health. *Journal of Nursing Care Quality*; 19 (3):197-206.

Co, J.P., Elia, M., Engel, J. Jr, Guerrini R, Mizrahi, E.M., & Moshé; S.L. (2007): Proposal of an algorithm for diagnosis and treatment of neonatal seizures in developing countries. *Epilepsia*; 48: 1158-1164.

Cock, H.R. & Schapia, A.H (2002): A comparison of lorazepam and diazepam as initial therapy in convulsive status epilepticus. *Quart j Med*; 95: 225-231.

Comfield,C., Camfield,P & Gorden,K. (2000): Outcome of childhood epilepsy: A population-based study with a simple predictive scoring system for those treated with medication. *J pediatric*; 122;861-865.

Connolly, A.M., Northcott, E. Cairns, D.R.(2006): Quality of life of children with bening rolandic epilepsy. *Pediatr Neurol*;35:240-245.

Costanza, R., Fisher,B., Ali, S. Beer, C., Bond, L., Boumans, R.,& Nicholas, L. (2007): Quality of life: An approach integrating opportunities, human needs, and subjective well-being. *Ecol. Econ*; 61, 267–276.

Costanza, R., Fisher,B., Ali, S., Beer, C., Bond, L., Boumans, R. ,& Nicholas L. (19 December 2008): An integrative Approach to quality of life measurement, research, and policy.

[Available at :http://sapiens.revues.org/index169.html.](http://sapiens.revues.org/index169.html)

Cramer, (2003): Seizure severity questionnaire, available At:
www.epilepsy.com Accessed on 1-6-2010

Crane, A. (2010): *Rejoice in the light: A woman's journey out of the mystery of epilepsy. The Emotional Effects of Epilepsy.* [www. Healing Well .com](http://www.HealingWell.com) Accessed on 11-12-2010

Cynthia L. Hardena, David, A. M. Blagovest. N., Kristen. F, Michael S, Joyce. L., Page. P, Douglas. L, and Andrew. H.(2011): The effect of seizure severity on quality of life in epilepsy ,*Epilepsy & Behavio*,Vol. 11, Issue 2, , PP.208-211 .

Darcy,A.(2009):Things that trigger seizures. Available at: [www. Epilepsy Friends .com](http://www.EpilepsyFriends.com). Accessed on11-12-2010

David,Y.K. (2007):. *eMedicine*. Available at:
<http://www.emedicine.com/neuro/topic376.htm#section~clinical>
Retrieved in 19-3-2009

Davis, H.W., & Zitelli, B.J. (2000): Neurology. In: Atlas of Pediatric Physical Diagnosis. (3rd ed.) Mosby-, Chicago. Pp 9-11.

Devinsky,O.(2007): *Epilepsy: Patient & Family Guide* (2nd ed.). Philadelphia: F. A. Davis Company; pp 18-20.

Devinsky, O., Westbrook, L., Cramer, J., Glassman , M., & Camfield, C. (1999 and 2010): Risk factors for poor health – related quality of life in adolescents with epilepsy. *Epilepsia* ; 40:1715-1720.

Dorval, J. (1997): Achieving and maintaining body system integrity and function clinical issues proceeding and recommendations of symptoms of cerebral palsy. *Neurology*; 15 (8): 65-77.

Douglas, R. & Nordi, J.R. (2007): Classification of epilepsy in childhood. In: Pediatric epilepsy diagnosis and therapy (3ed.) Demos Medical Publishing 8:137-147.

Drazkowski, J. (2007): An overview of epilepsy and driving. *Epilepsia*. ;48(Suppl 9):10-2. Review.

eHealth, M.D. (2010): WebMD, Inc. All rights reserved. Does not provide medical advice, diagnosis or treatment Seizures in children overview cause for severe pediatric epilepsy disorder identified. [eHealth, M.D.com](http://eHealth.M.D.com) Accessed on 26-1-2010.

Eiser, C., Mohay, H., & Morse, R. (2000): The measurement of quality of life in young children. *Child Care Health Dev*; 26:401-414.

El-Khayat, H., El-Hodhod, H.A., & Abd El-Aziz, H. (1994): Prevalence and epidemiology among school children in Cairo. *Sci Med J Cai Synd*; 6(2):93-101.

Elliot, I., Lach, L.M. & Smith, M.L. (1999): Impact of intractable epilepsy on quality of life in children: Child, adolescent and parent pre surgical perspectives. *Epilepsia*; 40 (7):112.

Elliot, I., Lach, L.M. & Smith, M.L. (2004): Outcome of epilepsy surgery: A retrospective glance through the eyes of adolescents and their parents. *Epilepsy and Behavior*; 1(6):406-417.

Elsayed S.,F. (2003): An educational program for caregivers of children with cerebral palsy. Doctorate Thesis, Faculty of Nursing, Pediatric Nursing, Ain Shams University, pp .115-120.

Engel, J. (2009): Mesial Temporal Lobe Epilepsy: what have we Learned? *Neuroscientists*; (7):340-352.

Epilepsy Foundation. (2011): Depression & Anxiety in Epilepsy, *Journal of Neurology, Neurosurgery and Psychiatry*: [Epilepsy Foundation.com](http://www.epilepsyfoundation.com). Accessed on 12-8-2010.

Epilepsy Ontario. (2006): Global campaign against epilepsy—Out of the fact studies show that the mere diagnosis of epilepsy causes the most difficulty for the family. [Epilepsy Ontario.com](http://www.epilepsyontario.com) Accessed on 12-8-2010.

Epilepsy.com Staff. (2010): Effects on thinking. Seizures thinking (2n.d.). Available at: <http://www.epilepsy.com/epilepsy/thinking..>
Retrieved in March 13, 2010

Epilepsy Classroom (2008): Developed by UCB INC, is a cooperative programme with epilepsy foundation. [epilepsy foundation.com](http://www.epilepsyfoundation.com) Accessed on 26-June 2010.

Fenichel, G.M. (2005): Paroxysmal disorders in: Fenichel GM (ed) *clinical pediatric neurology* (4th ed.) W.B. Saunders Company, Philadelphia, USA, pp. 1-45.

- Fergusson, D., & Graham, I. D. (2006):** Identification of domains relevant to health-related quality of life in patients undergoing major surgery. *Quality of Life Research*; 15: 841–854.
- Freeman, J.M., Kossoff, E.H., & Hartman, A.L. (2007):** The ketogenic diet: One decade later. *Pediatrics*; 119: 535-543.
- Freeman, J.M., Vining, E.P.G., & Pillas D.J., (2006):** Seizures and epilepsy in childhood a guide (3rd ed.). The John Hopkins University Press. Baltimore.
- Frucht, M.M., Quigg, M., Schwaner, C., Fountain, N.B. (2006):** Distribution of seizure precipitants among epilepsy syndromes. *Epilepsia*; 41:1534–9.
- Gastaut, H. (2007):** Clinical and electroencephalographical classification of epileptic seizures. *Epilepsia* 11 (1): 102–13.
- Gilbody, S.M., House, A.O., & Sheldon, T. (2005):** Routine administration of health related quality of life and needs assessments instruments to improve psychological outcome. *Psychology Medicine*; 32:1345-1356.
- Global Campaign Against Epilepsy (2008):** Out of the shadows. Available at: www.who.int/mental_health/management/en/GcaeBroEn.pdf accessed on 29 April 2010.
- Gouda, S. (2005):** Factors affecting quality of life of epileptic children. Master Thesis faculty of Nursing, Ain Shams University; pp108-115

Grey,M.,Knafl,K.,& McCorkle,R. (2006): A framework for the study of self and family management of chronic conditions. Nurs Outlook; 54:278–86.

Hafz,M.M. (2004): Nutritional rehabilitation for infant and children with cerebral palsy having feeding difficulties. Doctorate Thesis. Faculty of Nursing, Pediatric Nursing, Ain Shams University, pp. 140-146.

Hamelin,S., Kahane,P., & Vercueil,L. (2010): Fatigue in epilepsy: a prospective, inter-ictal and post-ictal survey; Epilepsy unit, Neurology department, Grenoble University Hospital, Grenoble, France; pp: 153-160.

Hatfield,N. (2003): Bro Adribb's Introductory pediatric nursing. 6th ed. Lippincott- Williams and Wilkins: Philadelphia. Chapter 15 pp.320-322.

Healthy Aging. (2002): Center for Disease Control Preventing disease and improving quality of life among older Americans. Available at: <http://www.cdc.gov/nccdphp/aag-aging.htm>.

Herman,S.T., Walczak,T.S, & Bazil,C.W. (2001): Distribution of partial seizures during the sleep–wake cycle: Differences by seizure onset site; Neurology;56; pp:1453-1459, [American Epilepsy Society](#). .

Hirsch,E., Thomas,P., & Panayiotopoulos,C. (2010): Childhood and absence epilepsies.". Epilepsy: A comprehensive textbook; pp. 2397–2411 .

Hockenberry,M.J. (2005): Wong's essentials of pediatric nursing, 7th ed., Mosby Inc: Philadelphia, U.S.A. pp.220-223.

Hockenberry,M., Wilson,D. & Winkelstein,M. (2007): Wong's care of infants and children. (8th ed.) Mosby. Elsevier Comp: Canada, p. 845.

Holsti,M., Sill,B.L., Firth,S.D., Filloux,F.M., Joyce, S.M, & Furnival, R.A. (2007): Prehospital intranasal midazolam for the treatment of pediatric seizures. *Pediatr Emerg Care*; 23: 148-153.

Huang, M.C., Huang,C.C, Thomas, K. (2006): Febrile convulsions: Development and validation of a questionnaire to measure parental knowledge, attitudes, concerns and practices. *J Formos Med Assoc.*;105:38-48.

International League Against Epilepsy (ILAE) Commission Report (2001): Restrictions for children with epilepsy . *Epilepsia*; 38:1054-1056.

International League Against Epilepsy. (2008): International League Against Epilepsy. Available at: <http://www.ilae-epilepsy.org/> .Accessed on 9 Apr. 2010.

Jacoby, A. & Austin, J.K.(2007): Social stigma for adults and children with epilepsy. *Epilepsia.*; 48(suppl 9):6-9.

James,W.& Varnt. (2008): The pedsQLTM Measurement Model for the Pediatric Quality of Life Inventory. Available at: <http://www.pedsql.org/> Accessed on 5th June, 2010.

Johnson EK, Jones JE, Seindenberg M. (2005):The relative impact of anxiety, depression and clinical seizure features on health-related quality of life in epilepsy. *Epilepsia* 2005; 45:544-50.

Johnston,M.V., (2008): Seizures in childhood. In: Kliegman, Behrman and Jenson Nelson Textbook of Pediatrics (18th) ed., WB Saunders Company, Philadelphia, USA; pp. 2457-2476.

Jonathan, W. (2009): Things that trigger seizures. Available at: [Epilepsy Friends .com](http://EpilepsyFriends.com) , Accessed on 12-3-2010

Jude,U. Ohaeri, Abdel,W. Awadalla, A. A. & Farah.(2009): Quality of life in people with epilepsy and their family caregivers: An Arab experience using the short version of WHO Quality of Life Instrument, Quality of Life, V. 30; No.10; pp: 1023-1030.

Kalantar-Zadeh,K., & Unruh,M. (2005): Health related quality of life in patients with chronic kidney disease. Int Urol Nephrol; 37 (2): 367-780.

Kang, H.C. (2004,&2006): Early and late onset complications of the ketogenic diet for intractable epilepsy. Epilepsia; 45: 1116-1123.

Kaplan,R.M., & Anderson,J.P.(2010): The general health policy model: An integrated approach. In : Quality of life and pharmacoeconomics in clinical trials. Edited by B. Spilker. Lippincott- Philadelphia: Raven, pp. 309–322.

Karande S., Patil,S.,& Kulkarni,M. (2007): Impact of an educational program on parental knowledge of cerebral palsy. Developmental Clinic, Division of Pediatric Neurology, Department of Pediatrics.

Kay, W. (2011): eHow Contributor Available at: [the Effect of Seizures on the Brain eHow.com](http://theEffectofSeizuresontheBrain.eHow.com) seizures-brain Accessed on 20-12-2010.

King,R. & Hinds,Y. (2006): Quality of life from nursing and patient perspectives, (2nd ed.,) Jones and Bartlett: Boston, pp.3-29.

Kiernan, J.A. (2009): Anatomy of brain. Department of Anatomy and Cell Biology, The University of Western Ontario, London, Canada .

Klossner, N. J., & Hatfield, N.T. (2006): Introductory maternity & pediatric nursing. Lippincott Williams & Wilkins. A Wolter Kluwer Company: Philadelphia ,1st ed.

Kröll-Seger, J., Portilla, P., Dulac, O. ,& Chiron,C. (2006): Topiramate in the treatment of highly refractory patients with Dravet syndrome. *Neuropediatrics*; 37: 325-329.

Kurtus,R.,(2005): Quality of Life Model.The School for Champions.www.schoolforchampions.com/life/toronto_univ_quality_life.htm; Univ.of Toronto.

Kurtus,E. M.(2002): Lifestyle factors affecting quality of life in late adulthood. *School of Champion*. 22 -6-2010.

Lasser, R.P. (2005): Psychogenic seizures. *Neurology*; 46: 1499-1507.

Leventhal, H. (1997): Quality of life. *Psychology Health*; 12:753-767.

Liporace, J., Pennell, P., Labar, D.,& Herzog, A. (2007): The effect of seizure severity on quality of life in epilepsy. *Epilepsy Behavior*;11(2):208-11.

- Little, A. (2002):** A resource for teachers' epilepsy Queensland .Available At: <http://www.epilepsy Queensland .> Accessed on 16-12-2010.
- Lorin, D.W., Meador, K.J., & Lee, G.P. (2004):** Determinations of quality of life in epilepsy. *Epilepsy Behavior*; 5: 976-980.
- Lynn,C., & Sowden, A. (2000):** Pediatric nursing reference, (4th ed.,) Mosby:New York, pp. 484-491.
- Macleods,J.S, Austin,J.K.(2003):** Stigma in the lives of adolescents with epilepsy: A review of literature. *Epilepsy Behav*; 4:112-117.
- Manes, F., Graham, K.S., Zeman, A., de Lujan, G.M., & Hodges, J.R. (2005):** *Autobiographical amnesia and accelerated forgetting in transient epileptic amnesia* *Neurol. Neurosurg. Psychiatry*; 76; 1387-1391.
- Mannan,J.B & Wieshmann,U.C.(2003):** How accurate are witness descriptions of epileptic seizures? *Seizure*:12:444-447.
- Marson,A.G., Al-Kharusi, A.M., Alwaidh, M., Appleton, R., Baker, G.A,& Chadwick, D.W. (2007):** The SANAD study of effectiveness of carbamazepine, gabapentin, lamotrigine, oxcarbazepine, or topiramate for treatment of partial epilepsy: An unblinded randomised controlled trial. *Lancet*; 369: 1000-1015.
- McClellan, C.B, & Cohen, L.L. (2007):** Family functioning in children with chronic illness compared with healthy controls: A critical review. *J Pediatr* ;150:221-3 .

McEwen, B.S. (2006): Protective and damaging effects of stress mediators: Central role of the brain. *Dialogues Clin Neurosci*; 8 (4): 367–81. PMID 17290796.

McNells,A.M., Dunn dw, Johnson, C.S, Austin, J.K, & Perkins,S.M. (2007): Academic performance in children with new onset seizures and asthma: A prospective study. *Epilepsy Behav*;10:311-318.

Meador,K.J. (2005): Cognitive effects of epilepsy and of antiepileptic medications. In: The treatment of epilepsy. Wyllie,E.(ed.) Williams & Wilkins: Baltimore.

Menkes, J. H.,& Sarnat,, H. B. (2006): Paroxysmal disorders. In: Child neurology, (7th ed.,) Copyright Lippincott Willims & Wilkins: Chapter 14; pp.858-940.

Mendez, M.F., Cummings, J.L.,& Benson,D.F. (2010): Depression in epilepsy. Significance and phenomenology. *Arch Neurol.*; 43(8):766-70.

Miller,V., Palermo,T.M.,& Grewe,S.D.(2003): Quality of life in pediatric epilepsy: Demographic and disease-related predictors and comparison with healthy controls. *Epilepsy Behavior*; 4:36-42

Moren,O. (2002): Reflections on classification of epileptic seizures. *Rev. Neurol*; 34(6): 532-536.

Morris, D.B., Wilson, K.G., Clinch, J.J., Ammerman, D.J., Mu, P.F, Duo, H.C,&Chang,K.P.(2005):Boundary ambiguity, coping

patterns and depression in mothers caring for children with epilepsy in Taiwan. *Int J Nurs Stud*; 42(Pt. 7):273–82.

Moshe, S.L.(2010): Seizures early in life; *Neurology*. 2000;55(5 Suppl 1):S15-20; discussion S54-8. [abstract]

Murro,A.M. eMedicine . (2008): Complex partial seizures." Medical College of Georgia".<<http://www.emedicine.com/neuro/topic74.htm>>. Accessed on 9 Apr. 2010.

Mula,M. Trimble, M.R., YuenA., Liu,R.S., Sander, J.W.(2010): Psychiatric adverse events during levetiracetam therapy. *Neurology*. Sep 9; 61(5):704-6.

Mu,P.F., Duo,H.C., Chang,K.P.(2005): Boundary ambiguity, coping patterns and depression in mothers caring for children with epilepsy in Taiwan. *Int J Nurs Stud*; 42(Pt. 7):273–82.

Nakayama,J.,& Arinam,T. (2006): Molecular genetics of febrile seizures available at:[http://linkinghub.elsevier.com/retrieve/pii/S0920-211\(06\)00192-6](http://linkinghub.elsevier.com/retrieve/pii/S0920-211(06)00192-6) Accessed on 16-12-2010.

Nakken,K.O & Lossius,R. (2005): Seizures related injures in patient with therapy resistant epilepsy. *Epilepsia*; 34(5):836-840.

National Blueprint. (2006): Center for Disease Control: Increasing physical activity among adults age 50 and older. Available at: <http://www.cdc.gov/nccdphp/dnpa/press/archives/blueprint.htm>.

- Neville BG, Chin RF, Scott RC;(2010):**Childhood convulsive status epilepticus: epidemiology, management and outcome. Acta Neurol Scand Suppl. 2007;186:21-4. [abstract]
- Ngaglik, (2010):** Nursing key outcomes, nursing interventions, patient teaching for epilepsy 4th ed.;pp: 1056-1060
- Nicoletti, A., Reggio, A., Bartolini, A., Failla, G., Sofia, V., Bartalesi, F., Roselli, M., Bamboa, H., Salazar, E., Osinaga, R., Paradisi, R., Tempera, G.,& DumasHall, A.J(2009):** Prevalence of epilepsy in rural Bolivia. A door-to-door survey. Neurology, vol. 53; pp: 2064-2069; [Pub Med Abstract](#).
- North American Nursing Diagnosis Association (NANDA). (2003-2004):**Nursing journal;29 (5):221-235.
- Oostrom,K.J., van Teeseling, H., Smeets-Schouten, A.& Peters, A.C., (2005):**Jennekens-Schinkel A for the Dutch Study of Epilepsy in childhood.Three to four years after diagnosis: cognition and behavior in children with “epilepsy only.” A prospective, controlled study. Brain 2005;128(Pt. 7):1546–55.
- Poochikian-Sarkissian, S., Sidani, S., Wennberg, R., Devins, G.M. (2008):** Seizure freedom reduces illness intrusiveness and improves quality of life in epilepsy. Canadian Journal of Neurological Sciences; 35, 280 - 286.

Posner, E.B., Mohamed, K., & Marson, A.G. (2005): Treatment of typical absence seizures in children and adolescents with ethosuximide, sodium valproate or lamotrigine". *Seizure* 14 (2): 117–22 .

Pretell, E.J., Martinot, C.Jr., Garcia, H.H., Alvarado, M., Bustos, J.A., & Martinot, C. (2005): Working group in Peru. Differential diagnosis between cerebral tuberculosis and neurocysticercosis by magnetic resonance spectroscopy. *J Comput Assist Tomogr*; 29 112-114.

Quality of Life. (2009): How good is life for you?". University of Toronto Quality of Life Research Unit. Available at: <http://www.utoronto.ca/qol/>. Retrieved 14 October 2010.

Reid, M. (2009): Short-term memory loss linked to epilepsy. Scots scientists . *The Times* find on February 18 2011.

Renwick, R. (2009): Quality of life. Quality of Life Research Unit, University of Toronto.

Richard, A., & Mark, F. (2001): *Pediatric Secrets*, (3rd ed.,) Hanley and Belius, Philadelphia, pp:532-536.

Rodenburg, H.R., Stams, G.J., Meijer, A.M., Aldenkamp, A.P., Dekovic, Ronen, G.M., Streiner, D.L., Rosenbaum, P., & the Canadian Pediatrics (2005): Psychopathology in children with epilepsy: A meta-analysis. *J Pediatr Psychol*; 30 : 453–68. [Pub Med Abstract](#)

Ronen, G.M., Streiner, D.L., Rosenbaum, P., & the Canadian Pediatric Epilepsy Network. (2003 - 2005): Health-related quality of life in

children with epilepsy: Development and validation of self-report and parent proxy measures. *J Personality Ass*; 80:99-103.

Ronen, G.M., Rosenbum, P., Law, M., & Streiner, D.L., (1999): Health-related quality of life in childhood epilepsy, *Dev. Medical Child Neural*; 41:554-559.

Robin, A. H., Ronald, F., & Katherine, H. T. (2011): Available at:
[www.Sudden Onset Panic: Epileptic Aura or Panic Disorder](http://www.SuddenOnsetPanic.com)
Accessed on June 2011.

Ruben,K.(2009):Looking at the Brain epilepsy.com.EpilepsyTherapyProject.
http://www.epilepsy.com/epilepsy/looking_brain.html Accessed on 19-3-2009.

Russo, R.N., Goodwin, E.J., Miller, M.D. Haan, E.A., Connell,T.M., &Crotty,M.,(2008): Self-esteem, self concept and quality of life in children with hemiplegics cerebral palsy. Flinders University Rehabilitation Studies Unit, University of Adelaide, Adelaide, South Australia.

Rutter, M., Graham P., & Yule, W., (2008): A neuropsychiatric study in child-hood. *Clin Dev Med*; 3:35-36.

Sander, J.W. (2000): Some aspects of prognosis in the epilepsies. *Epilepsia*; 34(6):1007.

Sankar,MJ., Agarwal,R., Aggarwal,R. ,Deorari,A.K.,& Paul,V.K..(2008): Seizures in the newborn. *Indian J Pediatr*; 75: 149-155.

Scheepers, M., & Kerr, M. (2003): Epilepsy and behavior. Current opinion in neurology ;16 (2):183-187.

Science- Daily. (2010): DC Epilepsy and depression: A two-Way street? Washington; [American Association For the Advancement of Science. Com.](#) Accessed on 13-12-2010.

Sebaz, M., Carins, D.R., Lawson, J.A., Nheu, N., & Bleasel, A.F. (2000): Validation of new quality of life measurement for children with epilepsy. Epilepsia;41: 765-774.

Seizure Mechanisms and Threshold(2009): Epilepsy Foundation. Available at: <http://www.epilepsyfoundation.org/answerplace/Medical/seizures/science/mechanisms.cfm>. Accessed on 19-3-2010.

Shorvan, S.D. (2005): The clinical forms and causes of epilepsy. In : Shorvon SD , Handbook of epilepsy treatment (2nd ed.) Blackwell Publishing Ltd; p 1-60.

Sillanpaa, M. (2000): Remission of seizures and predictors of intractability. Epilepsia; 34(5):930-936.

Soyupek, F., Aktepe, E., Savas, S., & Askin, A. (4Feb,2010): Do the self-concept and quality of life decrease in CP patients? Focussing on the predictors of self-concept and quality of life. Department of Physical Medicine and Rehabilitation, Suleyman Demirel University, Isparta, Turkey. National Center for Biotechnology Information, U.S. National Library of Medicine. Rockville Pike, Bethesda MD, 20894 USA.

So, N.K., Savard, G., Andermann, F., Olivier, A., & Quesney, L.F. (2010): Acute postictal psychosis: a stereo EEG study. *Epilepsia*. Mar-Apr; 31(2):188-93.

Sperling, M.R., Feldman, H., Kinman, J.D., Liporace, J., & Connor, M.J.(2000): Seizure control and mortality in epilepsy. *Ann Neurol*; 46: 45-50.

Stasiukyniene,V., Pilvinis,V., Reingardiene,D., & Janauskaite,L. (2009): Epileptic seizures in critically ill patients. *Medicina (Kaunas)* 45 (6): 501–7. PMID .

Steven,C., Schachter,M.D., Patricia,O.,& Shafer,R.N., (2009-2010): Take control of your seizures by starting my epilepsy Diary today. Epilepsy.com Accessed on 19-11-2010.

Sullivan-Bolyai,S., Knafl,K., Sadler,L.,& Gilliss,C.L. (2004): Great expectations: A position description for parents as caregivers: Part II. *Pediatr Nurs* ;2004;30:52–6 .

Swati,J. (2006): Status epilepticus (SE) is a neurologic emergency associated with significant mortality and morbidity. *Pediatric on call* ; 958-973.

Taminiau-Bloem, E.F., Visser, R.M., Tishelman, C., Koeneman, M. A., Zuuren, F.J., & Sprangers, M.,A. (2010): Somatically ill persons' self-nominated quality of life domains: Review of the literature and guidelines for future studies. Available at Springerlink.com.Accessed on 3-1-2010

US Department of Health and Human Services. (2005): Healthy people Understanding and improving health, Jones and Bartlett Publishers: USA. 1(11):10.

U.S. Department of Education — National Center for Education Statistics Staff. (2009). The condition of education, Retrieved March 15, 2010 from <http://nces.ed.gov/programs/coe/>

Ventegodt, S., Merrick, J., & Anderson, N. (2003): Quality of Life Theroy 11. Quality of life as the realization of life potential: A biological theroy of human being. The Scientific World Journal; 3:1041-1049.

Vining, E.P., & Freeman, J.P. (2009): Epilepsy in children.In: Hauser, WA (editor). Current trends in epilepsy a self-study Course for Physicians, Vol 3. Epilepsy Foundation of America, pp. 34-42

Wagner, J.L.& Smith,G.(2007): Psychological services in a pediatric epilepsy clinic: Referral patterns and feasibility. Epilepsy Behav;10: 129-133.

Weber, J.R. (2005): Nurses hand book of health assessment, (5th ed.,) Lippincott Willams &Wilkins, U.S.A, p.12.

Wieshman, U.C. (2004): Family history of epilepsy in epilepsy and other neurological conditions. Journal of Neurology Neurosurgery and Psychiatry; 75 (5): 799-800.

Wolters Kluwer Health. (2009): Quality of life in patients with epilepsy and impact of treatments | Adis in its journal PharmacoEconomics .Accessed at 16-12-2010.

Wong, L., Hockenberry, M., Wilson, D., Winkelstein, M., & Schwartz, P. (2005): Wong's essentials of pediatric nursing: (6th ed.,) Mosby, London, pp.1098-1106.

Yahya, H. (2003): Pelvic ultrasound during pubertal maturation in girls with epilepsy. Master Thesis Faculty of Medicine, Ain Shams University, pp.100-101.

Zeglama. (2009): Auditing the attitude and knowledge of parents of children with febrile seizures. Proceedings of 7th all Libyan Pediatrics conference: Gharian, Libya African Journal of Neurological Science. Vol. 29 No.1.

Zeilinick N., Nir, A., Amit, S., & Iancu, T.C. (1990): Autonomic seizures in an infant: Unusual cutaneous and cardiac manifestation. Developmental Medicine and Child Neurology, No.3 32: 74-78.

Zhonghua, E.r. (2007): Changes of body weight and galanin in epileptic children treated with topiramate, Department of Neurology; Children Hospital of Hebei Province, China, vol.24 pp: 199-202.