

References

Ali, W. G. (2004): Impact of nursing management protocol on selected side effect of chemotherapy in cancer patient, thesis submitted for doctoral degree in nursing science, Faculty of Nursing, Cairo University.

American Cancer Society (2001): How will chemotherapy be administered.

American Cancer Society, (2004): Ovarian cancer 22.sep.
[http://www.cancer.org/docroot/CRI/content/CRI22xwhat is ovarian cancer](http://www.cancer.org/docroot/CRI/content/CRI22xwhat_is_ovarian_cancer).

American Cancer Society, (2008) :Cancer Facts & Figures Available at:
http://www.cancer.org/docroot/STT/stt_0.asp (Accessed September 29, 2008).

American cancer society, Inc (2007): Understanding chemotherapy: A Guide for patients and families.

American Cancer Society, Inc. (2010):

<http://cancercenter.mayo.edu/mayo/research/womenscancerspore-onhian.cfm>.

American Cancer Society. (2008): Ovarian cancer has early symptoms. First national consensus on common warning signs. Available at:
http://www.cancer.org/docroot/NWS/content/NWS_1_1x_Ovarian_Cancer_Symptoms_The_Silence_Is_Broken.asp

- Amlot, p. & smith, o. (2002):** Immunological and Hematological complications of cancer. In: souhami , R . Tannock , I . , Hohenberger , p . & Horiot ,J., oxford text book of oncology , (2 nd ed .) New York:, P. 2253 .
- Anderson C., Carter, J. and Nattress K. et al. (2011):** The booklet helped me not to panic a pilot of a decision aid for asymptomatic women with ovarian cancer and with rising. CA. 125 levels 21(4):737-43.
- Arakawa S.(1995) :** Use of relaxation to reduce side effects of chemotherapy in Japanese patients Cancer Nurs.;18(1):60-6.
- Aschenbrenner ,d. s., Cleveland l. W. ,& Venable,s.j.,(2002):**Drug therapy in Nursing,1st ed. Lippincott Williams & Wilkins Inc. Philadelphia,Pp:877-879.
- Atkinson A, Barsevick A., Cella, D. et al., (2000):** N CCN Practice guidelines for cancer. Related fatigue oncology: 14(11A): 151-161.
- Baker, V. T., (2010):** Basic pharmacology for nurses15th ed.,, Mosby Inc. USA. P. 294.
- Baker, V.T., (2007):** Basic pharmacology for nurses. 14th ed., Mosby Inc., USA. P.283.
- Barni and Mondin,(1997):** Sexual dysfunction in treated breast cancer patients, *Annals Oncology* 8 (1997), Pp.:1–5.
- Bast , R , Kufe , D . , pollocks , weichselbaum , R . , Holland J. &frei, E. (2000) :** cancer Medicine , (5 th ed .) Hamilton: American cancer society, Pp:204-2219

- Benson, A.B., III, Ajani, J.A., Catalano, R.B., Engelking, C., Kornblau, S.M., Martenson, J.A., Jr., et al. (2004).** Recommended guidelines for the treatment of cancer treatment-induced diarrhea. *Journal of Clinical Oncology*, 22 (14), 2918-2926.
- Berek, J.S., (2007):** Gynaecology, 14th ed., lippincot Williams and Wilkins Inc., in Philadelphia, P.1457.
- Bhargava, V.L., (2009):** Textbook of gynecology, 2nd ed., Ane books PVT. LTd. Inc., New Delhi, P.p: 245.246.
- Black, J.M .&Hawks J.H. (2009) :** Medical surgical Nursing ,8th ed., Elsevier Inc.USA,Pp:277-299.
- Blows, W.T. (2005):** The biological basis of nursing: cancer, 1st ed., routledge Inc. London, P.p. 194-195.
- Burkitt, H G, Quick, C R & Reed, J B, (2007):** Essential surgery ,4th ed, Churchill living stone Inc, London, P.p:201-202.
- Bush, N.J., ,Griffin-Sobel, J.P. (2002):** Cultural dimensions of anxiety and truth telling. *Oncology Nursing Forum*, 29(5), 757–759.
- Callan, T. and Caughey A. (2007):** Obstetrics and Gynecology. 4th ed. lippincot Williams and Wilkins Inc., in Philadelphia, P.316.
- Cameron, C.G ., Hallon A.L ,Lynch, M.P & Houldia A., (2011):** Experience of newly diagnosed patients with sarcoma receiving chemotherapy ,Mar., 38(2):160-9.

- Chu, E. & Devita, V. (2008):** Physicians cancer chemotherapy drug manual, 1st ed., Jones and Bartlet publishers, Inc. Boston, P.p: 469-471.
- Clarkson, J. E., Worthington, H. V. & Eden, O. B. (2005):** Interventions for preventing oral mucositis for patients with cancer receiving treatment, 17 (4).
- Cohen ,B.J.& Tayler, J.J.2005:** The structure and function of the body human body,8th ed. lippincot Williams and Wilkins Inc., in Philadelphia,Pp:362-364.
- Coleman, E. A. (2002):** Symptom management and successful outpatient transplantation for patients with multiple myeloma, Cancer Nursing, 25 (6), 452- 460.
- Cooper, C. P., Poloenc, L. and Gelb, C. A. (2011):** Women's knowledge and awareness of gynecologic cancer: a multi site qualitative study in the united states, 20 (4): 517-24.
- Danakas, G.T.; (2007):** Practical guide take care of the gynecologic, obstetric patient, 2nd ed., Mosby Inc. India. P.p.: 299-309.
- Demarosi, F., Bez, C. and Carrassi, A. (2002):** Prevention and treatment of chemotherapy and radiotherapy. Induced oral mucostits-51 (5): 173-86.
- Eilers, J. (2003) :** the oncology supportive care and quality of life, 1(4), :31- 43.
- Elattar, I ,(2006):** Cancer Registration, NCI Egypt, 2005.

- Engleking C., (2003):** Cancer symptoms management, 3rd ed., Jones and Bartlett Inc.
- Fall-Dickson, J.M. Rose, L (1999)** Caring for patients who experience chemotherapy induced side effects. *Oncology Nursing Forum*; 26: 5. Pp:901-907.
- Fayed L,(2006):** chemotherapy side effects: combating fatigue during chemotherapy available at [http:// cancer .about.com](http://cancer.about.com)
- Ferrell B, Hassey-Dow K. (1997).** :“Quality of Life Among Long-Term Cancer Survivors. *Oncology*, 11(4): 565-576.
- FIGO. International federation of gynecology and obstetrics, (2000):**
FIGO committee on gynecologic oncology: *Int J Gynecol. Obstet*, 70: 207-312.
- Gardani,G, Cerrone R. Biella C. &Galbati, B. etal,(2007):**Acase – control study of *Panicum Milliaceum* in the treatment of cancer – chemotherapy –induced alopecia ,98(6) :661-4.
- Gaston- Johansson, F., Fall- Dickson, J. M., Nanda, J., et al. (2000):**
the effectiveness of the comprehensive coping strategy program on clinical outcomes in breast cancer autolojus bone marrow transplantation. *Cancer Nursing* , 23 (4): 277-285.
- Gates, R., Fink, R. & Scheetz, L. (2008):** *Oncology nursing secrets*, 3rd ed., Mosby Inc., Philadelphia, P. 74.
- Gomez–Raposo C,Felitt-Batlle J&Gonzalez-Barona M,(2006):**
Prevention & control of chemotherapy –induced nausea & vomiting ,126(13):513.

- Groenwald, S., Frogge, M., & Goodman, M., et al., (2005):** Cancer nursing. Principles and practice, 6th ed., Jones Bartlett Inc., Boston. P.p. 74-75.
- Grumberg SM, & Sielel ,M,(2007):**Management of nausea & vomiting ,10th ed. Lawrence Inc.
- Holland, L.N. & Adams, M.P, (2007):** Core concepts in pharmacology, 2nd ed., Pearson-prentice hall Inc., New Jersey, P.p.: 24-25.
- Holschneider CH& Berek JS,(2000):** Ovarian cancer: epidemiology, biology, and prognostic factors. Semin Surg OncolP. Pp:3-10.
- Jacobsen P.(2006):** state of science: psychological well- being and survivorship. Presentation at survivorship education for quality cancer care, Pasadena, Calif, July.
- Jeffrey, L. & Stern, M.D., (2001):** Every one's guide for cancer therapy, 4th ed., P .p: 3-4.
- Karch, A.M., (2008):** Nursing pharmacology, 4th ed., Wolters Kluwer-lippincott Williams & Wilkins Inc., Philadelphia., Pp. :231-233.
- King CR.,(1997):** Non pharmacologic management of chemotherapy-induced nausea and vomiting. Oncol Nurs Forum. ,24(7):41-8
- Koeller, J.M., Aapro, M.S., & Garalla, R.J. et al., (2002):** Ant emetics guidelines: creating a more practical treatment approach, supportive i care in cancer. P.p. 519-522.

Lemone,P.&Burke,K.,(2008):Medical-SurgicalNursing,4thed .Pearson – Prentice Hall Inc. ,New Jersey Pp:371-391.

Leung ,P. C. and Adashi, E. Y. (2004): The ovary , 2nd ed .Elsevier Amsterdam Inc. P. 591.

Lewis FM. (2006): The effect of cancer survivorship on families and caregivers, *Am J Nurs.* 106(3 suppl):20.

Lewis, S. M., Heitkemper, M.M., & Dirksen, S. R. (2004): Medical Surgical Nursing, 6th ed., Mosby .Inc. U.S.A. Pp:290-326.

Magowan B.A. ,Owen, PH.&Drife,J,(2009):Clinical obstetrics &gynaecology,2nd ed. Elsevier Inc., London, Pp: 183-189.

McGuire, D. B. (2003): Barriers and strategies in implementation of oral care standards for cancer patients. *Supportive care in cancer*, 11, 435- 441.

Med clin (Barc).2006: Prevention and control of chemotherapy – induced nausea and vomiting ,126(13):513

Mills, E.J., (2006): Medical surgical nursing, 4th ed., lippincott Williams & Wilkes Inc., Philadelphia, Pp:164-170.

Mock V., Olsen M.,(2003): Current management of fatigue and anemia in patients with cancer ,Nov,19 (4) : 36-41.

Mohammed ,s .s.(2009): Effect of Educational Program on Quality of Life for Patients with Cancer undergoing Chemotherapy Thesis Doctoral Degree in medical- surgical nursing. Faculty of nursing, Banha university.

National cancer institute. (2006): U.S. National Institute of Health. www.cancer.gov.

NCI,. (2006). *Common terminology criteria for adverse events* [v3.0]. Retrieved November 13, 2007, from http://ctep.cancer.gov/protocolDevelopment/electronic_applications/docs/

NCI,(2003): Common toxicity criteria adverse events ,V3.0.<http://ctep.gov>. NLGHT chemotherapy symptoms management guideline.

Newton, S., Hickey, M., Marrs, J.(2009): Mosby's oncology nursing advisor ,1st Ed., an affiliate of Elsevier Inc., Canda, Pp :39-389.

Oncology Nursing Society (2006): cancer chemotherapy guide- lines: recommendations for the management of vesicant extravasations, hypersensitivity and anaphylaxis. Pittsburgh, PA: Author.

Padubidri, V.G. & Daftary, S.N., (2008): Shaw Textbook of gynaecology, 4th ed. Elsevier inc. India Pp:394-398.

Pasacreta, J., Minarik, P., & Nield-Anderson, L. (2006): Anxiety and depression. In B. R. Ferrell, & N. Coyle. (Eds.), Textbook of palliative nursing (2nd ed., pp. 375-400). New York, NY: Oxford University Press.

Paula, M., Muehlbauer, R. N and Deborah, T. et al., (2009): Putting evidence into practice: Evidence-based interventions to prevent ,manage and treat chemotherapy and radiotherapy induced diarrhea, 13(3):336-341.

Physicians cancer chemotherapy drug manual, (2008): Oncology nursing drug handbook, 3rd ed., Jones & Bartlet, Inc., Poston, Pp. 1097- 1099.

Potter, P.& Perry, A.(2009): Caring for the cancer survivor, 7thed ., Elsevier com., Canada. Pp.901-907

Richardson G, Dobish R. (2007): Chemotherapy induced diarrhea. Oncol Pharm Pract. ;13(4):181-98..

Riman T, Dickman PW, Nilsson S, Correia N, Nordlinder H, Magnusson CM, et al ,(2002):. Hormone replacement therapy and the risk of invasive epithelial ovarian cancer in Swedish women. J Natl Cancer Inst:497-504.

Rosenbaum, Ernest; Gautier, Holly; Fobair, Pat; Festa, Bernadette; Andrews, Alexandra; Hawn, Margaret; Hirshberger, et al ;(2002): the cancer supportive care program and quality of life for cancer patient, journal of the American Medical Association, 244, 1984- 1997.

Rotte A, Garmann D, Buß I, Jaehde U ,(2010): Effect of Extra cellular TP on Cisplatin- Induced Cytotoxicity in Human Ovarian Carcinoma cells;56:1-8.

Ryu ,H S.,(2008): Should we modify the current FIGO staging system for stage IIIC ovarian cancer,Dec.,19(4):207-8.

Saadeh. C. E. (2005): Chemotherapy and radiotherapy induced oral mucostis: review of preventive strategies and treatment 25(4): 540-54.

Shamsunder ,S.,(2007): Manual of Gynecology ,1st ed. Publishers &Distributors Inc .New Delhi,Pp:233-243.

Shehata, G., E. (2008): Efficacy of scalp cooling on the prevention of chemotherapy. Induced alopecia in breast cancer patients. Undergoing adjuvant chemotherapy .Faculty of Nursing , Menoufia University

Shell, J. A. (2007): psychosocial care, in Langhorne, M. E., Fulton, J. s., and Otto, SH. E., Oncology Nursing, 5th ed. Mosby Elsevier co. U.S. A., Pp:525- 541.

- Souhami RL, Tannock I, Hohenberger P, Horiot JC, (2001):***
Oxford textbook of oncology, second edition. Oxford (UK):
Oxford University.
- Stafford L& Judd F.,(2010):***Long-term quality of life in Australian
women previously diagnosed with gynecologic cancer. 116,
526-32.
- Sun , CC, Ramirez PT and Bodurka DC,(2007):.*** Quality of life for
atients with epithelial ovarian cancer.4(1):18-29.
- Thaler- DeMers D,(2001):*** Intimacy issues: sexuality, fertility, and
relationships. Semin Oncol Nurs.;17(4):255-62.
- Towle, M.A., (2009):*** Maternal Newborn nursing care, 1st ed., Pearson
practice Hall Inc., New Jersey, p. 403.
- Wadler S, Benson AB 3rd, Engelking C, Catalano R.(1998):***
Recommended guidelines for the treatment of chemotherapy-
induced diarrhea. J Clin Oncol. ;16(9):3169-78
- Walsh, M. (2002):*** Watson's clinical nursing and related science, 6th ed.,
Elsevier com., London, Pp:203- 236.
- Waston,R.,2005:*** Anatomy and physiology for Nurses,12th ed. Elsevier
com., London, pp:367-372.
- Wilkes, G., M & Burke, M. B., (2006):*** Oncology nursing drug hand-
book, 10th ed., Jones and Bartlett publishers, Inc. Boston, Pp
:624-632.

- Wilkes, G., M & Burke, M., B. (2008):*** Oncology nursing drug handbook, 11th ed., Jones and Bartlett publishers Inc., Boston, Pp:724-732.
- Wilkes, G.H & Burke M.B, (2005):*** Oncology nursing drug handbook, 9th ed., Jones & Bartlett publishers, Inc., Boston, Pp:619-630.
- Xie X, Zheng Z.D, Liu D.W et al (2003):*** Effect of nausea on prevention of gastrointestinal side effects caused by chemotherapeutic drugs, 83(13):1180-2
- Yarbro, C.H., Frogge, M.H., & Goodman, M. (2007):*** Oncology nursing review, 4th ed., Jones and Bartlett publishers, Inc., Boston.
- Yarbro, C.H., Frogge, M.H., & Goodman, M. (2005):*** Cancer nursing principles and practice, 6th ed. Jones and Bartlett com., U.S.A., P.446.
- Zee, W., Yeo, F.K. Lau, A. Chan, W.M. (2008):*** Common side effect of chemotherapy treatment-induced diarrhea. Journal of Clinical Oncology clinical oncol. 26.
- Zhang M, Lee AH, Binns CW. (2004):*** Reproductive and dietary risk factors for epithelial ovarian cancer in China. Gynecol Oncol;92:320-6.