

References

- Abd El-Azeem, N., (2008):** Complications of patients on hemodialysis to therapeutic regimen. Thesis for Degree of M.Sc.N, Medical Surgical Nursing, Faculty of Nursing, Ain Shams University; pp.111-125.
- Abdel Hameed, T., (2006):** Cardio vascular complications of hemodialysis. Master thesis, faculty of Medicine, Cairo university, PP.5-12, 51-57, 94-79.
- Ackley, B.,Swan,B.Ladwing,G & Tucker,S., (2008):**Evidence based Nursing care Guidelines, Medical intervention,2nd ed. Elsevier, Mosby, USA, pp 321-326.
- Adam, S. & Osborne, S., (2005):** Critical care nursing science and practice, (2nd ed.), Oxford Universal Press. Inc; New York, pp.256-267.
- Afifi, A., (2004):** The Egyptian kidney foundation: Annual report of renal replacement therapy in Egypt for the year 2003.
- Afifi, A. & Karim, M., (2006):** incidence of chronic renal failure in Egypt. The Egyptian society of Nephrology, 6(6), 15.
- Ahmed, A., Allam, M., Ibrahiem, N., El-Gaafary,M., &Gadallah,M., (2010):**Development of practice guidelines for hemodialysis in Egypt. Indian Journal of Nephrology, 20(4):193-202.
- Alebiosu, C. & Ayodel, O., (2005):** The global burden of chronic kidney disease and the way forward. Journal of Renal Disease; 15(3): 414-423.
- Ali, H. Ahmed, O. & Shawky, G., (2004):** Hardness self care health status for diabetic patients. New Egyptian Journal of Medicine; 29(3):66-75.
- Amer, A., (2002):** Efficacy of physical exercise in Hemodialysis patient, The New Egyptian Journal of Medicine; 26(6), PP.12-20.
- Anderson, J., & Levine, J., (2001):** Identification and prevention of psychosocial problems in the renal patients. In D.Z. Levine (Ed), care of the renal patients Philadelphia P.P 27-33.

- Backman, K. & Hentinen, M., (2002):** Model for the self care of home dwelling. *Journal of advanced Nursing*; 30(3): 564-572.
- Barbara, K. & Nancy, E., (2003):** introductory Medical surgical Nursing ,8th ed, Lippincott Williams & Wilkins, New York, P.1029.
- Barsoum, R., (2003):** End stage renal disease in North Africa, *Kidney International Journal*; 36(83): 111-114 .
- Bastable, S., (2003):** Nurse as educator: Principles of teaching and learning for nursing practice (2nded.). Jones and Bartlett Publishers: London; 307-312.
- Belal, S., (2004):** Post operative self-care guide for patients with intra-ocular surgery. Thesis for Degree of M.Sc.N., Medical Surgical Nursing, Faculty of Nursing, Ain Shams University, p. 87.
- Bevan, M., (2000):** Dialysis as 'deusex machine: A critical analysis of hemodialysis. *Journal of Advanced Nursing*; 31(2): 437-443.
- Black, J., & Hawks, J., (2005):** Medical surgical nursing: management of Clients with renal failure and rehabilitation (7th Ed.), Elsevier Saunders Company: U.S.A.; 189-193, 2439-2440.
- Black, J., Hawks, J. & Keene, A., (2001):** Medical surgical nursing: Clinical management for positive outcomes (6th Ed). W.B Saunders: Philadelphia, USA, pp.882-887, 891,893-894.
- Boure, T. & Vanholder, R., (2004):** Biochemical and clinical evidence for uremic toxicity. *Artif Organs*; 28:248-253.
- Briones P., Brouwer D. & Merrill D., (2005):** Hemodialysis access: A guide for caregivers and patients. *Dialysis and Transplantation*; 34: 200-205.
- Brown, W., (2004):** KEEP Kidney Early Evaluation Program(KEEP). Annual Atlas of the National Kidney Foundation's early evaluation program data. *Am J Kidney Dis*; 42(Supple 4):5.

- Chobanin, A., (2003):** Seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. *Hypertension*; 42(6):1206–52.
- Christensen, B. & Kockrow, E., (2003):** Adult health nursing 4th ed. Mosby, Inc, all rights reserved: London, pp 408 -42.
- Courts, N., & Boyette, B., (2001):** Psychosocial adjustment of males on three types of dialysis. *Clinical Nursing Research* 7(1), 47-63.
- Cunningham, J., Sprague, S., Cannata, E., Andia, A., Jcoco, M., Cohen-Solal, M., Fitzpatrick, L., Goltzmann, D., Lafage-Proust, M., Leonard, M., Ott, S., Rodarguez, M., Stehamn-Breen, C., Stern, P., & Wisinger, J., (2004):** Osteoporosis in chronic kidney disease. *American Journal of Kidney Disease*; 43(3):566-571.
- Curtin, R. & Mapes, D., (2001):** Health care management strategies of long-term dialysis survivors. *Nephrology Nursing Journal*; 28(4): 385-394.
- Daugirdas, J., Blake, P. & Ing, T., (2007):** Handbook of dialysis., (3rd ed.). Lippincott Williams & Wilkins: USA; 562-582.
- Davita.com home, (2006):** Available at <http://whois.domaintools.com/davita.com>. . At. 2-5-2010.
- Department of Health (2003):** Essential of care patient focused Benchmarks for Clinical Governance. The Stationery Office. London.
- De-Wit, S., (1998):** Essentials of medical surgical nursing (4th ed.), W.B. Saunders Company: USA, pp 515-516.
- Drench, M., Noonan, A., Sharby, N., & Ventura, S., (2003):** Psychosocial aspects of health care. Prentice Hall, Inc: Upper Salddel River, New Jersey; pp147,149
- Edmund, G., Lowrie, M., Garth-Kirkwood, M., Martin, R., & Pollak, M., (2009):** Anemia in patients with chronic renal failure and in patients undergoing chronic hemodialysis. Available at: <http://msl1.mit.edu/esd10/kidneys/hndbkhtml/ch19.htm>

- Egyptian Society of Nephrology.,(2004):** Egyptian Renal Registry, Annual Report.
- El- setouhy, A., (2003):** prevalence of end stage renal disease in Egypt. The new Egyptian Journal of Medicine, 25(8): 136.
- Farage, S., (2005):** Prevalence of kidney dysfunction among relative of patients with end stage renal disease. Master Thesis, Faculty of Medicine, Zagazig University; 1-10,118.
- Ferrans, C., & powers, M., (2001):** Quality of life hemodialysis patients. American Nephrology Nurses Association Journal. 20(5), 575-581.
- Headly, C. & Wall, B., (2005):** Advanced practice nursing role in the hemodialysis unit: Nephrology Nursing Journal; 27(2):177-181.
- Hogan, M. & Madayag, T., (2004):** Medical surgical nursing review and rational. Prentice, Inc: Upper Saddle River, Jersey; London; 222-223, 250-252.
- Holloway, N., (2004):** Medical surgical care planning (4th ed.). Lippincott, Williams & Wilkins: USA; 713-714.
- [http://www.patients.upToDate.com\(2007\):Available](http://www.patients.upToDate.com(2007):Available) at: <http://www3. Inter science.wiley.com/journal/118487089/abstract>. At. 25-9-2010.**
- Hunt, R., (2009):** Introduction to community. Based Nursing,4th ed, Philadelphia, Lippincott Williams and Wilkins, united states of America, p364-366.
- Janice, M., (2008):** community Health Nursing: promoting the health of Aggregates, 2rd.ed, philaelphia" London, PP: 156-157.
- Johnson, R., & Dorman, K., (2006):** High Acuity nursing (4th Ed), Pearson Education: New Jersey; 653, 664, 671.
- Kamal, A., (2007):** Quality of life of patient with end stage renal disease. Thesis for Degree of M.Sc.N. Medical Surgical Nursing, Faculty of Nursing, Cairo University; 140-152.

- Khattab, N., (2010):*** Self Care Management for Haemodialysis Patients at Home thesis for Degree of M.Sc.N. in Nursing Science Community Health Nursing and Environmental Health. Faculty of Nursing, Ain Shams University; 15: 146-170.
- Khowailed, A., (2005):*** Lecture note physiology of kidney. Physiology Department, Cairo University; 1-2.
- Knapton, M., (2001):*** Renal dialysis and mood swings. Nursing Times, 87(16), 40-42.
- Kosidlak, J., (2009):*** The Development and Implementation of a Population-Based Intervention Model for Public Health Nursing Practice. Public Health Nursing; 16(12):311–320.
- Lemone, P., & Burke, K., (2008):*** Medical – surgical Nursing: critical thinking in client care. 4th Ed, upper saddle River, New Jersey P.900.
- Lemone, P., & Burke, K., (2004):*** Medical surgical* nursing critical thinking client care. 3rd ed. U.S.A, Apearson Education Company. PP: 761-770.
- Levey, A., Eckardt, K., & Tsukamoto, Y., (2005):*** Definition and classification of chronic kidney disease: A position statement from kidney disease: Improving Global Outcomes (KDIGO). Kidney Int; 67:2089.
- Levine. N. & Ronco, C., (2004):*** Complications during hemodialysis: Dialysis therapy a: Lippincott Williams & Wilkins: Philadelphia, 171-179.
- Levey, A., Coresh, J., Balk, E. & Kausz, E., (2004):*** National kidney foundation practice guidelines for chronic kidney disease: Evaluation, classification, and stratification. Ann Intern Med; 139:137.
- Lewis, S., Collier, I. & Heitkemer, M., (2000):*** Medical surgical nursing: Assessment and management of clinical problems (4th Ed). Mosby, St. Louis: London; 1397-1400.

- Lewis, S., Heitkemper, M. & Dirksen, S., (2005):** Medical surgical nursing, assessment and management of clinical problems, (6th Ed.). Mosby, Inc: Philadelphia; 1217-1238.
- Linda, F. & Barbara, S., (2009):** Nursing care an essential guide. British Library; p.262.
- Linton, A., & Maebius, N., (2003):** Introduction to medical surgical nursing, (3rd Ed.). Lippincott Co: Philadelphia; 782-789, 1120-1127.
- Lowrie, E., Curtin, R., LePain, N. & Schatell, D., (2003):** Medical outcomes study short form-36: A consistent and powerful predictor of morbidity and mortality in dialysis patients. American Journal of Kidney Diseases; 41(6): 1286-1292.
- Lundy, K. & Janes, S., (2002):** Community health nursing, caring for public health (3rd Ed.). Bartlett, Publishers Company: USA; p.270.
- Lutf, A., (2004):** Assessment of self care practice among patients on maintenance hemodialysis. M.Sc.N. Thesis Faculty of Nursing, Alexandria University; 134,135,139.
- Madison, A., (2005):** Kidney and urologic disease, vascular Access for Hemodialysis website.<http://www.lifeoptions.org>. At. 2-5-2010.
- Mandolfo, S., Galli, F., Piazza, W. & Imbasciati, E., (2001):** Blood flow rate and dialysis adequacy in patients with permanent central venous catheters. The Journal of Vascular Access; 1 (2): 46-50.
- Mapes, D., Lopes, A., Satayathum, S., McCullough, K., Goodkin, D., Locatelli, F., Fukuhara, S., Young, E., Kurokawa, K., Saito, A., Bommer, J., Wolfe, R., Held, P. & Port, F., (2003):** Health-related quality of life as a predictor of mortality and hospitalization: The dialysis outcomes and practice patterns study (DOPPS). Kidney International; 64(1): 339-349.
- Mayo-Clinic, (2007):** Hemodialysis how to work? Available at <http://www.mayoclinic.com/health/haemodialysis/da00084>.

- Maya, I. & Allon, M., (2008):** Core curriculum in nephrology vascular access: Core Curriculum. Am J Kidney Dis, 51:702-708.
- Mayo Foundation for Medical Education and Research, (2009):** Available at: [http://www. answers. com/topic/ public-health-nursing2010](http://www.answers.com/topic/public-health-nursing2010)).
- Mazzella, A., (2004):** Psychosocial factors in treating the depressed renal patient. The Journal of Nephrology Social Work, PP: 223- 229.
- Mc-Camk, K. & Boor, J., (2000):** Fatigue in persons with renal failure who require maintenance hemodialysis Journal of Advanced Nursing; 32(5):1132-1142.
- McGee, D. & Gould, M., (2003):** Preventing complications of central venous cauterization: N Engle J Med; 348: 1123-33.
- Mohamed, A., (2001):** Quality of life of patients with end stage renal disease. Master Thesis, Faculty of Nursing, Ain Shams University; 101,105,149, 155, 164.
- Mohamed, M., (2007):** Nursing role in managing complications of patients on hemodialysis. Thesis for Degree of M.Sc.N. Medical Surgical Nursing. Faculty of Nursing, Ain Shams University; 15: 146-170.
- Molitch, M., (2004):** Nephropathy in diabetes. Diabetes Care; 27(Supple 1): S79 - 83.
- Mona, N., (2007);** End stage renal disease NEPHROLOGY NURSING JOURNAL ■ 34 (6): 37.
- Mostafa, M., El- Fouly, Y., & Hassan, H., (2004):** the effect of a teaching program on nutritional practices for hemodialysis patients. The New Egyptian Journal of Medicine, 3(5), 33-46.
- Nagle, L., (2001):** The meaning of technology for people with chronic renal failure Holistic Nursing Practice, 12(4), 78-92.
- Nakahara N, Moritan M, Kishimoto T & Miura K., (2006):** Nursing care for dialysis patients in Japan, EDTNAERCA Journal, 20(40):217-221.

- National kidney foundation, (2002):** Clinical practice guidelines for chronic kidney disease. Wibset Available at: <http://www.Medscop.com>. At. 25- 3- 2010.
- National Kidney Foundation (NKF) (2006):** Clinical practice guidelines for chronic kidney disease. Available at: http://www.kidney.org/professionals/kdoqi/guideline_upHD_PD_VA/index.htm
- Nephrology Channel (2006):** Chronic renal failure signs and symptoms and diagnosis. Available at: http://www.Nephrology_channel.Comsympols.shtml. At. 9- 12- 2009.
- Orem, D. & Repenning, S., (1999):** Nursing concepts of practice. (5th ed.). Mosby Year Book Company: USA; 191-240.
- Panchit, C., (2003):** self-care of chronic renal failure patients undergoing hemodialysis. Degree of Master of nursing science, Mahidol, University. Available at: <http://scholar.google.com>. eg/scholar?cluster=12341728877970175774&hl=ar&as_sdt=0&as_vis=1. At. 27-8-2010
- Quinan, P., (2007):** Control and coping for individuals with end stage renal disease on hemodialysis: A position paper. CANNT Journal; 17(3): 77-84.
- Renal Data System (2001):** Anatomy of the kidney, Available at: http://www.usrds.org/slides_2001.htm. At. 27-2-2010.
- Rice, R., (2001):** Home Care Nursing Practice: Concepts and Application, 3rd ed. Philadelphia, Mosby, USA, pp: 135- 138.
- Richman, F., & Levy, N., (2001):** Problems in adaptation to maintenance hemodialysis. Archives of Internal Medicine, 130, 859-865.
- Rittman, .F (2001):** living with renal failure. American Nephrology Nurses Association Journal. 20(3), 327-332.
- Roberta, B., Curtin, D., Bultman, S., Dorian S. & Betty, A., (2006):** Self-management, knowledge, and functioning and well-being of patients on hemodialysis. Nephrology Nursing Journal, July-August; 31:4

- Robyn Rice (2006):** Home care nursing practice: concepts and application, 4th Ed, Elsevier Health science, N. York, pp.38-39.
- Ronco, C., (2008):** Complications during hemodialysis: Dialysis therapy a: Lippincott Williams & Wilkins: Philadelphia, 171-179.
- Sakr, I., (2003):** Adequacy and complication of hemodialysis. Master thesis, faculty of Medicine, Cairo university pp.115-129.
- Sam, M. & Geetha, N., (2004):** A textbook of nutrition for nurses, (2nd Ed.). Lord son Publisher: New Delphi; 30-35,184-187.
- Schilling, J., Moreau. D., Robinson, J. & Bartelmo, J., (2002):** Handbook of medical surgical nursing, (3rd Ed.). Springhouse: USA; 379-383, 694-698, 804-808.
- Seeley, R., Stephen, S. & Tata, P., (2002):** Essentional of anatomy and physiology. 4th ed., McGraw-Hill, Inc, New York; 488-498.
- Self care (2009):** Self care, Retrieved from <http://en.wikipedia.org/wiki/self-care>. At. 9- 3- 2010.
- Shaheen, F., & Al Khader, A., (2005):** Preventive strategies of renal failure in the Arab World. Kidney International Journal, 98: 37-40.
- Sharafe, A., (2000):** Assessment of nursing interventions of intradialytic problems of patients on maintenance hemodialysis, Master Thesis, Faculty of Nursing, Alexandria University; 14-53-68.
- Smeltzer, S. & Bare, B., (2000):** Text book of medical –surgical nursing (9th Ed.). Lippincott: Philadelphia; 1112-59.
- Smeltzer, S. & Bare, B., (2002):** Brunner and Suddarth’s text book of medical surgical nursing (9th Ed.). Lippincott: New York, Philadelphia; 1112-1151.
- Smeltzer, S. & Bare, B., (2004):** Text book of medical surgical nursing (10th Ed.). Lippincott Williams & Wilkins: Philadelphia; p. 1215.

- Sobeh, A., (1997):** Arteriovenous Fistula for Maintenance Hemodialysis Access, the New Egyptian Journal of Medicine; 29(6):267.
- Suet-Ching, W., (2001):** The quality of life for Hong dialysis patients. Journal of Advanced Nursing; 35(2): 218-227.
- Swearingen, P., (2003):** Manual of medical surgical nursing care. Nursing intervention and collaborative management. Mosby Inc:USA,p. 245.
- Tasy, S. & Hung, L., (2004):** Empowerment of patients with end stage renal disease: A randomized controlled trial. International Journal of Nursing Studies; 41:59-65.
- Tharwat, K., (2009):** Frequent and serious complication of advanced renal failure with a potential for causing serious arrhythmias, cardiac tamponade and death. Epidemiology of Chronic Renal Failure in Egypt, pp5-7.
- Thomas, N., (2008):** chronic renal failure. A crucial Topic. revied November 24.2008 from <http://www.healthline.com/blogs/health-observances/uploaded-images/kidney713543.jpg>.
- Thomas, N., Smith, T. & Jeffrey, C., (2002):** Renal nursing (2nd Ed.). Bailliere Tindall: China; 76-100, 170-205, 312-332.
- Timby, R. & Smith, O., (2007):** Medical surgical nursing clinical management for positive outcome, (6th ed.). Saunders Co: Philadelphia; 883-901.
- Vaithilingam, I., Polkinghorne, K., Atkins, R. & Kerr, P., (2004):** Time and exercise improve phosphate removal in hemodialysis patients. American Journal of Kidney Disease; 43(1): 85-89.
- Vanholder, R., De Met, R., & Glorieux, G., (2003):** Review on uremic toxins: Classification, concentration, and inter-individual variability. Kidney Int; 63:1934-1943.
- Verreli, M., (2004):** chronic renal failure. Available at: www.emedicine.com/med/topic374.htm. At. 9- 3- 2010.

Walash M (2002): Clinical nursing and related science, (6th Ed.).
Bilateral Tirdall. Co: New York; 564-567.

Weisbonal, A., Fried, L., Arnold, R., Fine, M., Levenson, D., Peterson, R. & Switzer, G., (2007): Prevalence, severity, and importance of physical and emotional Symptoms in chronic hemodialysis patients. Available at:<http://www.jasan.org/>. At. 20- 4- 2010.

Wells, C., (2003): Optimizing nutritional patients with chronic renal failure. Nephrology Nursing Journal; 30(6): 637-648.

White, Y., & Grenyer, B., (2001): The Biopsychosocial impact of end-stage renal disease. The experience of dialysis patients and their partners Journal <http://www.faqs.org/periodicals/201004/2054179241.html#ixzz1HdDU2NoF>. At. 15- 3- 2010.

Wikipedia (2007): Pyroenic reaction from hemodialysis. Available at:
[Http:// en.wikipedia.org/wiki/renal](http://en.wikipedia.org/wiki/renal) anaphylatis. At. 28- 5- 2010.

Wikipedia (2009): Pyroenic reaction from hemodialysis. Available at:
<http://en.wikipedia.org/wiki/renal> anaphylatis. At. 25- 6- 2010.