

Reference

- Abdel Aziz, A. (2005):** Nursing intervention protocol for nurses working with depressed patients, Ain Shams University, Faculty of Nursing, Doctorate degree.
- Alferaness, K. (2000):** Optimizing performance through process improvement, J. nurse care Quality, (1) –pp: 1-9.
- American Nurses Association, American psychiatric nurses Association and international society of psychiatric- mental health nurses, (2000):** Scope and standards of psychiatric and mental health nursing practice, Washington, Dc: American nurses publishing.
- American psychiatric association (2000):** DSM.IV-TR: Diagnostic and statistical manual of mental disorders. Text revision, 4th ed, Washington, DC: American psychiatric association.
- Amminger, G., Leicester S., Yung, A., Phillips, L., Berger, G., Francey, S., Yuen, H., McGorry, P., (2006):** "Early-onset of symptoms predicts conversion to non-affective psychosis in ultra-high risk individuals". Schizophrenia Research 84 (1): 67–76.
- Andersen N. and Black, D., (2006):** Introductory text book of psychiatry, 4th ed, Washington, Dc, American psychiatric publishing.
- Antai-otong, D., (2008):** Psychiatric nursing Biological and behavioral concepts, 2nd ed, Thomson Delmar Learning, New York, p: 386-409.
- Antonova, E., Sharma, T., Morris, R. and Kumari, V., (2004):** The relationship between brain structure and neuron-cognition in schizophrenia a selective review, schizophrenia Bulletin, 70, 457-467.

- Austin, W. and Boyd, M., (2008):** Psychiatric nursing for Canadian practice, 1st ed, Lippincott Williams and Wilkins, New York, p: 291-333.
- Basavanthappa, B., (2007):** Psychiatric mental health nursing, 2nd ed, Jayvee Brothers, New Delhi, p. 472.
- Bayoumi, M. (2009):** Discharge guide program for mothers of children with bronchial asthma, Doctorate Degree in Pediatric Nursing, Faculty of Nursing, Benha University.
- Becker, T. and Kilian, R., (2006):** Psychiatric services for people with severe mental illness across Western Europe: what can be generalized from current knowledge about differences in provision, costs and outcomes of mental health care, *act psychiatric Scand in a vice supplement* 42: 9-16.
- Birnkrant, J. and Carlsen, A., (2007):** Psychiatry, 2nd ed, Mosby, Philadelphia, p.25.
- Bowles, M. and Torn, H., (2001):** Nurses communication skills an evaluation of the impact of solution focused communication training, *Journal of advanced nurses*, 36 (3): 347-354.
- Boyd, M., (2008):** Psychiatric nursing contemporary practice, 4th ed, Lippincott Williams and Wilkins, Philadelphia, pp: 276- 347.
- Boyed, M. (2008):** Psychiatric nursing for Canadian practice, 1sted, Lippincott Williams and Wilkins, London, p.294.
- Brunton, L., Lazo, J., and Parker, K., (2006):** Goodman and Gilman's the pharmacological basis of therapeutic, 11th ed, McGraw-Hill, New York.
- Bustillo, S., Lauriello, J., Horan, W. and Keith, S., (2001):** The psychosocial treatment of schizophrenia: an update, *American journal of psychiatry*, 158(2), 163-175.



- Canadian Federation of mental health nurses, (2005):** Canadian standards of psychiatric and mental health nursing practice, 2nd ed, Retrieved September, p.15.
- Carpenter, L., (2005):** Nursing diagnosis: application to clinical practice, 11th ed, Lippincott Williams and Wilkins, Philadelphia, p.744.
- Carpenter, W., (2000):** Schizophrenia introduction and overview, comprehensive text book of psychiatry, 7th ed, Lippincott Williams and Wilkins, Philadelphia, pp: 106-110.
- Chanock, S. (2002):** The other side effect of the bed: what caregivers can learn from listening to patient and their families in pizza P.A and pop lack D.G., principles and practice of oncology, 4th ed, Philadelphia, Lippincott Williams and Wilkins, pp: 1393-1395.
- Chouinard, G., (2004a):** Issues in the clinical use of benzodiazepines: potency, withdrawal and rebound, Journal of clinical psychiatry, 65(9), 9-15.
- Chouinard, G., (2004b):** New nomenclature for drug- induced movement disorders including tardive dyskinesia, Journal of clinical psychiatry, 65(5), 7-12.
- Conley, R., and Kelly, D., (2007):** Clinical pharmacology and medication associated side effects: a review of second generation antipsychotic for schizophrenia, clinical schizophrenia and related psychoses, 1,135-146.
- Coon, D., (2007):** Introduction to psychology, gateways to mind and behaviors, 11th ed, Thomson Worth comp., Australia, p. 549.
- Corrol, W., Bhojwani, D and Min, D. (2005):** pediatrics acute lymphoblast leukemia, hematology AM soc Hematology Edu. Program, pp: 102-31.

- Craven, R. and Hirnle, G (2000):** Fundamental nursing, human health and function, 3^{ed} ed, Lippincott, Philadelphia, p. 964.
- Dewit, S. (2003):** Essentials of medical surgical nursing, 5th ed, W.B Saunders, New York, pp: 912-920.
- Dolder, C., Lacro, J. and Dunn, L., (2002):** Antipsychotic medication adherence is there a difference between typical and atypical agent, Am. J. of psychiatry, 159 (1): 103-108.
- Dowe, P (2000):** Surgical nursing pen gum book, Great Britain, p.10.
- Ellis, J., Nowlis, E. and Bentz, P. (2004):** Modules for basic nursing skills, vo.l, 7th ed, Lippincott, Philadelphia, p.660.
- England, M., (2007):** Efficacy of cognitive nursing intervention for voice hearing, perspectives in psychiatric care, 43(2), 69-76.
- Fontaine, K., (2009):** Mental health nursing, 6th ed, Pearson prentice Hall, New York, pp: 342-373.
- Fortinash, H. and Holoday, P., (2003):** Psychiatric nursing care plans, 4th ed, Mosby, California, p.3.
- Fortinash, K. and Worret, H., (2008):** Psychiatric mental health nursing, 4th ed, Mosby, California, pp: 24-283.
- Fortinash, K. and Worret, H., (2003):** Psychiatric nursing care plans, 4th ed, Mosby, U.S.A., pp: 107-142.
- Fortinash, K. and Worret, H., (2004):** Psychiatric nursing care plans, 4th ed, Mosby, New York, pp: 119-136.
- Fortinash, K. and Worret, H., (2007):** Psychiatric nursing care plans, 4th ed, Mosby, U.S.A, pp: 92-113.
- Glassman, A., (2005):** Schizophrenia, antipsychotic drugs and cardiovascular disease, journal of clinical psychiatry, 66(6), 5-10.
- Goldberg, R., (2007):** Practice guide to the care of the psychiatric patient, 3rd ed, Mosby, U.S.A., 210-251.

- Greden, J (2001):** Recurrent depression, Washington, DC, American psychiatric publishing, pp: 2,145-170.
- Gur, R. E and Gur, R. C., (2005):** Neuroimaging in schizophrenia linking neuropsychiatry manifestations to neurobiology, comprehensive text book of psychiatry, Lippincott Williams and Wilkins, Philadelphia, pp: 1396-1408.
- Gur, R., Nimgaonkar, V. and Almasy, L., (2007):** Neurocognitive endophenotypes in a multiplex multigenerational family study of schizophrenia, American journal of psychiatry, 164, 705-707.
- Haddock, G; Lewis S (2005):** "Psychological interventions in early psychosis". Schizophrenia Bulletin 31 (3): 697–704.
- Hall, J., (2006):** Guyton and Hall physiology review, 11thed, Elsevier Mosby, Philadelphia.
- Hinchliff, S., Norman, S. and Schober, J. (2003):** Nursing practice and health care, 4th ed, Arnold London, p.28.
- Hogan, M., (2008):** Prentice Hall nursing reviews and rationales mental health nursing, 2nd ed, Pearson prentice Hall, New Jersey, pp: 176-193.
- Hooper, J (2000):** Foundations in nursing theory and practice, Mosby, Italy, pp: 445-452.
- Huang, H., Matevossian, A., Shittle, C., Kim, S., Schumacher, A. and Baker, S., (2007):** Prefrontal dysfunction in schizophrenia involves mixed–lineage leukemia 1- regulated histone methylation at GABA gene promoters, Journal of neuroscience, 27(42), 11254-11262.
- Iritani, S., (2007):** Neuropathology of schizophrenia: a mini review, Japanese society of neuropathology, 27, 604-608.

- Jenkins, J (2001):** Oncology nursing practice, the role of the nurse in support of progress in cancer treatment, 3^{ed} ed, Boston, London, pp: 14-20.
- Johnson, S. (2000):** Showing their expertise clinical nursing January 14(1)2-4.
- Jone, D. (2003):** A field test of motto's risk estimator for suicide AM. J psychiatric, 11: 144-923.
- Judith, A., (2006):** Straight A'S in psychiatric and mental health nursing, 2nded, Lippincott Williams and Wilkins, Philadelphia, pp: 92-106.
- Kane, J., (2006):** Pharmacological options for schizophrenia, implication for compliance, Am. J. of psychiatry 108(10):300-307.
- Kasper, P. (2002):** Nursing intervention and clinical skills, 2nd ed, Mosby, New York, p.203
- Keltner, N., (2005):** Genomic influences on schizophrenia related neurotransmitter systems, Journal of nursing scholarship, 37(4) 322-338.
- Knapp, R. and Miller, M., (1992):** Clinical epidemiologist and biostatics national medical series from Williams and Wilkins, Baltimore, Hong Wong, London, Sydney, Egyptian edition, p.209.
- Kneisl, C., (2004):** Contemporary psychiatric mental Health nursing, 1st ed, Pearson prentice Hall, U.S.A, pp: 303-332.
- Lachar, D., Bailey, S., Rhoades, H., and Espades, A., (2001):** New subscales for an anchored version of the brief psychiatric rating scale: construction, reliability and validity in acute psychiatric admission, psychological assessment, 13, 384-35.
- Landeen, J., (2001):** Review social skills training supported employment programmers and cognitive-behavior therapy improve some outcomes in schizophrenia, Evidence based nursing, 4(4), 115.

- Lecomte, T., Wallace, C., Perreault, M. and Caron, J., (2005):** Consumer's goals in psychiatric rehabilitation and their concordance with existing services, psychiatric services, 56(2), 209-211.
- Lee, H., Coenen, A. and Helm, K. (2003):** Island living, the experience of lone line in a psychiatric hospital, applied nursing research, 7(1):7-13.
- Lehman, A., Kreyenbuhl, J., Buchanan, R., Dickerson, F., Dixon, L. and Goldberg, R., (2004):** The schizophrenia patient outcomes research team (PORT): up dated treatment recommendations 2003, schizophrenia bulletin, 30(2), 193-217.
- Leucht, S., Barnes, T., Kissling, W., Engel, R., Correll, C., and Kane, J., (2003):** Relapse prevention in schizophrenia with new generation antipsychotics: A systematic review and exploratory Meta analysis of randomized, controlled trails, American Journal of psychiatry, 160(7), 1029-1222.
- Lewis, D. and Lieberman, J., (2000):** Catching up on schizophrenia national history and neurobiology, neuron, 28: 255- 334.
- Lieberman, J., (2006b):** The American psychiatric publishing text book of schizophrenia, Arlington.
- Linden, J., Khan, A., Iskander, A., Abad, M., and Paker, B., (2007):** A randomized controlled trail of halonzapine versus haloperidol in the treatment of primary negative symptoms and Neurocognitive deficits in schizophrenia, Journal of clinical psychiatry, 68,358-379.
- Mahler, W., Riederer, P. and Gerlach, M., (2007):** Dopaminergic dysbalance in distinct basal ganglia neurocircuits: implications for the path-physiology of Parkinson's disease, schizophrenia and

attention deficit hypoactivity disorder neurotoxicity research, 10, 167- 16.

Mamo, D., (2007): Managing suicidal in schizophrenia, Canadation journal of psychiatry, 52(6 supp 1), 59-70.

Mazak, D, Zemishlani, C., Aizenberg, D. and Barak, Y., (2005): Patients with very-late onset schizophrenia like psychosis: a follow up study, American journal of geriatric psychiatry, 13, 417-419.

Mc Cann, T. and Baker, H., (2003): Models of mental health nurse-general practitioner liaison: promoting continuity of care, Journal of advanced nursing 41(5), 471-479.

McCloskey, J. and Bulechek, G. (2000): Nursing interventions classification, 3rd ed, St, Louis, Mosby, p.39.

Meijel, M., Gaag, V and Kahn, R. (2005): Schizophrenia and psychotic disorders, Journal of Advanced Nurse, 51(6):634-44.

Meijel, V., Gaag ,V., Kahhn, R., and Grypdonck, M.,(2003): Relapse prevention in patients with schizophrenia; the application of an intervention protocol in nursing practice, Archives of psychiatric nursing, 17(4), 165-172.

Meyer, U., Nyffeler, M., Engler, A., Schedlowski, M., and Feldon, J., (2006): The time of prenatal immune challenge determines the specificity of inflammation mediated brain and behavioral pathology, the Journal of neuroscience, 26, 4752-4762.

Mohr, K., (2006): Psychiatric mental health nursing, 6th ed, Lippincott, Philadelphia, p.140.

Mohr, W., (2009): Psychiatric mental health nursing, evidence-based concepts, skills and practices, 7th ed, Lippincott Williams and Wilkins, Philadelphia, pp: 574-605.

- Moller, M. (2005):** Principles and practice of psychiatric nursing, 8th ed, Mosby, New Delhi, p.387.
- Morrison-Valfre, M., (2005):** Foundations of mental health care, 3rd ed, Mosby, U.S.A., p.324.
- Munro, A, Munro, A, Watson, H and Mc Fadyen, A (2007):** Assessing the impact of training on mental health nurses' therapeutic attitudes and knowledge about co-morbidity: a randomized controlled trial, Int. J Nurse Stud,44(8):1430-8
- Murray, R. and Bramon, E., (2005):** Developmental model of schizophrenia, comprehensive text book of psychiatry, Lippincott Williams and Wilkins, Philadelphia, pp: 1381-1396.
- National Institute of Mental Health, (2006):** The numbers count: mental disorders in American, a fact sheet describing the prevalence of mental disorders in American, retrieved January 1, 2008
- Nnadi, C. and Malhotra, A., (2007):** Individualizing antipsychotic drug therapy in schizophrenic, the promise of pharmacokinetics, current psychiatry reports, 313-318.
- Norman, R., Scholten, D., Malla, A. and Ballageer, T. (2005):** Early signs of schizophrenia spectrum disorders, Journal of nervous and mental disease, 13, 17-23.
- Nose, M., Barbui, C. and Tansello, M., (2003):** How often do patients with psychosis fail to adhere to treatment programmers, A systematic review, psychological medicine, 33(7), 1149-1160.
- Osman's, N. (2001):** educational program for acquisition of training skill among academic nursing clinical instructors, faculty of nursing, Ain shams university, Doctorate degree, pp: 93-139.
- Pullen, M., (2003):** Development clinical leadership skills in student nurses, journal of nursing education, 2(3): 349.

- Rapoport, J., Addington, A., Frangou, S. and Psych, M., (2005):** The neurodevelopment model of schizophrenia molecular psychiatry, 10, 434-449.
- Richelson, E. (2002):** Treatment of acute depression, psychiatric clinics north AM., 16(3):11-20.
- Rietschel, M., Krauss, H., Muller, D., Schulze, T., Knapp, M., Marwinski, K. and Mardd, A., (2000):** Dopamine d3 receptor variant and tardive dyskinesia, European Archives of psychiatry and clinical neuroscience, 250(1), 31-35.
- Riley, B. and Kendler, K., (2005):** Schizophrenia: genetics, Kaplan and sadock's comprehensive text book of psychiatry, 8th ed, Lippincott Williams and Wilkins, Philadelphia, pp: 1354-1371.
- Riley, B. and Kendler, K., (2006):** Molecular: genetic, studies of schizophrenia, European journal of human genetics, 14, 669-680.
- Roberts, N., Stock, R., and Clarke, D. (2008):** Psychiatric nursing for Canadian practice, 1st ed, Lippincott Williams and Wilkins, London, p.336.
- Roder, V., Mueller, D., Mueser, K., and Brenner, H., (2006):** Integrated psychological therapy for schizophrenia: is it effective, Schizophrenia bulletin, 32(1), 581-593.
- Sadock, B. and Sadock, V., (2004):** Kaplan and sadock's concise text book of clinical psychiatry, 2nded, Lippincott Williams and Wilkins, Philadelphia, pp: 134-143.
- Sadock, B. and Sadock, V., (2005):** Kaplan and sadock's comprehensive text book of psychiatry, 8thed, Lippincott Williams and Wilkins, Philadelphia.

- Sadock, B. and Sadock, V., (2007):** Kaplan and sadock's synopsis of psychiatry behavioral sciences/ clinical psychiatry, 10thed, Lippincott Williams and Wilkins, Philadelphia, pp: 486-47.
- Scavizoo, J. and Ganba, N. (2004):** Bridging the gap: the virtual chemotherapy unit. Pediatric oncology nurses, 21(1): 27-32.
- Schultz, J. and Videbeck, S., (2009):** Psychiatric nursing care plans, 8th ed, Lippincott Williams and Wilkins, Philadelphia, 260-280.
- Schultz, J., (2002):** Psychiatric nursing care plans, 6thed, Lippincott, Philadelphia, pp: 309-313.
- Seada, H. (2003):** Effects of a training program on staff nurses performance and improvement in the emergency unit at El-manial university hospital, doctorate degree in medical surgical nursing, faculty of nursing, Cario University, pp: 121-123.
- Shives, L. and Isaacs, A. (2002):** Basic concepts of psychiatric mental health nursing, Lippincott, Philadelphia, pp: 292-312.
- Shives, L., (2008):** Basic concepts of psychiatric mental health nursing, 7th ed, Lippincott Williams and Wilkins, Philadelphia, pp: 354-372.
- Siris, S., (2000):** Depression in schizophrenia: perspective in the era of "a typical" antipsychotic agents, American Journal of psychiatry, 157, 1379-1389.
- Smeltzer, S. and Bare, B (2002):** Brunner Suddarth's text book of medical and surgical, 9th ed, Lippincott, Philadelphia, pp: 1501-1531.
- Sould, B. (2003):** Intensive care patient, infection and nursing practice prevention and control, 1st ed, St. Louis, U.S.A., 258-262.
- Spratto, G. and Woods, A., (2000):** PDR nurse's drug hand book, 2000 edition, Montvale, Nj, medical economics' company, Inc.

- Stahi, s. and Bukely, P., (2007):** Negative symptoms of schizophrenia a problem that will not go away, act psychiatric neurotransmission, Current Drug targets, 8,643-64.
- Steen, A. and Mirro, A (2004):** Childhood cancer, a hand book from st. guide children's research hospital can bridge M.A press publishing, pp: 2013-15.
- Stuart, G. and Laraia, M., (2005):** Principles and practice of psychiatric nursing, 8th ed, Mosby, Indian, pp: 336-422.
- Sur, C. and Kinney, G., (2007):** Glycine transporter 1 inhibitors and modulation of NMDA receptor-mediated excitatory neurotransmission, Current Drug targets, 8,643-649.
- Susan, L., (2002):** Psychiatric care planning, 2nd ed, Lippincott, N.S.A., p.21.
- Taha, A. (2006):** Emergency nursing care for critically ill patients: impact of a designed teaching protocol on nurse's knowledge and practices at intensive care units of Benha University and Benha teaching hospital, master degree, faculty of nursing, Benha University.
- Taha, N. (2004):** Comatosed patient's impact of a training program provided for nurses working critical care units, Zagazig University hospitals on nurse's knowledge and performance levels as well on patient's outcome, doctorate degree in medical surgical nursing, faculty of nursing, Zagazig University, pp: 1 – 187.
- Thompson, J., Mc Fardand, G., Hirsch, J. and Tucker, S. (2003):** Schizophrenia, 2nd ed, Mosby, St. Louis, Boston, pp: 91-94.
- Tsuang, M., Stone, W. and Faraone, S., (2001):** Genes, environment and schizophrenia, British Journal of psychiatry, 178(40) 18-24.

- Turkington, D., Dudley,R., Warman, D. and Beck, A.,(2004):** Cognitive-behavioral therapy for schizophrenia: a review, Journal of psychiatric practice, 10, 5-16.
- Turner, s, Turner, j, Clavarino, A, Butow P, Yates, P, Hargraves, M, Connors, V and Hausmann, S,(2009):** Enhancing the capacity of oncology nurses to provide supportive care for parents with advanced cancer: evaluation of an educational intervention, Eur. J Cancer, Jul;45(10):1798-806.
- Varcordis, E., (2002):** Foundation of psychiatric mental health nursing, 4th ed, WB Saunders comp., Philadelphia, pp: 491-506.
- Velligan, D. and Gonzalez, J., (2007):** Rehabilitation and recovery in schizophrenia, psychiatric clinical of North American, 30(3), 535-548.
- Videbeck, S., (2002):** Psychiatric nursing care plans, 6th ed, Lippincott, Philadelphia, p.143.
- Videbeck, S., (2008):** Psychiatric mental health nursing, 4thed, Williams and Wilkins, Lippincott, pp: 18-41.
- Videheck's, S. and Schultz, M., (2002):** Psychiatric nursing care plan, 6thed, Mosby, Tokyo.
- Walash, M. (2002):** Accident and emergency nursing: a new approach, 4th ed, butter worth Heinemann, oxford, 299.
- Walker, E., Kester, L., Bellini, A. and Hochman, K., (2004):** Schizophrenia: eatiology and course, annual review of psychology, 55 (574-581).
- Willetts, L and Leff, J (2003):** Improving the knowledge and skills of psychiatric nurses: efficacy of a staff training programmer, Journal of Adv Nurse, 42(3):237-43.

- Williams, S. and Wilkins, M., (2004):** Psychiatric nursing made incredibly easy, 1sted, Awolters Kluwer company, Philadelphia, pp: 140-170.
- Williams, S. and Wilkins, M., (2006):** Straight A's in psychiatric and mental health nursing, 1sted, Awolters Kluwer comp., Philadelphia,
- World Health Organization (2005):** Developing country-specific strategies for reduction of treatment gap in common neuropsychiatry conditions, New Delhi, pp: 18-20.
- Yasuno, F., Suhaca, T., Okubo, Y., Sudo, Y., Inoue, M. and Ichimiya, T., (2004):** Low dopamine D2 receptor binding in subregions of the thalamus in schizophrenia, American Journal of psychiatry, 161(6), 1616-1622.