REFERANCE

- Adeyeba OA, Adekoya JA, Lowed AO, Adesiji YO (2002). Urinary Tract Infections amongst Patients attending Sexually Transmitted Disease Clinic in Ibadan, Nigeria. J. Sci. Eng. 9 (4):Pp. 455-456
- **Akinyemi KO, Alabi SA, Taiwo MA, Omonigbehin EA** (1997). Antimicrobial susceptibility pattern and plasmid profiles of pathogenic Bacteria isolated from subjects with urinary tract infections in Lagos, Nigeria. Niger. Quarterly J. Hosp. Med. 1:Pp. 7-11
- **Alan P., (1999):** Nursing Model for practice, 2nded, Londen: J.B, Lippincott Comp., Pp. 84-87.
- **Al-Dujiaily AA.** (2000): Urinary tract infection during pregnancy in Tikrit. Med. J. Tikrit.; 6: Pp. 220-4.
- Alexander, D., Reith, B., Oureshi, S. and Twaddle, S.(2006).

 Management of suspected bacterial urinary tract infections in adults.

 A National Clinical Guideline, Scottish Intercollegiate Guidelines

 Network (SIGN). p. 46.
- **Algleton P., & Chalmers H., (1995):** Orem's self care Model, Nursing Times, 2 January: Pp. 36-39.
- **Al-Haddad AM. (2005)**: Urinary tract infection among pregnant women in Al-Mukalla district, Yemen. East Mediterr Health J.; 11: Pp.505-10.
- **Aliotta ST. (2000):** Focus on Case Management. Linking out comes and accountability top health Info Mange, 20: Pp.11-16.
- **American Academy of Family Physicians (AAFP) (2004).** Urinary Tract Infections: A Common Problem for Some Women Reviewed/ Up dated 08/04 Created: 03/01.

- American Academy of Pediatrics and American College of Obstetricians and Gynecology (2007): Guidelines for Per natal Care. American Academy of Pediatrics. 6th ed.
- American Academy of Pediatrics (AAP). (2009). Group B Streptococcal Infections. In Pickering, L.K. (Ed.), Red Book: 2009 Report of the Committee on Infectious Diseases (28th ed., pp.628-635). Elk Grove Village, Ill.: American Academy of Pediatrics
- American Family Physician (AFP) (2006): Patient Education Web site Urinary Tract Infection during Pregnancy, February 1.
- **American Holistic Health Association (2003)** Wellness from within: the first step. Anaheim CA, AHHA.
- **Annem, M, Agur, B, Arthur, F, Dalley (2009)** Grant,s Atlas of anatomy (12th ed) Lippincott Williams &wilkins, p.165.
- **Awaness AM, Al-Saadi MG, Aadoas SA (2000):** Antibiotics resistance in recurrent Urinary tract infection. Kufa medical journal, p.3:159.
- Babak, M.I., Ironard, D. and Duncan, M (1995): Maternity nursing (1st ed) Mosby com. p,136.
- Bailey DT, Dalton C, Joseph Daugherty FJ, Tempesta MS.(2007) Can a concentrated cranberry extract prevent recurrent urinary tract infections in women. A pilot study. *Phytomedicine*;14: Pp.237-41.
- **Baill IC & Witter FR**. (1990) Sickle trait and its association with birthweight and urinary tract infections in pregnancy. Int J Gynaecol Obstet; 33:Pp. 19–21.
- **Barr JG et al. (1985):** Microaerophilic anaerobic bacteria as a cause of UTI in pregnancy. British journal of obstetrics and gynecology, 1985, 92:Pp.506–10.

- **Ben-Joseph, E.P** (2004): The deal with feminine hygiene Net work http/Kidshealth.or/teen/sexual_health?girl?feminine_hygiene.html.
- Blumenthal M, Busse WR, Goldberg A, et al. (1998). The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines. Austin: American Botanical Council and Boston: Integrative Medicine Communications, P. 317.
- **Briggs GG, McKeown A, Bustillo, et al G. (2004)** Urinary tract infections during pregnancy. *Ann Pharmacotherapy* ;38(10):1692-701. Epub Aug 31.
- Brown, S. Donath and C. MacArthur *et*, *al*, (2010). Urinary incontinence in nulliparous women before and during pregnancy: prevalence, incidence, and associated risk factors, *Int Urogynecol J, Pelvic Floor Dysfunction* **21** (February (2), pp. 193–202.
- **Burrow, G and Ferris, T (1995):** Medical complication during pregnancy 4thed Philadelphia WB Saunders. In **Constance, S. (2004)** amid wife's hand book (1st ed). Philadelphia, PA, USA. pp. 388-395.
- Canobbio M. Mosby, S (1996): Handbook of patient teaching st. Louis: Mosby; PP. 666-670.
- **CDC.** (2004). Surgeon general's report—the health consequences of smoking. Accessed June 28, 2008 from http://www.cdc.gov/Tobacco/data_statistics/sgr/sgr/chapters.htm.
 - Centers for Disease Control and Prevention (CDC). (2002). Prevention of Perinatal Group B Streptococcal Disease: Revised Guidelines from CDC. Morbidity and Mortality Weekly Report, 51 (RR-11). Retrieved October 29, 2009.
- Chaliha, C, Khullar, V, Sturat, L, Stanton, Monga, A, Abdul, Sultan (2002)

 Urinary Symptoms in pregnancy are they use ful for diagnosis?

- International journal of obstetric and gynecology. October. Vol. 109,pp.1181-1183.
- **Chamberlin** (1995): GVP. Gynecology by ten teachers. London, Edward Arnold.
- Chow AW, Jewesson PJ, Pharmacokinetics and Safety (1985):

 Antimicrobial agents during pregnancy. Rev infect Dis. Pp.287-313.
- Christensen BL., and Kockrow EO., (2006): Adult health Nursing, Mosby, P. 584-585.
- Connolly A and Thorp, J (1999): Urinary tract infection in pregnancy Urol Clin North Am J,26: Pp.779-686.
- Constance S. (2004): Amid wife's hand book (1sted). Philadelphia, pA, USA. Pp. 388-395.
- Conway PH, Cnaan A, Zaoutis T, Henry BV, Grundmeier RW, Keren R. (2007): Recurrent urinary tract infections in children: risk factors and association with prophylactic antimicrobials. JAMA. Jul 11; 298(2): Pp.179-86.
- **Cooper J. (2001):** Partnerships for successful self management. London, long term medical conditions Alliance.
- Craven R., & Hirnle C., (2000): Fundamentals of Nursing 3rd ed Philadelphia: J.B. Lipincott Co, pp. 685-695.
- Cunningham, F. Gary, et al, (2006): Urinary Tract Infection Net Work http://www.aafp.org. American Academy Family Physician Ch. 48.
- Darracott H, Raynor ,T and Sless, D., et al., (2005): Self Care Realizing the Vision, PAGB, Annual Review. (http/www.pagb.co.uk)
- **Delzell, J, JR and Lefevre, M** (2000): Urinary tract infection during pregnancy. American family physician Vol. (1), N. 1.

- **Department of Health (2005):** Improving care improving lives http://www.dh.gov.uk/selfcare.
- Dimetry SR, El-Tokhy HM, Abdo NM, Ebrahim MA, Eissa M. (2007):

 Urinary tract infection and adverse outcome of pregnancy J Egypt
 Public Health Assoc. 82(3-4): Pp.203-18. Community Medicine
 Department, Zagazig Faculty of Medicine, Egypt.
 shahiraramsis@yahoo.com
- **Doan DD, Nguyen NH, Doan HK, et al.(1992)** Studies on the individual and combined diuretic effects of four Vietnamese traditional herbal remedies (Z a mays, eImperata cylindrica, Plantago major and Orthosiphon stamineus). J Ethnopharmacol 36: Pp.225-31.
- **Dopkins, J. E. and Hillard, P.J.A, (2003)**: Menstruation in trrching: How to recognize and treat abnormalities. Women's Health in Primary Care,6(6): Pp.296-305.
- Drake, R., Mitchell, A. and Vogl, W. (2010): Anatomy for students (2nd ed) Churhill Livingstone Elsevier, Pp.441-443.
- **Duarte G, Marcolin AC, Quintana SM, et al.(2008)** Urinary tract infection in pregnancy .Rev Bras Gynecology Obstetric 2008;30(February (2): Pp.93–100.
- **Duarte, A.C. Marcolin and S.M. Quintana** *et al.*,(2008) Urinary tract infection in pregnancy, *Rev Bras Ginecol Obstet* **30** (February (2)), pp. 93–100.
- **Dwyer PL, O'Reilly M.(2002)** Recurrent urinary tract infection in the female. *CurrOpin Obstet Gynecol*;14(5): Pp.537-43.
- Ebie MY, Kandakai-Olukemi YT, Ayanbadejo J, Tanyigna KB, (2001).

 Urinary Tract Infections in a Nigerian Military Hospital. Niger. J.

 Microbiol. 15(1):Pp. 31-37.

- Federal Democratic Republic of Ethiopia Ministry of Health (2004): personal hygiene extension package, Addis Ababa. Network Located at:http://cnhde.ei.columbia.edu/training/documents/personal_Hygien e.pdf.
- **Fihn SD**. (2003): Clinical practice. Acute uncomplicated urinary tract infection in women. N Engl J Med. Jul 17; 349(3): Pp.259-66.
- **FitzGerald ,M.Pand Graziano, S. (2007)**: Anatomic and functional changes of the lower urinary tract during pregnancy, Urol Clin N Am **34**), pp.7-12
- **Foster, JC., (1994):** A Women's health agenda holistic Nurses practice, 8, Pp.74-88.
- **Foster, RT, Sr. (2008):** Uncomplicated urinary tract infections in women. Obstetric Gynecology Clin North Am. Jun; 35(2): Pp.235-48, viii.
- Gary Cunningham. F, Leveno. K.J., Bloom. S.L., Creasy R.K., and Resnik, R. (1999). Maternal-Fetal Medicine (4th ed) W.B. Saunders com. P, 659.
- **Gilstrap LC**, (2001): (3rd), Ramin SM. Urinary tract infections during pregnancy. Obstetric Gynecology Clin North Am. Sep; 28(3): Pp.581-91.
- Gobbe,S.G,Niebyl,J,R and Simpson,J,L.(2007) obstetrics Normal and Problem Pregnancies (5thed) USA philadelphai: Churchill living, pp.250-270
- Gorrie T, Mckinney E and Murray S (1998): Foundations of Maternal-Newborn Nursing, 2nd, Saunders, Philadephia, London, p. 946.
- Gupta K, Sahm DF, Mayfield D, Stamm WE (2001): Antimicrobial resistance among uropathogens that cause community-acquired urinary tract infections in women: a nationwide analysis. Clin Infect

- Dis. 33: Pp. 89-94.
- **Hacker, N Moore J (1998):** Essentials of obstetrics and gynecology,3ed Philadelphia WB Saunders company.
- Haider G, Zehra N, Munir AA, Haider A,2010. Risk factors of urinary tract infection in pregnancy. j Pak,Med Assoc, Mar;60(3):213-6.avilabol at pub med government
- **Hanif, S,(2006).** Frequency and pattern of urinary complaints among pregnant women, J Coll Phys Surg Pak **16**, p. 514.
- Hanretty K.P., Ramsden I. and Callander, R. (2003): obstetrics, lustrated (6th ed). Churchill living stone company, pp .146-147.
- **Hanson, LÅ (2004).** "Protective effects of breastfeeding against urinary tract infection". *Acta Pædiatr* (93): 154–6. Available online at http://www.cirp.org/library/disease/UTI/hanson1/.
- **Harris RE, Gilstrap III LC.** (1981)Cystitis during pregnancy: a distinct clinical entity. Obstetric Gynecology J; Pp.57:578.
- **Hasson, O.E., and Elshafe. M.M.** (2004): Manual of obstetrics (1st ed) comp. Elasrey, pp37-40.
- **Hauth. J.C., Gilstrap. L., and Wenstrom. K.D., (2005)** Williams Obstetrics (22nd) MCGRAW-HILL Medical Publishing Division. Pp. 1095-1099.
- **Henderson, C. Macdonald. S, and Karlene, D. (2004):** Mayls mid wifely (3rd ed) bailliere tindall company. p. 802.
- **Heyman S., (2000)**: Patient Eduction: Empowering patients and Families. Journal of Nurse Week, 3(6): Pp.4-23.
- Hill JB, Sheffield JS, McIntire DD, Wendel GD Jr (2005): Acute pyelonephritis in pregnancy. Obstetric Gynecology. Jan; 105(1):

- Pp.18-23.
- Hill L and Nancy S., (1999): Self Care Nursing 10th ed, USA: JB. Lippincott CO., Pp.10-17.
- Hodson EM, Wheeler DM, Vimalchandra D, Smith GH, Craig JC. (2007): Interventions for primary vesicoureteric reflux. Cochrane Database Syst Rev. Jul 18;(3):CD001532.
- **Huges SA., (2004):** Promoting self Management and patient independence, Nursing Standard, Vol. 19, No, 10, Pp .47-52.
- Jasmin Helen, J., P., Abraham, S., Kathleen M. Kurz, Valentina George, M. K. Lalitha, Renu John, M. N. R. Jayapaul, Nandini Shetty and Joseph, A.2005 (Reproductive tract Infections Among Young Married women in Tamil Nadu, India) International Family Planning Perspectives, 2005, Volume31, Number(2): Pp.73–82
- **Jepson RG, Craig JC** (2008). "Cranberries for preventing urinary tract infections". *Cochrane Database Syst Rev* (1): CD001 321
- Kalantar Enayat; Farhadifar Fariba; Nikkho Bahram,2008
 Asymptomatic bacteriuria among pregnant women referred to outpatient clinics in Sanandaj, Iran International braz j urol. vol.34 no.6 Rio de Janeiro Nov./Dec.
- **Kennedy, S, E. (2007):** Pregnancy, urinary tract infection. Medscape, s continually updated clinical reference, Aug 8.
- **Khochikar, MV**. (2010). Management of urological cancers during pregnancy. Nat Rev Urological jornal . March 9
- **Klossner,J,(2006).** Introduction Maternity Nursing , Lippincott Williams&Wilkins ,P,88.
- Klossner, J,N. Nancy. T. and Field, H, (2010) Introduction Maternity &

- pediatric Nursing (2nd) Lippincott Williams&Wilkins, pp. 136,137, ,437, 441.
- **Koch,L.H** ,(.2006)Help-seeking behaviors of women with urinary incontinence :an integrative review. Journal of Midwifery and Women's Health,51, PP.39-44.
- Kolawole AS, Kolawole OM, Kandaki-Olukemi YT, Babatunde SK, Durowade KA, Kolawole ,CF (2009). Prevalence of urinary tract infections (UTI) among patients attending Dalhatu Araf Specialist Hospital, Lafia, Nasarawa State, Nigeria. Int. J. Medicinal Med. Sci. 1(5): Pp.163-167
- **Kozak, L, (2002):** perineal protection/avoiding tears and episiotomy,Birth.28(3),Pp.152-60.
- Krane. R.J., Siroky. M.B., and Fitzpatric. J. M, (1994): Clinical Urology (1st ed) J.B. Lipincott Co, Pp.629-630.
- **Kremery S, Hromec J, Demesova D.(2001)** Treatment of lower urinary tract infection in pregnancy. Int J Antimicrob Agents; 17:279±282.
- **Lagro,M, Liche,A,Mumba,T,&Ntebeka,R,(2003).**Postpartum health among rural Zimbabwean women. African journal of Reproductive Health 7: Pp.41-48.
- **Laura A,Schieve M,Arden Handler,(1994).** Urinary Tract Infection during pregnancy: Its Association with Maternal Mordidity and prenatal Outcome American journal of public health March ,vol. 84.3,Pp. 405-410
- **Leonard, Milk L, Ik. Shamnon, JandLerry, RN.** (2007): Maternity & Women's health care (9th ed) Mosby, pp. 402-415.
- **Le J, Briggs GG, McKeown A, Bustillo G.(2004).** Urinary tract infections during pregnancy. *Ann Pharmacother*, 38(10):1692-701. Epub, Aug 31.

- **Leung AY, Foster S.(1996)** Encyclopedia of Common Natural Ingredients uesed in Food, Drugs and Cosmetics. New York: John Wiley and Sons, Pp. 104-5.
- Li, D. K., Janevic, T., Odouli, R., & Liu, L. (2003). Hot tub use during pregnancy and the risk of miscarriage [see comment] American Journal of Epidemiology, 158, Pp.931–937.
- Lin K, Fajardo K; U.S.(2008) Preventive Services Task Force. Screening for asymptomatic bacteriuria in adults: evidence for the U.S. Preventive Services Task Force reaffirmation recommendation statement. Ann Intern Med. Jul 1;149(1):W20-4.
- **Lingen,J**, (2006). Department of Obstetrics and Gynecology, Onley Community Health Center, Onancock, VA., Health line Pregnancy Guide, February.
- **Littleton L, Y. and Engebretson, J.C.** (2005): Matrenaty nursing care. Australia, Canada: Thomson Delmar Learning, pp. 105, 108.
- **Littleton L,Y. and Engebretson,J.C.(2002):**Maternal neonatal and women,s health nursing .London, United States Amerca:Delmar Thomson Learning,p,264.
- Litwin MS, Saigal CS, editors.(2007) Urologic Diseases in America. US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases. Washington, DC: US Government Printing Office, 7; NIH Publication No. 07-5512.
- **Llenderrozos HJ,2006** Clinics in Family Practice 6(1), Urinary tract infections: management rationale for uncomplicated cystitis, 38047, pp.157-161.
- Lowdermilk, D. and Perry, S. (2000): Maternity and woman's health care

- (8th ed)California:Mosby Company, pp1-16.
- **Lowdermilk, d.andperry, s. (2007):** Maternity nursing (7th ed) Philadelphia, USA pp.221-225.
- **Lumbiganon P, Laopaiboon M, Thinkhamrop J.(2010)** Screening and treating asymptomatic bacteriuria in pregnancy. Curr Opin Obstet Gynecol. Feb 4.
- **Macejko AM, Schaeffer AJ.2007** Asymptomatic bacteriuria and symptomatic urinary tract infections during pregnancy. *Urol Clin North Am*. Feb;34(1): Pp.35-42.
- **MacLean AB.** (2000) Pregnancy. In: Stanton SL, Dwyer PL, editors. Urinary tract infection in the female. London: Martin Dunitz; . pp. 145±160
- Martina MC, Campanino PP, Caraffo F, et al.(2009) Dynamic magnetic resonance imaging in acute pyelonephritis. Radiol Med. Nov 9.
- **Master S.,(2002)**:Self care http/www.Yahoo.com.
- Mathai E, Thomas RJ, Chandy S, Mathai M, Bergstrom.S (2004). Antimicrobials for the treatment of urinary tract infection in pregnancy: practices in southern India. Pharma coepidemiol Drug Saf. Sep;13(9): Pp.645-52.
- Mazor-Dray E, Levy A, Schlaeffer F, Sheiner E.(2009) Maternal Urinary tract infection: is it independently pregnancy outcome? J Matern Fetal Neonatal associated with adverse ed. Feb; 22(2): Pp.124-8.
- **McDowall DR et al .(1981)** Anaerobic and other fastidious microorganisms in asymptomatic bacteriuria in pregnant woman. Journal of infectious diseases, 144: 114–22.

- McIsaac W, Carroll JC, Biringer A et al.(2005). Screening for asymptomatic bacteriuria in pregnancy. J Obstetric Gynecology Can; 27: Pp.20–24.
- Mesko,N,Osrin,D,Tamang,S,Shrestha,B&Mannandhar,D,Care for perinatal illness in rural Napal (2003):A descriptiv study with cross-sectional and qualitative components LBMC Intrenational health and human Rights.
- Mignini L, Carroli G, Abalos E, Widmer M, Amigot S, Nardin JM, et al.(2009). Accuracy of diagnostic tests to detect asymptomatic bacteriuria during pregnancy. *Obstet Gynecol*. Feb;113(2 Pt 1):346-52.
- **Modgil G, Baverstock A.(2006).** Should bubble baths be avoided in children with urinary tract infections? Arch Dis. Child. Oct;91(10):863-5.
- **Mohamed,N.(2005):**Design implementation ,and evalution of a health practices informational guide for post Partum women. Master thesis Faculty of Nursing, in Alexandria University, Egypt.Pp.65-69.
- Mohammad M, Mahdy ZA, Omar J, Maan N, Jamil MA: (2005)
 Laboratory aspects of asymptomatic bacteriuria in pregnancy.
 Southeast Asian J Trop Med Public Health.; 33: 575-80.
- Moore KN, Fader M, Getliffe K. (2007): Long-term bladder management by intermittent catheterisation in adults and children. Cochrane Database Syst Rev. Oct 17; (4): CD006008.
- Moore, K. Agur, A (2002): Essential Clinical Anatomy (2nd ed)
 Lippincott willams&wilkina company p, 181.
- Morgan KL(2004). Management of UTIs during pregnancy. MCN Am J Matern Child Nurs; 29:254-8

- **Mori R, Lakhanpaul M, Verrier-Jones K**.(2007) Diagnosis and management of urinary tract infection in children: summary of NICE guidance. BMJ. Aug 25;335(7616):395-7.
- **Moussa s.,(2004)**Effect of self care on health problem for women under going laparoscopic hysterectomy, Doctorate thesis, Faculty of Nursing, Ain Shams University, Egypt, Pp.26-35.
- Munden j,BreuningerC,Follin Sand el .at.(2002). patient teaching reference manual .U.S.A :Springhouse:
- National Institute for Health and Clinical Excellence (NICE) (2003).

 Antenatal Care: Routine Care for the Healthy Pregnant Women.

 London: NICE (Clinical Guidance 6).
- **National Institutes of Health (NIH) (2004)**. What I need to know about Urinary Tract Infections. NIH Publication No. 04-4807
- National Kidney and Urologic Diseases Information Clearinghouse (NKUDIC) (2005). Fact sheet: Urinary Tract Infections in Adults. NIH Publication No. 06-2097.
- Nadin,e,Jacobson&Detroit(2002)Health Care team roles.http//www health tine.com.
- **Nichols, F, and Zwelling,E(2003):**Maternal-Newborn Nursing,(3rd ed).philadelphia:saunders.
- **Nicolle LE** (2003) Asymptomatic bacteriuria: when to screen and when to treat. Infect Dis Clin North Am.; 17: 367-94
- Nicolle LE (February 2008). "Uncomplicated urinary tract infection in adults including uncomplicated pyelonephritis". *Urol. Clin. North Am.* 35 (1): 1–12, v.
- Nicolle LE, Bradley S, Colgan R, Rice JC, Schaeffer A, Hooton

- **M.**(2005) Infectious Diseases Society of America guidelines for the diagnosis and treatment of asymptomatic bacteriuria in adults. Clin Infect Dis. Mar 1;40(5):643-54.
- **Nicolle LE.(1996)** Management of Asymptomatic UTIs in Women. Medscape Women's Health.Pp. 1: 4.
- North DH, Speed JE, Weiner WB, et al.(1990) Correlation of urinary tract infection with urinary screening at the first antepartum visit. J Miss State Med Assoc 31: Pp .331–3.
- **O,Dell,k.k&Labin,L,C.(2006)**.Common problems of urination in non pregnant prevention women :causes current management and prevention strategies. journal of Midwifery and women's Health,21, Pp.159-173.
- Obiogbolu, I. . Okonko, C. . Anyamere, A. Adedeji, A. Akanbi A. Ogun, J. Ejembi7 and T. C. Faleye(.2009) Incidence of Urinary Tract Infections (UTIs) among pregnant women in Akwa metropolis, Southeastern Nigeria Scientific Research and Essay Vol. 4 (8) pp. 820-824 . Available online at http://www.academicjournals.org/SRE ISSN 1992-2248 © Academic Journals
- Ochoa-Brust GJ, Fernandez AR, Villanueva-Ruiz GJ, et al.(2007)

 Daily intake of 100 mg ascorbic acid as urinary tract infection prophylactic agent during pregnancy. *Acta Obstetric Gynecology*Scand;86: Pp.783-7.
- **Oesley, D., (2003):** Nursing Theories and practice,10th ed, hilidaelphia C.N: Mosdy Co,pp,29-34.
- Okonko., I., Ijandipe, L., Ilusanya, O., Donbraye- Emmanuel, O et,al.(2009). Incidence of urinary tract infection (UTI) among pregnant women in Ibadan, South-Western Nigeria African Journal

- of Biotechnology Vol. 8 (23), pp. 6649-6657, 1 December, 2009 Available online at http://www.academicjournals.org/AJB ISSN 1684–5315 © Academic Journals.
- Olds, S.B., London, M.I., Ladewij, P.A.W. and Davidson, M.R. (2004):

 Maternal new born nursing and women's health care (7th ed) new jersey, conada, Australia Pearson prentice hall. Pp.120-1220.
- **Orem DE.,(2001)** Nursing Concepts of practice(6th)st Louis: mosby.
- Orshan, s.a. (2008) maternity newborn and women's health nursing (1st ed) welters kluwer Lippincott Williams Wilkins, p.167.
- Ostrzenski A., (2002):integrating conventional, complementary, and natural alternative therapy, lippincott Williams&wilkins,Pp,1520163.
- **Ovalle, W. Nahirney, P. Netter, F. (2008)** Netter's Essential Histology 1st ed Elsevier, pp. 354-376.
- Phares, C.R., Lynfield, R., Farley, M.M., Mohle-Boetani, J., Harrison, L.H., et al. (2008). Epidemiology of Invasive Group B Streptococcal Disease in the United States, 1999-2005. Journal of the American Medical Association, 299 (17), 2056-2065.
- Pannaraj, P.S. & Baker, C.J. (2009). GroupB Streptococcal Infections. In Feigin, R.D., et al (Eds.), Feigin & Cherry's Textbook of Pediatric Infectious Diseases (6th ed., pp.1239-1257). Philadelphia, Penn.: Saunders Elsevier
- Parissoppoulos S.,&Kotzabassaki S.,(2004):Orem's Self Care Theory,
 Transactional Analysis and the Management of Elderly
 Rehabilitation.ICUS nurse WSBJ, issue ,17,January-March
 (Nursing,GR)

- **Pastore LM, Savitz DA, Thorp Jr JM, et al.**(1999) Predictors of symptomatic urinary tract infection after 20 weeks' gestation. J Perinatol;19: Pp .488–93.
- **Patterson TF, Andriole VT(1997)** Detection, significance, and therapy of bacteriuria in pregnancy. Update in the managed health care era. Infect Dis Clin North Am. 11: Pp .593-608.
- **Paul Fiadjoe**, **Kurinji Kannan**, **Ajay Rane**, **(2010)** Maternal urological problems in pregnancy European Journal of Obstetrics & Gynecology and Reproductive Biology ,152, 13–17.
- **Pillitterri, a.(2007)** maternal and child health nursing (5thed) new yourk Lippincott Williams and williams company, pp364-365.
- **Pillitterri, a.(2010)** maternal and child health nursing (5thed) new yourk Lippincott Williams and williams company, pp.525-526.
- **Polivka,B.Nickel,J.Wilkins,J(1997)** urinary tract infection during pregnancy a risk factor for cerebral palsy?J obstetric Gynecology Neonatal Nurs 26: Pp .405-413
- putz and pabst,(2006) Sobotta Atlas of Human anatomy volume 2 (14th ed) URBAN&FISCHER p. 183.
- R. Granese and B. Adile, (2008), Urinary incontinence in pregnancy and in puerperium: 3 months follow-up after delivery, *Minerva Ginecol* 60 (February (1), pp. 15–21.
- **Richard,S, Snell,M** (2007)Clinical anatomy by systems, Lippincott,Witliams&wilking p,817.
- **Ross, M, Kaye, G and Pawilna,**W.2003 Histology text and Atlas(4 th ed) Lippincott, Witliams & wilking pp.602-635.
- Roussey-Kesler G, Gadjos V, Idres N, Horen B, Ichay L, Leclair MD,

- et al. (2008). Antibiotic prophylaxis for the prevention of recurrent urinary tract infection in children with low grade vesicoureteral reflux: results from a prospective randomized study. J Urol. 2008 Feb;179 (2):674-9; discussion 679. Epub 2007 Dec 20.
- **Rubenstein JN, Schaeffer AJ, (2003)**Infectious Disease Clinics of North America 17(2), Managing complicated Urinary tract infections: the urologic view, Jun 1 pp 333-351
- Saidi, A. Delaporte, V and Lechevallier, E. et al. (2005) Urological conditions encountered during pregnancy, Prog Urol 15, pp. 1–5.514-517.
- **Sampselle, C, (2003)** Behavior Intervention in young and middle agrd women: simple intervention to combat acomplex problem Amreical journal of Nursing 103(suppl) Pp .9-19
- Santos JFM, Ribeiro RM, Rossi P, et al.(2002) Urinary tract infection in pregnant women. Int Urogynecol J;13:204–9.
- Schlager TA, Smith DE & Donowitz LG.(1995)Perineal cleansing does not reduce contamination of urine samples ,from pregnant adolescents. Pediatr Infect Dis; 14: Pp .909–911.
- Scholes D, Hooton TM, Roberts PL, et al.(2005) Risk factors associated with acute pyelonephritis in healthy women. Ann Intern Med. Jan 4;142(1): Pp 20-7.
- **Sheffield JS & Cunningham FG.**(2005) Urinary tract infection in women. Obstet Gynecol; 106: Pp.1085–1092.
- **Sheikh MA, Khan MS, Khatoon A, Arain GM. Incedance** (2000). of urinary tract infection during pregnancy. East Mediterr Health J 2000; 6: Pp.265-71
- Shen, Y and Brown. MA (2004): Renal imaging in pyelonephritis.

- Nephrology (Carlton). Feb; 9(1): Pp.22-5.
- Shirazi MH, Sadeghifard N, Ranjbar R, Daneshyar E, Ghasemi, A. (2006): Incidence of Asymptomatic Bacteriuria During Pregnancy. Pak. J. Biol. Sci. 2006; 9: Pp .151-4.
- **Siddighi, s and hardesty, J.S** (2006) urogynecology and female pelvic reconstructive surgery mcgraw-Hillcompanies.pp.177 -180.
- **Smaill F.(2000)** Antibiotics for asymptomatic bacteriuria in pregnancy. Cochrane Database Syst Rev. ;(2):CD000490
- **Smaill F.(2007)** Antibiotics for asymptomatic bacteriuria in pregnancy. Cochrane Database Syst Rev. 2001; (2): CD000490. Review. Update in: Cochrane Database Syst Rev. 2007; 2: CD000490
- **Snell, R. (2004):** Clinical Anatomy (7thed) Lippincott willams&wilkina company ,Pp 279-291.
- **Snell, R. (2007):** Clinical Anatomy by Systems (1st ed) Lippincott willams & wilkina company ,Pp.279-291.
- **Snell, R.** (2008) Clinical Anatomy by Regions (8thed) Lippnicott willams& wilkina company,P p. 260-266.
- **Taylor, S.G.** (2006). Dorthea E. Orem: Self-care deficit theory of nursing. In A.M.
- The Department of Health (2005): Improving care improving lives httpl://www.bh.gov.uk/self care
- **Thorsen, M & Poole, J (2002):** Renal disease in pregnancy journal of perinatal and neonatal Nursing, 15.Pp.13-29
- **Tomey, A. & Alligood, M.** (2002). Significance of theory for nursing as a discipline and profession. Nursing Theorists and their work. Mosby, St. Louis, Missouri, United States of America.

- **Tugrul S, Oral O, Kumru P et al.(2005)**. Evaluation and importance of A Symptomatic bacteriuria in pregnancy. Clin Exp Obstetric Gynecological; 32: Pp.237–240.
- Varney, H., Kriebs, J. M and Gegor, C.L (2004): Varneyes midwifery (4th ed) Toronto, London: Jones and Bartelch Publishers, p. 382.
- Vazquez, J.C. Villar, J. (2009): Treatment for Symptomatic Urinary infection during pregnancy Cocbrane Dattabase of symptom Reviews, 2009(1)c(Doo2256)
- **VegaC.,(2006:** practice guidelines issued for use of episiotomy.http/www.medscape.com.
- Whelan, E. G. (2006). Analysis and application of Dorothea Orem's Selfcare Practuce Model. Retrieved October 31,
- Wills M.Evelyn, McEwen Melanie (2002). Theoretical Basis for Nursing Philadelphia. Lippincott Williams& wilkins.p140
- Wing DA, Rumney PJ, Preslicka CW, Chung JH.(2008) Daily cranberry juice for the prevention of asymptomatic bacteriuria in pregnancy: a randomized, controlled pilot study. J Urol. Oct; 180(4): Pp .1367-72.
- Wong AH, Wenzel RP, Edmond MB. (2000) Epidemiology of bacteriuria caused by vancomycin-resistant enterococci--a retrospective study. Am J Infect Control. Aug; 28 (4): Pp. 277-81.