REFERENCES

- **Abd El-Ghafar, A. (2003):** Factors Affecting Self Care Practices of Diabetic School Students in Alexandria. Master Thesis, Faculty of Nursing, Alexandria University.
- **Abdel Hamid, S.H. (2005):** Self Care Practice Among Home Based Diabetic Elderly in Dakahlia Governorate. Master Thesis, Faculty of Nursing, Alexandria University.
- **Abdel Salam (2006):** Health Education Program for Non-Insulin Dependent Diabetes Mellitus Patients in Port Said. Doctorate Thesis, Faculty of Nursing, Port Said University.
- **Abdullah, E. (2000):** Food Habits and Quality of Life in Diabetic Older Adults. Review Article. Home Economics. Ain Shams University, Faculty of Specific Ed. Department.
- **Adiseshiah, M.** (2005): Effective Care for Patients with Type II Diabetes and Dislipidemia: A Nurses' Perspective. *Diabetes Res Clint Pract*. Suppl P. 2: S23-7.
- Aikens, J., Perkins, B., Piette, J., & Lipton, B. (2008): Association between Depression and Concurrent Type 2 Diabetes Outcomes Varies by Diabetes Regimen. *Diabetic Medicine*, 25, 1324-1329.
- Aljasem, L. I., Peyrot, M., Wissow, L., & Rubin, R. R. (2001): The Impact of Barriers and Self-efficacy on Self-care Behaviors in Type 2 Diabetes. *The Diabetes Educator*, 27(3), 393-404.
- American Association of Clinical Endocrinologists. (2007): American Association of Clinical Endocrinologist's Medical Guidelines for

Clinical Practice for The Management of Diabetes Mellitus. Prevention of Type 2 Diabetes Mellitus. *Endocr Pract*; 13 (Suppl 1): 13-16.

- **American Diabetes Association (2001):** Standard of Medical Care for Patients with Diabetes Mellitus. *Diabetic Care*; (1): PP.1-23.
- American Diabetes Association (2003): Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus, *Diabetes Care*, 26 (Suppl. 1): S5–S20.
- American Diabetes Association (2007): Diabetes Management in Correctional Institutions. *Diabetes Care*; 30 (suppl 1): S77–S84. Retrieved Augest 20, 2010: http://care.diabetesjournals.org/content/30/suppl_1/S77.full
- **American Diabetes Association (2007a):** Diagnosis and Classification of Diabetes Mellitus, *Diabetes Care*, 30 (1): S42-7.
- American Diabetes Association (2007b): All about diabetes Retrieved May 20, 2011from: http://www.diabetes.org/diabetesbasics/prevention/diabetes/

American Diabetes Association (2008): Standards of Medical Care in Diabetes; *Diabetes Care*; 31 (suppl. 1): S12–S54. Retrieved July 10, 2010: http://care.diabetesjournals.org/cgi/content/full/31/Supplement_1/S12#T3

American Diabetes Association (2009 a): Diagnosis and Classification of Diabetes Mellitus, *Diabetes Care*, 32 (1): S62- 67.

- American Diabetes Association (2009b): Diabetes Food Pyramid.

 Retrieved April 05, 2010: http://www.diabetes.org/food-and-fitness/food/planning-meals/diabetes-food-pyramid.html
- American Diabetes Association (2010): Executive Summary: Standards of Medical Care in Diabetes. *Diabetes Care*, 33 (1): 511-561. Available February 10, 2011 from: http://care.diabetesjournals.org/content/30/suppl_1/S77.full
- **American Diabetes Association (2011):** Executive Summary: Standards of Medical Care in Diabetes. Diabetes Care, 34 (Suppl 1), S4-S10.
- **American Diabetes Association. (2008a):** Standards of Medical Care in Diabetes. *Diabetes Care*, 31, (supp.1), S12-S54.
- American Heart Association (2010): Metabolic Syndrome. Retrieved May 09, 2011 from:

 http://www.americanheart.org/presenter.jhtml?identifier=4756.
- **American Journal of Medical Quality (2011)**: Retrieved June 2, 2012 from: http://forecast.diabetes.org/magazine/features/2011consumerguide.
- Aminoff, U.B. & Kjellgren, J.K. (2002): The Nurse A resource in Hypertension care, *Journal of Advanced nursing*, 35 (4), 582-89.
- **Anderson, B.J. & Wolpert, H.A.** (2004): A developmental Perspective on The Challenges of Diabetes Education and Care During the Young Adult Period. *Patient Education and Counseling*, 53, 347-352.
- Anderson, R.M., Funnell, M.M., Fitzgerald, J.T., & Marrero, D.G. (2000): The Diabetes Empowerment Scale: A measure of Psychosocial Self-Efficacy. *Diabetes Care*, 23 (6), 739-743.

- **Andrson, J.W., et al. (2004):** Carbohydrate and Fiber Recommendations for Individuals with Diabetes: A quantitative Assessment and Meta Analysis of the Evidence, *J. Am. Coll. Nutr.*, 23-5.
- **Armour, D. & Cairns, C. (2002):** Medicine in the Elderly. London Pharmaceutical press, pp. 169-221.
- Aronson, J.K., Dphil, M.A., Mbchb, et al. (2009): Meyler's Side Effects of Endocrine and Metabolic Drugs. 1st ed. UK. Elsevier Co. PP: 391-410.
- **Atak, N., Tanju, G., and Kose, K. (2008):** The Effect of Education on Knowledge, Self Management Behaviors and Self Efficacy of Patients with Type 2 Diabetes. *Australian Journal of Advance Nursing*, 26 (1): 66-74.
- **Augsback, D.** (2010): Impact of Nursing Education on Nurses' Knowledge of Insulin. Master Thesis, Science in Nursing, Northern Kentucky University, 1-30.
- Avery, R. L., Pearlman, J., Pieramici, D. J., et al. (2006): Intravitreal Bevacizumab (Avastin) in The Treatment of Proliferative Diabetic Retinopathy. *Ophthalmology*, 113(10), 1695 e1691-1615.
- **Baker, C.R.** (2002): Pediatric Primary Care, Child Care. 1st ed Philadelphia, Awolters Kluwer Co., PP: 273-88.
- **Bandura, A.** (1986): Social Foundations of Thought and Action: A Social Cognitive Theory. Englewood Cliffs, NJ: Prentice Hall.
- **Bandura, A. (1997):** Self-efficacy, The Exercise of Control. *Am J Health Promot*, 12 (1): 8-10.

- **Bandura, A. (2004):** Health Promotion by Social Cognitive Means. *Health Education & Behavior*, 31(2), 143-164.
- **Bandura, A.** (2005): The Primacy of Self-Regulation in Health Promotion. *International Association for Applied Psychology*, 54 (2), 245-254.
- **Bantle, J.P., (2006):** Nutrition Recommendations and Interventions for Diabetes: A position Statement of the American Diabetes Association. *Diabetes Care*; 29 (9): 2140–57.
- **Bardsley, J. & Ratner, R.E.** (2006): Pathophysiology of the Metabolic Disorder, The Art and Science of Diabetes Self Management: A desk reference for health care professionals. Pp: 143-161.
- Bayliss, E., Ellis, J., & Steiner, J. (2007): Barriers to Self-Management and Quality-of-Life Outcomes in Seniors with Multi-Morbidities. *Annals of Family Medicine*, 5, 395-402.
- Bayliss, E., Steiner, J., Fernald, D., Carne, L., & Main, D. (2003): Descriptions of Barriers to Self-Care by Persons with Comorbid Chronic Diseases. *Annals of Family Medicine*, 1, 15-21.
- Bendik, C.F., Keller, U., and Moriconic, N., et al. (2009): Training in Intensive Insulin Therapy Improves Quality of Life, Decreases The Risk of Hypoglycemia, and Ameliorates Poor Metabolic Control in Patients with Type 1 Diabetes. *Diabetes Research and Clinical Practice*. 83 (3): 327-333.
- Bennett, P., & Knowler, W. (2005): Definition, Diagnosis, and Classification of Diabetes Mellitus and Glucose Homeostasis. In C.

- Joslin's Diabetes Mellitus (14 ed.), Philadelphia: Lippincott Williams & Wilkins. Pp. 331-339.
- **Benson, E.P. (2004):** Online Learning: A means to Enhance Professional Development. *Critical Care Nurse*, 24 (1): 60-63.
- **Bismuth, E. & Laffel, L. (2007):** Can we Prevent Diabetic Ketoacidosis in Children? *Pediatr Diabetes* .8 (6): 24-33.
- **Black, J.M. & Hawks, J.H. (2009):** Medical Surgical Nursing, Clinical Management for Positive Outcomes, 8th ed., Philadelphia: W.B. Saunders Co., pp: 1062-1105.
- **Boaz, N. (2002):** Evolving Health. 1st ed. New York: John Wiley & Sons Inc., PP: 124-35.
- **Bode, B.** (2003): Medical Management of Type 1 Diabetes, 4th ed., Philadelphia: W.B. Saunders Co., pp. 283-95.
- **Boudina, S. & Abel, E.D (2010):** Diabetic Cardiomyopathy, Causes and Effects. *Rev Endocr Metab Disord*. 11: 31-39.
- Boulton, A., Armstrong, D., Albertm S., et al. (2008): Comprehensive Foot Examination and Risk Assessment: A report of The Task Force of The foot Care Interest Group of The American Diabetes Association, with Endorsement by the American Association of Clinical Endocrinologists. *Diabetes Care*; 31(1): 1679-1685.
- **Boulton, A.J., Cavanagh, P.R., and Rayman, G. (2006):** The Foot in Diabetes. 4th ed. England, Wiley & Sons Co. PP: 31-38.

- Brekke, H.K. (2005): Long-Term (1- and 2- years) Effects of Life Style Intervention of Type 2 Diabetes Relatives. *Diabetes REs. Clin. Pract.* 70: 225-234.
- Brewer-Lowry, A., Arcury, T., Bell, R., & Quandt, S. (2010):
 Differentiating Approaches to Diabetes Self-Management of MultiEthnic Rural Older Adults at The Extremes of Glycemic Control.

 The Gerontologist, 50, 657-667.
- Burke, K., Mohn-Brown, E., Le Mon, and Linda, E. (2007): Medical Surgical Nursing Care, 2nd ed., Pearson Prentice Hall, New Jersy, PP: 358-378.
- Campbell, L. & Rossner, S. (2001): Management of Obesity in Patients with Type 2 Diabetes. *Diab. Med.* 18 (1): 345.
- Canadian Diabetes Association (2008): Clinical Practice Guidelines for The Prevention and Management of Diabetes in Canada. *Canadian Journal of Diabetes*, 32, S1-S201.
- Casella A. (2002): Feeling Well Diabetes and Foot Care, A patient's Checklist. Knowing Diabetes. © Diabetes Hamilton.
- Centers for Disease Control (2007): National Diabetes Fact Sheet.

 Retrieved December 30, 2010

 http://www.cdc.gov/diabetes/pubs/pdf/ndfs_2007/
- Centers for Disease Control (2011): National Diabetes Fact Sheet.

 Retrieved June 20, 2011 from:

 http://www.cdc.gov/diabetes/pubs/factsheet11.htm
- **Chan, A.** (2011): Modeling of The Insulin Pathway In Insulin Therapy to Improve Normo-Glycemic Control of Patients with Type 1

- Diabetes Mellitus. Doctorate degree, Doctor of Philosophy, Faculty of the School of Engineering and Applied Science, University of Virginia.
- Chiasson, J.L., Aris-Jilwan, N., Belanger, R., et al. (2003): Diagnosis and Treatment of Diabetic Ketoacidosis and the Hyperglycemic Hyperosmolar State. *Cmaj*; 168:859-66.
- Chlebowy, D., & Garvin, B. (2006): Social Support, Self-efficacy, and Outcome Expectations: Impact on Self-Care Behaviors and Glycemic Control in Caucasian and African American Adults with Type 2 diabetes. *The Diabetes Educator*, 32 (1): 777-786.
- Cleeland, C.S., Mendoza, T., Wang, X., et al. (2000): Assessing Symptom Distress in Cancer Patients: The M.D. Anderson Symptom Inventory. *Cancer*, 89, 1634-1646.
- Conner P., Desai J., and Solberg L. (2003): Variation in Diabetes Care by Age: Opportunities for Customization of Care . *BMC Family Practice*; 4:16.
- Couper, J. & Donaghue, K. (2007): Phases of Diabetes. *Pediatr Diabetes*; 8: 44-47.
- Cowie, C.C., Rust, K.F., Holt, B, et al., (2003): Prevalence of Diabetes and Impaired Fasting Glucose in Adults. United States, 1999-2000. *MMWR*, 52, 833.
- Crawford, L.A. (2010): A Project to Increase Nurses' Knowledge of Basal-Bolus Correction Insulin Therapy. Master Thesis in Nursing Science, Boiling Springs, North Carolina University.

- Cryer, PE. (2005): Mechanisms of Hypoglycemia-Associated Autonomic Failure and its Component Syndromes in Diabetes. *Diabetes care*: 54:3592-3601.
- **Dabkowski, E.R.** (2010): Mitochondrial Dysfunction in the Diabetic Heart: Cardioprotection from a Novel Mitochondrially- Targeted Therapeutic Dissertation. Doctorate Thesis, Doctor of Philosophy, Exercise Physiology, School of Medicine, West Virginia University.
- **Dávila, N. (2010):** Physical Activity in Puerto Rican Adults with Type 2 Diabetes Mellitus. Doctorate Thesis, Doctor of Philosophy, college of Nursing, University of Arizona. Pp. 30-43.
- **Deeg, M.** (2005): Basic Approach in Managing Hyperglycemia for the Non Endocrinologist, Impending of Obesity, Metabolic Syndrome and Diabetes Mellitus, the Role of Prevention. *The American Journal of Cardiology.* 96 (4): 37-40.
- **Denials, R. (2004):** Nursing Fundamentals, Caring and Clinical Decision Making. 1st ed., Australia: Dalmer Learning Co., PP. 663-870.
- **Dewit, S. (2000):** Essentials of Medical Surgical Nursing. 5th ed., Sydney W.B. Saunders Co. PP. 793-812.
- **Diamond** (2006): Incidence and Trends of Childhood Type 1 Diabetes World wide 1990- 1999. *Diabet Med*; 23:857-866.
- Dixon, L.B., Cronin, F.J & Krebs-Smith, S.M. (2001): Let the Pyramid Guide your Food Choices: Capturing the Total Diet Concept. *Journal of Nutrition*, 131(2S-1); 461–72S.

- Dovey-Pearce, G., Doherty, Y., & May, C. (2007): The Influence of Diabetes upon Adolescent and Young Adult Development: A qualitative Study. *British Journal of Health Psychology;* 12, 75-91.
- **Dunbar, S., Clark, P., Quinn, C., et al. (2008):** Family Influences on Heart Failure Self-Care and Outcomes. *Journal of Cardiovascular Nursing*, 23, 258-265.
- Dunger, D.B., Sperling, M.A., Acerini, C.L., et al. (2004): ESPE/LWPES Consensus Statement on Diabetic Ketoacidosis in Children and Adolescents. *Arch Dis Child*; 89: 188-194.
- Egede, L., C., E., & Grubaugh, A. (2009): The Effect of Depression on Self-Care Behaviors and Quality of Care in A national Sample of Adults with Diabetes. *General Hospital Psychiatry*, 31, 422-427.
- Eurich D.T., (2007): "Benefits and Harms of Antidiabetic Agents in Patients with Diabetes and Heart Failure: Systematic Review". *BMJ*., 335 (7618): 497.
- Expert Committee on the Diagnosis and Classification of Diabetes Mellitus (2003): Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*, 26 (1): S5-S20.
- Fabin, W., Majkwska, L., Moleda, P., and Stefanski, A. (2006): Diabetes Control in Type 2 Subjects Treated in Primary Health Care. *Pol Arch Med Wewn*. 116 (2): 706-765.
- **Federal Bureau of Prisons, Washington, DC (2007):** Federal Bureau of Prisons; Clinical Practice Guidelines: *Preventive Health Care*. Retrieved July 14, 2011:

- http://www.bop.gov/news/medresources.jsp/
- **Fischbach, F.T. & Dunning, M.B. (2009):** A manual of Laboratory and Diagnostic Tests, 8th ed. Philadelphia: Lippincott, Williams & Willkins, PP: 342-362.
- **Funnell, M.M. (2008):** Standards of Care for Diabetes: What's New, What's Different. Nursing, 38, 47-49.
- Gardner, D. & Shoback, D. (2007): Greenspan's Basic & Clinical Endocrinology. 8th ed. USA, McGraw-Hill Companies. PP: 691-743.
- Gardner, J.K., McConnell, T.R., Klinger, T.A., Herman, C.P., Hauck, C.A., & Laubach Jr, C.A. (2003): Quality of Life and Self-Efficacy: Gender and Diagnoses Considerations for Management During Cardiac Rehabilitation. *J Cardiopulm Rehabil*, 23(4), 299-306.
- Gerberding & Louise, J. (2007): Diabetes, Atlanta: Centers for Disease Control. Retrieved June 14, 2011:

 http://www.cdc.gov/nccdphp/publications/aag/ddt.htm/
- Glanz, K., Rimer, B.K., & Lewis, F.M. (2002): Health Behavior and Health Education: Theory, Research, and Practice (3rd ed.). San Francisco: John Wiley & Sons.
- Gowthamarajan, K. and Giriraj, T. (2003): Oral Insulin Fact or Fiction? Possibilities of Achieving Oral Delivery for Insulin. *Resonance*, 38-46.
- Gregg EW, Sorlie P, Paulose-Ram R, et al. (2004): Prevalence of Lower-Extremity Disease in The US Adult Population >=40 Years

- of Age with and without Diabetes: 1999-2000 National Health and Nutrition Examination Survey. *Diabetes Care*; 27(7): 1591-1597.
- Grey, M., Knafl, K., & McCorkle, R. (2006): A framework for The Study of Self- and Family Management of Chronic Conditions.

 Nursing Outlook, 54, 278-286.
- Gutierrez, C. (2011): A Study to Evaluate The Effectiveness of The Salus Education Online Diabetes Training Program For Improving Knowledge and Self-Efficacy of School District Employees. Doctorate degree, Degree of Doctor of Philosophy, Faculty of the Graduate School, College of Health.
- **Guyton, A. & Hall, J. (2004):** Textbook of Medical Physiology. 11th ed. Philadelphia: Saunders Eleseveir Co. PP: 544-58.
- Haritoglou, C., Kook, D., Neubauer, A., et al. (2006): Intravitreal Bevacizumab (Avastin) Therapy for Persistent Diffuse Diabetic Macular Edema. *Retina*, 26(9), 999-1005.
- **Haslam, D. (2006):** ABC of Obesity-Time to Make up. *BMJ*, 333(1): S40-S42.
- **Hassan B.** (2009): Factors Affecting Compliance of Diabetic Patients

 Toward Therapeutic Managements. Unpublished Master Thesis,

 Faculty of Nursing, Zagazig University. PP.5-40.
- **Hassanein A.** (2003): Compliance to Treatment Regimen Among Insulin Dependent Diabetic Patients, Unpublished Master Thesis, Faculty of Nursing, Zagazig University, PP.105-118.

- **Hawley, J.A.** (2004): Exercise as A Therapeutic Intervention for the Prevention and Treatment of Insulin Resistance, Diabetes metabolism research reviews 20 (1): 383.
- **Health Motivator** (2007): History of Diabetes. Retrieved from; http://www.peacemotivate.com/2007/11/16/history-of-diabetes/
- **Healthy Mother/Healthy Child Project (2001):** Care Subjects Protocols for Nurses. Cairo, Egypt, September, PP. 41,42.
- **Henry, R.R.** (2003): Insulin Resistance: From Predisposing Factor to Therapeutic Target in Type 2 Diabetes. *Clen Ther* 25(supp B): 47-63.
- Herman, W., Aubert, R., and Ali, M. (2000): Diabetes Mellitus in Egypt, Risk Factors, Prevalence, and Future Burden, *Diabetes Med*; 3(1): 144-8.
- **Hershey, D.S.** (2011): Older Adults with Diabetes and Cancer: Impact on Diabetes Self Management. Doctorate Thesis, Philosophy of Nursing, Michigan State University, USA.
- Hicks, J., Muller, M., Panteghi, M., and John, G. (2007): Consensus Statement on the World Wide Standardization of the Hemoglobin A1C Measurement, *Diabetes Care*. 30(9): 2399-2400.
- **Hillson, R. (2008):** Diabetes care, A practical Manual, 1st ed. Oxford University, Oxford New York. PP: 35-42.
- **Hirsh, I. & Holman, R.R.** (2007): Diabetes Education (for doctors), "Addition of biphasic, Prandial, or Basal Insulin to Oral Therapy in Type 2 Diabetes". *N. Engl. J. Med*;357 (17): 1716–30.

- **Hofman, M., Ryan, J., Figueroa-Moseley, C. (2007):** Cancer-Related Fatigue: The scale of the problem. *The Oncologist*, 12, 4 10.
- Holmes-Walker, D.J., Llewellyn, A.C., & Farrell, K. (2007): A transition Care Program which Improves Diabetes Control and Reduces Hospital Admission Rates in Young Adults with Type 1 Diabetes aged 15-25 years. *Diabetic Medicine*, 24, 764-769.
- **Hopkins, D.** (2004): Exercise- Induced and Other Daytime Hypoglycemic Events in Patients with Diabetes: Prevention and Treatment, Diabetes Res. *Clin. Pract.* 65(suppl): 35.
- **Horvath, K.** (2007): "Long-Acting Insulin Analogues Versus NPH Insulin for Type 2 Diabetes Mellitus", *Cochrane Database Syst Rev.* (2): 5613-25.
- **Hu, G. (2006):** Exercise, Genetics and Prevention of Type 2 Diabetes, *Essays Biochem*; 42 (1): 177-92.
- **Iamsumang, W. (2009):** The Development of The Thai Version of The Diabetes Management Self -Efficacy Scale (T-DMSES) for Older Adults With Type 2 Diabetes. Degree of Doctor of Philosophy Faculty of the Graduate School, Department of the School of Nursing, University of New York at Buffalo.
- **Ibrahim, D.A.** (2009): Effect of life Style Modification Pattern on Quality of Life for Patient with Diabetes Mellitus. Master Thesis, Faculty of Nursing, Ain Shams University. PP: 162-180.
- Institute for Safe Medication Practice (2008): List of High-Alert Medications. Retrieved January 24, 2010 from: http://www.ismp.org/Tools/highalertmedications.

- Jack, L., Boseman. L. & Vinicor F. (2004): Aging Americans and Diabetes. A public Health and Clinical Response. *Geriatrics*. 59 (4): 14–7.
- **Jackson, P., & Vessey, J.** (2000): Primary Care of the Child with A Chronic Condition. 2nd ed., Louis: Mosby Co. PP; 350-65.
- Jain, S and Saraf, S. (2008): Type 2 Diabetes Mellitus: Its Global Prevalence and Therapeutic Strategies, Diabetes and Metabolic Syndrome. Clinical Research and Reviews. Electronic Publication, Retrieved May 24, 2010 from: URI: http://www.eulc.edu.org/
- James, L. and Grafton, D. (2001): Continuous Subcutaneous Insulin Infusion: A Comprehensive Review of Insulin Pump Therapy. Arch Intern Med, 161(19): 2293-2300.
- Janz, N. K., Mujahid, M., Chung, L. K., et al. (2007): Symptom Experience and Quality of Life of Women Following Breast Cancer Treatment. *Journal of Women's Health*, 16, 1348-1361.
- **Jay, S. (2001):** Efficacy of Inhaled Human Insulin in Type 1 Diabetes Mellitus: A randomized Proof of Concept Study. The Lancet, 357(9253): 331-335.
- Jennings, A., Powell J', Armstrong N., et al. (2009): A Virtual Clinic for Diabetes Self-Management: Pilot Study. *J Med Internet Res*; 11(1).
- **Jimmy D. & Melancon, M. (2008):** Knowledge, Attitude, and Believes about Type 2 Diabetes Mellitus among Mexican-American and Mexican Native Men and Women in North Texas: A Mixed Method Study A Dissertation. Doctorate degree, Degree of Doctor

- of Philosophy, Graduate School of the Texas Woman's University, Colleague of Health Sciences.
- Joice, M., Black & Hawks, J. (2009): Medical Surgical Nursing, Clinical Management for Positive Outcomes. 8th ed., Philadelphia: W.B. Saunders Co., PP: 1062-1105.
- **Joint British societies (2006):** Guidelines on the Prevention of Cardiovascular Disease in Clinical practice: Risk Assessment (*JBS2*) British Heart Foundation.
- **Kahn, S.E.** (2006): Glycemic Durability of Rosiglitazone, Metformin, or Glyburide Monotherapy. *N. Engl. J. Med*; 355 (23): 2427–43.
- **Kalsekar, I.D.** (2004): Epidemiological Burden of Depression and its Impact on Adherence to Oral Hypoglycemic Agents and Related Economic Outcomes in Patients with Type 2 Diabetes. Doctorate Thesis, School of Pharmacy, West Virginia University.
- Kerr, E., Heisler, M., Krein, S., et al. (2007): Beyond Comorbidity
 Counts: How Do Comorbidity Type and Severity Influence
 Diabetes Patients Treatment Priorities and Self-Management.

 Journal of General Internal Medicine, 12, 1600-1640.
- **Kershaw, E.E. & Flier, J.S.** (2004): Adipose Tissue as an Endocrine Organ. *Journal of Clinical Endocrinology & Metabolism*. 89 (6): pp. 2548-56.
- **Killilea, T. (2002):** Long-Term Consequences of Type 2 Diabetes Mellitus: Economic Impact on Society and Managed Care. *American Journal of Managed Care*, 8 (16): PP: 441-449.

- **King H., Aubert R.E., and Herman W.H., (1998):** Global Burden of Diabetes, 1995-2025: Prevalence, Numerical Estimates and Projections. *Diabetes Care*; 21(1): 1414-1431.
- Kitabchi, A.E., Umpierrez, G.E., Fisher, J.N., et al. (2008): Thirty Years of Personal Experience in Hyperglycemic Crises: Diabetic Ketoacidosis and Hyperglycemic; Hyperosmolar State. *J Clin Endocrinol Metab*; 93: 1541-1552.
- Klein BE, Klein R, McBride PE, et al. (2004): Cardiovascular Disease, Mortality, and Retinal Microvascular Characteristics in Type 1 Diabetes: Wisconsin Epidemiologic Study of Diabetic Retinopathy. *Arch Intern Med.*; 164(17):1917-1924.
- **Klein, R., & Klein, B.E.** (2006). The Epidemiology of Eye Disease: From Glycemia to Genetics: The Friedenwald Lecture. *Invest Ophthalmol Vis Sci*, 47(5), 1746-1753.
- **Kohlaway, E. (2008):** New Alamance Confronts The high Costs of Chronic Disease Electronic Publication. Retrieved June 25, 2010: Url:www.fightchronicdiseases.org/resources.
- Krichbaum, K., Aarestad, V., & Buethe, M. (2003). Exploring the Connection between Self-efficacy and Effective Diabetes Self-Management. *The Diabetes Educator*, 29 (4), 653-662.
- Lalej-Bennis, J et al. (2001): Efficacy and Tolerance of Intranasal Insulin Administered During 4 Months in Severely Hyperglycemic Type 2 Diabetic Patients with Oral Drug Failure: A cross-Over Study. *Diabet Med.* 18 (8): 614-8.

- Latachan, Z., Seereeram, R., Kamalodeen, A., et al. (2010): TRAQ-D (Trinidad Risk Assessment Questionnaire for Type 2 Diabetes Mellitus): A cheap, Reliable, Non-invasive Screening Tool for Diabetes. *British Journal of Diabetes & Vascular Disease*, 10, 187-192.
- **Lawson, M.D.** (2001): The Effect of Intensive Treatment of Diabetes on The Development and Progression of Long Term Complications I Insulin Dependent Diabetes Mellitus. *N Engl J Med*; 329 (1): 977-85.
- **Lee, C.M.** (2007): Asia Pacific Cohort Studies Collaboration "Prevalence of Diabetes Mellitus and Population Attributable Fractions for Coronary Heart Disease and Stroke Mortality in the WHO South-East Asia and Western Pacific regions". *Asia Pac J Clin Nutr* 16 (1): 187–92.
- **Lehene R.A., (2007):** Pharmacology for Nursing Care, 6th ed., St Lois, Saunders Elsevier Co. PP.285-93.
- **Lemon, P. and Burke, K. (2008):** Medical Surgical Nursing, Critical Thinking in Client Care, 4th ed., vol 1, Pearso Prentice Hall, New Jersy, Pp: 562-599.
- Lenz, E. R., & Shortridge-Baggett, L. M. (2002): Self-Efficacy in Nursing: Research and measurement perspective. New York: Springer Publishing Company.
- **Levesque, L.E.** (2008): Pharmacological Interventions in Type 2 Diabetes: Observational Studies and Bias Related Issues. Doctor of Philosophy, McGill University.

- **Lewis, Heitkemper, and Dirksen. (2007):** Medical- Surgical Nursing, Assessment and Management of clinical problems. 7th ed. USA: Mosby Co., PP: 425- 32.
- Linetsky, E. (2010): Evaluation of the "Mastering Your Diabetes" Self Management Education Program: Exploring the Relationship between Diabetes Knowledge, Patient Self-Efficacy and Metabolic Control. Doctorate Thesis, College of Health Sciences, Walden University.
- **Linton, A.D.** (2007): Introduction to Medical- Surgical Nursing. 4th ed., Philadelphia, W.B Saunders Elsevier Co. PP: 1001- 28.
- **Lisa, J. (2010):** The Evaluation of a Practice Change to Reduce the Risk of Type 2 Diabetes in a Rural Primary Care Practice. Doctorate Thesis, Nursing Practice, School of Nursing, West Virginia University.
- **MacInnes, J. (2008):** Factors Affecting Self-Care in Heart Failure: A literature Review. *British Journal of Cardiac Nursing*, 3, 293-299.
- Mainous, A.G, Diaz, V.A., & Everett, C.J. (2007): Assessing Risk for Development of Diabetes in Young Adults. Annals of Family Medicine, 5, 425-429.
- Malik, M. (2005): Glucose Intolerance and Associated Factors in the Multi-ethnic Population of the United Arab Emirates: Results of A national Survey. *Diabetes Research and Clinical Practice*; 69 (2):188–95.

- **Manchester, C.S.** (2008): Diabetes Education in the Hospital: Establishing professional competency. *Diabetes Spectrum*, 21, 268-271.
- Mann, D. M., Ponieman, D., Leventhal, H., & Halm, E. A. (2009): Misconceptions about Diabetes and Its Management among Low-Income Minorities with Diabetes. *Diabetes Care*, 32), 591-593.
- Masukaki, H. and Flier, J.S. (2003): Tissue-Specific Glucocorticoid Reactivating Enzyme, 11 Beta-Hydroxysteroid Dehydrogenase Type 1 (11-beta HSD-1) A promising Drug Target for the Treatment of Metabolic Syndrome. Cur Drug Target Immune-Edocr Metabol Disord. 3: 255-262.
- Matthews D. (2008): Diabetes. 1st ed. USA: Oxford University. P; 117.
- **Maurer & Smith (2005):** Community Public Health Nursing Practice: Health for Families and Population. 3rd ed., USA: Elsevier, PP. 453-466.
- Mayfield, J.A. & White, R.D. (2004): Insulin Therapy for Type 2 Diabetes: Rescue, Augmentation, and Replacement of Beta-cell Function. *American Family Physician*; 70 (3): 489-500.
- McAndrew, L., Schneider, S. H., Burns, E., & Leventhal, H. (2007):

 Does Patient Blood Glucose Monitoring Improve Diabetes
 Control? A systematic Review of The Literature. Diabetes
 Educator, 33, 991-1011.
- McDowell, J., Courtney, M., Edwards, H., & Shortridge-Baggett, L. (2005): Validation of the Australian/English Version of the

- Diabetes Management Self-Efficacy Scale. *International Journal of Nursing Practice*, 11(4), 177-184.
- Mensing, C., Boucher, J., Cypress, M. (2003): National Standards for Diabetes Self-Management Education. *Diabetes Care*, 26(1): 149–156.
- Molasiottis, A., Stricker, C.T., Eaby, B., et al. (2008): Understanding The Concept of Chemotherapy-Related Nausea: The Patient Experience. *European Journal of Cancer Care*, 17, 444-453.
- Morton, G.P., Fontaine, K.D., Hudak, M.C., et al. (2007): Critical Care Nursing, A Holistic Approach. 8th ed., Philadelphia: Lippincott Williams &Wilkins, Pp. 1037-1057.
- Mschelia, DS., Akinosun, OM., and Abbiyesuku, FM. (2007): Effect of Patient-Physician Contact Time and Health Education in Achieving Diabetes Mellitus Management Objectives in a Resource –Poor Environment. *Singapore Med J*; 48: 74-79.
- Mullooly, C.A. & Hanson, K. (2003): Physical Activity/Exercise. In M.
 J. Frank (Ed.), A core Curriculum for Diabetes Education, Diabetes
 Management Therapies. Chicago: American Association of Diabetes Educator. PP. 59-92.
- **Mulvaney, S.** (2009): Improving Self-Care in Young People with Diabetes, The Importance of Self-Efficacy. *Diabetes Voice*; 54 (1): 24-27.
- Murray, R.B., & Zentner, J.P. (2001): Nursing Assessment and Health Promotion Through the Life Span 7th ed., *Englewood Cliffs*, *NJ: Prentice- Hall;* 19 (3): 198-220.

- Naar-King, S., Podolski, C.L., Ellis, D.A., et al. (2006): Social Ecological Model of Illness Management in High-Risk Youths with Type 1 Diabetes. *Journal of Counseling and Clinical Psychology*; 74(4), 785-789.
- Naccashian, Z. (2009): The Impact of Diabetes Self-Management Education Glucose Management in Ethnic Armenals with Type 2 Diabetes. Doctorate degree, Degree of Doctor of Philosophy, School of Nursing, Azusa Pacific University.
- Nakahara, R., Yoshiuchi, K., Kumano, H., Hara, Y., Suematsu, H., & Kuboki, T. (2006): Prospective Study on Influence of Psychosocial Factors on Glycemic Control in Japanese Patients With Type 2 Diabetes (Vol. 47, pp. 240-246).
- Narayan, K. M., Boyle, J. P., Geiss, L. S., Saaddine, J. B., & Thompson, T. J. (2006): Impact of Recent Increase in Incidence on Future Diabetes Burden: U.S. 2005-2050. *Diabetes Care*, 29 (9), 2114-2116.
- National Diabetes Information Clearinghouse (2008): Diabetes Overview. NIH Publication No. 06–3873. Retrieved May 24, 2010, from: http://diabetes.niddk.nih.gov/dm/pubs/overview/
- National Diabetes Information Clearinghouse (2010a): National Diabetes Statistics. Retrieved May 24, 2010 from: http://diabetes.niddk.nih.gov/dm/pubs/statistics/index.htm/
- National Guidelines Clearinghouse. (2010b): Rating Scheme for The Strength of Recommendations: Retrieved February 10, 2010 from www.guidelines.gov.

- National Institutes of Diabetes and Digestive and Kidney Diseases,

 (2011): National Diabetes Statistics. (NIH Publication No.113892)

 Retrieved November 17, 2011 from: http://diabetes.niddk.nih.gov/dm/pubs/statistics/#13
- Nelson, K. M., McFarland, L., & Reiber, G. (2007): Factors Influencing Disease Self-Management among Veterans with Diabetes and Poor Glycemic Control. *Journal of General Internal Medicine*, 22(4), 442-447.
- **Newnham, J.P.** (2001): Is Prenatal Glucocorticoid Administration Another Origin of Adult Disease? *Clinical & Experimental Pharmacology & Physiology*; 28(11): p. 957-61.
- Obineche, E.N. & Adem, A. (2005): Review Update in Diabetic Nephropathy, Department of Internal Medicine, Faculty of Medicine & Health Sciences, United Arab Emirates University. *Int J Diabetes & Metabolism*; 13: 1-9.
- O'Brien, P., Dirksen, S., Lewis, S., et al. (2007): Medical Surgical Nursing, 7th ed., Mosby Elsevier, St. Louis, Pp. 164-168.
- Oldroyd, J.C., Unwin, N.C., White, M., Mathers, J.C., & Alberti, K.G. (2005): Randomized Controlled Trial Evaluating Lifestyle Interventions in People with Impaired Glucose Tolerance. *Diabetes Research and Clinical Practice*, 72(2), 117-127.
- Orozco, L. J., Buchleitner, A. M., Gimenez-Perez, G., et al. (2008): Exercise or Exercise and Diet for Preventing Type 2 Diabetes Mellitus. *Cochrane Database of Systematic Reviews*, Issue 3. Art. No.: CD003054. DOI: 10.1002/14651858.CD003054.pub3.

- Oussama, M.N. (2006): Guidelines for the Prevention, Management and Care of Diabetes Mellitus. WHO Regional Office for the Eastern Mediterranean. *Diabetes Care* 28 (1): 114-20.
- **Pajares, (2002):** Overview of Social Cognitive Theory and of Self-Efficacy. Retrieved June 14, 2011, from: http://www.emory.edu/mfp/eff.html.
- **Peng, P.H.** (2010): Assessment The Factors Associated with The Acceptance of Retinal Screening among Patients with Diabetes in Taiwan. Doctorate Thesis, Arnold School of Public Health, University of South Carolina.
- **Peter, J.** (2003): ABC of Diabetes. 5th ed. BMJ Publishing Group Ltd, BMA House, Tavistock Square, London. Pp; 15-63.
- **Peters, E.J and Lavery, L.A.** (2005): Diabetic Lower Extremity Infection; Influence of physical, psychological, and social Factors. *J Diabetes Complications*; 19: 107-112.
- **Petrik, J., et al. (2001):** A long-Term High-Carbohydrate Diet Causes an Altered Ontogeny of Pancreatic Islets of Langerhans in the Neonatal Rat. Pediatric Research, 49(1): p. 84-92.
- **Pharmacotherapy**, (2008): available at: URL: http://www.pharmacotherapy.com/ Retrieved December 20, 2010.
- **Phillips, D. (2002):** Endocrine Programming and Fetal Origins of Adult Disease. *Trends in Endocrinology & Metabolism*; 13 (9): p. 363.
- Phipps W., Monahan F., and Sands J.(2003): Medical Surgical Nursing: Health and Illness Perspectives, 7th ed., St. Louis. Mosby Inc. 929-80.

- Piette, J., & Kerr, E. (2006): The Impact of Comorbid Chronic Conditions on Diabetes Care. *Diabetes Care*, 29, 725 731.
- **Polit, D. F., & Beck, C. T. (Eds.). (2008):** Designing Quantitative Studies. Nursing Research: Generating and Assessing Evidence for Nursing Practice. Philadelphia: Lippincott Williams and Wilkins. Pp: 248-595.
- **Portha, B.** (2005): Programmed Disorders of Beta-Cell Development and Function As One Cause for Type 2 Diabetes? The GK Rat Paradigm. *Diabetes/Metabolism Research Reviews*, 21(6): pp; 495-504.
- **Povelsen, L., Olsen, B., and Ladelund, S. (2005):** Educating Families from Ethnic Minorities in Type 1 Diabetes Experiences from A Danish Intervention Study, Patient Education and Counseling. 59 (2): 613-621.
- **Praxel, T.A., Ford, T.J., and Ellen, W. (2011):** Improving the Efficiency and Effectiveness of Performing the Diabetic Foot Exam. *American Journal of Medical Quality*, 26(3) 193–199.
- **Prinzing, C. (2006):** Comparison of the Vial/Syringe and Insulin Pen Methods of Insulin Delivery in A hospital Setting. Master Thesis in Nursing Science. Faculty of the Department of Nursing and School of professional studies, Gonzaga University.
- **Puente, E.C.** (2011): Role of Hyperglycemia, Hypoglycemia, and Glucose Transporter 4 on Brain Glucose Sensing, Counter Regulation, and Neuronal Viability. Doctorate Thesis, Graduate School of Arts and Sciences, Washington University.

- **Pyatak, E.A.** (2010): Diabetes Management in the Everyday Lives of Emerging Adults. Doctorate Thesis, Faculty of the USC Graduate School, University of Southern California.
- Quattrini, C. & Tesfaye, S. (2003): Understanding the Impact of Painful Diabetic Neuropathy. *Diabetes Metab Res Rev*; 19: S1-S8.
- Rang, H.P., Dale, M.M., Ritter, JM., and Flower, RJ. (2007): Rang and Dale's Pharmacology, 6th ed., Churchill Livingstone, Elsevier Co. pp: 397-408.
- Rao, A., & Cohen, H. (2004): Symptom Management in The Elderly Cancer Patient: Fatigue, Pain and Depression. *Journal of the National Cancer Institute Monographs*, 32, 150-157.
- **Ratner, RE. (2000):** Diabetes Disease State: Pathophysiology. In M.M. Funnel. 4th ed. Chicago. pp: 167-84.
- Rave, K., Boot, S. & Heinemann, L., et al. (2005): Time Action Profile Inhaled Insulin in Comparisons with Subcutaneously Injected Liprso and Regular Human Insulin. *Diabetes Care*; 28, 1077-98.
- Reiner, A., & Lacasse, C. (2006): Symptom Correlates in The Gero-Oncology Population. Seminars in Oncology Nursing, 22, 20-30.
- Resnick, B., Palmer, M.H., Jenkins, L.S., & Spellbring, A.M. (2000): Path Analysis of Efficacy Expectations and Exercise Behavior in Older Adults. *Journal of Advanced Nursing*, 31(6): 1309-1315.
- **Richard, S. and Beaser, M.D. (2007):** Joslin's Deskbook A guide for Primary Care Provides, 2nd ed. Joslin Diabetes Center, Boston, MA. PP: 45-65.

- **Riddle, M.C.** (2004). Glycemic Management of Type 2 Diabetes: An Emerging Strategy with Oral Agents, Insulins and Combination. *Endocrinole Metab Clin North AM*; 23 (14): 34-77.
- **Robbins & Cotran (2002):** Pathologic Basis of Disease, 7th ed. St. Louis, Mosby Inc., pp 1194-99.
- Roglic, (2009): Diabetes in Women: the Global Perspective. *Intellectual Journal of Gynecology & Obstetrics*. 104 (1): S11-S13.
- **Rosenbloom A.L.** (2007): Hyperglycemic Crises and Their Complications in Children. *J Pediatr Endocrinol Metab*: 20: 5-18.
- **Rother, K.I.** (2007): Diabetes Treatment Bridging the Divide". *N Engl J Med*; 356 (15):1499–1501.
- Roy MS, Klein R, O'Colmain BJ, et al. (2004): The Prevalence of Diabetic Retinopathy among Adult Type 1 diabetic Persons in The United States. *Arch Ophthalmol*; 122(4): 546-551.
- **Rubino A, Rousculp MD, Davis K, et al. (2007):** Diagnosis of Diabetic Peripheral Neuropathy among Patients with Type 1 and Type 2 Diabetes in France, Italy, Spain, and the United Kingdom. *Prim Care Diabetes.*; 1(3): 129-134.
- **Saudek, C.D.** (2005): Implantable Insulin Pump Vs. Multiple-Dose Insulin for Non-Insulin Dependent Diabetes Mellitus. *Jama*; 276 (1): 1322-27.
- Scollan-Koliopoulos, M., O'Connel, K. A., & Walker, E.A. (2005): The first Diabetes Educator is The Family. *Clinical Nurse Specialist*, 19(6), 302-307.

- **Selim, M.** (2000): Adherence to Treatment Regimen among Selected Sample of Egyptian Insulin Dependent Diabetic Patients. *The New Egyptian Journal of Medicine*; 1(3): 128-35.
- **Shah, B. R., & Booth, G. L. (2009):** Predictors and Effectiveness of Diabetes Self-management Education in Clinical Practice. *Patient Education & Counseling*, 74, 19-22.
- **Sigal, R.J.** (2007): Effects of Aerobic Training, Resistance Training, or Both on Glycemic Control in Type 2 Diabetes. *Ann Intern*; 81Med. 147(6): 357–69.
- **Simpson, R.W., Shaw, J.E., and Zimmet, P.Z. (2003):** The Prevention of Type 2 Diabetes Life Style Change or Pharmacotherapy? A challenge for the 21st Century. Diabetes Research and Clinic Practice. 59 (3): 165-180.
- **Smeltzer & Bare (2004):** Brunner and Sauderth's, Text book of medical-Surgical Nursing, 10th ed. Lippincott, Williams & Willkins. PP: 1429-59.
- Smith, E., Gerber, B., Brodsky, I., et al. (2005): Implementation and Evaluation of Low-Literacy Diabetes Education Computer Multimedia Application. *Diabetes Care*, 28, 1574-1580.
- **Souhama L.R. & Moxham J., (2002):** Textbook of Medicine. 4th ed., Churchill Livingstone, New York, PP. 979-94.
- Sousa, V. D., Hartman, S. W., Miller, E. H., & Carroll, M. A. (2009):

 New Measures of Diabetes Self-Care Agency, Diabetes Self-Efficacy, and Diabetes Self-Management for Insulin-Treated

- Individuals with Type 2 Diabetes. *Journal of Clinical Nursing*, 18, 1305-1312.
- Sousa, V.D., Hartman, S.W., Miller, E.H., & Carroll, M.A. (2009):

 New Measures of Diabetes Self-Care Agency, Diabetes Self-Efficacy, and Diabetes Self-Management for Insulin-Treated Individuals with Type 2 Diabetes. *Journal of Clinical Nursing*, 18, 1305-1312.
- Sousa, V.D., Zauszniewski, J., Lea, P., & Davis, S. (2005):

 Relationships among Self-Care Agency, Self-Efficacy, Self-Care and Glycemic Control. Research and Theory for Nursing Practice: *An International Journal*, 19, 217-228.
- Srinivasan, M., et al. (2003): Neonatal Nutrition: Metabolic Programming of Pancreatic Islets and Obesity. Experimental Biology & Medicine, 228 (1): p. 15-23.
- **Steed, L., Lankester, J., Barnard, M., et al. (2005):** Evaluation of The CL Diabetes Self-Management Program (UCL-DSMP): A randomized Controlled Trial. *Journal of Health Psychology*, 10, 261-276.
- Suh, S.W, Hamby, A.M, and Swanson, R.A (2007): Hypoglycemia, Brain Energetic, and Hypoglycemic Neuronal Death. *Glia* 55:1280-1286.
- **Tesfay, (2005):** Vascular Risk Factors and Diabetic Neuropathy. *N Engl J Med*; 352: 341-350.
- **Tesfay, (2006):** Electrical Spinal Cord Stimulation for Painful Peripheral Neuropathy. *Lancet*; 348: 1696-1701.

- Tierney, L.M., McPhee, S.J., and Papadakis, M.A. (2002): Current Medical Diagnosis & Treatment. *New York*: pp. 1203–15.
- **Timby, B.K. and Smith, N.E. (2010):** Introductory Medical Surgical Nursing, 10th ed., Philadelphia: Lippincott, Williams & Willkins, PP: 784-804.
- Trief, P. M., Teresi, J. A., Eimicke, J. P., Shea, S., & Weinstock, R. S. (2009): Improvement in Diabetes Self Efficacy and Glycaemic Control Using Telemedicine in A sample of Older, Ethnically Diverse Individuals Who Have Diabetes: The IDEATEL project. Age & Ageing, 38, 219-225.
- United States Renal Data System, (2008): Am J Kidney Dis; 42: 1–230.
- Van der Bijl, J., van Poelgeest-Eeltink, A., & Shorrtridge-Baggett, L. (1999): The Psychometric Properties of the Diabetes Management Self Efficacy Scale for Patients with Type 2 Diabetes Mellitus. *Journal Advanced Nursing*; 30(2), 352-359.
- Veronica, V. (2010): The Role of Self-Efficacy in Patients with Comorbid Type 2 Diabetes and Coronary Artery Disease in the Bypass Angioplasty Revascularization Investigation 2 Diabetes (BARI 2D) Trial. Doctorate Thesis, Faculty of Graduate School of Public Health, University of Pittsburgh.
- Villareal, R. (2008): A Randomized, Open–Label Intervention Study to Evaluate the Effect of Diet Composition on Weight gain in Obese, Type 2 Diabetes Patients Receiving Intensive Therapy. Doctorate Degree, Faculty of the of Health Sciences, TUI University 12-17.

- **Vivian, A., and Fonseca, MD. (2006):** Clinical Diabetes, Translating Research into Practice. 1st ed. W.B Saunders Elsevier Co. PP: 21-175.
- Weinger, K., Ven, N.V., Yi, J., & Snoek, F. (2000): Confidence in Diabetes Self-Care Scale (CIDS): First Psychometric Evaluation USA and Dutch Type 1 Diabetes Patients. *Diabetes*, 49 (Suppl.1), 1327.
- Weiss, S.R., Cheng, S.L., Kourides, I.A., et al. (2003): Inhaled Insulin Provide Improved Glycemic Control in Patients with Type 2 Diabetes Mellitus Inadequately Controlled with Oral Agents, A randomized controlled trial. *Archeives of Internal Medicine*; 15:2277-82.
- Weissberg-Benchell, J., Wolpert, H., & Anderson, B. J. (2007):

 Transitioning From Pediatric to Adult Care: A new Approach to
 The Post-Adolescent Young Person with Type 1 Diabetes.

 Diabetes Care, 30 (10), 2441-2446.
- Wen, L., Shepherd, M., & Parchman, M. (2004): Family Support, Diet, and Exercise Among Older Mexican Americans with Type 2 Diabetes. *The Diabetes Educator*, 30, 980-993.
- White, J.R. & Campbell, R.K (2003): Pharmacologic Therapies for Glucose Management, 5thed. Chicago. pp: 295-360.
- Whitley, H.P., Fermo, J.D., Ragucci, K., and Chumney, E.C. (2006):

 Assessment of Patient Knowledge of Diabetic Goals, Self-Reported Medication Adherence, and Goal Attainment. *Pharmacy Practice*; 4 (4): 183-190.

- Wild, S., Roglic, G., & Green, A. (2004): Global Prevalence of Diabetes, Estimates for The Year and Projections for 2030.

 Diabetes Care; 27: 1047-53.
- William V., Tambolance W.V., & Al-Ashwal A., (2001): Textbook of Clinical Pediatrics. Lipincott Williams & Wilkins Co. Philadelphia, PP. 1339-49.
- Williams, K., & Bond, M. (2002): The Roles of Self-Efficacy, Outcome Expectancies and Social Support in The Self-Care Behaviors of Diabetics. Psychology, Health and Medicine, 7, 127-141.
- Wisconsin Diabetes Mellitus Essential Care Guidelines (2011): Bureau of Community Health Promotion. Retrieved June 14, 2011: http://dhs.wisconsin.gov/health/diabetes/index.htm
- Wisconsin Diabetes Prevention and Control Program (WDPCP), (2011): Retrieved June 20, 2011 from: http://dhs.wisconsin.gov/health/diabetes/PDFs/pdf
- Wolfsdorf, J. (2007): Diabetic ketoacidosis. Pediatr Diabetes 8:28-43.
- World Health Organization (2003): Study Group Diabetes Mellitus, World Health Organization Technical Report Series 727 Geneva: 85.
- World Health Organization (2003a): Global Strategy on Diet, Physical Activity and Health. Retrieved June 14, 2011 from: http://www.who.int/mediacentre/factsheets/fs312/en/index.html
- World Health Organization, (2007): "Definition, Diagnosis and Classification of Diabetes Mellitus and Its Complications: Report of a WHO Consultation. Part 1. Diagnosis and Classification of

- Diabetes Mellitus". Retrieved June 14, 2011: http://www.who.int/diabetes/publications/en/index.html/
- World Health Organization, (2008): Region and Country Specific Information Sheets: Impact of chronic disease in countries. Retrieved February 20, 2011 from: http://www.who.int/chp/chronic_disease_report/media/impact/en/index.html.
- **World Health Organization, (2009):** Retrieved October 10, 2011 from: http://www.who.int/mediacentre/factsheets/fs312/en/index.html
- Xu, Y. (2005): Understanding The Factors Influencing Diabetes Self-Management in Chinese People with Type 2 Diabetes Using Structural Equation, doctorate degree of doctor of Philosophy, College of Nursing, University of Cincinnati.
- **Zent, R. and Pozzi, A. (2006):** Antiangiogenic Therapy in Diabetic Nephropathy. Department of Medicine, Vanderbilt University, *J Am Soc Nephrol*; 17: 325–327.