



REFERENCES

- Aktar, S., Younus, M., Adil, S., Jafri, S.H. and Hassan, F. (2009):** Hepatitis C virus infection in asymptomatic male volunteer blood donors in Karachi, Pakistan. *J. Viral Hepat.* 11 (6):527-35.
- Alary, M., Joly, J., Vincelette, J., Lavoie, R., Turjel, B. and Remis, R. (2005):** Lack of evidence of sexual transmission of hepatitis C virus in a prospective cohort study of men who have sex with men. *American Journal of Public Health.* 95 (3): 502-5.
- Albers, L.L. (2007):** The evidence for physiologic management of the active phase of the first stage of labor. *Journal of Midwifery and Women's Health,* 52 (3), pp.207-215.
- Alberti, A., Braconier, J., Esteban, J., Hadziyannis, S., Manns, M., Saracco, G., Thomas, H. and Trepo, C. (2007):** Epidemiology of hepatitis C virus infection in seven European Union countries: a critical analysis of the literature. HENCORE Group (Hepatitis C European Network for Cooperative Research). *Eur J Gastroenterol Hepatol.* 12:667-678.
- Al-Faleh, F., Ramia, S., Arif, M., Ayoola, E., al-Rashed, R., al-Jeffry, M., Hosain, A. and el-Hazmi, M. (2005):** profile of hepatitis C virus and the possible modes of transmission of the virus in the Gizan area of Saudi Arabia: a community-based study. *Ann Trop Med Parasitol;* 89: 431-437.
- Alter, M., Kruzon-Moran, D., McQuillan, G., Gao, F., Moyer, L., Kaslow, R., and Margolis, H. (2005):** The prevalence of hepatitis C virus infection in the United States. *N. Engl. J. Med* 341:556-62.



- Alverado, C., (2007):** Sterilization, disinfection, cleans and Nursing clinics of North America, June, 34(2): 483-491.
- Amin, J., Gidding, H., Gilbert, G., Backhouse, J., Kaldor, J., Dore, G. and Burgess, M. (2009):** Hepatitis C prevalene- A Nationwide serosurvey. Commun Dis Intell. 28(4): 517-21.
- Amis, D. and Green, J. (2007):** Prepared childbirth the family way. New York: Lamaze International, 38 (1), pp. 416-23.
- Archie, C.L. (2007):** The course and conduct of normal labor and delivery. In A.H. DeCherney & L. Nathan (Eds). Current diagnosis and treatment in obstetrics and gynecology (10th ed). Columbus, OH: McGraw Hill, pp. 157-180.
- Aziz, N. and Cohen, C.R. (2007):** Sexually transmitted diseases in pregnancy. In J.D. Klausner & E.W. Hook III (Eds). Current diagnosis and treatment of sexually transmitted disease. Columbus, OH: McGraw-Hill.
- Backmund, M., Reimer, J., Meyer, K., Gerlach, J. and Zachoval, R. (2008):** Hepatitis C virus infection and injection drug users: prevention, risk factors, and treatment. Clinical Infection Diseases. 40 (5): S330-5.
- Bair, M. and Williams, J. (2007):** Management of the third stage of labor. Jouranl of Midwifery and Women's Health 52 (4), 412-414.
- Bassily, S., Hyams, K., Fouad, R., Samaan, M. and Hibbs, R. (2005):** A high risk of hepatitis C infection among Egyptian blood donors: the role of parenteral drug abuse. Am. J. Trop Med Hyg. 52 (6): 503-5.



- Baves, S., Fenwick, J. and Hauck, Y. (2008):** Qualitative analysis of women's short accounts of labour and birth in a western Australian public tertiary hospital journal of midwifery and women's Health, 52 (4), 412-414.
- Baves, S., Fenwick, J. and Hauck, Y. (2008):** Qualitative analysis of women's short accounts of labour and birth in a Western Australian public tertiary hospital. Jouranl of Midwifery and Women's Health, 53 (1), 53-61.
- Bdour, S. (2007):** Hepatitis C virus infection in Jordanian haemodialysis units diagnosis and genotyping. J. Med Microbiol. 51: 700-4.
- Beebe, K. and Lee, K. (2007):** Sleep disturbance in late pregnancy and early labor. Journal of perinatal and Neonatal Nursing 21 (2), 103-108.
- Bellentani, S. and Tiribelli, C. (2005):** The spectrum of liver disease in the general population: lesson from the Dionysos study. J. Hepatol. 35: 531-7.
- Bjerke, N. (2004):** The Evolution: Handwashing to hand hygiene guidance Critical care Nursing Q, 27 (3): 295-307.
- Bojuwoye, B. (2007):** The burden of viral hepatitis in Africa, west African Journal of medicine, Oct-Dec; 16 (4): 198-203.
- Bolyard, E., Tablan, O., Williams, W. and Pearson, M. (2008):** Guideline for infection control in health care personnel- CDC personnel health. Guideline An infection control, 26 (3): 289-359.



- Boyce, J. and Pittet, D. (2009):** Healthcare infection control Practices Advisory Committee; HIPAC/SHEA/APIC/IDSA Hand Hygiene Task force. Guideline for Hand Hygiene in Health-Care Settings: Recommendations of the Healthcare infection control practices Advisory Committee and the HICPAC/SHEA/APIC/IDSA Hand Hygiene Task Force. MMWR Recomm Rep, 51 (RR-16): 1-45.
- Bradshaw, C., Pierce, L., Tabrizi, S., Fairely, C. and Garland, S. (2008):** Screening drug users for sexually transmitted infections and blood born viruses using street outreach and self collected sampling. Sex Transmission Infection. 81 (1): 53-8.
- Buchmann, E. and Libhaber, E. (2007):** Accuracy of cervical assessment in the active phase of labour. BIOG: An International Journal of Obstetrics and Gynaecology, 114 (7), 833-837.
- Burns, E. (2007):** Aromatherapy in childbirth; a pilot randomized controlled trial. BJOG: An International Journal of Obstetrics and Gynaecology, 114 (7), 838-844.
- Burroughs, A. and Leifer, G. (2008):** Maternity nursing an introductory text, 8th ed., W.B Saunders Company, Philadelphia, pp 116-377.
- Centers for Disease Control (CDC) (2009):** Guideline for prevention of surgical site infection. Atlanta: Centers for disease Control and Prevention Hospital Infection Control Practices Advisory Committee.
- Cheng, Y. (2007):** Duration of the second stage of labor in multiparous women: maternal and neonatal outcomes. American Journal of Obstetrics and Gynecology, 196 (6), 585-591.



- Chiba, H., Takezaki, T., Neupani, D., Kim, J., Yoshida, S., Mizoguchi, E., Takeuchi, J., Suzuki, J., Tanaka, Y., Ito, K., Kitamura, T., Kuriki, K., Wakai, K., Samejima, K., Sonoda, S. and Tajima, K.(2008):** An epidemiological study of HBV, HCV, and HTLV-1 in Sherpas of Nepal. *Asian Pac J Cancer Prev.* 5(4):370-3.
- Coulthard, P., Worthington, H., Esposito, M., Elas, M. and Waes, O. (2004):** Tissue Adhesives for closure of surgical incisions. *Cochrane Database Syst Rev*, (2): CD004287.
- Crombleholme, W. (2009):** Obstetrics. In McPhee, S.J. and Papadakis, M.A. current medical diagnosis and treatment Columbus, OH: McGraw-Hill.
- Damani, N. and Ayliffe, G. (2005):** Manual of infection control procedure, 1st ed., Greenwich Medical Media LTD, London, chap 1x. pp. 46 (3) 330-5.
- Darwish, M., Raouf, T., Rushdy, P., Constantine, N., Rao, M. and Edelman, R. (2006):** Risk Factors associated with a high seroprevalence of hepatitis C virus infection in Egyptian blood donors. *Am. J. Trop Med. Hyg.* 49(4): 440-7.
- Darwish, N. (2007):** Hepatitis C virus infection in blood donors in Egypt *Public Health Assoc.* 67(3-4): 223-36.
- De Leeuw, J. (2008):** Mediolateral episiotomy reduces the risk for anal sphincter injury during operative vaginal delivery. *BJOG: An International Journal of Obstetrics and Gynecology*, 115(1), 104-108.



- Dochterman, J. and Bulechek, G. (2009):** Nursing interventions classification (NIC), 4th ed. St. Louis: Mosby.
- Dominitz, J., Boyko, E., Koepsell, T., Heagerty, P., Maynard, C. and Sporleder, J. (2005):** Elevated prevalence of hepatitis C infection in users of United States veteran medical centers. *Hepatology*. 41 (1): 88-96.
- Edlin, B., Kresina, T., Raymond, D., Carden, M., Gourevitch, M., Rich, J., Cheever, L. and Cargill, V. (2008):** Overcoming barriers to prevention, care and treatment of hepatitis C in illicit drug users. *Clinical infection Diseases*. 40 (5): S 276-85.
- Euliano, T. (2007):** Monitoring contractions in obese parturients electrohysterography compared with traditional monitoring obstetrics and gynecology, 109 (5), 1136-1140.
- Feldman, G., Sorvillo, F., Cole, B., Lawrence, W. and Mares, R. (2004):** Seroprevalence of hepatitis C among a juvenile detention population. *Journal of Adolescent Health*. 25:505-508.
- Fitzgerald, M. (2007):** Risk factors for anal sphincter tear during vaginal delivery. *Obstetrics and Gynecology*, 109 (1), 29-34.
- Fong, T., Schoenfield, L. and Hepatitis C. (2007):**
http://www.medicinenet.com/hepatitis_c/article.2007.
- Forster, D. and McLachlan, H. (2007):** Breastfeeding initiation and birth setting practices: a review of the literature. *Journal of Midwifery and Women's Health*, 52(3), 273-280.



- Galvert, J. and Steen, M. (2007):** Home opathic remedies for self-administration during childbirth. *British Journal of Midwifery*, 15(3), 159-165.
- Garner, J. (2006):** Guideline for isolation precautions in hospitals. The hospital infection control practices advisory committee. *Infect control hosp epidemiol*, 17 (1): 53-80.
- Gast, C. (2009):** Vibroacoustic stimulation for fetal assessment in labour in the presence of a nonreassuring fetal heart rate trace. *Cochrane database of systematic reviews*.
- Genovese, D., Dettori, S., Argentini, C., Villano, U. (2005):** Molecular epidemiology of hepatitis C virus Genotype 4 Isolates in Egypt and analysis of the variability of Envelope proteins E1 and E2 in patients with chronic hepatitis, *Journal of clinical microbiology*, 43 (4): 1902-1909.
- Gourounti, K. and Sandall, J. (2007):** Admission cardiotocography versus intermittent auscultation of fetal heart rate: effects on neonatal Apgar score, on the rate of caesarean sections and on the rate of instrumental delivery a systematic review. *International Journal of nursing studies*, 44(6), 1029-1035.
- Greulich, B. and Tarrant, B. (2007):** The latent phase of labor: diagnosis and management. *Journal of Midwifery and Women's Health*, 52(3), 190-198.
- Grobman, W. (2007):** Elective induction: When Ever *Clinical Obstetrics and Gynecology*, 50 (2), 537-546.



- Gupta, J., Hofmeyr, G. and Smyth, R. (2009):** Position in the second stage of labour for women without epidural anaesthesia. Cochrane database of systematic reviews,(1).
- Hassan, A., Moftah, F., Alaa EL-Din, S. and Bayomi, S. (2009):** Assessment of an educational training program for nurses working in maternal and child health (MCH). Centers in Assiut city regarding infection control. Ass. univ. Bull. Environment. Res, vol 7, no 2, p 92.
- Hastings-Tolsma, M. (2007):** Getting through birth in one piece: protecting the perineum. MCN: American Journal of Maternal Child Nursing, 32 (3), 158-164.
- Hodnett, E.(2009):** Continuous support for women during childbirth Cochrane database of systematic reviews.
- Huy, T. and Abe, K. (2008):** Molecular epidemiology of hepatitis B and C virus infections in Asia. Pediatrics international. 46: 223-230.
- Ilako, F., McLigeyo, S., Riyat, M., Lule, G., Okoth, F. and Kaptich, D. (2006):** The prevalence of hepatitis C virus antibodies in renal patients, blood donors and patients with chronic liver disease in Kenya. East Afr Med. J. 72:362-364.
- Incerpi, M. (2007):** Operative delivery. In A.H. DeCherney & L. Nathan (Eds) current diagnosis and treatment in obstetrics and gynecology (10th ed). Columbus, OH: McGraw-Hill.
- Judd, A., Hickman, M., Jones, S., McDonald, T., Parry, J. Stimson, G. and Hall, A. (2005):** Incidence of hepatitis C virus and HIV among



new injecting drug users in London: prospective cohort study. BMJ. 330:24-5.

Kampf, G. and Kramer, A. (2009): Epidemiologic background of hand hygiene and evaluation of the most important agents for scrubs and rubs. Clin. Microbiol Rev, 17 (4): 863-893.

Karch, A. (2009): Lippincott's Nursing drug guide. Philadelphia: Lippincott Williams &Wilkins.

Kiss, K. and Colleq, J. (2007): Malpresentation and cord prolapse. In A.H. DeCherney & L. Nathan (Eds.)> Curent diagnosis and treatment in obstetrics and gynecology (10th ed.). columbus, OH: McGraw-Hill.

Kumar, P. and Clark, M. (2009): Kumar and Clark clinical medicine 5th ed. 7:356-357.

Kumar, V., Abbas, A. and Fausto, N. (2007): Robins and Cotran Patholgoic absisi of disease, 7th ed. 11: 894-895.

Kupek, E. (2006): Transfusion risk for hepatitis B, Hepatitis C and HIV in the State of Santa Catarina, Brazil, 1991-2001. the Brazilian Journal of Injectious Diseases. 8(3): 236-240.

Kuperan, P., Choon, A., Ding, S. and Lee, G. (2006): Prevalence of antibodies to hepatitis C virus in relation to surrogate markers in a blood donor population in Singapore. Southeast Asian. J. Trop. Med. Pub. Health. 4(1): 127-129.

Lamas, E. (2007): Prevalence and genotypes of hepatitis C virus in blood donors and in patients with chronic liver disease and



hepatocarcinoma in a Chilean population. Rev Med Chil. 126 (9): 1035-42.

Landon, M. (2008): Vaginal birth after cesarean delivery. Clinics in perinatology, 35(3), 491-504.

Larson, E. (2008): Skin hygiene & infection prevention. More of the same or different approaches in infection control, 9 (1): 28-36.

Laursen, M. (2008): Fear of children: predictors and temporal changes among nulliparous women in the Danish National Birth Cohort. BJOG: An International Journal of Obstetrics and Gynecology, 115 (3), 354-360.

Lawson, S. and Bienstock, J. (2007): Normal labor and delivery, operative delivery and malpresentations. In k.b. Fortner, et al. (Eds). The Johns Hopkins manual of gynecology and obstetrics. Philadelphia: Lippincott Williams & Wilkins.

Lewis, D. (2007): Expectant management of preterm premature rupture of membranes and nonvertex presentation: what are the risks? American Journal of Obstetrics and Gynecology, 196 (6), 566-572.

Linton, A., Matteson, M., and Maebius, N. (2008): Introductory nursing care of adults, 2nd ed., W.B Saunders company , USA , p 131-132.

Magder, Fix, A., Mikhail, N., Mohamed, M., Abdel-Hamid, M.; Abdel-Aziz, F., Medhat, A. and Strickland, G. (2008): Estimation of the risk of transmission of hepatitis C between spouses in Egypt based



on seroprevalence data. *International Journal of Epidemiology*. 34:160-165.

Maher, L., Chant, K., Jalaludin, B. and Sargent, P. (2009): Risk behaviours and antibody hepatitis B and C prevalence among injecting drug users in south-western Sydney, Australia. *J. Gastroenterology Hepatology*. 19 (10): 1114-20

Maio, G., d'Argenio, P., Stroffolini, T., Bozza, A., Sacco, L., Tosti, M., Intorcia, M., Fossi, E., d'Alessio, G., Kondili, L. Rapicetta, M. and Mele, A. (2007): Hepatitis C virus infection and alanine transaminase levels in the general population: a survey in southern Italian town. *J. Hepatol*. 33:116-20.

Mathei, C., Robaeys, G., van Damme, P., Buntinx, F. and Verrando, R. (2005): Prevalence of hepatitis C in drug users in Flanders: determinants and geographic differences. *Epidemiol. Infection*. 133:127-136.

McGrath, S. and Kennell, J. (2008): Long-term effects of anal sphincter rupture during vaginal delivery: faecal incontinence and sexual complaints. *BJOG: An International Journal of Obstetrics and Gynaecology* 115 (2), 234-238.

Mendez-Sanchez, N., Motola-Kuba, D., Chavez-Tapia, N., Bahena, J. Correa-Rotter, R. and Uribe, M. (2008): Prevalence of Hepatitis C virus infection among hemodialysis patients a tertiary- care hospital in Mexico City, Mexico. *Journal of Clinical Microbiology*. 42 (9): 4321-4322.



- Meylan, G. and Tschantz, P. (2006):** Surgical wounds with or without dressing: Prospective comparative study. *Ann Chir*, 126 (5): 459-462.
- Mohsen, A.H. (2009):** Trent HCV study group. The epidemiology of hepatitis C in a UK health regional population of 5.12 million. *Gut*. 48: 707-74.
- Moorhead, M., Johnson, M. and Mass, M. (2004):** Nursing Outcomes classification (NOC), 3rd ed. St. Louis: Mosby.
- Muhammad, N. and Jan, M. (2005):** Frequency of Hepatitis C in Buner, NWFP. *JCPSP*. 15;(1): 11-14.
- Nogueras, M., Marinsalta, N., Roussell, M. and Notario, R. (2007):** Importance of hand germ contamination in health-care workers as possible carries of noscomial infections. *Rev. Inst Med Trop Sao Paulo*, 43 (3):149-152.
- Ogarkov, P., Malyshev, V., Tokmakov, V. and Smirnov, A. (2008):** Epidmiological features of virus hepatitis in the Russian army. *Minerva Gastroenterol Dietol*. 50: 165-9.
- Panlilio, A., Cardo, D., Grohskopf, L., Heneine, W. and Ross, C. (2005):** Updated U.S. Public Health service guidelines for the management of occupational exposures to HIV and recommendations for post exposure prophylaxis. *MMWR Recomm Rep*, 54 (RR-9):1-17.
- Perez, C., Suarez, E., Torres, E., Roman, K. and Colon, V. (2005):** Seroprevalence of hepatitis C virus and associated risk behaviours:



a population-based study in San Juan, Puerto Rico. *Int J Epidemiol.* 34(3): 593-9.

Poggi, S. (2007): Postpartum hemorrhage and the abnormal puerperium. In A.H. DeCherney & L. Nathan (Eds.). *Current diagnosis and treatment in obstetrics and gynecology* (10th ed.). Columbus, OH McGraw-Hill pp. (9) 2-13.

Potera, C. (2007): In search of evidence supporting electronic fetal monitoring: recent studies fail to show benefits. *American Journal of Nursing* 107 (6), 22.

Pradat, P. (2004): Prevalence of hepatitis C infection among general practice patients in the Lyon area, France. *Eur. J. Epidemiol;* 17(1):47-51.

Price, S., Noseworthy, J. and Thornton, J. (2007): Women's experience with social presence during childbirth. *MCN: the American Journal of Maternal child Nursing*, 32 (3), 184-191.

Qadi, A., Tamin, H., Ameen, G., Bu-Ali, A., Al-Arrayed, S., Fawaz, N. and Almawi, W. (2009): Hepatitis B and Hepatitis C virus prevalence among dialysis patients in Bahrain and Saudi Arabia: a survey by serologic and molecular method. *Am. J. Infect. Control;* 32(8): 493-5.

Raffaele, A., Valenti, M., Lovenitti, M., Matani, A., Bruno, M., Altobelli, E., D'Alessandro, A., Barnabei, R., Leonardis, B. and Taglieri, G. (2005): High prevalence of HCV infection among the general population in a rural area of central Italy. *Eur. J. Epidemiol.* 17:41-6.



- Reilly, J., Baird, D. and Hill, R. (2005):** The importance of definitions and methods in surgical wound infection audit. *J. Hosp Infect*, 47 (1): 64-66.
- Ridley, R. (2007):** Diagnosis and intervention for posterior mal position. *JOGN: Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 36(2), 135-143.
- Roberts, J. and Hanson, L. (2007):** Best practices in second stage labor care maternal bearing down and positioning. *Journal of Midwifery and Women's Health*, 52(3), 238-245.
- Roberts, J., Gonzalez, C. and Sampsel, C. (2007):** Why do supportive birth attendants become directive of maternal bearing-down efforts in second stage labor? *Journal of Midwifery and Women's Health*, 52(2), 134-141.
- Rosich-Medina, A. and Shetty, A. (2007):** Paternal experiences of pregnancy and labour. *British Journal of Midwifery*, 15 (2), 66-70.
- Saeed, A., al-Admawi, A., al-Rasheed, A., Fairclough, D., Bacchus, R., Ring, C. and Garson, J. (2007):** Hepatitis C virus in Egyptian blood donors in Riyadh. *Lancet*. 33: 359-60.
- Sauls, D. (2007):** Nurses' attitudes toward provision of care and related health outcomes. *Nursing Research*, 56(2), 117-123.
- Simmonds, P. (2005):** Variability of hepatitis C virus. *Hepatology*, 21 (2): 570-583.



- Sleutel, M., Schultz, S. and Wyble, K. (2007):** Nurses' views of factors that help and hinder their intrapartum care. JOGNN: Journal of Obstetric, Gynecologic, and Neonatal Nursing, 36 (3), 203-211.
- Smith, C. et al., (2009):** Complementary and alternative therapies for pain management in labour. Cochrane Data base of Systematic Reviews,(1).
- Soza, A., Arrese, M., Gonzalez, R., Alvarez, M., Perez, R.M., Cortes, P. and Patillo, A. (2008):** Riquelme A Riquelme, A. clinical and epidemiological features of 147 Chilean patients with chronic hepatitis C. Ann Hepatol. 3(4): 146-51.
- Sulkowski, M. and Thomas, D. (2008):** Hepatitis C in the HIV- infection person. Ann Intern Med. 138: 197-207.
- Szymanski, L. and Bienstock, J. (2007):** Complications of labor and delivery. In K.B. Fortner, et al. (Eds). The Johns Hopkins manual of gynecology and obstetrics. Philadelphia: Lippincott Williams & Wilkins.
- Tam, W. and Chung, T. (2007):** Psychosomatic disorder in pregnancy current Opinion in Obstetrics and Gynecology 19(2), 126-132.
- Tanaka, J., Kumagai, J., Katayama, K., Komiya, Y., Mizui, M., Yamanaka, R., Suzuki, K., Miyakawa, Y. and Yoshizawa, H. (2008):** Sex- and age- specific carriers of hepatitis B and C virus in Japan estimated by the prevalence in the 3,485,748 first- time blood donors during 1995-2000. Intervirology. 47(1): 32-40.
- Tenorio, A., Badri, S., Sahgal, N., Hota, B., Matushek, M., Hayden, M. et al., (2010):** Effectiveness of gloves in the prevention of hand



carriage of vancomycin-resistant enterococcus species of health care workers after patient care. *Clinical infection Diseases*, 32 (5): 826-829.

Thomas, D., Cannon, R., Shapiro, C., Hook, E. and Alter, M. (2009): Hepatitis C, Hepatitis B, and Human Immunodeficiency virus infections among non-intravenous drug-using patients attending clinics for sexually transmitted diseases. *J. Infect Dis.* 169:990-995.

Thomson, B. and Finch, R. (2007): Hepatitis C virus infection. *Clinical Microbiol Infection*; 11:86-94.

Van Damme, P., Thyssen, A. and Van Look, F. (2005): Epidemiology of hepatitis C in Belgium: present and future. *Acta Gastroenterol Belg.* 65: 78-79.

Vandelli, C., Renzo, F., Romano, L., Tisminetzky, S., De Palma, M., Stroffolini, T., Ventura, E. and Zanetti, A. (2007): Lack of evidence of sexual transmission of hepatitis C among monogamous couples: results of a 10-years prospective follow-up study. *Am J. Gastroenterol.* 99(5): 855-9.

Vermeulen, H., Ubbink, D., Gossens, A., de Vos, R. and Legemate, D. (2004): Dressings and topical agents for surgical wounds healing by secondary intention. *Cochrane Database Syst Rev*, (2): CD003554.

Villano, S., Vlahov, D., Nelson, K., Lyles, C., Cohn, S. and Thomas, D. (2010): Incidence and risk factors for hepatitis C among injection



drug users in Baltimore, Maryland. J. Clin. Microbiol. 35: 3274-3277.

Weding, K. and Whitsett, J. (2008): Down the primrose path: petechiae in a neonate exposed to herbal remedy for parturition. Journal of Pediatrics, 152(1), 140-141.

WHO, (2007): Global surveillance and control of hepatitis C. Report of a WHO Consultation organized in c with the Viral Hepatitis Prevention Board, Antwerp, Belgium. J Viral Hepat; 6:35-47.

Yamamoto, Y., Ugai, K. and Takahashi, Y. (2005): Efficiency of hand drying for removing bacteria from washed hands: comparison of paper towel with warm air drying. Infection control Hospital Epidemiology, 26 (3): 316-320.

Zainab, D. (2008): Mezban, Adil Ed Wakil, Hepatitis C in Egypt, HCV Advocate, hepatitis C support project <http://www.hcvadvocate.org>.

Zakzouk, H., EL- Senousy, T. and Hussain, M. (2009): Infection control standards in burn unit, the new Egyptian journal of medicine, 1st September, vol.31, No.3, p7-15.

Zampieron, A., Jayasekera, H., Elseviers, M., Lindley, E., De Vos, J.Y., Visser, R. and Harrington, M. (2004): European study on epidemiology and the management of HCV in the haemodialysis population-part 1: centre policy. EDTNA ERCA J. 30 (2): 84-90.

Zusinaite, E., Metskula, K. and Salupere, R. (2008): Autoantibodies and hepatitis C virus genotypes in chronic hepatitis C patients in Estonia. World J Gastroenterology. 11 (4): 488-491.