

REFERENCES

- Abd El-Haphiz E.M. (2002):** Effect of distraction and relaxation techniques on children during postoperative pain. Doctoral thesis, Faculty of Nursing, Ain Shams University.
- Abdalla K.F., Ragheb S.G., and Elawa G.M. (2007):** Effect of non-pharmacological nursing interventions for pain management on patients' outcome. The Medical Journal of Cairo University, 75 (2): 289-301.
- Abdalrahim M.S., Majali S.A., and Bergbom I. (2010):** Jordanian surgical nurses' experiences in caring for patients with postoperative pain. Applied Nursing Research, 23 (3): 164-170.
- Abdalrahim M.S., Majali S.A., Stomberg M.W., and Bergbom I. (2011):** The effect of postoperative pain management program on improving nurses' knowledge and attitudes toward pain. Nurse Education in Practice, 11 (4): 250-255.
- Agbedia C., Adebajo A., and Olubiyi K.S. (2009):** Pain management. National Open University of Nigeria. Available on: www.nou.edu.ng last accessed 5 November 2010.
- Alexander M., Corrigan A., Gorski L., Hankins J., and Perucca R. (2010):** Infusion nursing an evidence-based approach, 3rd ed., St. Louis, Saunders Elsevier, p. 373.
- Al-Shaer D., Hill D.D., and Anderson M.A. (2011):** Nurses' knowledge and attitudes regarding pain assessment and intervention. Medsurg Nursing, 20 (1): 7-11.

- American Pain Society (2005):** Principles of analgesic use in the treatment of acute and cancer pain, 5th ed., Glenview, IL: American Pain Society. Available on: www.ampainsoc.org last accessed 30 December 2010.
- Arcangelo V.P. and Peterson A.M. (2006):** Pharmacotherapeutics for advanced practice: a practical approach, 2nd ed., Philadelphia, Lippincott Williams & Wilkins, pp. 66-68.
- Aschenbrenner D.S. and Venable S.J. (2009):** Drug therapy in nursing, 3rd ed., Philadelphia, Lippincott Williams & Wilkins, pp. 376-377.
- Barash P.G., Cullen B.F., Stoelting R.K., Cahalan M.K., and Stock M.C. (2009):** Handbook of clinical anesthesia, 6th ed., Philadelphia, Lippincott Williams & Wilkins, p. 915.
- Bench S. and Brown K. (2011):** Critical care nursing learning from practice, Oxford, Blackwell publishing ltd, pp. 165-166.
- Berglund I.G., Ljusegren G., and Enskar K. (2008):** Factors influencing pain management in children. *Pediatric Nursing*, 20 (10): 21-24.
- Beyer J.E., Denyes M.J., and Villarruel A.M. (1992):** The creation, validation, and continuing development of the Oucher: a measure of pain intensity in children. *Journal of Pediatric Nursing*, 7 (5): 335-346.
- Billings D.M. and Halstead J.A. (2009):** Teaching in nursing: a guide for faculty, Edinburgh, Saunders Elsevier, pp. 243, 335-341, 467.

- Bishop D.L. (2005):** Nursing knowledge and attitudes regarding the pain management of cancer patients. Master thesis, The Florida State University.
- Blauer T. and Gerstmann D. (1998):** A simultaneous comparison of three neonatal pain scales during common NICU procedures. *The Clinical Journal of Pain*, 14 (1): 39-47.
- Blondal K. and Halldorsdottir S. (2009):** The challenge of caring for patients in pain from the nurse's perspective. *Journal of Clinical Nursing*, 18 (20): 2897-2906.
- Bowden V.R. and Greenberg C.S. (2010):** Children and their families the continuum of care, Philadelphia, Lippincott Williams & Wilkins, pp. 325-331.
- Breau L.M., McGrath P.J., Camfield C.S., Finley G.A. (2002):** Psychometric properties of non-communicating children's pain checklist-revised. *Pain*, 99 (1-2): 349-357.
- Brennan F., Carr D.B., and Cousins M. (2007):** Pain management: a fundamental human right. *Anesthesia and Analgesia*, 105 (1): 205-221.
- Burns C.E., Brady M.A., Dunn A.M., Starr N.B., and Blosser C.G. (2009):** Pediatric primary care, 4th ed., Edinburgh, Saunders Elsevier, pp. 453-475.
- Centers for Disease Control and Prevention (2009):** Evaluation briefs: writing SMART objectives. Available on: www.cdc.gov/healthyyouth/evaluation/pdf/brief3b.pdf last accessed 15 February 2011.

- Chambers M.A. and Jones S. (2007):** Surgical nursing of children, Edinburgh, Elsevier limited, pp. 58-59.
- Chang R. and Stanos S. (2011):** Unraveling the role of inflammation and pain. Pain Community News, 11 (1): 3-6.
- Chaturvedi, S. and Chaturvedi A. (2007):** Postoperative pain and its management. Indian Journal of Critical Care Medicine, 11(4): 204-211.
- Cheever K.H., Hinkle J.L., Bare B.G., and Smeltzer S.C. (2009):** Brunner and Suddarth's textbook of medical-surgical nursing, 12th ed., Philadelphia, Lippincott Williams & Wilkins, pp. 231-232.
- Chiang L.C., Chen H.J., and Huang L. (2006):** Student nurses' knowledge, attitudes, and self-efficacy of children's pain management: evaluation of an education program in Taiwan. Journal of Pain and Symptom Management, 32 (1): 82-89.
- Chin T. (2006):** Nursing students' knowledge and attitudes regarding pediatric pain. Master thesis, College of Health and Human Services, California State University.
- Clabo L.M. (2007):** An ethnography of pain assessment and the role of social context on two postoperative units. Journal of Advanced Nursing, 61 (5): 531-539.
- Cline M.E., Herman J., Shaw E.R., and Morton R.D. (1992):** Standardization of the visual analogue scale. Nursing Research, 41 (6): 378-380.
- Cockett A. and Day H. (2010):** Children's high dependency nursing, Hoboken, John Wiley and Sons ltd., pp. 225-226.

- Coulling S. (2005):** Doctors' and nurses' knowledge of pain after surgery. Nursing Standard, 19 (34): 41-49.
- Courtenay M. and Carey N. (2008):** The impact and effectiveness of nurse-led care in the management of acute and chronic pain: a review of the literature. Journal of Clinical Nursing, 17 (15): 2001-2013.
- Cowan D.T., While A., and Griffiths P. (2004):** Use of strong opioids for non-cancer pain in the community: a case study. British Journal of Community Nursing, 9 (2): 53-58.
- Crandall M. and Savedra M. (2005):** Multidimensional assessment using the adolescent pediatric pain tool: a case report. Journal for Specialist in Pediatric Nursing, 10 (3): 115-123.
- Czarnecki M.L., Simon K., Thompson J.J., Armus C.L., Hanson T.C., Berg K.A., Petrie J.L., Xiang Q., and Malin S. (2011):** Barriers to pediatric pain management: a nursing perspective. Pain Management Nursing, 12 (3): 154-162.
- D'Arcy Y.M. (2011):** Compact clinical guide to chronic pain management an evidence-based approach, New York, Springer publishing company, p. 16.
- Davidhizar R. and Giger J. (2004):** A review of the literature on care of clients in pain who are culturally diverse. International Nursing Review, 51 (1): 47-55.
- Dihle A., Bjolseth G., and Helseth S. (2006):** The gap between saying and doing in postoperative pain management. Journal of Clinical Nursing, 15 (4): 469-479.

- Dowd J.J. (2009):** Impact of a pain management educational program on pediatric nurses' knowledge and attitudes about pain management. Master thesis, Northern Kentucky University.
- Duignan M. and Dunn V. (2008):** Barriers to pain management in emergency departments. *Emergency Nurse*, 15 (9): 30-34.
- Duke G., Haas B.K., Yarbrough S., and Northam S. (2010):** Pain management knowledge and attitudes of baccalaureate nursing students and faculty. *Pain Management Nursing*, 10: 37-38.
- Dureja G.P. (2006):** Chronic pain management: non pharmacological methods. *Indian Journal of Anesthesia*, 50 (5): 397-407.
- Eland J. (1993):** Children with pain. In Jackson O.B., Saunders R.B., child health nursing, Philadelphia, Lippincott.
- Ellis J.A., Martelli B., la Montagne C., and Splint W. (2007a):** Evaluation of a continuous epidural analgesia program for postoperative pain in children. *Pain Management Nursing*, 8 (4): 146-155.
- Ellis J.A., McCleary L., Blouin R., Dube K., Rowley B., MacNeil M., and Cooke C. (2007b):** Implementing best practice pain management in a pediatric hospital. *Journal for Specialists in Pediatric Nursing*, 12 (4): 264-277.
- Elloitt C.H., Jay S.M., and Woody P. (1987):** An observational scale for measuring children's distress during medical procedures. *Journal of Pediatric Psychology*, 12 (4): 543-551.
- Ely B. (2001):** Pediatric nurses' pain management practice: barriers to change. *Pediatric Nursing*, 27 (5): 473-480.

- Ene K.W., Nordberg G., Bergh I., Johansson F.G., and Sjostrom B. (2008):** Postoperative pain management-the influence of surgical ward nurses. *Journal of Clinical Nursing*, 17 (15): 2042-2050.
- Favez N. and Reicherts M. (2008):** Toddlers' adjustment to the stress of immunization in function of mothers' general and specific coping tendencies. *Early Child Development and Care*, 178 (1): 49-64.
- Ferrell B. (2005):** Ethical perspectives on pain and suffering. *Pain Management Nursing*, 6 (3): 83-90.
- Finlay K.A. (2009):** Audio-analgesia and multi-disciplinary pain management: a psychological investigation into acute postoperative pain. Doctorate thesis, College of Humanities and Social Science, University of Edinburgh.
- Fishman S.M., Ballantyne J.C., and Rathmell J.P. (2009):** Bonica's management of pain, 4th ed., Philadelphia, Lippincott Williams & Wilkins, p. 635.
- Freyenhagen R., Rolke R., Baron R., Tolle T.R., Rutjes A., Schu S., and Treede R. (2008):** Pseudoradicular and radicular low-back pain a disease continuum rather than different entities? Answers from quantitative sensory testing. *Pain*, 135 (1-2): 65-74.
- Ganesh A., Kim A., Casale P., and Cucchiaro G. (2007):** Low-dose intrathecal morphine for postoperative analgesia in children. *Anesthesia and Analgesia*, 104 (2): 271-276.
- Gedney J.J. and Logan H. (2006):** Pain related recall predicts future pain report. *Pain*, 121 (1-2): 69-76.

- Gerhardt C.A., Grollman J.A., Baughcum A.E., Young-Salem T., Stefanik R., and Klopfenstein K.J. (2009):** Longitudinal evaluation of a pediatric palliative care educational workshop for oncology fellows. *Journal of Palliative Medicine*, 12 (4): 323-328.
- Glasper E.A. and Richardson J. (2010):** A textbook of children's and young people's nursing, 2nd ed., Edinburgh, Churchill Livingstone Elsevier, pp. 236-260.
- Glasper E.A., McEwing G., and Richardson J. (2007):** Children's and young people's nursing, Oxford, Oxford University Press, pp. 106-107.
- Goodrich C. (2006):** Students' and faculty members' knowledge and attitudes regarding pain management: a descriptive survey. *The Journal of Nursing Education*, 45 (3): 140-142.
- Goshen Health System (2009):** Pain management self-study. Available on www.goshennurseeducation.org last accessed 20 November 2010.
- Greco C. and Berde C. (2005):** Pain management for the hospitalized pediatric patients. *Pediatric Clinics of North America*, 52 (4): 995-1027.
- Greenstein B., Gould D., and Trounce J. (2009):** Trounce's clinical pharmacology for nurses, 18th ed., Edinburgh, Elsevier, pp. 21-24.
- Griffin R.A., Polit D.F., and Byrne M.W. (2008):** Nurses characteristics and inferences about children's pain. *Pediatric Nursing*, 34 (4): 297-305.

- Grunau R.V., Johnston C.C., and Craig K.D. (1990):** Neonatal facial and cry responses to invasive and non-invasive procedures. *Pain*, 42 (3): 295-305.
- Hafiz I. (2009):** Pain management concept of patient with lumbar spine inter-vertebral disc prolapse disorder. Doctorate thesis, School of Social and Human Studies, Atlantic International University.
- Hamilton P.M. (2010a): pain:** The nature and experience of pain, Wild Iris Medical Education. Available on www.nursingceu.com last accessed 30 December 2010.
- Hamilton P.M. (2010b):** Pain management for Oregon Health professionals, Wild Iris Medical Education. Available on: www.therapycEu.com last accessed 30 December 2010.
- Hanis B.C. (2007):** Pain, New York, Infobase publishing, pp. 62-68.
- Harper P., Ersser S., and Gobbi M. (2007):** How military nurses rationalize their postoperative pain assessment decisions. *Journal of Advanced Nursing*, 59 (6): 601-611.
- Hassan H.E. and Adel M.S. (2007):** Pain assessment in critical care settings. *The New Egyptian Journal of Medicine*, 36 (2): 95-102.
- Hay W.W., Levin M.J., Sondheimer J.M., and Deterding R.R. (2011):** Current diagnosis and treatment pediatrics, 20th ed., New York, McGraw Hill, pp. 912-19.
- Helmrich S., Yates P., Nash R., Hobman A., Poulton V., and Berggren L. (2001):** Factors influencing nurses' perceptions to use non pharmacological therapies to manage patients' pain. *Australian Journal of Advanced Nursing*, 19 (1): 27-35.

- Helms J.E. and Barone C.P. (2008):** Physiology and treatment of pain. Critical Care Nurse, 28 (6): 38-49.
- Hessig R.E., Arcand L.L., and Frost M.H. (2004):** The effect of an educational intervention on oncology nurses' attitude, perceived knowledge, and self-reported application of complementary therapies. Oncology Nursing Forum, 31 (1): 71-78.
- Hester N.O., Foster R.L., and Kristenen K. (1990):** Measurement of pain in children, New York, Raven press.
- Hockenberry M.J., Wilson D., and Winkelstein M.L. (2005):** Wong's essentials of pediatric nursing, 7th ed., St. Louis, Mosby, pp. 637-705.
- Huth M.M., Gregg T.L., and Lin L. (2010):** Education changes Mexican nurses' knowledge and attitudes regarding pediatric pain. Pain management nursing, 11 (4): 201-208.
- International Association for the Study of Pain (1986):** Pain terms. Pain, 3: s216-s221.
- Ismail S.S. (2004):** Nurses' pitfalls in caring of neonates at neonatal intensive care unit: effect of an intervention educational program. Doctorate thesis, Benha Faculty of Nursing, Zagazig University.
- Jastrzab G., Fairbrother G., Kerr S., and McLnerney M. (2003):** Acute care nurses' attitudes and knowledge concerning adult pain management. Australian Journal of Advanced Nursing, 21 (2): 27-33.

- Johnston C.C., Gagnon A., Rennick J., Rosmus C., Patenaude H., Ellis J., Shapiro C., Filion F., Ritchie J., and Byron J. (2007):** One-on-one coaching to improve pain assessment and management practices of pediatric nurses. *Journal of Pediatric Nursing*, 22 (6): 467-478.
- Kankkunen P., Vehvilainen-Julkunen K., Pietila A., and Nikkonen M. (2009):** Cultural factors influencing children's pain. *International Journal of Caring Sciences*, 2 (3): 126-134.
- Kaplow R. and Hardin S.R. (2007):** Critical care nursing: synergy for optimal outcomes, Boston, Jones and Bartlett learning, p. 42.
- Kaufman S. (2008):** How pain signals travel to your brain and how to block them in seconds permanently. Available on: www.painneutralization.com last accessed 5 November 2010.
- Keefe F.J. and Somers T.J. (2010):** Psychological approaches to understanding and treating arthritis pain. *Nature Reviews Rheumatology*, 6 (4): 210-216.
- King R.L. (2004):** Nurses' perceptions of their pharmacology educational needs. *Journal of Advanced Nursing*, 45 (4): 392-400.
- King S. and Walsh K. (2007):** " I think patient controlled analgesia is great, but....". Surgical nurses' perception of patient-controlled analgesia. *International Journal of Nursing Practice*, 13 (5): 276-283.
- Klein J. (2001):** Attention, scholastic achievement, and timing of lesson. *Scandinavian Journal of Educational Research*, 45 (3): 301-309.

- Klopper H., Andersson H., Minkinen M., Ohlsson C., and Sjostrom B. (2006):** Strategies in assessing postoperative pain- a south African study. *Intensive and Critical Care Nursing*, 22 (1): 12-21.
- Kontkanen I. and Kariniemi T. (2008):** Postoperative pain assessment in pediatric patients, literature review, Helsinki Metropolia University of applied Sciences.
- Krechel S.W. and Bildner J. (1995):** CRIES: A new neonatal postoperative pain measurement score: initial testing of validity and reliability. *Pediatric Anesthesia*, 5 (1): 53-61.
- Kyle T. (2008):** Essentials of pediatric nursing, Philadelphia, Lippincott Williams & Wilkins, pp. 48, 380-410.
- Lai Y.H., Chen M.L., Tsai L.Y., Lo L.H., Wei L.L., Hong M.Y., Hsiu L.N., Hsiao-Sheen S.T., Chen S.C., Kao C.C., Huang T.W., Chang S.C., Chen L., and Guo S.L. (2003):** Are nurses prepared to manage cancer pain? A national survey of nurses' knowledge about pain control in Taiwan. *Journal of Pain and Symptom Management*, 26 (5): 1016-1025.
- Latimer M.A., Ritchie J.A., and Johnston C.C. (2010):** Individual nurse and organizational context considerations for better knowledge use in pain care. *Journal of Pediatric Nursing*, 25 (4): 274-281.
- Lawrence J., Alcock D., McGrath P., Kay J., MacMurray S.B., and Dulberg C. (1993):** The development of a tool to assess neonatal pain. *Neonatal Network*, 12 (6): 59-66.

- Levett-Jones T.L. (2005):** Continuing education for nurses: a necessity or a nicety?. *The Journal of Continuing Education in Nursing*, 36 (5): 229-233.
- Light D.B. and Cooley D.A. (2009):** The human body how it works the senses, New York, Infobase publishing, p. 30.
- Lin P.C., Chiang H.W., Chiang T.T., and Chen C.S. (2008):** Pain management: evaluating the effectiveness of an educational program for surgical nursing staff. *Journal of Clinical Nursing*, 17 (15): 2032-2041.
- Lindeke L., Nakai M., and Johnson L. (2006):** Capturing children's voices for quality improvement. *The American Journal of Maternal Child Nursing*, 31 (5): 290-295.
- Lui L.Y., So W.K., and Fong D.Y. (2008):** Knowledge and attitudes regarding pain management among nurses in Hong Kong medical units. *Journal of Clinical Nursing*, 17 (15): 2014-2021.
- Maclaren J.E. and Cohen L.L (2007):** Interventions for paediatric procedure-related pain in primary care. *Pediatric Child Health*, 12 (2): 111-116.
- Mander R. (2011):** Pain in childbearing and its control, 2nd ed., Oxford, Blackwell science publishing ltd, pp. 7-20.
- Manias E., Buknall T., and Botti M. (2005):** Nurses' strategies for managing pain in the postoperative setting. *Pain Management Nursing*, 6 (1): 18-29.
- Manworren R.C. (2000):** Pediatric nurses knowledge and attitudes regarding pain. *Pediatric Nursing*, 26 (6): 610-614.

- Manworren R.C. (2001):** Development and testing of the pediatric nurses' knowledge and attitudes survey regarding pain. *Pediatric Nursing*, 27 (2): 151-158.
- Manworren R.C. and Hynan L.S. (2003):** Clinical validation of FLACC: preverbal patient pain scale. *Pediatric Nursing*, 29 (2): 140-146.
- Marquise B.L. and Huston C.J. (2009):** Leadership roles and management functions in nursing: theory and application, 6th ed., Philadelphia, Lippincott Williams and Wilkins, p. 157.
- Mathews L. (2011):** Pain in children: neglected, unaddressed and mismanaged. *Indian Journal of Palliative care*, 17 (4): 70-73.
- McCaffery M. (1981):** Nursing management of the patient with pain, 2nd ed., Philadelphia, JB Lippincott.
- McCaffery M. and Robinson E. (2002):** Your patient is in pain; here's how you respond. *Nursing*, 32 (10): 36-45.
- McCawley P.F. (2009):** Methods for conducting an educational needs assessment: guidelines for cooperative extension system professionals. University of Idaho. Available on: www.cals.uidaho.edu/edcomm/pdf last accessed 15 February 2011.
- McGrath P.A. (2005):** Children not simply "little adults". In Merskey H., Loeser J.D., and Dubner R., the paths of pain 1975-2005, Seattle, IASP press, pp. 433-446.

- McGrath P.J., Johnson G., Goodman J.T., Schillinger J., Dunn J., and Chapman J. (1985):** CHEOPS: a behavioral scale for rating postoperative pain in children. *Advances in Pain Research and Therapy*, 9: 395-402.
- McIntyre R. and Lugton J. (2005):** Palliative care: the nursing role, 2nd ed., Edinburgh, Elsevier limited, pp. 106-107.
- McMohan S.B. and Koltzenburg M. (2006):** Wall and Melzack's textbook of pain, 5th ed., Philadelphia, Churchill Livingstone, p.635.
- Melhuish S. and Payne H. (2006):** Nurses' attitudes to pain management during routine venepuncture in young children. *Pediatric Nursing*, 18 (2): 20-23.
- Melzack R. (2001):** Pain and the neuromatrix in the brain. *Journal of Dental Education*, 65 (12): 1378-1382.
- Melzack R. and Wall P. (1965):** Pain mechanisms : a new theory. *Science*, 150 (699): 971-979.
- Mlinar S. (2010):** First and third year student nurses' perceptions of caring behaviors. *Nursing Ethics*, 17 (4): 491-500.
- Moore N.D. (2009):** In search of an ideal analgesic for common acute pain. *Acute pain*, 11 (3): 129-137.
- Morton N.S. (2007):** Management of postoperative pain in children. *Archives of Disease in Childhood. Education and Practice Education*, 92 (1): ep14-ep19.

- Neuhauser C., Wagner B., Heckmann M., Weigand M.A., and Zimmer K.P. (2010):** Analgesia and sedation for painful interventions in children and adolescents. *Deutsches Arzteblatt International*, 107 (14): 241-247.
- Niemi-Murola L., Nieminen J.T., Kalso E., and Poyhia R. (2007):** Medical undergraduate students' beliefs and attitudes toward pain-how do they mature?. *European Journal of Pain*, 11 (6): 700-706.
- Noe C.E., Haynsworth R.F., Ramsay M.A., Vera R.L., Racz T.A., Clark T., Aguanho J., Steves J., and Ganter E. (2002):** Outcomes of a pain management educational initiative at Baylor University Medical Center. *BUMC Proceedings*, 15 (1): 3-5.
- Olmstead D.L., Scott S.D., and Austin W.J. (2010):** Unresolved pain in children: a relational ethics perspective. *Nursing Ethics*, 17 (6): 695-704.
- Palermo T.M. and Kiska R. (2005):** Subjective sleep disturbances in adolescents with chronic pain: relationship to daily functioning and quality of life. *Journal of Pain*, 6 (3): 201-207.
- Pappagallo M. (2005):** Neurological basis of pain, McGraw Hill, pp. 226-229.
- Perron N.J. and Bovier P. (2007):** Pain management in a medical walk-in clinic: link between recommended processes and pain relief. *International Journal for Quality in Health Care*, 19 (5): 274-280.
- Perry S.E., Hockenberry M.J., Lowdermilk D.L., and Wilson D. (2010):** Maternal child nursing care, 4th ed., St. Louis, Mosby, pp. 929-950.

Petersen S. (2008): Recurrent pain and health related quality of life in young school children. Academic dissertation, UMEA University.

Pharmaceutical Society of Australia (2010): Pain relievers also known as painkillers or analgesics. Available on www.nationalpharmacies.com.au last accessed 4 January 2011.

Pillitteri A. (2009): Maternal and child health nursing: care of the childbearing and child rearing family, 6th ed., Philadelphia, Lippincott Williams & Wilkins, pp. 1118-1119.

Plaisance L. and Logan C. (2006): Nursing students' knowledge and attitudes regarding pain. *Pain Management Nursing*, 7 (4): 167-175.

Potts N.L. and Mandleco B.L. (2007): Pediatric nursing: caring for children and their families, 2nd ed., Australia, Thomson Delmar learning, pp. 522-541.

Preckel F., Lipnevich A.A., Schneider S., and Roberts R.D. (2011): Chronotype, cognitive abilities, and academic achievement: a meta-analytic investigation. *Learning and Individual Differences*, 21 (5): 483-492.

Price D.L. and Gwin J.F. (2008): Pediatric nursing an introductory text, 10th ed., Edinburgh, Saunders Elsevier, pp. 41-47.

Prior P.C. (2004): The eicosanoids, Hoboken, John Wiley and Sons ltd., p. 333.

- Rampanjato R.M., Florence M., Patrick N.C., and Finucane B.T. (2007):** Factors influencing pain management by nurses in emergency departments in central Africa. *Emergency Medicine Journal*, 24 (7): 475-476.
- Razzaq Q. (2006):** The underuse of analgesia and sedation in pediatric emergency medicine. *Annals of Saudi Medicine*, 26 (5): 375-381.
- Rejeh N., Ahmadi F., Mohammadi E., Anoosheh M., and Kazemnejad A. (2008):** Barriers to, and facilitators of postoperative pain management in Iranian nursing: a qualitative research study. *International Nursing Review*, 55 (4): 468-475.
- Rejeh N., Ahmadi F., Mohammadi E., Kazemnejad A., and Anoosheh M. (2009):** Nurses' experiences and perceptions of influencing barriers to postoperative pain management. *Scandinavian Journal of Caring Sciences*, 23 (2): 274-281.
- Reyes S. (2003):** Nursing assessment of infant pain. *The Journal of Perinatal and Neonatal Nursing*, 17 (4):291-303.
- Ricci S.S. and kyle T. (2009):** Maternity and pediatric nursing, Philadelphia, Lippincott Williams & Wilkins, pp.1061-94.
- Richards J. and Hubbert A.O. (2007):** Experiences of expert nurses in caring for patients with postoperative pain. *Pain Management Nursing*, 8 (1): 17-24.
- Riddell R.P., Horton R.E., Hillgrove J., and Craig K.D. (2008):** Understanding caregiver judgments of infant pain: contrasts of parents, nurses, and pediatricians. *Pain Research Management*, 13 (6): 489-496.

- Rieman M.T. and Gordon M. (2007):** Pain management competency evidenced by a survey of pediatric nurses' knowledge and attitudes. *Pediatric Nursing*, 33 (4): 307-312.
- Rieman M.T., Gordon M., and Marvin J.M. (2007):** Pediatric nurses' knowledge and attitudes survey regarding pain: a competency tool modification. *Pediatric Nursing*, 33 (4): 303-314.
- Ritchie L.M., Howie S.R., and Njai P.C. (2010):** Development of a pain management protocol for a paediatric ward in the Gambia, West Africa. *International Journal of Pediatrics*, 2010: 975313.
- Rocha E.M. and Prkachin K.M. (2007):** Temperament and pain reactivity predict health behavior seven years later. *Journal of Pediatric Psychology*, 32 (4): 393-399.
- Rocha E.M., Marche T.A., and von Baeyer C.L. (2009):** Anxiety influences children's memory for procedural pain. *Pain Research and Management*, 14 (3): 233-237.
- Rupp T. and Delaney K.A. (2004):** Inadequate analgesia in the emergency medicine. *Annals of Emergency Medicine*, 43 (4): 494-503.
- Rurup M.L., Rhodius C.A., Borgsteede S.D., Boddaert M.S., Keijser A.G., Pasman H.R., and Philipsen B.D. (2010):** The use of opioids at the end of life: the knowledge level of Dutch physicians as a potential barrier to effective pain management. *Biomed Central Palliative Care*, 9 (23): 1-12.

- Rushton P., Eggett D., and Sutherland C.W. (2003):** Knowledge and attitudes about cancer pain management: a comparison of oncology and non-oncology nurses. *Oncology Nursing Forum*, 30 (5): 849-855.
- Saastamoinen P. (2010):** Pain among employees risk factors and consequences. Academic dissertation, Faculty of Medicine, University of Helsinki.
- Sanchez–Mendiola M., Graue-Wiechers E.L., Ruiz-Perez L.C., Garcia-Duran R., and Durante-Montiel I. (2010):** The resident-as-teacher educational challenge: a needs assessment survey at the National Autonomous University of Mexico Faculty of Medicine. *Biomed Central Medical Education*, 10 (17): 1-11.
- Saxena K.N. (2009):** Recent advances in pediatric anesthesia, Haryana, Jaypee brothers medical publishers, pp. 114-115.
- Schafheutle E.I., Cantrill J.A., and Noyce P.R. (2001):** Why is pain management suboptimal on surgical wards. *Journal of Advanced Nursing*, 33 (6): 728-737.
- Schmidt N.A. (1998):** Salivary cortisol testing in children. *Issues in Comprehensive Pediatric Nursing*, 20 (3): 183-190.
- Scott-Findlay S. and Golden-Biddle K. (2005):** Understanding how organizational culture shapes research use. *The Journal of Nursing Administration*, 35 (7-8): 359-365.
- Shaw R.J. and De Maso D.R. (2010):** Textbook of pediatric psychosomatic medicine, Arlington, American psychiatric publishing inc., pp. 476-477.

- Shipton E.A. and Tait B. (2005):** Flagging the pain: preventing the burden of chronic pain by identifying and treating risk factors in acute pain. *European Journal of Anesthesiology*, 22 (6): 405-412.
- Shrestha-Ranjit J.M. and Manias E. (2010):** Pain assessment and management practices in children following surgery of the lower limb. *Journal of Clinical Nursing*, 19 (1-2): 118-128.
- Simon B. and Taylor J. (2009):** What is the value of course-specific learning goals?. *Journal of College Science Teaching*, Nov/Dec: 53-57.
- Simons J. and Moseley L. (2009):** Influences on nurses' scoring of children's postoperative pain. *Journal of Child Health Care*, 13 (2): 101-115.
- Simpson K., Kautzman L., and Dodd S. (2002):** The effects of a pain management education program on the knowledge level and attitudes of clinical staff. *Pain Management Nursing*, 3 (3): 87-93.
- Sinha M., Christopher N.C., Fenn R., and Reeves L. (2006):** Evaluation of nonpharmacologic methods of pain and anxiety management for laceration repair in the pediatric emergency department. *Pediatrics*, 117 (4): 1162-1168.
- Slota M.C. (2006):** Core curriculum for pediatric critical care nursing, 2nd ed., Edinburgh, Saunders Elsevier, p. 11.
- Smart S. (2005):** Postoperative pain management knowledge and attitudes of pediatric nurses: a New Zealand regional view. Master thesis, Victoria University of Wellington.

- Soetenga D., Frank J., and Pellino T.A. (1999):** Assessment of the validity and reliability of the University of Wisconsin children's hospital pain scale for preverbal and nonverbal children. *Pediatric Nursing*, 25 (6): 670-676.
- Soulsby E. (2009):** How to write program objectives/outcomes. University of Connecticut. Available on: www.assessment.uconn.edu/docs last accessed 15 February 2011.
- Springhouse (2006):** Best of incredibly easy, Philadelphia, Lippincott Williams & Wilkins, p. 363.
- Springhouse (2008):** Medical-surgical nursing made incredibly easy, 2nd ed., Philadelphia, Lippincott Williams & Wilkins, pp. 76-78.
- Srouji R., Ratnapalan S., and Schneeweiss S. (2010):** Pain in children: assessment and non-pharmacological management. *International Journal of Pediatrics*, 2010: pii 474838.
- Starr C. and Taggart R. (2006):** Biology: the unity and diversity of life, 11th ed., New York, Thomson learning inc., pp. 602-603.
- Sternbach R. (1968):** Pain: psychophysiological analysis, New York, Academic press.
- Stevens B., Johnston C., Petryshen P., and Taddio A. (1996):** Premature infant pain profile: development and initial validation. *The Clinical Journal of Pain*, 12 (1): 13-22.
- Strickland J.M. (2009):** Palliative pharmacy care, New York, American Society of Health System Pharmacists inc., pp. 147-148.

- Swift A.W. (2007):** Education and training of pain nurse specialists in the United Kingdom. *Acute Pain*, 9 (4): 207-213.
- Szilagyi P.G. and Bickley L.S. (2008):** Bates' guide to physical examination and history taking, 10th ed., Philadelphia, Lippincott Williams &Wilkins, p. 123.
- Taddio A., Nulman L., Koren B.S., Stevens B., and Koren G. (1995):** A revised measure of acute pain in infants. *Journal of Pain and Symptom Management*, 10 (6): 456-463.
- Ten Cate O., Snell L., Mann K., and Vermunt J. (2004):** Orienting teaching toward the learning process. *Academic Medicine*, 79 (3): 219-228.
- Tesler M.D., Savedra M.C., Holzemer W.L., Wilkie D.J., Ward J.A., and Paul S.M. (1991):** The word graphic rating scale as a measure of children's and adolescents' pain intensity. *Research in Nursing and Health*, 14 (5): 361-371.
- Tingle J. and Cribb A. (2007):** Nursing law and ethics, 3rd ed., Oxford, Blackwell publishing, p. 26.
- Tollefson J. (2009):** I live my life according to the pain: the lived experience of chronic pain in adults living in rural Queensland. Doctorate thesis, School of Nursing, Midwifery, and Nutrition, James Cook University.
- Tsai F.C., Tsai Y.F., Chien C.C., and Lin C.C. (2007):** Emergency nurses' knowledge of perceived barriers in pain management in Taiwan. *Journal of Clinical Nursing*, 16 (11): 2088-2095.

- Tse M.M and Chan B.S. (2004):** Knowledge and attitudes in pain management: Hong Kong nurses' perspective. *Journal of Pain and Palliative Care Pharmacotherapy*, 18 (1): 47-58.
- Tucker C.L., Slifer K.J., and Dahlquist L.M. (2001):** Reliability and validity of the brief behavioral distress scale: a measure of children's distress during invasive medical procedures. *Journal of Pediatric Psychology*, 26 (8): 513-523.
- Tufts L.A. (2006):** School nurses knowledge/attitudes and treatment of sickle cell pain. Master thesis, Faculty of Nursing, Capital University.
- Twycross A. (2007a):** Children's nurses' postoperative pain management practices. *International Journal of Nursing Studies*, 44 (6): 869-881.
- Twycross A. (2007b):** What is the impact of theoretical knowledge on children's nurses' postoperative pain management practices? An exploratory study. *Nurse Education Today*, 27 (7): 697-707.
- Twycross A. (2008):** Does the perceived importance of a pain management task affect the quality of children's nurses' postoperative pain management practices?. *Journal of Clinical Nursing*, 17 (23): 3205-3216.
- Twycross A., Dowden S.J., and Bruce E. (2009):** Managing pain in children a clinical guide, Oxford, Blackwell publishing ltd, pp. 22-36.

- University of Michigan Health System (2007):** Part 5: pediatric pain management. Pain management staff development and education. Available on www.med.umich.edu/pain/pediatric.htm last accessed 2007.
- University of Wisconsin Hospital and Clinics (1996):** RN needs assessment: pain management. Available on www.cityofhope.org last accessed 20 August 2008.
- Vadivelu N., Mitra S., and Narayan D. (2010):** Recent advances in postoperative pain management. *The Yale Journal of Biology and Medicine*, 83 (1): 11-25.
- Vadivelu N., Urman R.D., and Hines R.L. (2011):** Essentials of pain management, London, Springer science, pp. 7-10.
- Van Dijk M., de Boer J.B., Koot H.M., Duivenvoorden H.J., Passchier J., Bouwmeester N., and Tibboel D. (2001):** The association between physiological and behavioral pain measures in 0- to 3- years old infants after major surgery. *Journal of Pain and Symptom Management*, 22 (1): 600-609.
- Van Dijk M., de Boer J.B., Koot H.M., Tibboel D., Passchier J., and Duivenvoorden H.J. (2000):** The reliability and validity of the comfort scale as a postoperative pain instrument in 0- to 3- years old infants. *Pain*, 84 (2-3): 367-377.
- Van Niekerk L.M., and Martin F. (2001):** Tasmanian nurses' knowledge of pain management. *International Journal of Nursing Studies*, 38 (2): 141-152.

- Verghese S. and Hannallah R.S. (2010):** Acute pain management in children. *Journal of Pain Research*, 3: 105-123.
- Vincent C.V. (2005):** Nurses' knowledge, attitudes, and practices regarding children's pain. *The American Journal of Maternal Child Nursing*, 30 (3): 177-183.
- Vincent C.V. and Denyes M.J. (2004):** Relieving children's pain: nurses' abilities and analgesic administration practices. *Journal of Pediatric Nursing*, 19 (1): 40-50.
- Voepel-Lewis T., Marinkovic A., Kostrzewa A., Tait A.R., and Malviya S. (2008):** The prevalence of, and risk factors for adverse events in children receiving patient-controlled analgesia by proxy or patient-controlled analgesia after surgery. *Pediatric Anesthesiology*, 107 (1): 70-75.
- Von Baeyer C.L., Spagrud L.J. (2007):** Systematic review of observational (behavioral) measures of pain for children and adolescents aged 3 to 18 years. *Pain*, 127 (1-2): 140-150.
- Walker S.M. (2008):** Pain in children: recent advances and ongoing challenges. *British Journal of Anesthesia*, 101 (1): 101-110.
- Wilke R.R. (2003):** The effect of active learning on student characteristics in a human physiology course for nonmajors. *Advances in Physiology Education*, 27 (1-4): 207-223.
- Wilson B. (2007):** Nurses' knowledge of pain. *Journal of Clinical Nursing*, 16 (6): 1012-1020.
- Wilson D. and Hockenberry M.J. (2008):** Wong's clinical manual of pediatric nursing, 7th ed., St. Louis, Mosby, pp. 325-328.

- Xue Y., Green D.S., Czaplinski C., Harris D., and McCorkle R. (2007):** Pain attitudes and knowledge among RNs, Pharmacists, and physicians on an inpatient oncology service. *Clinical Journal of Oncology Nursing*, 11 (5): 687-695.
- Yildirim Y.K., Cicek F., and Uyar M. (2008):** Knowledge and attitudes of Turkish oncology nurses about cancer pain management. *Pain Management Nursing*, 9 (1): 17-25.
- Young J.L., Horton F.M., and Davidhizar R. (2006):** Nursing attitudes and beliefs in pain assessment and management. *Journal of Advanced Nursing*, 53 (4): 412-421.
- Young K.D. (2005):** Pediatric procedural pain. *Annals of Emergency Medicine*, 45 (2): 160-171.
- Zazzali J.L., Sherbourne C., Hoagwood K.E., Greene D., Bigley M.F., and Sexton T.L. (2008):** The adoption and implementation of an evidence based practice in child and family mental health services organizations: a pilot study of functional family therapy in New York state. *Administration and Policy in Mental Health*, 35 (1-2): 38-49.
- Zernikow B. and Hechler T. (2008):** Pain therapy in children and adolescents. *Deutsches Arzteblatt International*, 105 (28-29): 511-522.
- Zhang C.H., Hsu L., and Zou B.R. (2008):** Effects of a pain education program on nurses' pain knowledge, attitudes, and pain assessment practices in China. *Journal of Pain and Symptom management*, 36 (6): 616-627.