

REFERENCES

Abrams, P.; Blaivas, J.G. and Stanton, S.L. (1988):

The standardization of terminology of lower urinary tract function. Scandinavian Journal of Urology and Nephrology, 114 (Suppl):5

Abrams, P.; Blaivas, J.G. and Stanton, S.I. (1990):

The standardization of terminology of lower urinary tract function. Br. J. Obstet. Gynecol., 97: 1.

Ajay, K.S. (2000):

Choice of sling material for the treatment of intrinsic sphincter dysfunction in women. AUA update series, Lesson 13, Vol. XIX.

Albrich.S. Naumann.G, Skala.C and Koelbl. H (2007) :

TVT Secur:a novel approach for the Treatment of Female genuine stress urinary incontinence: Int Urogynecol J pelivc floor Dysfunc 18 (Supp1): S25-S26.

Alcalay, M.; Monga, A. and Stanton, S. (1995):

Burch colposuspension: a 10-20 year follow up.
Br. J. Obstet. Gynecol., Vol. 102: 740.

Allen, R.E.; Hosker, G.L.; Smith, A.R. and Warrel, D.W. (1990):

Pelvic floor damage and child birth: a neurophysiological study.
Br. J. Obst. Gyn., 79: 770.

Alois. M, Kamil. S , Jaromir. M. and Tomas.K.(2009) :

intial experience with a short, Tension- free vaginal Tape (The Tension- free Vaginal Tape Secur System). Eur J obstet Gynecal Reprod Biol: 143: 121-125.

Anderson KE, Appell R. and Cardozo LD (1999):

Pharmacological treatment of urinary incontinence. In: Incontinence, 1st International Consultation on Incontinence. Abrams P, Khoury S & Wein A (eds), Plymbridge Distributors Ltd, UK, , pp447-486.

Anderson, J.T.; Heisterberg, S. and Hebjorn, S. (1985):

Suprapubic versus transurethral bladder drainage after colposuspension/vaginal repair. Acta. Obstet. Gynecol. Scand., 64: 139.

REFERENCES

Ann Gormley (2002):

Biofeedback and behavioral therapy for the management of female urinary incontinence. *Urol. Clin. North. Am.*, 29: 551.

Appell, R.A. (1999):

Management of female SUI.
Urol. Secrets, 43: 151.

Appell, R.A.(2009):

Guideline for the Surgical Management of Female Stress Urinary Incontinence: 2009 Update

Ashton-Miller, J.A.; Delancey, J.O.L. (2007):

Functional anatomy of the female pelvic floor. *Ann. N.Y. Acad. Sci.* 1101: 266–296.

Ash Monga and Abdulsultan (2003):

The mechanism of continence. In Robert W. Shaw, W. Patrick Soutter, Stuart L. Stanton: *Gynecology* 3rd edition, PP. 743.

Austin, P.F.; Westney, O.L. and Leng, W.W. (2001):

Advantages of rectus fascial slings for urinary incontinence in children with neuropathic bladder. *J. Urol.*, 165: 2369.

Baden, W.F. and Walker, T.A. (1992):

Surgical repair of vaginal defects.
Philadelphia. J. B. Lippincot.

Bai SW, Kang JY, Rha KH. (2002):

Relationship of urodynamic parameters and obesity in women with stress urinary incontinence. *JReprodMed.* 47:559-563.

Baldwin, D.D. and Hadley, H.R. (1997):

Epithelium inclusion cyst formation after free vaginal wall sling procedure for stress urinary incontinence. *J. Urol.*, 57: 952.

Beck, R.P.; McCormick, S. and Nordstrom, L. (1988):

The fascia lata sling procedure for treating recurrent genuine stress incontinence of urine. *Obstet. Gynecol.*, 72: 699.

REFERENCES

- Bent, A.E.; Ostergard, D.R. and Zwick-Zaffuto, M. (1993):***
Tissue reaction to expanded polytetrafluoroethylene suburethral sling for urinary incontinence: clinical and histological study. Am. J. Obstet. Gynecol., 169: 1198.
- Bergman, A.; Matthews, L.; Ballard, C.A. and Roy, S. (1987):***
Suprapubic versus transurethral bladder drainage after surgery for stress urinary incontinence. Obstet. Gynecol., 69: 546.
- Bernasconi F., Napolitano V., Natale F., Leone V., Lijoi D. and Cervigni M., (2011):***
TVT SECUR™ System: Final results of a prospective, observational, multicentric study, Int Urogynecol J; 1520-2.
- Blaivas, J.G. and Olsson, C.A. (1988):***
Stress incontinence: classification and surgical approach. J. Urol., 139: 727
- Blaivas, JG. Romanzi, LJ. and Heriiz, DM.(1998):***
Urinary incontinence: pathophysiology, evaluation, treatment overview, and nonsurgical management. In: Walsh PC. Retik AB, Vaughan ED Jr, Wein AJ.,
- Blaivas, J.G.; Zayd, A.A. and Labibk, B. (1981):***
The bulbocavernosus reflex in urology: A prospective study of 299 patients. J. Urol., 126: 197.
- Boone, T.B., Kum and Y.H. (1999):***
Uroflowmetry in Nitti VW (ed): Practical urodynamics Philadelphia, Saunders, PP. 28.
- Bortolotti A, Bernardini B and Colli E, (2000) :***

Prevalence and risk factors for urinary incontinence in Italy. Eur Urol. 37: 30.
- Boustead, G.B. (2002):***
The tension-free vaginal tape for treating female stress urinary incontinence. BJU International, 89: 687.

REFERENCES

- Breda, G.; Tamai, A. and Xausa, D. (1993):**
 Pelvioscopic colposuspension.
 J. Endourol., 7: S247.
- Brett v. and Mickey K. (2003):**
 Urodynamic stress incontinence. In: Robert W. Shaw, W. Patrick Soutter, Stuart L. Stanton: Gynecology 3rd edition, PP 679.
- Bump, R.C.; Hurt, W.G. and Fentyl, J.A. (1991):**
 Assessment of pelvic muscle exercise performance after brief verbal instruction. Am. J. Obstet. Gynecol., 165 :322.
- Bump RC and McClish DK. (1992):**
 Cigarette smoking and urinary incontinence in women.
Am J Obstet Gynecol. 167:1213- 1218
- Burgio, K.L. (1994):**
 Behavioral therapy: practical approach to urinary incontinence.
 Contemp. Urol., 6: 24.
- Bymaster, F.P.; Dreshfield-Ahmad, L.J. and Threlkeld, P.G. (2001):**
 Comparative efficacy of duloxetine and venlafaxine for serotonin and norepinephrine transporters in vitro and in vivo, human serotonin receptor subtypes, and other neuronal receptors. *Neuropsychopharmacology.*; 25: 871-880.
- Carbone, J.M.; Kavalier, G. and Hu, J.C. (2001):**
 Pubovaginal sling using cadaveric fascia and bone anchors: disappointing early results. J. Urol., 165: 1605.
- Carl, G.K. and Cary L. S. (1995):**
 Function a female pelvic anatomy.
 Urol. Clin. North. Am., 22: 487
- Cespedes, R.D. and McGuire, E.J. (1999):**
 Leak point pressures. In Nitti V.W (ed): Practical Urodynamics Philadelphia, Saunders, P. 94.
- Christopher, K. P. (2002):**
 Urinary incontinence: Non surgical management. In Walsh PC, Retik AB, Vaughan ED, Wein AJ: Campbell's Urology 8th ed. Philadelphia, Saunders, PP. 1069.

REFERENCES

- Cindy, A.; Cross, Cespedes, R.D. and Sharan, F. (1998):**
Transvaginal urethrolisis for urethral obstruction after anti-incontinence surgery. J. Urol., 159: 1199.
- Coates, K.W.; Harris, R.L.; Cundi, G.W. and Bump, R.C. (1997):**
Uroflowmetry in women with urinary incontinence and pelvic organ prolapse. Br. J. Urol., 80: 217.
- Cornu J-N, Sebe P, Peyrat L, Ciofu C, Cussenot O. and Haab F. (2010):**
Midterm prospective evaluation of TVT-Secur reveals high failure rate. eur. urol. 58:157-161.
- Crivellaro, S.; Smith, J.J. and Kocjancic, E. (2004):**
Transvaginal sling using a cellular human dermal allograft: safety and efficacy in 253 patients. J. Urol., 172: 1374.
- Cross, C.A.; Cespedes, R.D. and McGuire, G.J. (1998):**
Our experience with pubovaginal slings in patients with stress urinary incontinence. J. Urol., 159: 1195.
- Cummings, J.M.; Bouller, J.A. and Parra, R.O . (1997):**
Leak point pressures in women with urinary stress incontinence: Correlation with patient history. J. Urol., 157: 818-820.
- Cummings, J.M.; Boullier, J.A. and Parra, R.O. (1998):**
Surgical correction of SUI in morbidity obese women. J. Urol., 160: 754.
- David, A., Rivas, Michael B. and Chancellor (1996):**
Uroflowmetry. In Jerry Blavias and Michael Chancellor: Atlas of urodynamics 4th ed. Williams and Wilkins, PP. 48.
- David, G; Ronen, G. and David P.; (2005):**
Tension-free vaginal tape in the elderly: Is it a save procedure? Urology 65:479.
- Debodinance P, Lagrange E, Amblard J, Lenoble C, Lucot JP and Villet R, (2008):**
TVT Secur: more and more minimal invasive. Preliminary prospective study on 110 cases. J Gynecol Obstet Biol Reprod (Paris); 37:229-36.

REFERENCES

DeLancy, J.O.L. (1990):

Anatomy and physiology of urinary incontinence.
Clin. Obstet. Gynecol., 33 (2): 298.

Delancy, J.O.L. (1994):

Structural support of the urethra as it relates to stress urinary incontinence. The Hammok Hypothesis.
Am. J. Obstet. Gynecol., 170: 1713.

DeLancy, J.O.L. (1998):

Anatomy of the female bladder and urethra. In Oestergard D.R. Bent, A.E.: Urognecology and urodynamics, 4th ed., Baltimore, Williams and Wilkins, P. 3.

DeLancey JO.L. (1999):

Structural anatomy of the posterior pelvic compartment as it relates to rectocele. Am J Obstet Gynecol.; 180:815-823.

Delancy, J.O.L. and Hurd, W.W. (1998):

Size of the urogenital iatus in the levator ani muscles in normal women and women with pelvic organ prolapse.
Obstet. Gynecol., 91: 364-368

Delorme, E. (2001):

Transobturator urethral suspension: mini-invasive procedure in treatment of stress urinary incontinence. Prog. Urol., 11:1306.

Diokno, A.C.; Dimaculangan, R.R. and Lim, E.U. (1999):

Office based criteria for predicting type II stress urinary incontinence without further evaluation studies. J. Urol., 161: 1263.

Dmochowski, R. (1996):

Cystometry. Urol. Clin. North., 23: 243.

Dmochowski RR, Grier D and Franco N (2009):

One year results from a World-Wide Registry of TVT-SECUR™ in women with stress urinary incontinence. J Urol. 2009;181:544

REFERENCES

DuBeau, C.E. and Resnick, N.M. (1991):

Evaluation of the cause and severity of geriatric incontinence. A critical approach. *Urol. Clin. North. Am.*, 18: 243.

Edward, J., McGuire H. E. and O'Connell (1996):

Leak point pressures in stress incontinence. In Jerry Blaivas and Michael Chancellor: *Atlas of urodynamic: William and Wilkins*, PP. 208.

Elia G, Bergman J. and Dye T. (2002) :

Familial incidence of stress incontinence. *Am J Obstet Gynecol*; 187:53.

Emily, S., Lukacz K.M., Lubor, Charles, W. and Nager (2003):

The effect of tension-free vaginal tape on voiding function: a prospective evaluation. *International urogynecology Journal* including pelvic floor dysfunction. Internet (10.1007/s00192-003-1098-4). Published online 25 November 2003.

English, S.F., Amundsen, C.L. and McGuire, E.J. (1999):

Bladder neck competency at rest in women with incontinence. *J. Urol.*, 161: 578.

Faerber, G.J. and Vashi, A.R. (1998):

Variations in valsalva leak point pressure with increasing vesical volume. *J. Urol.*, 159: 1909.

Falkert and Seel bach. G (2006):

TVT versus TOT for surgical Treatment of female stress urinary incontinence. *Eur Urol*: 87-90.

Fritel X, Zabak K and Pigne A. (2002):

Predictive value of urethral mobility before suburethral tape procedure for urinary stress incontinence in women. *J Urol* ; 168:2472-2475.

Galloway, N.T.M.; Davies, N. and Stephenson, T.P. (1987):

The complications of colposuspension. *Br. J. Urol.*, 60: 122.

REFERENCES

George, D. Webster, Michael and L. Guralnik (2002):

The Neurourologic evaluation. In Walsh PC, Retik AB, Vaughan ED, Wein AJ: Campbell's Urology 8th ed. Philadelphia, Saunders P. 900.

Gosling, J.A. (1986):

The structure of the female lower urinary tract and pelvic floor. Urol. Clin. North. Am., 12: 207.

Gosling, J.A. and Dixon, J.S. (1997):

Light and electron microscopic observation of the human external sphincter. J. Anat. 129: 216. Quoted from Linda cardozo, Embryology and anatomy. In Urogynecology, 1997:27.

Govier, F.E.; Gibbon, R.P. and Correa, R.J. (1997):

Pubovaginal slings using fascia lata for the treatment of intrinsic sphincter deficiency. J. Urol., 157: 117.

Gray, E.; Lemack, Philippe, E. and Zimmern (2000):

Identifying patients who require urodynamic testing before surgery for stress incontinence based on questionnaire information and surgical history. Urol., 55, 506

Haab, F.; Zimmern, P.E. and Leach, G.E. (1996):

Female stress urinary incontinence due to intrinsic sphincter deficiency: Recognition and management. J. Urol., 156: 3.

Handa, V.L. and Stone, A. (1999):

Erosion of a fascial sling into the urethra. Urol., 54: 923.

Hannestad YS, Rortveit G, Daltveit AK and Hunskaar S.(2003):

Are *smoking* and other lifestyle factors associated with female urinary incontinence? The Norwegian EPINCONT Study. Br J Obstet Gynaecol. 10:247-254.

Harewood, L.M.; Crosthwaite, A. and Webb, D.R. (1993):

An early series extraperitoneal balloon laparoscopic needle suspension for SUI. J. Endourol., 7: S102.

REFERENCES

Hautman, R.E.; Paiss, T. and Depettriconi, R. (1996):

The ileal neobladder in women: 9 years of experience with 18 patients. J. Urol., 155: 76.

Haylen B.T., Ridder D., Freeman R.M., Swift S.E., Berghmans B. and Lee J. (2010)

An International urogynecological Association International Continence Society (ICS) joint report on the terminology for female pelvic floor dysfunction. Int Urogynecol J ; 21:5–26

Hazewinkel, M.H; Schilthuis, M.S and Roovers, J.P. (2009) :

Stress urinary incontinence in patients treated for cervical cancer : is TVT-Secure a valuable treatment option. Int. Urogynecol. J. 20:357-359.

Herschorn S, Carr LK. (2002):

Vaginal reconstructive surgery for sphincteric incontinence and prolapse. In: Walsh PC, Retik AB, Vaughan ED Jr, Wein AJ., editors. Campbell's Urology. 8th ed. Philadelphia: WB Saunders Company; pp. 1092-1139.

Hunskar S, Burgio K and Clark A, (2005):

Epidemiology of urinary (UI) and faecal incontinence (FI) and pelvic organ prolapse (POP). In Abrams P, Cardozo L, Khoury S, Wein A (eds): Incontinence (Edition 2005) 3rd international consultation on incontinence. Health Publications, , PP: 255.

Iselin, C.E. and Webster, G.D. (1998):

Office management of female urinary incontinence. Urol. Clin. North. Am., 25: 625.

Jacek, Mostwin, Andrew Yang and Roger Sanders. (1995):

Radiography, sonography, and Magnetic resonance imaging for stress incontinence. Urol. Clin. North. Am., 22: 539.

Jae, S.P., Ja, H.K. and Soo, W.K. (2004):

Tension free vaginal tape procedure for the treatment of mixed urinary incontinence: significant of maximal urethral closure pressure. J. Urol., 172: 1001.

REFERENCES

James, D. and Brooks, L. (1998):

Anatomy of the lower urinary tract and male genitalia. In Walsh P.C., Retik A.B. Vaughan E.D, Wein A.J.: Campbell's Urology 7th ed. Philadelphia, Saunders, PP 89.

Jarvis, G.J. (1994):

Surgery for genuine stress incontinence.
Br. J. Obstet. Gynecol., 101: 371.

Jerry G.; Blaivas J.G. and Asniatgrout Z,(2002) :

Urinary incontinence: Pathophysiology, evaluation and management overview. In Walsh PC, Retik AB, Vaughan ED, Wein AJ: Campbell's Urology 8th ed. Philadelphia, Saunders, , PP 1027.

Jerry Blaivas and Michael Chancellor (1996):

a. Cystometry in Jerry Blaivas and Michael Chancellor: Atlas of urodynamics. William and Wilkin, PP 31.

Jiménez Calvo J, Hualde Alfaro A and Cebrian Lostal JL, (2010):

Stress urinary incontinence surgery with MiniArc swing system: our experience. Actas Urol Esp 34:372–377.

John, R. and Robert, D. (2005):

Female urinary incontinence.
WWW. Atlanta center for laparoscopic urogynecology.com

Jorgensen, J.B. and Jensen, K.M. (1996):

Uroflowmetry. Urol. Clin. North. Am., 23: 237.

Karram, M.M., Angel, O. and Koonings, P. (1992):

The modified Peryera procedure; a clinical and urodynamic review. Br. J. Obstet. Gynecol., 99: 655.

Karram, M.M. and Bhatia, N.N.(1990):

Patch procedure: Modified transvaginal fascia lata sling for recurrent or severe stress urinary incontinence.
Obstet. Gynecol., 75: 461.

Kearney R, Miller JM and Ashton-Miller JA (2006):

Obstetric factors associated with levator ani muscle injury after vaginal birth. Obstet Gynecol; 107:144-149.

REFERENCES

- Kerman, W.N.; Vicoli, C.M. and Brass, L.M. (2002):**
Phenylpropanalamine and the risk of haemorrhagic stroke.
N. Engl. J. Med., 343: 1826.
- Kerrebroeck, P.V. (2004):**
Duloxetine: an innovative approach for treating stress urinary incontinence. BJU International, 94, Supplement 1:31
- Khullar V, Digesu A, Chaliha C, Khan M and Hutchins A (2002) :**
Mixed incontinence: how should it be treated? Neurourol Urodyn; 21:378.
- Kim, H.L.; Gerber, G.S. and Patel, R.V. (2001):**
Practice patterns in the treatment of female urinary incontinence: Apostal and internet survey. Urology, 57:75.
- Klinger, H.; Tinzl, C. and Marberger, J. (2003):**
Severe complications following tension-free vaginal tape procedure. Euro. Urol. Suppl., 2 (1): 197.
- Klutke, J.J. and Bergman, A. (1998):**
Fluid to investigation of the incontinent patient. Urogynecology and urodynamics 4th ed. Baltimore, Williams and Wilkins, PP. 91.
- Klutke, C.G. and Carlin, B.J. (2000):**
Altered voiding after the tension free vaginal tape procedure: an increased resistance the mechanism of therapy?
Obstet. Gynecol., 1 (4): 95.
- Kobashi, K.C.; Dmochowski, R. and Mee, S.L. (1999):**
Erosion of polyester pubovaginal sling.
J. Urol., 162: 2070.
- Krofta L, Feyereisl J and Krcmr M, (2009):**
One year prospective follow-up of the TVT-S procedure for treatment of stress urinary incontinence. *Int Urogynecol J* ; 20:S125.[abstract 058]
- Laurikainen, E ; Rosti, J ; Pitkanen, Y and Kiilholma, P.(2004):**
The Rosti sling :anew minimally invasive , tension free technique for the surgical treatment of female urinary incontinence – the first 217 patients. J. Urol. 171:1576-1580.

REFERENCES

Leach, G.E.; Dmochowski, R.R. and Appell, R.A. (1997):

Female stress urinary incontinence clinical guide-lines panel summary report on surgical management of female stress urinary incontinence. The American Urological Association.
J. Urol. 158: 875.

Lee KS, Han DH and Choi YS. (2007):

A prospective trial comparing tension-free vaginal tape and transobturator vaginal tape inside-out for the surgical treatment of female stress urinary incontinence: 1-year follow-up. J Urol ;177:214–18.

Lee K-S, Lee Y-S and Seo JT. (2010):

A prospective multicenter randomized study between the U- and H-type methods of the TVT SECUR procedure for the treatment of female stress urinary incontinence: 1-year follow-up. Eur Urol;57:973–9.

Lind, L.R.; Rosenzweig, B.A. and Bhatia, N.N. (1998):

Urologically oriented neurological examination. Urogynecology and urodynamic 4th ed. Baltimore, Williams and Wilkin, PP. 99.

Locher JL and Burgio KL (1997):

Epidemiology of incontinence. In Ostrgard DR, Bent AE (eds.): Urogynecology and Urodynamics: Theory and Practice, 4th edition. Baltimore. Williams and Wilkins.; pp 67.

Louis, J.; Bruno, D.; Anca, B.; David, S. and Emile, D. (2001):

Objective and subjective cure rates after tension free vaginal tape for treatment of urinary incontinence. Urol., 58: 702.

Louis, P.L.; Zak, III. and David Staskin (2002):

Genuine stress incontinence: Theories of etiology and surgical correction. Urol. Clin. North. Am., 29: 527.

Luber K M (2004):

The Definition, Prevalence, and Risk Factors for Stress Urinary Incontinence. Rev Urol.; 6(Suppl 3): S3-S9. Severe complications following tension-free vaginal tape

Mainprize, T.C. and Drutz, H.P. (1988):

The Marshall-Marchetti-Krantz procedure: a clinical review. Obstet. Gynecol. Sur., 43: 724.

REFERENCES

Marsh.F, Assassa. P (2007) :

An audit of introduction of TVT-Secur in clinical practice.
Int urogynecol J Pelvic floor Dysfunct 18 (Suppl: S26)

McGuire, E.J. (1977):

Combined radiographic and manometric assessment of urethral sphincter function. J.Urol., 118: 632.

McGuire EJ (1980) :

Urodynamic findings in patients after failure of stress incontinence operations. In Zinner NR, Sterling AM (eds): Female Incontinence. New York. Alan R Liss.pp 351.

McGuire, E.J.; Fitzpatrick, C.C and Wang, J. (1993):

Clinical assessment of urethral sphincter function.
J. Urol., 150: 1452.

McGuire, E.J. and Lytton, B. (1978):

Pubovaginal sling procedure for stress urinary incontinence.
J. Urol., 119: 82. Quoted from Urol. Clin. N. Am.2002, 29: 597.

McGuire, E.J. and Savastano, J.A. (1985):

Stress incontinence and detrusor instability urge incontinence.
Neurourol. Urody., 4: 313-316.

Meschia, M.; Pifarotti, F. and Bernasconi, F. (2001):

Tension-free vaginal tape: Analysis of outcome and complications in 404 stress incontinent women. Int. Urogynecol. J. (Suppl. 2): 524.

Meschia, M ; Barbacini , P ; Ambrogi , V ; Pifarotti , P ; Ricci L, and Spreafico , L.(2009):

TVT-Secure :a minimally invasive procedure for the treatment of primary stress urinary incontinence .one year data from a multicentre prospective trial. Int. Urogynecol. J. 20:313-317.

Michael, B. Chancellor and Maoki Yashimura (2002):

Physiology and pharmacology of the bladder and urethra. In Walsh P.C, Retik, A.B. Vaghan E.D. Wein A.J.: Campbell's Urology 8th ed. Philadelphia, Saunders,PP 831.

REFERENCES

- Mommsen, S., Foldspang, A. and Elvingl Lam, G. (1993):**
 Association between urinary incontinence in women and a previous history of surgery. Br. J. Urol., 72: 30.
- Montz, F.J. and Stanton, S.L. (1986):**
 Q-tip test in female urinary incontinence.
 Obstet. Gynecol., 67: 259.
- Morgan, J.E.; Heritz, D.M. and Stewart, F.E. (1995):**
 The polypropylene pubovaginal sling for the treatment of recurrent stress urinary incontinence.
 J. Urol., 154: 1013.
- Morgan, T.O.; Westney, O.L. and McGuire, E.J. (2000):**
 Pubovaginal sling: 4 year outcome analysis and quality of life assessment. J. Urol., 163: 1845
- Mostwin, J.F. (1991):**
 Current concept of female pelvic anatomy and physiology.
 Urol. Clin. North. Am., 18: 175.
- Mostwin, J.L.; Yang, A. and Sanders, R. (1995):**
 Radiography, sonography, and magnetic resonance imaging for stress incontinence: contributions, Uses and Limitations.
 Urol. Clin. North. Am., 22: 539.
- Neuman M (2007) :**
 TVT-Obturator: short-term data on an operative procedure for the cure of female stress urinary incontinence performed on 300 patients. Eur Urol 51:1083–1087
- Niknejad, K.; Plzak, L.S.; Staskin, D.R. and Loughlin, K.R. (2002):**
 Autologous and synthetic urethral slings for female SUI.
 Urol. Clin. N. Am., 29: 597.
- Nitti, V.W. (1998):**
 Cystometry and abdominal pressure monitoring.
 In Practical Urodynamic, Philadelphia. W.B. Saunders, PP. 38.

REFERENCES

Nitti, V.W. and Combs, A.J. (1996):

Correlation of valsalva leak point pressure with subjective degree of stress urinary incontinence in women. *J. Urol.*, 155: 281.

Nitti, V.W. and Combs, A.J. (1998):

Urodynamics: when, why and how. In Nititi V.W (ed.): Practical urodynamics. Philadelphia, W.B. Saunders, PP. 15.

North CE, Hilton P, Ali-Ross N and Smith ARB.(2010) :

A 2-year observational study to determine the efficacy of a novel single incision sling procedure (Minitape_) for female stress urinary incontinence . *BJOG*;117:356–360.

Novara G, ArtibaniW, BarberMD, et al (2010):

Updated systematic review and meta-analysis of the comparative data on colposuspension, pubovaginal slings, and midurethral tapes in the surgical treatment of female stress urinary incontinence. *Eur Urol* 2010;58: 218–38.

O'Connell, H.E.; McGuire, E.J. and Aboseif, S. (1996):

Transurethral collagen therapy in women.
J. Urol., 154: 1463.

Oliveira R., Botelho F., Silva B., Resende A. and Cruz F. (2011):

Exploratory Study Assessing Efficacy and Complications of TVT-O, TVT-Secur, and Mini-Arc: Results at 12-Month Follow-Up *j.eururo*;59:940-944.

Pelsang, R.E. and Bonney, W.W. (1996):

Voiding cystourethrography in female stress incontinence.
Am. J. Radiol., 166: 561.

Peter. H, Jaramir, M,ondreJ. N, Milos G. Alois.M, Jana.Z (2009):

anatomical relationship and fixation of tension free vaginal tape secur.
Int urogynecol j,00192- 009-0815.

Petros, P.E. and Ulmesten, U.I. (1990):

Combined intravaginal sling and tuck operation. An ambulatory procedure for cure of stress and urge incontinence. *Acta Obstet. Gynecol. Scand Suppl.*, 153: 53.

REFERENCES

- Petros, P.E.P. and Von Kinsky, B. (1999):**
Anchoring the mid urethra restores bladder neck anatomy and continence. *Lancet*, 345: 997.
- Pierre, C., Nicolas, M. and Bertrand, R. (2001):**
The use of artificial urinary sphincter in women with type III incontinence and A Negative Marshal test. *J. Urol.*, 165: 1172.
- Pickens RB, White WM and Klein FA, (2009):**
Initial experience with the MiniArc single incision sling system for the treatment of stress urinary incontinence. *J Urol* ; 181:544.[abstract 1521] Annual Meeting
- Raz, S. (1992):**
Complications of vaginal surgery. In: Atlas of transvaginal surgery Saunders Company, PP 37.
- Raz, S.; Siegel, A.L. and Short, J.L. (1989):**
Vaginal wall sling.
J. Urol., 141: 43.
- Raz, S.; Stothers, L. and Chopra, A. (1998):**
Vaginal reconstructive surgery for incontinence and prolapse, in Walsh P.C., Retic, A.B., Vaughan, E.D, Wein, A.J. (eds): *Campbell's Urology*, 7th ed. Philadelphia Saunders, PP. 1059.
- Raz, S.; Sussman, E.M. and Erickson, D.B. (1992):**
The Raz bladder neck suspension results in 206 patients.
J. Urol., 148: 845.
- Richardson, A.C.; Edmonds, P.B. and Williams, N.L. (1981):**
Treatment of stress urinary incontinence due to paravaginal fascial defect. *Obstet. Gynecol.*, 57: 357.
- Richardson, A.C.; Lyon, J.B. and Williams, N.L. (1976):**
A new look at pelvic relaxation.
Am. J. Obstet. Gyencol., 126: 568. Quoted from: *Urol. Clin. N. Am.* 2002, 29:585.

REFERENCES

Rinne. K, Aukee. P, Heikkinen. A and Kalliola.T. (2007) :

A Randomized Clinical trial Comparing TVT with TVT-O for Treatment of Stress Urinary incontinence: 12 month results. *Int urogynecal J*: S28-S29.

Romanes, G.J. (1986):

The pelvis and perineum in G.J Romanes. *Manual of practical anatomy* 15th edition. Oxford University Press, 2: 187.

Romanzi; L.R.; Heritz, D.M. and Blaivas, J. G. (1995):

Preliminary assessment of the incontinent women. *Urol. Clin. North. Am.*, 22: 513.

Rortveit G, Daltveit AK, Hannestad YS and Hunskaar S. (2003):

Urinary incontinence after vaginal delivery or cesarean section. *N Engl J Med.*;348:900-907

Rosenzweig, B.A.; Bhatia, N.M. and Nelson, A.L. (1991):

Dynamic urethral pressure profile transmission ration: What do the numbers mean? *Obstet. Gynecol.*, 77: 580.

Royce, P.C. and Reisner, G.S. (1993):

Laparoscopic extraperitoneal bladder neck suspension. *J. Endourol.*, 7: 5226.

Salmons, S. (1995):

Muscle. In Williams P.L., Bannister L.H. Berry. M.M. et al. (ed): *Gray's Anatomy*, 38th ed. New York, Churchill Livingstone, PP. 737.

Saltz.S, Haff. R and Lucentev (2007) :

Short Term assessment of Patients Undergoing The new tension free vaginal tape secur procedure for Treatment of stress urinary incontinence. *Int urogynecal J pelvic floor Dysfunction* 18 (Supp1): S27- S28.

Sander P, Moller LM and Rudnicki PM, (2002):

Does the tension-free vaginal tape procedure affect the voiding phase? Pressure-flow studies before and 1 year after surgery. *BJU Int* ; 89:694-698.

REFERENCES

Sarver, R. and Govier, F.E. (1997):

Pubovaginal slings: past, present and future.
Int. Urogynecol. J., 8: 358.

Sender H. and Lesley, K. C. (2002):

Vaginal reconstructive surgery for sphincteric incontinence and prolapse. In Walsh P.C, Retik, A.B. Vaghan E.D. Wein A.J.:
Campbell's Urology 8th ed. Philadelphia, Saunders, PP. 1092.

Sharifiaghdas F and Mirzaei M (2010):

Short-term results of mini-sling TVT secure and rectus facial sling surgery in the treatment of female stress urinary incontinence Urology 76 (Supplement 3A),

Smith, A.R.B. and Stanton, S.L. (1998):

Laparoscopic colposuspension.
Br. J. Obstet. Gynecol., 105: 383

Sola. V, Ricci. P and Pardo. J,(2009):

Third generation sub-med urethral mesh : experience with 110 tvt-secur. Arch. Esp. Urol.; 62 (5): 376-388.

Song, J.T.; Rozanski, T.A. and Belville, W.D. (1995):

Stress leak point pressure: A simple and reproducible method utilizing a fibroptic microtransducer. Urol., 46: 81.

Spencer, J.R.; Oconor, V.J. and Schaeffer, A.J. (1987):

A comparison of endoscopic suspension of the vesical neck with suprapubic vesicourethropexy for treatment of stress urinary incontinence. J. Urol., 137: 411.

Stamey, T.A. (1992):

Urinary incontinence in the female: The Stamey endoscopic suspension . In : Campbell's urology. Walsh ,P.C.(Eds), W.B. Saunders Company, 6th edition, P.2829.

Staskin, D.R.; Zimmern, P.E. and Hadley, H.R. (1985):

Pathophysiology of stress incontinence.
Urol. Clin. North. Am., 12: 271

REFERENCES

Stoker, J (2009):

Anorectal and pelvic floor anatomy. Best practice & research clinical gastroenterology 23:463-475.

Stothers, L.; Ashok, C. and Shalom, R. (1995):

Vaginal reconstructive surgery for female incontinence and anterior vaginal wall prolapse. Urol. Clin. North. Am., 22: 641

Strohbehn, K. (1998):

Normal pelvic floor anatomy.
Obstet. Gynecol. Clin. North. Am., 25: 683-705.

Stuart L S. (2003):

Vaginal prolapse. In Robert W. Shaw, W. Patrick Soutter, Stuart L. Santon: Gynecology 3rd edition. PP 813.

Swierzewski, S.J. and Castilla, J.A. (1994):

The pubovaginal sling for type III stress urinary incontinence, long term results and outcomes. J. Urol., 151: 419A.

Swift, S.E. and Ostergard, D.R. (1995):

Evaluation of current urodynamic testing methods in the diagnosis of genurine stress urinary incontinence. Obstet. Gynecol., 86: 85

Subak LL, Whitcomb E and Shen H, (2005) :

Weight loss: A novel and effective treatment for urinary incontinence. J Urol; 174: 190

Synder, J.A. and Lipsitz, D.U. (1991):

Evaluation of female urinary incontinence.
Urol. Clin. North. Am., 18: 197.

Tanagho, E.A. (1992):

Anatomy of the lower urinary tract. In Walsh P.C., Retik A.B. Stamey T.A, Vaughan, E.D.: Campbell's Urology 6th ed. Saunders Co. Philadelphia, PP. 40.

Tincello D.G. (1998):

Ultrasound detection of vault hematoma following vaginal hysterectomy. Br. J. Obstet. Gynecol., 105 (12): 1336.

REFERENCES

Tommaselli GA, Di Carlo C, Gargano V, Formisano C, Scala M and Nappi C., (2010):

Efficacy and safety of TVT-O and TVT-Secur in the treatment of female stress urinary incontinence: 1-year follow-up. *Int Urogynecol J* ;21:1211–7.

Ulmesten, U.; Henriksson, L.; Johnson, P. and Varhas, G. (1996):

An ambulatory surgical procedure under local anesthesia for treatment of female urinary incontinence. In *Urogynecol. J. Pelvic floor dysfunction*, 7 (2): 81.

Ulmesten, U.; Johnson, P. and Rezapour, M. (1999):

A three-years follow up of tension free vaginal tape for surgical repair of female stress urinary incontinence. *Br. J. Obstet. Gynecol.*, 106: 345.

Van Geelen, J.M.; Theeuwes, A.G.M. and Eskes, T.K.A.B. (1988):

The clinical and urodynamic effect of anterior vaginal repair and Burch colposuspension. *Am. J. Obstet. Gynecol.*, Vol. 159, No.1, 137-144.

Van, P. and Kerreberoek (2004):

Duloxetine: an innovative approach for treating stress urinary incontinence. *BJU International* 94, Supplement 1, 31.

Versi, E.; Cardozo, L.D. and Studd, J.W. (1986):

Internal urinary sphincter in maintenance of female continence. *Br. Med. J.*, 292: 166.

Versi, E.; Orrego, G.; Hardy, E. et al. (1996):

Evaluation of the home pad test in the investigation of female urinary incontinence. *Br. J. Obstet. Gynecol.*, 103: 162-167.

Victor, W. and Nitti (2004):

Duloxetine: A new pharmacological therapy for SUI. *Reviews in Urology*, 6: 548.

Vikram Khullar and Con. J. Kelleher (2003):

Urodynamic investigation. In Robert W. Shaw, W. Patrick Soutter, Stuart L. Stanton: *Gynecology* 3rd edition, PP 755.

REFERENCES

Wagenlehner, Bschiepfer, Liedl, Gunnemann, Petros and Weidner (2010):

Surgical reconstruction of pelvic floor decent ,anatomic and functional aspects.urol.Int. ; 84: 1-9.

Wall, L.L.; Norton, P.A. and Delancey, J.O.L. (1993):

Evaluating symptoms. In practical urogynecology. Baltimore, Williams and Wilkins, PP 6.

Wang, Y.; Mitchell, D. and Hadley, R. (1993):

The anatomical basis for femoral neuropathy due to procedures performed in the modified lithotomy postion. Int. Urogynecol. J., 4: 390.

Wang, K.H.; Neimark, M. and Davila, G.W. (2002):

Voiding dysfunction following TVT procedure. Int. Urogynecol., 13: 353.

Ward, K.L.; Hilton, P. and Browning, J. (2000):

A randomized trial of colposuspension and tension free vaginal tape for primary genuine stress incontinence. Neuro-Urology and Urodynamics, 19: 386.

Wein A.J.(1995):

Pharmacology of incontinence. Urol Clin North Am; 22:557-577

Wein A.J. (2002):

Neuromascular dysfunction of the lower urinary tract and its management in: In Walsh P.C, Retik, A.B. Vaghan E.D. Wein A.J.: Campbell's Urology 8th ed. Philadelphia, Saunders,PP 931.

Weinberger, M.W. (1998):

Cystourethroscopy for the practicing gynecologist. Clin. Obstet. Gynecol., 41: 764.

White, G.R. (1909):

Cystocele. JAMA, 1909, 853: 1707. Quoted from: Urol. Clin. N. Am.2002, 29:585.

REFERENCES

Winters, J.C. and Appell, R.A. (1995):

Periurethral injection of collagen in treatment of intrinsic sphincter deficiency in female patient. Urol. Clin. North. Am., 22: 673.

Winters, J.C. and Appell, R.A. (1999):

Urinary incontinence and frequency and urgency syndrome in women: Practical urodynamic, Philadelphia, Saunders PP. 184.

Zimmern, P.E. (1991):

The role of voiding cystourethrography in the evaluation of the female lower urinary tract. Urol., 5: 23.