



Reference

Reference

- Aglia LS, Stanford GG, Maddi R, Boyd JL 3rd, Nussbaum S. and Chernow B. (1991):** Hypomagnesemia is common following cardiac surgery. *J Cardiothorac Vasc Anesth.* Jun5(3):201-8.
- Agus ZS. (1999):** Hypomagnesemia. *J Am Soc Nephrol.* Jul 10(7):1616-22.
- Agus, M.S. and Jaksic, T. (2002):** Nutritional support of the critically ill child. *Curr Opin Pediatr*; 14: 470-481.
- Al-Ghamdi SM, Cameron EC. and Sutton RA (1994):** Magnesium deficiency : Pathophysiologic and clinical overview . *Am J Kidney Dis*; 24 : 737-752 Abstract
- Altura BM. and Altura BT.(1996) :** Role of magnesium in pathophysiological processes and the clinical utility of magnesium ion selective electrodes . *Scand J Clin Lab Invest Suppl*; 224 : 211-234 Abstract
- Angus, D.C.; Linde-Zwirble, W.T.; Lidicker, J.; Clermont, G.; Carcillo, J. and Pinsky, M.R. (2001):** Epidemiology of severe sepsis in the United States: analysis of incidence, outcome, and associated costs of care. *Crit Care Med*; 29: 1303-1310.
- Anthoni. and J Floor. (2006):** "The chemical composition of seawater". *Scripta Materialia* **122**: 30–42. doi:10.1016/S0010-2180(00)00101-2
-



Reference

Appel LJ, Moore TJ, Obarzanek E, Vollmer WM, Svetkey LP, Sacks FM, Bray GA, Vogt TM, Cutler JA, Windhauser MM, Lin PH. and Karanja N. (1997): A clinical trial of the effects of dietary patterns on blood pressure. *N Engl J Med* 336:1117-24.

Appel LJ. (1999): Nonpharmacologic therapies that reduce blood pressure: A fresh perspective. *Clin Cardiol* 22:1111-5.

Arnold, J.H.; Anas, N.G.; Lockett, P. et al., (2000): High-frequency oscillatory ventilation in pediatric respiratory failure: A multicenter experience. *Crit Care Med*; 28: 3913-19.

Arsenian, MA. (1993): Magnesium and cardiovascular disease. *Prog Cardiovasc Dis* 35:271-310,

Ash. and Russell (2005): *The Top 10 of Everything 2006: The Ultimate Book of Lists*. Dk Pub. ISBN 0756613213.

Aziz S, Haigh W, Van Norman G. et al, (1996): Blood ionized magnesium concentrations during cardiopulmonary bypass and their correlation with other circulating cations. *J Card Surg* 11:341-347

Basso LE, Ubbink JB. and Delport R. (2000): Erythrocyte magnesium concentration as an index of magnesium status: a perspective from a magnesium supplementation study. *Clin Chim Acta.*;291:1-8.



Reference

- Beasley R. and Aldington S. (2007):** Magnesium in the treatment of asthma. *Curr Opin Allergy Clin Immunol.* Feb 7(1):107-10.
- Benigno V, Canonica CS, Bettinelli A, von Vigier RO, Truttmann AC. and Bianchetti MG.(2000):** Hypomagnesaemia- hypercalciuria-nephrocalcinosis : a report of nine cases and a review. *Nephrol Dial Transplant.* May 15(5):605-10.
- Bettinelli A, Bianchetti MG, Girardin E, Caringella A, Cecconi M, Appiani AC, et al.(1992):** Use of calcium excretion values to distinguish two forms of primary renal tubular hypokalemic alkalosis: Bartter and Gitelman syndromes. *J Pediatr.* Jan;120(1):38-43.
- Biolo, G.; Togio, G.; Ciocchi, B.; Situlin, R.; Iscra, F. and Gullo, A. (1997):** Metabolic response to injury and sepsis: *changes in protein metabolism.* *Nutrition; 13(suppl):* 52S-57S.
- Blanchard A, Jeunemaitre X, Coudol P, Dechaux M, Froissart M, May A, et al.(2001) :** Paracellin-1 is critical for magnesium and calcium reabsorption in the human thick ascending limb of Henle. *Kidney Int.* Jun;59(6):2206-15.
- Bohn T.(2008):** Dietary Factors Influencing Magnesium Absorption in Humans. *Current Nutrition & Food Science.*;4:53-72.
- Brink EJ, Beynen AC, Dekker PR, van Beresteijn EC. and van der Meer R. (1992):** Interaction of calcium and phosphate decreases ileal magnesium solubility and apparent magnesium absorption in rats.
-



Reference

- Cairns CB. and Kraft M.(1996):** Magnesium attenuates the neutrophils respiratory burst in adult asthmatic patients. *Acad Emerg Med*;3:1093-7.
- Capes, S.E.; Hunt, D.; Malmberg, K.; Pathak, P. and Gerstein, H.C. (2001):** Stress hyperglycemia and prognosis of stroke in nondiabetic and diabetic patients: *a systematic overview*. *Stroke*; 32: 2426-32.
- Carcillo, J.A. (2003):** Pediatric septic shock and multiple organ failure. *Crit Care Clin*; 19: 413-440.
- Chameides, L. (1990):** Textbook of pediatric advanced life support. Hartford. CT American Heart Association American Academy of Pediatrics; 14: 126-131.
- Chernow B, Bamberger S, Stoiko M, Vadnais M, Mills S, Hoellerich V, et al. (1989):** Hypomagnesemia in patients in postoperative intensive care. *Chest*. Feb;95(2):391-7.
- Chou CL, Chen YH, Chau T. and Lin SH. (2005):** Acquired bartter-like syndrome associated with gentamicin administration. *Am J Med Sci*. Mar;329(3):144-9.
- Cole DE. and Quamme GA. (2000):** Inherited disorders of renal magnesium handling. *J Am Soc Nephrol*. Oct;11(10):1937-47.
- Cook L. and Mimouni F.(1997):** Whole blood ionized magnesium in the healthy neonate. *J Am Coll Nutr* 16:181-183,
-



Reference

Creteur, J. (2006): Gastric and sublingual capnometry. *Curr Opin Crit Care*. Jun; 12(3): 272-277.

Curiel-García JA, Rodríguez-Morán M. and Guerrero-Romero F. (2008): Hypomagnesemia and mortality in patients with type 2 diabetes. *Magnes Res*. Sep;21(3):163-6.

Dabbagh OC, Aldawood AS, Arabi YM, Lone NA, Brits R. and Pillay M. (2006): Magnesium supplementation and the potential association with mortality rates among critically ill noncardiac patients. *Saudi Med J*; 27 (6): 8215.

De Marchi S, Cecchin E, Basile A, Bertotti A, Nardini R. and Bartoli E(1993): Renal tubular dysfunction in chronic alcohol abuse--effects of abstinence. *N Engl J Med*. Dec 23;329(26):1927-34.

Dean C. (2003). The Miracle of Magnesium. *Ballantine, NYCPg*, 226.

Despond, O.; Proulx, F.; Carcillo, J.A. and Lacroix, J. (2001): Pediatric sepsis and multiple organ dysfunction syndrome. *Curr Opin Pediatr*; 13: 247-253.

Dorman BH, Sade RM, Burneite JS , et al. (2000): Magnesium supplementation in the prevention of arrhythmias in pediatric patients undergoing surgery for congenital heart defects . *Am Heart J*; 139 : 522-528 Full Text



Reference

- Downes, J.J. (1992):** The historical evolution, current status, and prospective development of pediatric critical care. *Crit Care Clin*; 8: 1-22.
- Dreizin, Edward L.; Berman, Charles H. and Vicenzi, Edward P. (2008):** "Condensed-phase modifications in magnesium particle combustion in ^{a b} (PDF) *Abundance and form of the most abundant elements in Earth's continental crust*. Retrieved-02-15.
- Drueke TB. and Lacour B(2007):** Magnesium homeostasis and disorders of magnesium metabolism. In: Feehally J, Floege J, Johnson RJ, eds. *Comprehensive Clinical Nephrology*. 3rd ed. Philadelphia, PA: Mosby;:136-8.
- Durlach J, Durlach V, Bac P, Bara M. and Guiet-Bara A (1994).** "Magnesium and therapeutics". *Magnes Res* 7 (3-4): 313–28.
- Elisaf M, Merkoupoulos M, Tsianos EV, et al. (1995):** Pathogenetic mechanisms of hypomagnesemia in alcoholic patients . *J Trace Elem Med Biol*; 9:210-214 Abstact
- Elisaf M, Milionis H. and Siamopoulos K. (1997):** Hypomagnesemic hypokalemia and hypocalcemia: Clinical and laboratory characteristics. *Mineral Electrolyte Metab*;23:105-12.
- Emelyanov A, Fedoseev G. and Barnes PJ. (1999):** Reduced intracellular magnesium concentration in asthmatic patients. *Eur Respir J*;13:38-40.
-



Reference

Epstein M, McGrath S. and Law F. (2006): Proton-pump inhibitors and hypomagnesemic hypoparathyroidism. *N Engl J Med.* Oct 26;355(17):1834-6.

Escuela MP, Guerra M, Añón JM, Martínez-Vizcaíno V, Zapatero MD, García-Jalón A, et al.(2005): Total and ionized serum magnesium in critically ill patients. *Intensive Care Med*; 31 (1): 151- 6.

Fanning W, Thomas C, Roach A, et al: (1991): Prophylaxis of atrial fibrillation with magnesium sulfate after coronary artery bypass grafting. *Ann Thorac Surg* 52:529-533.

Fawcett WJ, Haxby EJ. and Male DA(1999) : Magnesium : Physiology and pharmacology . *Br J Anaesth*; 83 : 302-320 Abstract

Feillet-Coudray C, Coudray C, Tressol JC, Pepin D, Mazur A. and Abrams SA. (2002):Exchangeable magnesium pool masses in healthy women: effects of magnesium supplementation. *Am J Clin Nutr*;75:72-8.

Firoz M. and Graber M (2001). "Bioavailability of US commercial magnesium preparations". *Magnes Res* **14** (4): 257–62

Fiser R, Torres A, Butch A, et al., (1998): Ionized magnesium concentrations in critically ill children. *Crit Care Med* 26:2048-2052,

Fletcher, J. (1987): Stress management intensive care. *Nurs.* 1987; 3(2): 56-60.



Reference

Foley C. and Zaritsky A. (1998): Should we measure ionized magnesium?

Crit Care Med 26:1949-1950,

Fox C, Ramsoomair D. and Carter C.(2001): Magnesium: its proven and potential clinical significance. *South Med J*; 94 (12):1195- 201.

Frankel, L.R. (2004): Pediatric critical care: *Nelson textbook of pediatrics*. 17: 268-269.

Galez D, Dodig S, Raos M. and Nogalo B. (2006): C-reactive protein in children with asthma and allergic rhinitis. *Biochem Med*;16:163-9.

Geven WB, Monnens LA, Willems HL, Buijs WC. and ter Haar BG. (1987): Renal magnesium wasting in two families with autosomal dominant inheritance. *Kidney Int.* May;31(5):1140-4.

Gill, M.; Martens, K.; Lynch, E.L.; Salih, A. and Green, S.M. (2007): Interrater reliability of 3 simplified neurologic scales applied to adults presenting to the emergency department with altered levels of consciousness. *Ann emergy Med*; 49: 403-07.

Gontijo-Amaral C, Ribeiro MA, Gontijo LS, Condino-Neto ndA. a Ribeiro JD.(2007): Oral magnesium supplementation in asthmatic children: a double-blind randomized placebo-controlled trial. *Eur J Clin Nutr.* Jan;61(1):54-60.



Reference

Green, A.; Christian Hirsch, N. and Pramming, S.K. (2003): The changing world demography of type 2 diabetes. *Diabetes Metab Res Rev*; 19: 3-7.

Gries A, Bode C. and Gross S.(1999): The effect of intravenously administered magnesium on platelet function in patients after cardiac surgery. *Anesth Analg* 88:1213-1219.

Groenestege WM, Thébault S, van der Wijst J, van den Berg D, Janssen R, Tejpar S, et al.(2007): Impaired basolateral sorting of pro-EGF causes isolated recessive renal hypomagnesemia. *J Clin Invest*. Aug;117(8):2260-7.

Guerrera MP, Volpe SL. and Mao JJ.(2009): Therapeutic uses of magnesium. *Am Fam Physician*. Jul 15;80(2):157.

Hallstrom, A. and Cobb, L. (2000): Cardiopulmonary resuscitation by chest compression alone or with mouth-to-mouth ventilation. *N Engl J Med*; 342: 1546-53.

Hannam, E.L.; Farrell, L.S.; Meaker, P.S. and Cooper, A. (2000): Predicting inpatient mortality for pediatric J pediatric trauma patients with blunt injuries. *Abetter alternative. surg*; 35: 155-59.

Hasebe N. (2005):Oxidative stress and magnesium. *Clin Calcium*;15:194-202.

Hazinski, M.F. (1999): Analgesia, sedation and neuromuscular Blockade in pediatric critical care: *Manual of pediatric critical care* 4: 44-73.



Reference

- Hebert SC, Desir G, Giebisch G. and Wang W. (2005):** Molecular diversity and regulation of renal potassium channels. *Physiol Rev.* Jan;85(1):319-71.
- Hill J. and Britton J.(1996):** Effect of intravenous magnesium sulfate on airway calibre and airway reactivity to histamine in asthmatic subjects. *Br J Clin Pharmacol* 42:629-631,.
- Ho KM, Sheridan DJ. and Paterson T. (2007):** Use of intravenous magnesium to treat acute onset atrial fibrillation: a meta-analysis. *Heart.* Nov;93(11):1433-40.
- Hoenderop JG. and Bindels RJ. (2005):** Epithelial Ca^{2+} and Mg^{2+} channels in health and disease. *J Am Soc Nephrol.* Jan;16(1):15-26.
- Horowitz, L.; Kassam-Adams, N. and Bergstein, J. (2001):** Mental health aspects of emergency medical services for children: Summary of a consensus conference. *Acad Emerg Med* 8: 1187-96.
- Housecroft, C. E.and Sharpe, A. G. (2008).** *Inorganic Chemistry* (3rd ed.). Prentice Hall. pp. 305–306.ISBN 978-0131755536.
- Huang CL.(2004):** The transient receptor potential superfamily of ion channels. *J Am Soc Nephrol.* Jul;15(7):1690-9.
- Huang, CL. and Kuo E. (2007).** "Mechanism of Hypokalemia in Magnesium Deficiency". *J Am Soc Nephrol.* **18**: 2649-2652.
-



Reference

Huijgen HJ, Soesan M, Sanders R , et al (2000): Magnesium levels in critically ill patients : What should we measure? *Am J Clin Pathol*; 114: 688-695 Abstract

Hulst JM, van Goudoever JB, Zimmermann LJ, Tibboel D. and Joosten KF. (2006):The role of initial monitoring of routine biochemical nutritional markers in critically ill children. *J Nutr Biochem*; 17 (1): 57- 62.

Hulst, J.; Joosten, K.; Ziommermann, L.; Hop, W.; Van Buuren, S.; Bqller, H. et al., (2004): Malnutrition in critically ill children: from admission to 6 months after discharge. *Clin Nutr* 23: 223-232

Iso H, Stampfer M, Manson J, et al., (1999): Prospective study of calcium, potassium, and magnesium intake and risk of stroke in women. *Stroke* 30:1772-1779

Kamel KS, Harvey E, Douek K, Parmar MS. and Halperin ML. (1998): Studies on the pathogenesis of hypokalemia in Gitelman's syndrome: role of bicarbonaturia and hypomagnesemia. *Am J Nephrol.*;18(1):42-9.

Katcher HI, Legro RS, Kunselman AR, Gillies PJ, Demers LM, Bagshaw DM, et al(2008):The effects of a whole grain-enriched hypocaloric diet on cardiovascular disease risk factors in men and women with metabolic syndrome. *Am J Clin Nutr.* Jan 87(1):79-90.



Reference

Kausalya PJ, Amasheh S, Günzel D, Wurps H, Müller D, Fromm M, et al. (2006): Disease-associated mutations affect intracellular traffic and paracellular Mg²⁺ transport function of Claudin-16. *J Clin Invest.* Apr;116(4):878-91.

Kawano Y, Matsuoka H, Takishita S, et al. (1998): Effects of magnesium supplementation in hypertensive patients: Assessment by office, home, and ambulatory blood pressures. 660 M. SAFAVI & A. HONARMAND *Hypertension*; 32:260-265, 29

Kelepouris E. and Agus ZS. (1998): Hypomagnesemia: renal magnesium handling. *Semin Nephrol.* Jan ;18(1):58-73.

Keren, H.; Burkhoff, D. and Squara, P. (2007): Evaluation of a noninvasive continuous cardiac output monitoring system based on thoracic bioimpedance. *Am J Physiol Heart Circ Physiol.* Jul; 293(1): H 583-589.

Kern, K. and Halperin, H.R. (2001): New guidelines for cardiopulmonary resuscitation and emergency cardiac care. *JAMA*; 285: 1267-69.

Kinsella, J.P.; Neish, S.R. and Dunbar, I.D. (1993): Clinical responses to prolonged treatment of persistent pulmonary hypertension of the newborn with low doses of inhaled nitric oxide. *J Pediatr*; 123: 103-108.

Kirkham, F.J.; Newton, C.R. and Whitehouse, W. (2008): Pediatric coma scales. *Developmental medicine & child neurology*, 50: 267-274.



Reference

- Knoers NV.(2009):** Inherited forms of renal hypomagnesemia: an update. *Pediatr Nephrol.* April ;24(4):697-705.
- Kobrin SM. and Goldfarb S.(1990).** Magnesium Deficiency. *Semin Nephrol* ;10:525-35.
- Koch SM, Warters RD. and Mehlhorn U.(2002):** The simultaneous measurement of ionized and total calcium and ionized and total magnesium in intensive care unit patients. *J Crit Care* ; 17 (3): 203- 5.
- Konrad M. (2008):** Disorders of magnesium metabolism. In: Geary D, Shaefer F. *Comprehensive Pediatric Nephrology*. Philadelphia PA: Mosby Elsevier;;461-475.
- Konrad M, Schlingmann KP, and Gudermann T.(2004):** Insights into the molecular nature of magnesium homeostasis. *Am J Physiol Renal Physiol*; 286: F599-F605.
- Konrad M. and Weber S.(2003):** Recent advances in molecular genetics of hereditary magnesium-losing disorders. *J Am Soc Nephrol.* Jan ;14(1):249-60.
- Kraft MD, Btaiche IF, Sacks GS. and Kudsk KA.(2005):** Treatment of electrolyte disorders in adult patients in the intensive care unit. *Am J Health Syst Pharm.* Aug 15;62(16):1663-82.
- Ladefoged K, Hessel I, and Jarnum S.(1996):** Nutrition in short-bowel syndrome. *Scand J Gastroenterol Suppl*;216:122-31.
- Lima Mde L, Cruz T, Rodrigues LE, Bomfim O, Melo J, Correia R, et al. (2009):**Serum and intracellular magnesium deficiency in
-



Reference

patients with metabolic syndrome--evidences for its relation to insulin resistance. *Diabetes Res Clin Pract.* Feb;83(2):257-62.

Lima, A. and bakker, J.(2005): Noninvasive monitoring of peripheral perfusion. *Intensive Care Med.* Oct; 31 (10): 1316-1326.

Mansmann Jr., HC. (2008): Consider magnesium homeostasis. II. Staging of magnesium deficiencies. *Ped Asthma Allergy Immunol,* 7:211-215.

Martin, M.; Brown, C.; bayard, D.; Demetriades, D.; Salim, A.; Gertz, R.; Azarow, K.; Wo, C.C. and Shoemaker, W.(2005): Continuous noninvasive monitoring of cardiac performance and tissue perfusion in pediatric trauma patients. *J Pediatr Surg.* Dec; 40 (12): 1957-1963.

Martin, M.J.(2007): Monitoring the critically ill or injured child. *J Trauma.* Jun; 62 (6 Suppl): S84.

Mathers, L.H. & Frankel, L.R. (2004): Stabilization of critically ill child. *Nelson textbook of pediatrics.* 17: 279-286.

Meij IC, Koenderink JB, De Jong JC, De Pont JJ, Monnens LA, Van Den Heuvel LP, et al. (2003): Dominant isolated renal magnesium loss is caused by misrouting of the Na⁺,K⁺-ATPase gamma-subunit. *Ann N Y Acad Sci.* Apr ;986:437-43.

Meij IC, Koenderink JB, van Bokhoven H, Assink KF, Groenestege WT, de Pont JJ, et al. (2000): Dominant isolated renal magnesium



Reference

loss is caused by misrouting of the Na(+),K(+)-ATPase gamma-subunit. *Nat Genet.* Nov;26(3):265-6.

Millart H, Durlach V. and Durlach J. (1995): Red blood cell magnesium concentrations: analytical problems and significance. *Magnesium Research.*;8(1):65-76.

Mills R, Leadbeater M. and Ravalia A .(1997): "Intravenous magnesium sulphate in the management of refractory bronchospasm in a ventilated asthmatic". *Anaesthesia* 52 (8): 782–5.

Mirčetić Novak R, Dodig S, Raos M, Petres B. and Čepelak I.(2001): Magnesium concentration in plasma, leukocytes and urine of children with intermittent asthma. *Clin Chim Acta* 312:197-203.

Molyneux, M.E.; Taylor, T.E.; Wirima, J.J. and Borg stein, A. (1989): Clinical features and prognostic indicators in pediatric cerebral malaria: astudy of 131 camato & Malawian children. *QJ Med*; 71: 441-59.

Müller D, Kausalya PJ, Bockenhauer D, Thumfart J, Meij IC, Dillon MJ, et al.(2006): Unusual clinical presentation and possible rescue of a novel claudin-16 mutation. *J Clin Endocrinol Metab.* Aug; 91(8):3076-9.

Michael JD .(2001): Hypomagnesemic disorders. *Critical Care Clinics* ;17:155-173.



Reference

Munoz R, Laussen PC, Palacio G, Zienko L, Piercey G. and Wessel DL.(2000):Whole blood ionized magnesium: age-related differences in normal values and clinical implications of ionized hypomagnesemia in patients undergoing surgery for congenital cardiac disease. *J Thorac Cardiovasc Surg* 119 (5): 891- 8.

Naderi AS. And ReillyRF Jr.(2008):Hereditary etiologies of hypomagnesemia. *Nat Clin Pract Nephrol.* Feb;4(2):80-9. [Medline]

Nadler JL, Buchanan T, Natara R, et al.(1993): Magnesium deficiency produces insulin resistance and increased thromboxane synthesis. *Hypertension* 21:1024-1029,

Newton, C.R.; Pasvol, G.; Winstanley, P.A. and Warrell, D.A. (1990): Cerebral malaria: what is unarousable coma? *Lancet*; 335: 472.

Nijenhuis T, Hoenderop JG. and Bindels RJ (2004):Downregulation of $\text{Ca}(2+)$ and $\text{Mg}(2+)$ transport proteins in the kidney explains tacrolimus (FK506)-induced hypercalciuria and hypomagnesemia. *J Am Soc Nephrol.* Mar ;15(3):549-57

Nijenhuis T, Renkema KY, Hoenderop JG. and Bindels RJ(2006): Acid-base status determines the renal expression of Ca^{2+} and Mg^{2+} transport proteins. *J Am Soc Nephrol.* Mar ;17(3):617-26.

Nijenhuis T, Vallon V, van der Kemp AW, Loffing J, Hoenderop JG.and Bindels RJ(2005): Enhanced passive Ca^{2+} reabsorption and reduced Mg^{2+} channel abundance explains thiazide-induced



Reference

hypocalciuria and hypomagnesemia. *J Clin Invest.* Jun 115(6):1651-8.

Okazaki R, Chikatsu N, Nakatsu M, Takeuchi Y, Ajima M, Miki J, et al. (1999): A novel activating mutation in calcium-sensing receptor gene associated with a family of autosomal dominant hypocalcemia. *J Clin Endocrinol Metab.* Jan 84(1):[Medline]

Olerich MA. and Rude RK (1994): Should we supplement magnesium in critically ill patients? *New Horiz* 2 (2): 186- 92.

Paolisso G. and Barbagallo M.(1997): Hypertension, diabetes mellitus, and insulin resistance: The role of intracellular magnesium. *Am J Hypertens*; 10:346-355.

Praga M, Vara J, González-Parra E, Andrés A, Alamo C, Araque A, et al. (1995): Familial hypomagnesemia with hypercalciuria and nephrocalcinosis. *Kidney Int.* May 47(5):1419-25.

Qureshi T. and Melonakos TK.(1996): Acute hypermagnesemia after laxative use. *Ann Emerg Med* 28:552-5.

Ramsay JG. (1999). "Cardiac management in the ICU". *Chest* **115** (5 Suppl): 138S–144S

Ramsay LE, Yeo WW. and Jackson PR (1994): Metabolic effects of diuretics. *Cardiology* 84 Suppl 2:48-56.

Randolph, A.G.; Gonzales, C.A.; Cortellini, L. and Yeh, T.S.(2004): Growth of pediatric intensive care units in the United States from 1995 to 2001. *J Pediatr*, 144: 792-798.



Reference

Raos M. and Dodig S.(2007): [Praćenje koncentracije C-reaktivnog proteina u djece s astmom]. *Paediatr Croat* 51:105-9.

Riveira-Munoz E, Chang Q, Godefroid N, Hoenderop JG, Bindels RJ, Dahan K, et al.(2007): Transcriptional and functional analyses of SLC12A3 mutations: new clues for the pathogenesis of Gitelman syndrome. *J Am Soc Nephrol.* Apr 18(4):1271-83.

Rodríguez-Hernández H, Gonzalez JL, Rodríguez-Morán M. and Guerrero-Romero F(2005):Hypomagnesemia, insulin resistance, and non-alcoholic steatohepatitis in obese subjects. *Arch Med Res.* Jul-Aug 36(4):362-6.

Rubeiz GJ, Thill-Baharozian M, Hardie D. and Carlson RW.(1993): Association of hypomagnesemia and mortality in acutely illmedical patients. *Crit Care Med* 21 (2): 203- 9.

Rude KR.(1993): Magnesium metabolism and deficiency. *Endocrinol Metab Clin North Am* 22:377-95.

Rude RK. and Olerich M. (1996): Magnesium deficiency: Possible role in osteoporosis associated with gluten-sensitive enteropathy. *Osteoporos Int* 6:453-61.

Rude RK (1998): Magnesium deficiency: A cause of heterogeneous disease in humans. *J Bone Miner Res* 13:749-58.

Ryan MP(1993): Interrelationships of magnesium and potassium homeostasis. *Miner Electrolyte Metab*;19:290-295.



Reference

Ryzen E, Elbaum N, Singer FR. and Rude RK (1985): Parenteral magnesium tolerance testing in the evaluation of magnesium deficiency. *Magnesium*. 4:137-147.

Ryzen E, Wagers PW, Singer FR. And Rude RK (1985): Magnesium deficiency in a medical ICU population. *Crit Care Med* 13 (1): 19- 21.

Safavi M. and Honarmand A (2007): Admission hypomagnesemia-- impact on mortality or morbidity in critically ill patients. *Middle East J Anesthesiol* 19 (3): 645- 60.

Salem M, Munoz R. and Chernow B. (1991): Hypomagnesemia in critical illness. *Crit Care Clin* 7:225-252,

Sanders GT, Huijgen HJ. and Sanders R.(1999) : Magnesium in disease : A review with special emphasis on the serum ionized magnesium . *Clin Chem Lab Med*; 37 : 1011-1033 Abstract

Saris NE, Mervaala E, Karppanen H, Khawaja JA. And Lewenstam A. (2000): Magnesium: an update on physiological, clinical, and analytical aspects. *Clinica Chimica Acta* 294:1-26.

Satur CM (1997): Magnesium and cardiac surgery. *Ann R Coll Surg Engl*; 79 : 349-354 Abstract

Schlingmann KP, Sassen MC, Weber S, Pechmann U, Kusch K, Pelken L, et al (2005): Novel TRPM6 mutations in 21 families with primary hypomagnesemia and secondary hypocalcemia. *J Am Soc Nephrol*. Oct 16(10):3061-9.



Reference

- Schlingmann KP, Weber S, Peters M, Niemann Nejsum L, Vitzthum H, Klingel K, et al. (2002):** Hypomagnesemia with secondary hypocalcemia is caused by mutations in TRPM6, a new member of the TRPM gene family. *Nat Genet.* Jun 31(2):166-70.
- Schrag D, Chung KY, Flombaum C. and Saltz L (2005):** Cetuximab therapy and symptomatic hypomagnesemia. *J Natl Cancer Inst.* Aug 17 97(16):1221-4.
- Schulze MB, Schulz M, Heidemann C, Schienkiewitz A, Hoffmann K. and Boeing H (2007):** Fiber and magnesium intake and incidence of type 2 diabetes: a prospective study and meta-analysis. *Arch Intern Med.* May 14 167(9):956-65.
- Selberg, O. and Sel, S.(2001):** The adjunctive value of routine biochemistry in nutritional assessment of hospitalized patients. *Clin Nutr;* 20: 477-485.
- Shabajee N, Lamb EJ, Sturgess I. and Sumathipala RW(2008):** Omeprazole and refractory hypomagnesaemia. *BMJ.* Jul 10 337:a425.
- Shah GM. and Kirschenbaum M. (1991):** Renal magnesium wasting associated with therapeutic agents. *Miner Electrolyte Metab.* 17(1):58-64.
- Shalev H, Phillip M, Galil A, Carmi R. and Landau D (1998):** Clinical presentation and outcome in primary familial hypomagnesaemia. *Arch Dis Child.* Feb 78(2):127-30.
-



Reference

Shils ME. (1999): Magnesium. In *Modern Nutrition in Health and Disease*, 9th Edition. (edited by Shils, ME, Olson, JA, Shike, M, and Ross, AC.) New York: Lippincott Williams and Wilkins, p. 169-92.

Shils ME. (1990): Magnesium. In: Brown ML,ed. *Present Knowledge in Nutrition*, 6th ed. Washington, DC: International Life Sciences Institute Nutrition Foundation, 224-232

Singh SC, Singh J. and Parasad R. (2003): hypo and hypermagnesemia in Indian pediatric ICU J trop pediatric 49:99-103

Soliman HM, Mercan D, Lobo SS, Mélot C. and Vincent JL(2003):Development of ionized hypomagnesemia is associated with higher mortality rates. *Crit Care Med* 31 (4): 1082- 7.

Song Y, Sesso HD, Manson JE, Cook NR, Buring JE. And Liu S. (2006): Dietary magnesium intake and risk of incident hypertension among middle-aged and older US women in a 10-year follow-up study. *Am J Cardiol*. Dec 15 98(12):1616-21.

Starmark, J.E. and Stalh ammar, D. and Homgren, E. (1988): The Readition level scale (RLS5). Manual and guideline, Acta Neurobir (wien); 91: 12-20.

Stipanuk M (2000):Biochemical and Physiological Aspects of Human Nutrition. Saunders, Philadelphia, Pp 671-86.



Reference

Strømme JH, Steen-Johnsen J, Harnaes K, Hofstad F. and Brandtzaeg P. (1981): Familial hypomagnesemia--a follow-up examination of three patients after 9 to 12 years of treatment. *Pediatr Res.* Aug;15(8):1134-9.

Takahashi M, Degenkolb J. and Hillen W (1991): Determination of the equilibrium association constant between Tet repressor and tetracycline at limiting Mg^{2+} concentrations: a generally applicable method for effector-dependent high-affinity complexes. *Anal Biochem*;199:197-202.

Tang, NL . (2000): Magnesium in cardiovascular and other disorders. *Am J Health-Syst Pharm* , *Clinical Biochemistry* 2000;33:675-678.

Tatman, A.; Warren, A.; Williams, S.A.; Powell, J.E. and Whitehouse, W. (1997): Development of a modified pediatric coma scale in intensive care practice. *Arcb Dis Child*; 77: 519-21.

Thebault S, Alexander RT, Tiel Groenestege WM, Hoenderop JG. And Bindels R(2009): EGF increases TRPM6 activity and surface expression. *J Am Soc Nephrol.* Jan;20(1):78-85.

Tietz, NW (1995): Clinical guide to laboratory tests. 3rd ED, WB Saunders Co. Philadelphia,

Tiffany B, Berk W, Todd I, et al. (1993) :Magnesium bolus or infusion fails to improve expiratory flow in acute asthma exacerbations. *Chest* 104:831-834,



Reference

Toffaletti J (1995): Physiology and regulation: Ionized calcium, magnesium and lactate measurements in critical care settings. *Am J Clin Pathol* 104(suppl 1):588-594

Tong GM.and Rude RK(2005): Magnesium deficiency in critical illness. *J Intensive Care Med.* Jan-Feb 20(1):3-17. 39. Medline]

Vincent JL, de Mendonca A, Cantraine F, et al. (1998): Use of the SOFA score to assess the incidence of organ dysfunction/failure in intensive care units : Results of a multicentric; prospective, study . *Crit Care Med*; 26 : 1793-1800 Full Text

Vincent JL, Dubois MJ, Navickis RJ.and Wilkes MM(2003): Hypoalbuminemia in acute illness: is there a rationale for intervention? A meta-analysis of cohort studies and controlled trials. *Ann Sur* 237 (3): 319- 34.

Von Vigier RO , Truttmann AC , Zindler-Schmocker K , et al.(2000): Aminoglycosides and renal magnesium homeostasis in humans . *Nephrol Dial Transplant*; 15 : 822-826 Abstract

Vormann J.(2003): Magnesium: nutrition and metabolism. *Molecular Aspects of Medicine* 24:27-37.

Wagner CA. (2007): Disorders of renal magnesium handling explain renal magnesium transport. *J Nephrol.* Sep-Oct ;20(5):507-10.

Walder RY, Landau D, Meyer P, Shalev H, Tsoia M, Borochowitz Z, et al.(2002): Mutation of TRPM6 causes familial



Reference

hypomagnesemia with secondary hypocalcemia. *Nat Genet.* Jun 31(2):171-4.

Walker AF, Marakis G, Christie S. and Byng M. (2003). "Mg citrate found more bioavailable than other Mg preparations in a randomised, double-blind study" (free text on-line). *Magnes Res* 16 (3): 183–91

Wang P, Ba ZF, Morrison MH, et al. (1992):Mechanism of beneficial effects of ATP-MgCl₂ following trauma, hemorrhage and resuscitation :down-regulation of inflammatory cytokine release (TNF, IL-6). *J Surg Res* 52:364-71

Wang WH, Lu M. and Hebert SC (1996):Cytochrome P-450 metabolites mediate extracellular Ca(2+)-induced inhibition of apical K⁺ channels in the TAL. *Am J Physiol.* Jul)271(1 Pt 1):C103-11.

Weber S, Schneider L, Peters M, Misselwitz J, Rönnefarth G, Böswald M, et al. (2001): Novel paracellin-1 mutations in 25 families with familial hypomagnesemia with hypercalciuria and nephrocalcinosis. *J Am Soc Nephrol.* Sep 12(9):1872-81.

Wester PO. (1987):Magnesium. *Am J Clin Nutr* 45:1305-12.

Whang R. and Ryder KW(1990):Frequency of hypomagnesemia and hypermagnesemia. Requested vs routine. *JAMA.* Jun 13 263(22):3063-4.

Wilkes NJ, Mallett SV, Peachey T, Di Salvo C.and Walesby R(2002):Correction of ionized plasma magnesium during



Reference

cardiopulmonary bypass reduces the risk of postoperative cardiac arrhythmia. *Anesth Analg*. Oct 95(4):828-34, table of contents.

Xi Q, Hoenderop JG. and Bindels RJ(2009):Regulation of magnesium reabsorption in DCT. *Pflugers Arch*. May;458(1):89-98.

Xing JH and Soffer EE. (2001):Adverse effects of laxatives. *Dis Colon Rectum*;44:1201-9.

Zaloga GP. and Roberts PR(2000):Calcium, phosphorus and magnesium disorders. Ayres SM, Greuvik NA, Holbrook PR, et al. eds. Textbook of critical care 4th ed905-928 WB Saunders, Philadelphia.

Zivin Jr, Gooley T, Zager Ra, et al. (2001):Hypocalcemia: a pervasive metabolic abnormality in the critically ill. *Am J Kidney Dis*; 37:689-698,
