

References

Agrawal S, Agrawal AT and Agrawal AM : Anterior Keratoconus. In:
Dr Agrawal's Step by Step Corneal Topography. Jaypee
Brothers, New Delhi, 2005 ; 38-46.

Agrawal S, Agrawal A and Agrawal AT : Dr Agrawals' textbook on
corneal topography, 2006 ; 36.

Agrawal A: Refractive Surgery Nightmares: Conquering Refractive
Surgery Catastrophes. 2007 ; 136.

Agrawal VB: Corneal collagen cross-linking with riboflavin &
ultraviolet ray in Indian eyes. Indian J ophthalmol . 2009 ; 57:
111-4

Ahearne M: Non-destructive mechanical characteristics of
UVA/riboflavin crosslinked collagen hydrogels. Br J
Ophthalmol. 2008 ; 92:268-271.

Andrea L: The Cornea Clinical & Experimental Ophthalmology. 2005 ;
33:303-316.

Angunawela RI: Peripheral sterile corneal infiltrates and melting after
collagen crosslinking for keratoconus. J Refract Surg. 2009 ;
35:606-607.

Arthur C and Eugene Y: Simultaneous Surface Ablation and CXL.
cataract & refractive surgery today Europe .2009 ; 1:50.

Aylin K: Corneal Crosslinking for Different Corneal Diseases Cataract&
Refractive Surgery Today Europe 2009 ; 25-28.

Bartlett JD and Jaanus SD: Ectatic Disorders. Clinical ocular pharmacology. 2008 ; 2:492.

Binder PS, Rock ME, Schmidt KC, et al. :High-Voltage electron microscopy of normal cornea. Invest Ophthalmol Vis Sci.1991;32:2234.

Bonanno JA and Polse KA: Measurement of in vivo human corneal stromal pH: open and closed eyes. Invest Ophthalmol Vis Sci. 1987 ;28:522-30.

Bottos KM: Immunofluorescence confocal microscopy of porcine corneas following collagen cross-linking treatment with riboflavin and ultraviolet A. J Refract Surg. 2008 ; 24:S715-S719.

Braum E, Kanellopoulous JL and Jankov M:Riboflavin / UA – A induced cross-linking in the managment of Keratoconus . Invest Ophthalmol Vis Sci. 2005 ; 46:49-64.

Brians KA: Corneal Collagen Crosslinking with Riboflavin A new treatment to strengthen the cornea for keratoectasia and keratoconus. Cataract& Refractive Surgery Today. 2009; 1:73.

Bryant M, Campos FM, McDonnell PJ, et al.: Finite element analysis of corneal topographic change after excimer laser phototherapeutic keratectomy. Invest. Ophthalmol. Vis. Sci.1993; 23:804

Caporossi A, Baiocchi S, Mazzotta C and Traversi C: Parasurgical therapy for keratoconus by riboflavin ultraviolet type a rays induced cross-linking of corneal collagen: preliminary

refractive results in an Italian study. J Cataract Refract Surg. 2006 ; 32:837-45.

Caporossi A, Mazzotta C and Baiocchi S: Technological innovations in corneal cross-linking. Ophthalmology Times Europe. 2007 ; 3:34-37.

Caporossi A, Mazzotta C, Baiocchi S, Caporossi T: Long-term results of riboflavin ultraviolet a corneal collagen cross-linking for keratoconus in Italy: the Siena Eye Cross Study. Am J Ophthalmol 2010; 149:585–593.

Carroll H. Lumican regulates collagen fibril assembly: skin fragility and corneal opacity in the absence of lumican. J. Cell Biol. 1998;141, 1277- 1286.

Chakravarti S, Magnuson T, Lass JH, et al.: Hyperopic laser in situ keratomileusis: primary and secondary treatments are safe and effective. Cornea 2001; 20: 388-393.

Chan CK: Effect of inferior-segment Intacs with and without C3-R on keratoconus. J Cataract Refract Surg. 2007 ; 33:75-80.

Cho Ks, lee EH, Choi Js and Joo CK: Reactive oxygen species-induced apoptosis and necrosis in bovine corneal endothelial cells. Invest Ophthalmol Vis Sci. 1999 ; 40:911-919.

Chwa M, Atilano SR, Reddy V,et al.: Increased stress-induced generation of reactive oxygen species and apoptosis in human keratoconus fibroblasts. Invest Ophthalmol Vis Sci. 2006 ; 47:1902-10.

Corbett MC, Rosen ES and o'Brart DP: Keratoconus - corneal ectasia – diseases. In: corneal topography : principles and application. 1999 ; 9:119-126.

Coskunseven E, Jankov MR and Hafezi F: Contralateral eye study of corneal collagen cross-linking with riboflavin and UVA irradiation in patients with keratoconus. J Refract Surg. 2009 ; 25: 371-6.

Coskunseven E, Jankov MR, Hafezi F et al.:Effect of treatment sequence in combined intrastromal corneal rings and corneal collagen crosslinking for keratoconus.J Cataract Refract Surg. 2009 ; 35:2084-91.

David CP, Quan W, Richard EB et al.:Trokel. Initial Studies Using Aliphatic β -Nitro Alcohols for Therapeutic Corneal Cross-Linking, Invest Ophthalmol Vis Sci. 2009 ; 50: 1098–1105.

Deborah PL : Keratoconus Diagnosis.Manual of ocular diagnosis and therapy. 2007; 23:408.

Dupps Jr and Roberts C: Effect of acute biomechanical changes on corneal curvature after photokeratectomy. J. Refract. Surg. 2001;17:658-669.

Ertan A: Combined intrastromal corneal rings and corneal collagen crosslinking treatment. J cataract Refract Surg. 2009 ; 32:1202-1214.

Ertan A, and Colin J: Intracorneal rings for Keratoconus and keratectasia. J Cataract Refract Surg. 2007 ; 33: 1303-1314.

Fam HB, Lim Kl: Corneal elevation indices in normal and Keratoconic eyes – J cataract and Refract Surg. 2006 ; 32:1281-1287.

Feder RS :Intrastromal clefts in keratoconus patients with hydrops.Am J Ophthalmol.1997;126:9-16.

Feder RS: Noninflammatory Ectatic Disorders. In: CORNEA. Krachmer JH, Mannis MJ, Holland EJ (ed). 2nd Edition. Mosby, St.Louis. 2005 ; 955-966.

Frederick HR, Frederick WF, Frederick TF:Ectatic corneal disorders .Roy and Fraunfelder's current ocular therapy. 2008 ; 32:378-80.

Garg S: Intrastromal corneal ring for Keratoconus, ectasia. Innovative Techniques in Ophthalmology, 2006 ; 136.

George DK, Vasilios FD, Efekan C et al.,: Customized pachymetric guided epithelial debridement for corneal collagen cross linking.BMC Ophthalmol. 2009 ; 9:5.

Gilbert S, Charles SF, Dimitri TA: The cornea: scientific foundations and clinical practice, 2005 ; 30:895-1073.

Greenstein SA, Fry KL, Bhatt J, Hersh PS:Natural history of corneal haze after collagen crosslinking for keratoconus and corneal ectasia: Scheimpflug and biomicroscopic analysis. J Cataract Refract Surg 2010; 36:2105–2114.

Grewal SP, Sukhbir G, Rajeev G and Harsh K: Treatment for keratoconus, foresight. 2007 ; 7:3.

Grünauer K and Duncker GI:Keratoconus: epidemiology, risk factors and diagnosis .Br J Ophthalmol.2006 ;90:318-323.

Guirao A: Theoretical elastic response of the cornea to refractive surgery: risk factors for keratectasia. J. Refract. Surg .2005;21:176-185.

Hafezi F: Cross-Linking of Corneal Collagen with UVA and Riboflavin for the Treatment of Corneal Disease. Iranian Journal of Ophthalmology. 2009 ; 21:5.

Hafezi F: Collagen crosslinking with ultraviolet-A and hypoosmolar riboflavin solution in thin corneas. J Cataract Refract Surg. 2006 ; 35:621-624.

Hafezi F, Mrochen M, Iseli HP, Seiler T:Collagen crosslinking with ultraviolet-A and hypoosmolar riboflavin solution in thin corneas. J Cataract Refract Surg 2009; 35:621–624.

Harner CH, Mc Cary BE, Rao PR and Chow AA: In vivo evaluation of biomaterials for synthetic epikeratoplasty. Invest ophthalmol Vis Sci. 1996 ; 37:568.

Hayes S: Effect of complete epithelial debridement before riboflavin-ultraviolet-A corneal crosslinking therapy. J Cataract Refract Surg. 2008 ; 34:567-661.

Hersh PS, Greenstein SA, Kristen LF: Corneal topography indices after corneal collagen crosslinking for Keratoconus and corneal ectasia: one-year results. J Cataract Refract Surg. 2011 ; 37:1282-1290.

Hersh PS, Greenstein SA, Kristen LF: Corneal collagen crosslinking for keratoconus and corneal ectasia: one-year results. J Cataract Refract Surg. 2011 ; 37:149-160.

Holladay JT: Detection of form first keratoconus. Oculus Pentacam Ophthalmic Diagnostic Devices. 2008 ; 112-125.

Hubbe RE, Foulks GN: The effect of poor Fixation on computer-assisted topographic corneal analysis. Ophthalmology. 1994 ;101:1745-1748.

Ihanamaki T: Collagens and collagen-related matrix components in the human and mouse eye. Prog Retin Eye Res. 2005; 23:403-34.

Jaya Gupta : Perspective Corneal collagen cross-linking. Scientific Journal of Medical & Vision Research Foundations .2010;3:43-46.

Jaypee B: Step by step anterior and posterior lamellar keratoplasty. Vol.1 2nd edition. 2006; 2-87.

Jorge LA and Dimitri TA: Management of Complications in Refractive Surgery vol.1, 2nd edition. 2008 ; 91.

Juliati T: Corneal Collagen Cross-Linking for Keratoconus and Ectasia. Cataract & Refractive Surgery Today. 2009 ; 20.

Kanellopoulos JA and Binder PS: Collagen cross-linking (CCL) with sequential topography-guided PRK. Cornea; 2007 ; 26:891-5.

- Kanellopoulos JA** :Comparison of sequential vs same-day simultaneous collagen cross-linking and topography-guided PRK for treatment of keratoconus.J Refract Surg .2009;25:812-8.
- Kenney MC, Brown DJ, Rajeev B** : Abnormalities of the extracellular matrix in keratoconus corneas.Cornea.2000;26:10-3.
- Kirwan C**: Corneal hysteresis and corneal resistance factor in keratoectasia: findings using the Reichert ocular response analyzer. Ophthalmologica. 2008;222:334-7.
- Koch DD and Husain SE**:Keratoconus-corneal topography to detect and characterize corneal pathology. In: **Sanders DR and Martin RG (eds)**. Thorofare. 1995 ; 11164-167.
- Kohlhaas M**: Biomechanical evidence of the distribution of cross-links in corneas treated with riboflavin and ultraviolet A light. J Cataract Refract Surg. 2006 ; 32:279-83.
- Kohlhaas M**: Collagen-crosslinking with riboflavin and UVA-light in keratoconus. Ophthalmologe. 2008 ; 105:785-796.
- Koller T, Iseli HP, Hafezi F et al.,**: Scheimpflug imaging of corneas after collagen cross-linking. Cornea 2009; 28:510–515.
- Krachmer JH, Mannis MJ and Holland EJ**: Cornea. . St Louis: Mosby. 2nd Editon .1997;1:29-40.
- Krachmer JH, Mannis MJ and Edward J**: The cornea fundamental diagnosis and management. 2005 ; 1:974-7.

Leibowitz HM, Morello S: Keratoconus and noninflammatory thinning disorders. In: corneal disorders. Leibowitz HM Working Go (eds). 2nd Editon. 1998 ; 31:1172-1180.

Litwin KL, Moreira H, Ohadi C, et al.: Changes in corneal curvature at different excimer laser ablative depths. Am. J. Ophthalmol. 1991;111, 382-384.

Liu J, Roberts CJ: Influence of corneal biomechanical properties on intraocular pressure measurement: quantitative analysis. J Cataract Refract Surg. 2005; 31:146–155.

Lovisolo CF, Alessandro M and Fabio M: Combining INTACS implantation with other refractive and non-refractive procedures, J Emmetropia. 2010 ; 1: 148-163.

Lowther GE: Keratoconus-Patients with irregular astigmatism In : Clinical Refraction. Benjamin WJ (ed). Philodelphia. 1998 ; 31:1172-1180.

Luce DA: Determining in vivo biomechanical properties of the cornea with an ocular response analyzer. J Cataract refract Surg. 2005 ; 31:156-162.

Maeda N, Klyce SD, Smolek MK: Comparison of methaods for detecting keratoconus using video keratography. Arch ophthalmol. 1995 ; 113:870-874.

Maguire LJ: Keratometry, Photokeratoscopy, and computer- Assisted Topographic Analysis. In: Cornea.. 2005 ; 2:171-184.

Marco A, Barmak A and Mauro Z: Refractive Changes Following CXL
An evaluation of higher-order aberrations and corneal curvature
after crosslinking. *Cataract & Refractive Surgery Today Europe*.
2009 ; 1:33.

Mar PK, Roy P, Yin HL, et al. : Stress fiber formation is required for
matrix reorganization in a corneal myofibroblast cell line. *Exp.*
Eye Res. 2001;72: 455-466.

Maurice DM: The cornea and sclera. In: Davson, H. (Ed.), *The Eye*.
Academic Press, Orlando, FL. 1984; 1:158.

Mazzotta A: Treatment of progressive keratoconus by Riboflavin UVA-
induced cross linking of corneal collagen. *Cornea*. 2007 ; 26:
390-7.

Mazzotta C, Balestrazzi A, Traversi C et al.,: Treatment of progressive
keratoconus by riboflavin-UVA-induced cross-linking of
corneal collagen: ultrastructural analysis by Heidelberg Retinal
Tomograph II in vivo confocal microscopy in humans. *Cornea*;
26:390-7, 2007.

Mazzotta C, Traversi C, Baiocchi S et al., : Corneal healing after
riboflavin ultraviolet-A collagen cross-linking determined by
confocal laser scanning microscopy in vivo: early and late
modifications. *Am J Ophthalmol* 2008; 146:527–533.

Meek KM, Newton RH: Organization of collagen fibrils in the corneal
stroma in relation to mechanical properties and surgical practice *J.*
Refract. Surg. 1999;15,695-699.

Meek KM, Tuft SJ, Huang Y: Changes in collagen distribution in keratoconus corneas. Invest Ophthalmol Vis Sci. 2005; 46:1948.

Menucci R: Riboflavin and ultraviolet A collagen crosslinking: in vivo thermographic analysis of the corneal surface. J Cataract Refract Surg. 2007 ; 33:1005-1008.

Mirko R ,Jankov II, Vesna J et al., : Corneal collagen cross-linking, Cornea/Refractive update. 2010;17:21-27.

Millis EA : Keratoconus In: Medical contact lens practice. **Millis EA (ed).**1st ed. Philadelphia. 2005 ; 103-109.

Milton MH and Adrian SB: Manual of contact lens prescribing and fitting –1st ed. 2006 ; 503-508.

Noguera GE: Ocular response analyser uses to measure corneal biomechanics. Invest Ophthalmol Vis Sci. 2007 ; 48:1860.

Patrick C: Etiology, Diagnosis, and Management of Keratoconus: New Thoughts and New Understandings. : College of Optometry, Pacific University .2009 ; 35:151-167.

Pinelli R: C3- Riboflavin for treatment of Keratoconus: the goal is to stop the progression of the pathology. CRSTEuro, Jul 2006; 49-50.

Rabinowitz YS:Major Review of Keratoconus. Surv Ophthalmol, 1998 ; 42: 297-319.

Rabinowitz YS: Videokeratographic indices to aid in screening for Keratocinus. J Refract Surg. 1995 ; 11:371-379.

Rabinowitz YS, Rasheed K: KISA% index; A quantitative videokeratograph algorithm embodying minimal topographic Criteria for diagnosing Keratoconus. J Cataract Refract Surg.1999 ; 25:1327-1335.

Rachael LN, Divya P, Trevor S, and Charles N: Laser Scanning In Vivo Confocal Microscopy Reveals Reduced Innervation and Reduction in Cell Density in All Layers of the Keratoconic Cornea. Invest Ophthalmol& Vis Sci, 2008 ; 49:7-9.

Raiskup F, Hoyer A, Spoerl E: Permanent corneal haze after riboflavin-UVA-induced cross-linking in keratoconus. J Refract Surg 2009; 25: 824–828.

Reiter J: Is CXL an Alternative to Keratoplasty? CXL may postpone or prevent corneal transplantation in patients with progressive keratoconus or pellucid marginal degeneration. Cataract& Refractive Surgery Today Europe. 2009 ; 1:25.

Robecca T and Philippa M: Intrastromal corneal ring segments (ICRS) for keratoconus and corneal ectasia, 2007 ; 85-90.

Rocha KM. Comparative study of riboflavin-UVA cross-linking and “flash-linking” using surface wave elastometry. J Refract Surg. 2008 ; 24:748-751.

Roger FS .and David H: Anterior Segment Optical Coherence Tomography. J Refract Surg. 2008 ; 11:5.

Romppainen T: Effect of riboflavin-UVA-induced collagen crosslinking on intraocular pressure measurement. Invest Ophthalmol Vis Sci. 2007 ; 48:5494-5498.

Rosenfield M and Logan N: Optometry: Science, Techniques and Clinical Management, St Louis: Mosby. 2nd Edition . 2009 ; 401.

Saad A, Lteif Y, Azon E and Gatinel D: Biomechanical properties of Keratoconus Suspect eyes. Invest ophthalmol. Vis Sci. 2010 ; 6:2912-2916.

Sawaguchi S, Fukuchi T and Abe H: Three dimensional scanning electron microscopic study of Keratoconus corneas. Arch ophthalmol. 1998 ; 116:62-68.

Seiler T, Matallana M, Sendler S, et al. Does Bowman's layer determine the biomechanical properties of the cornea? Refract. Corneal Surg. 1992;8:139-142 .

Seiler T and Hafezi F: Corneal crosslinking-induced stromal demarcation line. Cornea, 2006 ; 25:1057-9.

Seiler T , Huhle S, Spoerl E and Kunath H :Manifest diabetes and Keratoconus: a retrospective case-control study .Graefes Arch Clin Exp Ophthalmol- 2000 ; 238:822-825.

Semchishen VA, Mrochen M, Seminogov VA: Light beam shaping and homogenization by irregular microlens for medical applications. Invest. Ophthalmol. 1998; 3251:28-33.

- Shah S, Laiquzzaman M, Rajan B:** Assessment of biomechanical properties of the cornea with (ORA) in normal and Keratoconic eyes. Invest. Ophthalmol. 2007 ; 7:3026-3031.
- Sharma AS:** Concise Textbook Of Ophthalmology, keratoconus ,vol 1,2nd edition .St Louis: Mosby. 2006 ; 108.
- Smolek MK and McCarey BE:** Interlamellar adhesive strength in human eye bank corneas. Invest. Ophthalmol. Vis. Sci.1990;31, 1087-1095.
- Smolek MK:** Interlamellar cohesive strength in the vertical meridian of human eye bank corneas. Invest. Ophthalmol. Vis. Sci.1993; 34, 2962-2969.
- Smolek MK, and Beekhuis WH:** Collagen fibril orientation in the human keratoconus. Invest Ophthalmol Vis Sic. 1997 ; 38:1289-90.
- Smolek MK, Klyce SD:** Current Keratoconus detection methods compared with a neural network approach. Invest Ophthalmol Vis Sci. 1997 ; 38:2290-2299.
- Spoerl E, Mrochen M, Sliney D et al.,:** Safety of UVA- Riboflavin Cross- Linking of the Cornea. Cornea, 2007 ; 26: 385-89.
- Stéphanie P, Bourget JM, Nicolas G et al.,:** Optimization of culture conditions for porcine corneal endothelial cells.Mol Vis. 2007 ; 13: 524–533.
- Suzanne CS, Brenda GB, Janice LH.:** Brunner and Suddarth's textbook of medical-surgical nursing ,1st edition.2009 ; 1776.

Theodore G. Primary care optometry, Theodore G (ed), 2nd edition. 2007 ; 534.

Thompson DP and William G: The ophthalmic Review: A record of Ophthalmic Science, 2008 ; 25:88.

Torsan S, Matthias G and Faik G: corneal Ectasia .Pocket Atlas of Ophthalmology –Torsan S, Matthias G (ed) . St Louis: Mosby .2006 ; 96.

Vinciguerra P, Albe E and Trazza S: Refractive, topographic, tomographic, and aberrometric analysis of keratoconic eyes undergoing corneal cross-linking. Ophthalmology. 2009 ; 116: 369-78.

Vinciguerra P, Camesasca FI, Albe E, Trazza S : Corneal collagen cross-linking for ectasia after excimer laser refractive surgery 1-year results. J Refract Surg 2010; 26:486–4.

Wang M: Corneal topography in the wavefront era: a guide for clinical application, Cornea. 2006 ; 2: 13-124.

Wang M and Schroeder TS: Irregular Astigmatism: Diagnosis and Treatment .Cornea. 2007 ; 44-53.

Weng Su and Lee WR: Ophthalmic pathology: an illustrated guide for clinicians, 2nd edition. 2005 ; 88.

- Wilson SE, Ambrsio R J and Klyce SD:** Corneal topographic and pachymetric screening of keratorefractive patients. *J Refract Surg.* 2003;19:24-9.
- Wollensak G, Spoerl E and Seiler T:** Riboflavin/ ultraviolet- A- induced of keratoconus. *Am J Ophthalmol.* 2003 ; 135:620-7.
- Wollensak G, Spoerl E, Wilsch M and Seiler T:** Endothelial cell damage treatment in the rabbit. *J Cataract Refract Surg.* 2003 ; 29:1786-90.
- Wollensak G:** Corneal endothelial cytotoxicity of riboflavin/UVA treatment in vitro. *Ophthalmic Res.* 2008 ; 35:324-8.
- Wollensak G, Iomdina E, Dittert DD et al.,:** Cross-linking of scleral collagen in the rabbit using riboflavin and UV-A. *Acta Ophthalmol Scand.* 2005 ; 83:477-482.
- Wollensak G:** Cross-linking treatment of progressive keratoconus: new hope. *Curr Opin Ophthalmol.* 2006 ; 17:356-360.
- Wollensak G:** Potential use of Riboflavin\UVA Cross-Linking in Bullous Keratopathy. *Ophthalmic research journal.* 2009 ; 2:41-49.
- Wollensak G and Iomdina E:** Biomechanical and histological changes after corneal crosslinking with and without epithelial debridement. *J Cataract Refract Surg.* 2009 ; 35:540-6.
- Wollensak G and Herbst H:** Significance of the Lacunar Hydration Pattern After Corneal Cross Linking. *Cornea.* 2010 ; 29:899-903.

Yanoff M and Duker Js: stromal corneal dystrophies and ectasia, Ocular pathology:an atlas and text book,volume 2,William H,Spencer(ed)MOSBY . 2009 ; 328.

Yanoff M and Duker JS. Ophthalmology, 3rd edition,vol II.Janey LW,David M,Dimitri TA(ed) ,MOSBY Elsevier Health Sciences.2008 ; 2:299.