

References

1. *Abdel Kader M, Tawfik A, Ezzat M, Nofal F & Nada W (2004)*: Early diagnosis of fungal keratitis. *Bull Ophthalmol Soc Egypt.*; 97(1): 223-8.
2. *Abramov VG & Markicheva NA (1983)*: Therapeutic lainellar keratoplasty with honey-preserved material. *Oftalmol. Zh.*, 38:81-3.
3. *Abuharfeil N, Al-Oran R & Abo-Shehada M (1999)*: The effect of bee honey on the proliferative activity of human B- and T-lymphocytes and the activity of phagocytes. *Food Agric. Immunol.*; 11: 169-77.
4. *Adeley IA & Opiah L (2003)*: Antimicrobial activity of extracts of local cough mixtures on upper respiratory tract bacterial pathogens. *West Indian Med J.*; 52(3): 188-90.
5. *Alexandrakis G, Alfonso EC & Miller D (2000)*: Shifting trends in bacterial keratitis in south Florida and emerging resistance to fluoroquinolones. *Ophthalmology*;107:1497-502
6. *Al-Hussani AK (1998)*: Mycotic keratitis. *Ophthalmol Update.*; 5: 7.
7. *Al-Hussani AK, El-Shanawany A, Daef CA & Abdel Latif MM (1997)*: Topical Clotrimazole versus topical micronazole in the treatment of experimental keratomycosis. *Bull Ophthalmol Soc Egypt.*; 90(5): 809-12.
8. *Ali AT, al-Swayeh OA, al-Humayyd MD, Mustafa AA, al-Rashed RS & al-Tuwaijiri AS (1997)*: Natural honey prevents ischaemia-reperfusion-induced gastric mucosal lesions and increased vascular permeability in rats. *Eur J Gastroenterol Hepatol.*; 9(11): 1101-7.
9. *Al-Jabri AA, Nzeako B, Al Mahrooqi Z, Al Naqdy A & Nsanze H (2003)*: In vitro antibacterial activity of Omani and African honey. *Br J Biomed Sci.*; 60(1):1-4.
10. *Allsop, KA & Miller JB, (1996)*: Honey revisited: a reappraisal of honey in pre-industrial diets. *Br J Nutr.*; 75: 513-20.
11. *Alvarez GM, Huidobro JF, Hermida M & Rodriguez-Otero JL, (2000)*: Major components of honey analysis by near-infrared transfectance spectroscopy. *J Agric Food Chem.*; 48(11): 5154-8.
12. *Al-Waili NS (2001)*: Therapeutic and prophylactic effects of crude honey on chronic seborrheic dermatitis and dandruff. *Eur J Med Res*; 6:306-8.
13. *Al-Waili NS (2003)*: Topical application of natural honey, bees wax and olive oil to treat patients with atopic dermatitis or psoriasis partially controlled. Single-blinded study. *Complement Ther Med*; 11:226-34.
14. *Al-Waili NS (2004a)*: Topical honey application vs. acyclovir for the treatment of recurrent herpes simplex lesions. *Med Sci Monit.*; 10(8):MT94-8.
15. *Al-Waili NS (2004b)*: Investigating the antimicrobial activity of natural honey and its effects on the pathogenic bacterial infections of surgical wounds and conjunctiva. *J Med Food.*;7(2):210-22.

16. *Al-Waili NS (2005)*: Investigating the antimicrobial activity of natural honey and its effects on the pathogenic bacterial infections of surgical wounds and conjunctiva. *J Med Food*; 7(2):210-22.
17. *Al-Waili NS & Boni NS (2003)*: Natural honey lowers plasma prostaglandin concentrations in normal individuals. *J Med Food*; 6(2):129-33.
18. *Al-Waili NS & Haq A (2004)*: Effect of honey on antibody production against thymus-dependent and thymus-independent antigens in primary and secondary immune responses. *J Med Food*; 7(4):491-4.
19. *American Academy of Ophthalmology (1996)* Basic and Clinical Science Course, Inflammation of the Cornea; Sec 8; 106-26.
20. *American Academy of Ophthalmology (2001)*: Basic and Clinical Science Course, External diseases and Cornea; Sec 8, Ch 7: 111-33.
21. *Aminu SR, Hassan AW & Babayo UD (2000)*: Another use of honey. *Trop Doct*; 30(4): 250-1.
22. *Andrew JL, Jonathan RK & Brain AP (1994)*: Fungal keratitis caused by *Scopulariopsis brevicaulis*, successful treatment with topical amphotericin B and chloramphenicol without the need of surgical debridement. *Br J Ophthalmol*; 78: 730.
23. *Ansorge S, Reinhold D & Lendeckel U (2003)*: Propolis and some of its constituents down-regulate DNA synthesis and inflammatory cytokine production but induce TGF-beta1 production of human immune cells. *Z Naturforsch*; 58(7-8): 580-9.
24. *Arora I, Kulshrestha OP & Ujjwai NS (1982)*: Corneal preservation in an indigenous medium-reconstituted honey. *Indian J. Ophthalmol*; 30:391-346.
25. *Athmanathan S, Bandlupally SR & Rao GN (2001)*: Corneal impression cytology directly on a sterile glass slide for the detection of viral antigens of HSV epithelial keratitis. *BMC Ophthalmol*; 1: 3-11.
26. *Aysan E, Ayar E, Aren A & Cifter C (2002)*: The role of intra-peritoneal honey administration in preventing post-operative peritoneal adhesions. *Eur J Obstet Gynecol Reprod Biol*; 104(2): 152-5.
27. *Bang LM, Buntting C, Molan P (2003)*: The effect of dilution on the rate of hydrogen peroxide production in honey and its implications for wound healing. *J Altern Complement Med*; 9(2): 267-73.
28. *Bayoumi MY, (1998)*: The role of honey in management of corneal edema and bullous keratopathy. *Bull. Ophtalmol. Soc. Egypt*; 91: 1097-100.
29. *Bhatia RS (2003)*: Effect of lemon-honey in lukewarm water on hyperacidity. *Assoc Physicians India*; 51: 1028-9.
30. *Bilsel Y, Bugra D, Yamaner S, Bulut T, Cevikbas U & Turkoglu U (2002)*: Could honey have a place in colitis therapy? Effects of honey, prednisolone, and disulfiram on inflammation, nitric oxide, and free radical formation. *Dig Surg*; 19(4): 306-12.
31. *Bourcier T, Thomas F, Burderie V, Chaumeil C & Laruche L (2003)*: Bacterial keratitis: predisposing factors, clinical, microbiological review of 300 cases. *Br J Ophthalmol*; 87: 834-8.
32. *Bourne IH (1991)*: Honey and healing of leg ulcers. *J.R. Soc. Med.*; 84:693-4.
33. *Buntting CM (2001)*: The production of hydrogen peroxide by honey and its relevance to wound healing. MSc thesis, University of Waikato, Hamilton, NZ.

34. *Burdon RH (1995):* Superoxide and hydrogen peroxide in relation to mammalian cell proliferation. *Free Radic. Biol. Med.*; 18(4): 775-94.
35. *Butler TK, Spencer NA, Chan CC, Gilhortha JS & McClellan K (2005):* Infective keratitis in older patients: a 4 years review, 1998-2002. *Br J Ophthalmol.*; 89: 591-6.
36. *Chung LY, Schmidt RJ, Andrews AM & Turner TD (1993):* A study of hydrogen peroxide generation by, and antioxidant activity of, Granuflex™ (DuoDERM™) Hydrocolloid Granules and some other hydrogel/hydrocolloid wound management materials. *Br. J. Dermatol.*; 129(2): 145-53.
37. *Cooper RA, Molan PC, Harding KG (1998):* Antibacterial activity of honey against strains of *Staphylococcus aureus* from infected wounds. *J R Soc. Med.*; 92(6): 283-5.
38. *Cooper RA, Molan PC & Harding KG (1999):* Antibacterial activity of honey against strains of *Staphylococcus aureus* from infected wounds. *J R Soc Med.*; 92(6): 283-5.
39. *Cooper RA, Halas E & Molan PC (2002a):* The efficacy of honey in inhibiting strains of *Pseudomonas aeruginosa* from infected burns. *J Burn Care Rehabil.*; 23(6): 366-70.
40. *Cooper RA, Molan PC, Harding KG (2002b):* The sensitivity to honey of Gram-positive cocci of clinical significance isolated from wounds. *J Appl Microbiol.*; 93(5): 857-63.
41. *Daniell M (2003):* Overview: Initial antimicrobial therapy for microbial keratitis. *Br J Ophthalmol.*; 87(9): 1172-4
42. *Dixon B (2003):* Bacteria can't resist honey. *Lancet Infect. Dis.*; 3:2.
43. *Dunford C, Cooper R, Molan PC & White R (2000):* The use of honey in wound management. *Nurs Stand.*; 15: 63-8.
44. *Efem SEE (1988):* Clinical observations on the wound healing properties of honey. *Br. J. Surg.* 75 679-681.
45. *Efem SEE (1993):* Recent advances in the management of Fournier's gangrene: Preliminary observations. *Surgery* 113 (2) 200-204.
46. *Egbekun MK, Akowe JI & Ede RJ (1996):* Physico-chemical and sensory properties of formulated syrup from black plum (*Vitex doniana*) fruit. *Plant Foods Hum Nutr.*; 49(4): 301-6.
47. *El-Dousoky SA, El-Shorbagy MS & El-Naggar A (1995):* Resistant corneal ulcers: Causes and management. *Bull Ophthalmol Soc Egypt.*; 88(5): 735-40.
48. *El-Gohary MA, El-Desoky E & El-Shorbagy MS (1999):* Clinical versus laboratory diagnosis of mycotic heratitis. *Bull Ophthalmol Soc Egypt.*; 92(6): 1121-3.
49. *El-Mishad AM (2002):* Manual of Practical Microbiology, 7th ed., Dar El-Kotob, Ciaro, Egypt.
50. *El-Mofty HM & El-Nabarawi MA (2002):* Clinical study for evaluation of a new ketoconazol gel used for treatment of fungal keratitis. *Bull Ophthalmol Soc Egypt.*; 95(1): 147-50.
51. *El-Rifai (1998):* Keratitis. In: *Textbook of Ophthalmology*, 2nd ed., Ch. 7.
52. *Emarah MH (1982):* Topical use of bee honey in the treatment of ocular diseases. *Bull. Ophthalmol. Soc. Egypt*; 75:199.
53. *Erie JC, Nevitt MP & Hodge DO (1993):* Incidence of ulcerative keratitis in a defined population from 1950 through 1988. *Arch Ophthalmol*; 111: 1665-71.

54. *French VM, Cooper RA & Molan PC (2005)*: The antibacterial activity of honey against coagulase-negative staphylococci. *J Antimicrob Chemother.*; 56: 228-31.
55. *de la Fuente E, Martinez-Castro I & Sanz J (2005)*: Characterization of Spanish unifloral honeys by solid phase microextraction and gas chromatography-mass spectrometry. *J Sep Sci.*; 28(9-10): 1093-100.
56. *Gamal MA, Maaly EA, El-Hady E & Hassan A (2000)*: Treatment of fungal keratitis by povidone-iodine. *Bull Ophthalmol Soc Egypt.*; 93(1): 143-6.
57. *Garg P, Gopinathan U, Choudhary K & Rao GN (2000)*: Keratomycosis, Clinical and Microbiological Experience With Dematiaceous Fungi. *Ophthalmology*, 107 (3): 576-80.
58. *Gawdat I (1999)*: Inflammation of the cornea. In: *Ophthalmology Text*, Al-Ahram Press, Cairo, Egypt; Ch VII.
59. *Georgesou MM (1976)*: Honey in atherosclerosis. *Proceeding of 2nd International Congress on Apitherapy*, Bucharest, Romania, P. 179.
60. *Gheldof N & Engeseth NJ (2002)*: Antioxidant capacity of honeys from various floral sources based on the determination of oxygen radical absorbance capacity and inhibition of in vitro lipoprotein oxidation in human serum samples. *J Agric Food Chem.*; 50(10): 3050-5.
61. *Gheldof N, Wang XH & Engeseth NJ (2002)*: Identification and quantification of antioxidant components of honeys from various floral sources. *J Agric Food Chem.*; 50(21): 5870-7.
62. *Ghosh S & Playford RJ (2003)*: Bioactive natural compounds for the treatment of gastrointestinal disorders. *Clin Sci (Lond)*; 104(6): 547-56.
63. *Goldstein MH, Kowalski RP & Gordon YJ (1999)*: Emerging fluoroquinolone resistance in bacterial keratitis: a 5-year review. *Ophthalmology* 1999;106:1313-18
64. *Gonzales CA, Srinivasan M, Whitcher JP & Smolin G (1996)*: Incidence of corneal ulceration in Madurai District, South India. *Ophthalmic Epidemiol*; 3:159-66.
65. *Gonzalez-Miret ML, Terrab A, Hernanz D, Fernandez-Recamales MA & Heredia FJ (2005)*: Multivariate correlation between color and mineral composition of honeys and by their botanical origin. *J Agric Food Chem.* 2005 Apr 6;53(7):2574-80.
66. *Gopinathan U, Ramakrishna T, Millox A, Rao CM, Balasubramaniam D, Kulkarni A, Vemuganti GK & Rao GN (2001)*: Enzymatic, clinical and histological evaluation of corneal tissues in experimental fungal keratitis in rabbits. *Experimental Eye Research.*; 72: 433-42.
67. *Gopinathan U, Garg P, Fernandes M, Shama S & Athmanathan S (2002)*: Epidemiological Features And Laboratory Results Of Fungal Keratitis A 10 Years Review At A Referral Eye Care Center In South India. *Cornea*; 21(6): 355-8.
68. *Graue E (1994)*: Epithelial herpes simplex keratitis. *Highlights Ophthalmol.*; 22: 1.
69. *Greenwood D (1993)*: Honey for superficial wounds and ulcers. *Lancet*, 391:90.
70. *Hagan M, Wright E, Newman M, Dolin P & Johnson G (1995)*: Causes of suppurative keratitis in Ghana. *Br J Ophthalmol*;79:1024-1028
71. *Hamzaoglu I, Saribeyoglu K, Durak H, Karahasanoglu T, Bayrak I, Altug T, Sirin F & Sariyar M (2001)*: Protective covering of surgical wounds with honey impedes tumor implantation. *Arch Surg.*;136(5):600-4.

72. *Henriques A, Jackson S, Cooper R & Burton N (2006)*: Free radical production and quenching in honeys with wound healing potential. *J Antimicrob Chemother.*; 58(4):773-7
73. *Iglesias MT, De Lorenzo C, Polo Mdel C, Martin-Alvarez PJ & Pueyo E (2004)*: Usefulness of Amino Acid Composition To Discriminate between Honeydew and Floral Honeys. Application to Honeys from a Small Geographic Area. *J Agric Food Chem.*; 52(1): 84-9.
74. *Jimenez MM, Fresno Contreras MJ, & Selles E (2002)*: Pharmacotechnical characterization and effectiveness testing of a proposed emulsion for the treatment of dry skin. *Boll Chim Farm.*; 141(5):333-42.
75. *Jeng BH & McLeod SD (2003)*: Microbial Keratitis. *Br J Ophthal.*; 87: 805-6.
76. *Kanski J (2003)*: Microbial Keratitis. In: *Clinical Ophthalmology*, Kanski J (ed), Ch 5: 102-13.
77. *Kathiresan K & Srinivasan K (2005)*: Making artificial honey using yeast cells from salivary glands of honey bees. *Indian J Exp Biol.*; 43(7): 664-6.
78. *Kelley JF, Downey G & Fouratier V, (2004)*: Initial Study of Honey Adulteration by Sugar Solutions Using Midinfrared (MIR) Spectroscopy and Chemometrics. *J Agric Food Chem.*; 52(1): 33-9.
79. *Koumaravelou K, Adithan C, Shashindran CH, Asad M & Abraham BK (2000)*: Effect of honey on carbamazepine kinetics in rabbits. *Indian J Exp Biol.* 2002 May; 40(5): 560-3.
80. *Kunimoto DY, Sharma S & Garg P (2000)*: Corneal ulceration in the elderly in Hyderabad, south India. *Br J Ophthalmol*; 84: 54-9.
81. *Lavingia B (1983)*: Honey dextran medlum in preservation of cornea. *Indian J. ophthalmol.*, 31: 671-3.
82. *Li Q, Ashraf MF, Bekoe NA, Stark WJ, Chan CC & O'Brien TP (2000)*: The role of apoptosis in the early corneal wound healing after excimer laser keratectomy in the rat. *Graefes Arch Clin Exp Ophthalmol.*; 238: 853-60.
83. *Liesegang TJ (1998)*: Bacterial keratitis. In: *The Cornea*, Kaufman H, Barron B & McDonald M (eds), 2nd ed., Butterworth-Heinemann, Boston; Vol 1: 159-218.
84. *Liusev VA & Zimin V (1983)*: Experimental rationale and trial of the therapeutic use of bee-raising products in cardiovascular diseases. *Kardiologiya*, 23:105-10.
85. *Lusby PE, Coombes AL, Wilkinson JM (2002)*: Honey: a potent agent for wound healing? *J Wound Ostomy Continence Nurs.*; 29(6):295-300.
86. *Lusby PE, Coombes AL, Wilkinson JM (2005)*: Bactericidal activity of different honeys against pathogenic bacteria. *Arch Med Res.*; 36(5):464-7.
87. *Lusby PE, Coombes AL & Wilkinson JM (2006)*: A comparison of wound healing following treatment with *Lavandula x allardii* honey or essential oil. *Phytother Res.*; 20(9): 755-7.
88. *Mahgoub AA, el-Medany AH, Hagar HH & Sabah DM (2002)*: Protective effect of natural honey against acetic acid-induced colitis in rats. *Trop Gastroenterol.*; 23(2): 82-7
89. *Mah-Sadorra JH, Yavuz SG, Najjar DM, Laibson PR, Rapuano CJ & Cohen EJ (2005)*: Trends in contact lens-related corneal ulcers. *Cornea*; 24(1):51-8.

90. *Maichuk IF, Orlovskaya LE & Andreev VP (1995)*: The use of ocular drug films of propolis in the sequelae of ophthalmic herpes. *Voen Med Zh.*;(12):36-9, 80.
91. *Malbran E, Boyd S & Alessandro L (2003)*: Current approach to fungal keratitis. *Highlights of Ophthalmology*; 33(5): 14-6.
92. *Malendov L (1967)*: Honey inhalation. In: "Sbornik IV". Nauch Internist, Vol. V. Sofia, Bulgaria, p. 180.
93. *Mansour AM (2002)*: Epithelial corneal oedema treated with honey. *Clin Experiment Ophthalmol.*; 30(2): 149-50.
94. *Mansour AM, Zein W, Haddad R & Khoury J (2004)*: Bullous keratopathy treated with honey. *Acta Ophthalmol. Scand.*; 82: 312-3.
95. *Mateo R & Bosch-Reig F (1998)*: Classification of Spanish Unifloral Honeys by Discriminant Analysis of Electrical Conductivity, Color, Water Content, Sugars, and pH. *J Agric Food Chem.*; 46(2):393-400.
96. *Mato II, Huidobro JF, Cendon VV, Muniategui S, Fernandez-Muino MA & Sancho MT (1998)*: Enzymatic Determination of Citric Acid in Honey by Using Polyvinylpyrrolidone Clarification. *J Agric Food Chem.*;46(1):141-144.
97. *McIntosh CD & Thomson CE (2006)*: Honey dressing versus paraffin tulle gras following toenail surgery. *J Wound Care*; 15(3):133-6.
98. *McLeod SD, DeBacker CM & Viana MA (1996)*: Differential care of corneal ulcers in the community based on apparent severity. *Ophthalmology*; 103(3):479-84.
99. *Molan PC (1992)*: The antibacterial activity of honey. 1. The nature of the antibacterial activity. *Bee World* 73 (1) 5-28.
100. *Molan PC (1999)*: The role of honey in the management of wounds. *J Wound Care*; 8: 415-8.
101. *Molan PC (2001)*: Why honey is effective as a medicine. 2. The scientific explanation of its effects. *Bee World*; 82(1): 22-40.
102. *Mounir A, Hamza I, Salah M & Rehan R (1996)*: Recent trends in the management of fungal keratitis. *Bull Ophthalmol Soc Egypt.*; 89: 809.
103. *Moustafa AM, (1993)*: Use of bee honey drops in treatment of corneal diseases. *Bull. Ophthalmol. Soc. Egypt*; 86: 541-3.
104. *Mozherenkov VP & Agafonov BV (1982)*: Use of bee honey in medicine. *Med. Sestra.*; 41: 51-3.
105. *Murphy G, Reynolds JJ, Bretz U & Baggiolini M (1982)*: Partial purification of collagenase and gelatinase from human polymorphonuclear leukocytes. *Biochem. J.*; 203: 209-21.
106. *Mutalik S (1991)*: The use of honey and sugar for the treatment of ulcers in leprosy. *Lepr. Rev.*; 62: 228.
107. *Myers D & Matheson NK (1994)*: Hexose-6-kinases in germinating honey locust cotyledons: substrate specificity of D-fructo-6-kinase. *Phytochemistry*; 37(4):957-69.
108. *Nalda MJ, Yague JL, Calva JC & Gomez MT (2005)*: Classifying honeys from the Soria Province of Spain via multivariate analysis. *Anal Bioanal Chem.*; 382(2): 311-9.
109. *Namias N (2003)*: Honey in the management of infections. *Surg Infect (Larchmt)*; 4(2):219-26.

110. *National Committee for Clinical Laboratory Standards (NCCLS, 1997)*: Methods of dilution of anti-microbial susceptibility tests for bacteria that grow aerobically. Approved standard M7-A2; 2nd ed., Wayne.
111. *Negueruela AI & Arquillue PC (2000)*: Color measurement of rosemary honey in the solid state by reflectance spectroscopy with black background. *J AOAC Int.*; 83(3): 669-74.
112. *Nersesian ON, Gladkii AV, Masterov GD, Bogatyreva EV & Golikova EV (1989)*: The treatment of patients with nonspecific inflammatory lung diseases under outpatient conditions. *Vrach Delo.*; (6):70-3
113. *Nozal MJ, Bernal JL, Toribio L, Alamo M, Diego JC & Tapia J (2005)*: The use of carbohydrate profiles and chemometrics in the characterization of natural honeys of identical geographical origin. *J Agric Food Chem.*; 53(8): 3095-100.
114. *Obara Y (1995)*: The oxidative stress in the cataract formation. *Nippon Ganka Gakkai Zasshi.*; 99(12): 1303-41.
115. *O'Day DM (1990)*: Ocular uptake of fluconazol following oral administration. *Arch Ophthalmol.*; 108: 1006.
116. *Okeniyi JA, Olubanjo OO, Ogunlesi TA & Oyelami OA (2005)*: Comparison of healing of incised abscess wounds with honey and EUSOL dressing. *J Altern Complement Med.*; 11(3): 511-3.
117. *Oksuz H, Duran N, Tamer C, Cetin M & Silici S (2005)*: Effect of propolis in the treatment of experimental *Staphylococcus aureus* keratitis in rabbits. *Ophthalmic Res.*; 37(6):328-34.
118. *Ormerod LD (1989)*: Causes and management of bacterial keratitis in the elderly. *Can J Ophthalmol.*; 24:112-16.
119. *Ormerod LD, Hertzmark E & Gomez DS (1987)*: Epidemiology of microbial keratitis in Southern California. A multivariate analysis. *Ophthalmology*; 94:1322-33.
120. *Ossanna PJ, Test ST, Matheson NR, Regiani S & Weiss SJ (1986)*: Oxidative regulation of neutrophil elastase- α 1-proteinase inhibitor interactions. *J. Clin. Invest.*; 77: 1939-51.
121. *Pang GF, Cao YZ, Fan CL, Zhang JJ, Li XM, Li ZY & Jia GQ (2003)*: Liquid chromatography-fluorescence detection for simultaneous analysis of sulfonamide residues in honey. *Anal Bioanal Chem.*; 376(4): 534-41.
122. *Peppin GJ & Weiss SJ (1986)*: Activation of the endogenous metalloproteinase, gelatinase, by triggered human neutrophils. *Proc. Nat. Acad. Sci. U.S.A.* 83 4322-4326.
123. *Pharmakakis NM, Andrikopoulos GK, Papadopoulos GE, Petropoulos IK, Kolonitsiou FI & Koliopoulos JX (2003)*: Does identification of the causal organism of corneal ulcers influence the outcome? *Eur J Ophthalmol.*; 13(1): 11-7.
124. *Podskochy A (2004)*: Protective role of corneal epithelium against ultraviolet radiation damage. *Acta Ophthalmol Scand.*; 82(6):714-7.
125. *Popek S (2003)*: Identification of honey types. *Nahrung.*; 47(1): 39-40.
126. *Popeskovic D & Blazeneic S (1983)*: Lipids in honey. *Proceeding of 29th International Congress of Apiculture, Bucharest, Romania*; Pp: 169.
127. *Reinhard T (2005)*: How to best treat adenoviral corneal opacities. *Cornea*; 24(3): 363-4.

128. *Rhee D & Pyfer M (1999)*: Infectious corneal infiltrate. In: Office and Emergency Room Diagnosis and Treatment of Eye Disease, 3rd ed.; Ch 4: 72-8.
129. *Rinaudo MT, Ponzetto C, Vidano, C & Marletto F (1973)*: The origin of honey amylase. *Camp. Biochem. Physiol.* 46:253-256.
130. *Ronald C & Carlson E (1971)*: Proteins in honey; Quoted from "Bee world and its products", Abbas M and Abou El-Naga A; New press House, Egypt; 212.
131. *Ryan GB & Majno G (1977)*: Inflammation. Upjohn, Kalamazoo, Michigan.
132. *Sanchez MP, Huidobro JF, Mato I, Muniategui S & Sancho MT (2001)*: Evolution of invertase activity in honey over two years. *J Agric Food Chem.*; 49(1):416-22.
133. *Sandusky P & Raftery D (2005)*: Use of selective TOCSY NMR experiments for quantifying minor components in complex mixtures: application to the metabonomics of amino acids in honey. *Anal Chem.*; 77(8):2455-63.
134. *Sanz ML, Polemis N, Morales V, Corzo N, Drakoularakou A, Gibson GR, Rastall RA (2005)*: In vitro investigation into the potential prebiotic activity of honey oligosaccharides. *J Agric Food Chem.*; 53(8): 2914-21.
135. *Schaefer F, Bruttin O, Zografos T & Guex-Croser V (2001)*: Bacterial keratitis: A prospective clinical and microbiological study. *Br J Ophthal.*; 85: 842-7.
136. *Schneider S, DeGrandi-Hoffman G & Smith DR (2004)*: The African Honey Bee: Factors Contributing to a Successful Biological Invasion. *Annu Rev Entomol.*; 49: 351-76.
137. *Sethi HS & Rai HK (2005)*: Bullous keratopathy treated with honey. *Acta Ophthalmol Scand.*;83(2):263-4
138. *Sharma S, Srinivasan M & George C (1993)*: The current status of Fusarium species in mycotic keratitis in south India. *Indian J Med Microbiol*; 11:140-7.
139. *Sharma V, Sharma S, Garg P & Rao GN (2004)*: Clinical resistance of Staphylococcus keratitis to ciprofloxacin monotherapy. *Indian J Ophthalmol.*; 52(4):287-92.
140. *Simon A, Sofka K, Wiszniewsky G, Blaser G, Bode U & Fleischhack G (2006)*: Wound care with antibacterial honey (Medihoney) in pediatric hematology-oncology. *Support Care Cancer.*; 14(1): 91-7.
141. *Siverio CD Jr & Whitcher JP (2002)*: Haemophilus influenzae corneal ulcer associated with atopic keratoconjunctivitis and herpes simplex keratitis. *Br J Ophthalmol.* ; 86(4):478-9.
142. *Srinivasan M, Gonzales CA & George C (1997)*: Epidemiology and aetiologic diagnosis of corneal ulceration in Madurai, south India. *Br J Ophthalmol.*; 81: 965-71.
143. *Stadelmeier M & Bergner KG (1986)*: Proteins of bee honey. Isoelectric focusing of amylase in various kinds of honey. *Z. Lebensm. Unters. Forsch.*, 182: 25-8.
144. *Starr MB (2004)*: How best to treat adenoviral corneal opacities?. *Cornea*; 23(3): 217-9.
145. *Staunton CJ, Halliday LC & Garcia KD (2005)*: The use of honey as a topical dressing to treat a large, devitalized wound in a stump-tail macaque (*Macaca arctoides*). *Contemp Top Lab Anim Sci.*; 44(4):43-5.
146. *Suarez-Luque S, Mato I, Huidobro JF & Simal-Lozano J (2005)*: Capillary zone electrophoresis method for the simultaneous determination of cations in honey. *J Chromatogr A.*; 1083(1-2): 193-8.

147. *Subrahmanyam M (1991)*: Topical application of honey in treatment of burns. *Br J Surg.*; 78(4): 497-8.
148. *Subrahmanyam M (1993 a)*: Storage of skin grafts in honey. *Lancet*, 341:63-64.
149. *Subrahmanyam M (1993 b)*: Honey impregnated gauze versus polyurethane film (OpSite) in the treatment of burns. A prospective randomized study. *Br. J. Plast. Surg.*, 40: 322.
150. *Sukriti GSK (2003)*: Influence of honey on the pharmacokinetics of phenytoin in healthy rabbits. *Methods Find Exp Clin Pharmacol.*; 25(5): 367-70.
151. *Swellam, T., Miyanaga N, Onozawa M, Hattori K, Kawari K, Shimazui T & Akaza H (2003)*: Antineoplastic Activity of Honey in an Experimental Bladder Cancer Implantation Model: in vivo and in vitro Studies. *Int. J. Urol.* 10(4): 213-219.
152. *Tabbara K & Hyndiuk R (1997)*: Infections of the Eye, 2nd ed.; Ch 22: 323-47.
153. *Taormina PJ, Niemira BA & Beuchat LR (2001)*: Inhibitory activity of honey against foodborne pathogens as influenced by the presence of hydrogen peroxide and level of antioxidant power. *Int J Food Microbiol.*; 69(3): 217-25.
154. *Tewari JC & Irudayaraj JM (2005)*: Floral classification of honey using mid-infrared spectroscopy and surface acoustic wave based z-Nose Sensor. *J Agric Food Chem.*; 53(18): 6955-66.
155. *Thomas PA (2003)*: Current prospectives on ophthalmic mycoses. *Clin Microbiol Res.*; 16: 780-97.
156. *Tonks A, Cooper RA, Price AJ, Molan PC & Jones KP (2001)*: Honey and monocyte modulation: a possible role in wound healing. *Cytokine*; 17(6): 532-6.
157. *Tonks AJ, Cooper RA, Jones KP, Blair S, Parton J & Tonks A (2003)*: Honey stimulates inflammatory cytokine production from monocytes. *Cytokine*. 2003 Mar 7; 21(5): 242-7.
158. *Tonnesen MG, Anderson DC, Springer TA, Knedler A, Avdi N, Henson PM (1988)*: Adherence of neutrophils to cultured human microvascular endothelial cells. Stimulation by chemotactic peptides and lipid mediators and dependence upon the Mac-1, LFA-1, p150,95 glycoprotein family. *J Clin Invest.*; 83(2): 637-46.
159. *Upadhyay MP, Karmacharya PC & Koirala S (2001)*: The Bhaktapur eye study: ocular trauma and antibiotic prophylaxis for the prevention of corneal ulceration in Nepal. *Br J Ophthalmol*; 85:388-92
160. *Vajpayee RB (1990)*: Ocular atopy and mycotic keratitis. *Ann Ophthalmol.*; 22: 369.
161. *Vemuganti GK, Reddy K, Iftexhar G, Garg P & Sharma S (2004)*: Keratocyte loss in corneal infection through apoptosis: a histologic study of 59 cases. *BMC Ophthalmol.*; 4(1): 16.
162. *Verma A (2004)*: Corneal abrasions. *eMedicine.com*
163. *Verzegnassi L, Royer D, Mottier P & Stadler RH (2003)*: Analysis of chloramphenicol in honeys of different geographical origin by liquid chromatography coupled to electrospray ionization tandem mass spectrometry. *Food Addit Contam.*; 20(4): 335-42.
164. *Vinas P, Balsalobre N, Lopez-Erroz C & Hernandez-Cordoba M (2004)*: Liquid chromatographic analysis of riboflavin vitamers in foods using fluorescence detection. *J Agric Food Chem.*; 52(7): 1789-94.