REFERENCES

- 1. Adkins Y and Lonnerdal B . Binding of transcobalamin Π by human mammary epithelial cells. Adv exp Med Biol 2001; 501:469-477.
- 2. Aghaji MN. Exclusive breastfeeding practice and associated factors in Enugu, Nigeria. West Afr J Med 2002; 21: 66-69.
- 3. Aidam BA, R Pe'rez-Escamilla, Lartey A and Aidam J . Factors associated with exclusive breastfeeding in Accra, Ghana: European Journal of Clinical Nutrition 2005; 59: 789–796.
- 4. Algra M H; De Jong, C.; Kikkert, H.K.; Fidler, V. The Groningen LCPUFA study: no effect of postnatal long-chain polyunsaturated fatty acids in healthy term infants on neurological condition at 9 years. Br. J. Nutr.2010, 2, 790-804
- 5. American Academy of Pediatrics. Breastfeeding and the use of human milk. Breastfeeding, Pediatrics. 2005: 115(2): 496-506.
- 6. Baker et al Maternal prepregnant body mass index, duration of breastfeeding, and timing of complementary food introduction are associated with infant weight gain. Am J Clin Nutr 2004;80:1579–88
- 7. Ballabio C et al. Immunoglobulin-A profile in breast milk from mothers delivering full term and preterm infants. Int J Immunopathol Pharmacol. 2007;20:119–28.
- 8. Berens PD. Prenatal, intrapartum, and postpartum support of the lactating mother. Pediatr Clin North Am. 2001;48(2):365-375.
- 9. Ben-Jonathan N, Hnasko R: Dopamine as a prolactin (PRL) inhibitor. Endocr Rev 200; 122:724

- 10.Bhavana S . Knowledge, Attitude and Practice of Breast Feeding A Case Study. European Journal of Scientific Research 2010;40(3): 404-422
- 11.Bosnjak, A.P. and Grgurić, J. Long-term health effects of breastfeeding Lijec Vjesn. 2007;129(8-9):293-8.
- 12.Bouwstra H et al. Long-chain polyunsaturated fatty acids and neurological developmental outcome at 18 months in healthy term infants. Acta Paediatr. 2005, 94, 26-32.
- 13.Brown J E, Isaacs J S, Krinke U B lactation, Nutrition through life cycle 2008;6:160-4
- 14.Bueno MB et al. Risks associated with the weaning process in children born at a university hospital in São Paulo, between 1998 and 1999: prospective cohort study of the first year of life. Cad Saúde Pública. Cad Saúde Pública. 2003; 19(5): 1456-60.
- 15. Chirico G. Development of the immune system in neonates. J Arab Neonatal Forum. 2005; 2:5–11.
- 16. Chudasama Rk., Patel P & Kavishwar A.: Breastfeeding initiation practice and factors affecting breastfeeding in South Gujarat region of India. The Internet Journal of Family Practice. 2009 7 (2)1528-8358
- 17. Chye J K, Lim C T. Breastfeeding at 6 Months and Effects on Infection. Singapore Med J 1998; 39(12): 551 – 556
- 18.Clemens JD, Stanton B, Stoll B, Shaid NS, Banu H, Chowdhury AM,.
 Breast feeding as a determinant of severity in Shigellosis: evidence for protection throughout the first three years of life in Bangladeshi children.
 Am J Epidemiol ;123: 710–720.

- 19.Colaizy T.T;. Morriss F.H . Positive Effect of NICU Admission on Breastfeeding of Preterm US Infants in 2000 to 2003 . J Perinatol. 2008;28(7):505-510
- 20.Dearden K et al. The impact of mother-to-mother support on optimal breast-feeding: a controlled community intervention trial in peri-urban Guatemala City, Guatemala :Am J Public Health 2002;12(3):193-201
- 21.Dee et al Associations Between Breastfeeding Practices and Young Children's Language and Motor Skill Development Pediatrics 2007;119(1)S92-S98
- 22.Dewey KG: Maternal and fetal stress are associated with impaired lactogenesis in humans. J of Nutrition. 2001: 131: 3012S-3015S.
- 23.Dewey KG, Nommsen-Rivers LA, Heinie MJ and Cohen RJ. Risk factors for suboptimal infant breastfeeding behavior, delayed onset of lactation, and excess neonatal weight loss. Pediatrics. 2003: 112(3); 607-19.
- 24.Domellof M et al. Iron supplementation of breast fed Honduran and Swedish infants from 4 to 9 months of age. J of Pediatrics. 2001: 138(5): 679-87
- 25.Donath S M, Amir L H. Does maternal obesity adversely affect breastfeeding initiation and duration? Journal of Paediatrics and Child Health. 2000; (36)5, 482–486
- 26.Doung DV et al .Breast-feeding initiation and exclusive breast-feeding in ruralVietnam, Public Health Nutrition 2004: 7(6), 795–799
- 27.Drew Keister et al: Strategies for Breastfeeding Success .American family physician. 2008;78(2) 225-32
- 28. Duijts et al. Prolonged and Exclusive Breastfeeding Reduces the Risk of Infectious Diseases in Infancy. Pediatrics 2010;126(1)e18-e25

- 29. Duijts L, Ramadhani MK, Moll HA: Breastfeeding protects against infectious diseases during infancy in industrialized countries. A systematic review. Matern Child Nutr. 2009;5(3):199-210
- 30.EDHS: Egypt Demographic and Health survey: Feeding practices and micronutrient supplementation . 2008; 165-69
- 31.Ertem IO, Votto N, and Leventhal JM. The timing and predictors of the early termination of breastfeeding. Pediatrics. 2001: 107(3): 543-548
- 32. Field, C.J.: The immunological components of human milk and their effect on immune development in infants. J Nutrition 2005;135:1-4.
- 33. Forbes GB, Adams-Curtis LE, Hamm NR, White KB. Perceptions of the woman who breastfeeds: the role of erotophobia, sexism, and attitudinal variables. Sex Roles: A Journal of Research 2003; 49: 379-388.
- 34. Folayan MO, Oziegbe EO, Esan AO. Breastfeeding, timing and number of erupted teeth in first twelve months of life in Nigerian children Eur Arch Paediatr Dent. 2010;11(6):279-82
- 35. Freeman ME, Kanyicska B, Lerant A, Nagy G: Prolactin: structure, function, and regulation of secretion. Physiol Rev 2000; 80:1523.
- 36.Gartner LM, Morton J, Lawrence RA, et al.: Breastfeeding and the use of human milk. Pediatrics. 2005; 115(2): 496–506
- 37.Gasparoni A et al. immunoproliferative T lymphocyte response and natural killer cell activity in newborns, children and adults. Biol Neonate 2003; 84:297–303
- **38**.Geoff D, G David Batty, Ian J Deary. Effect of breast feeding on intelligence in children: BMJ.2006; 4:1-6
- 39. Gigante DP, Victora CG, Barros FC. Maternal nutrition and duration of breastfeeding in a birth cohort in Pelotas, Brazil. Public Health. 2000; 34(3):259-65

- 40.Gimpl G, Fahrenholz F:The oxytocin receptor system: structure, function, and regulation. Physiol Rev 2001; 81:629
- 41. Giovanni M, Banderali G, Agostoni C, Riva E. Epidemiology of breast feeding in Italy. Adv Exp Med Biol 2001;501:529-33
- 42..Giugliani ERG. Common problems during lactation and their management J Pediatr (Rio J). 2004;80:S147-S154
- 43.Goffin V, Binart N, Touraine P, Kelly PA: Prolactin: the new biology of an old hormone. Annu Rev Physiol. 2002; 64:47
- 44. Guendelman's et al. Pediatrics. Juggling Work and Breastfeeding: Effects of Maternity Leave and Occupational Characteristics. 2009;123;e38-e46
- 45.Guise JM et al . for the U.S. Preventive Services Task Force. The effectiveness of primary care-based interventions to promote breastfeeding: systematic evidence review and meta-analysis for the US Preventive Services Task Force. Ann Fam Med. 2003;1(2):70-78.
- 46.Gustafsson,et al HAMLET kills tumor cells by apoptosis: structure, cellular mechanisms, and therapy. J. Nutr. 2005; 135: 1299–1303
- 47. Hamosh M. Bioactive factors in human milk. Pediatr Clin North Am. 2001;48:69–86.
- 48.Hawkes JS, Gibson RA, Roberton D, Makrides M. Effect of dietary nucleotide supplementation on growth and immune function in term infants: a randomized controlled trial. Eur J Clin Nutr. 2006;60:254–64.
- 49.Hediger ML., Overpeck MD., Kuczmarski RJ., Ruan WJ: Association Between Infant Breastfeeding and Overweight in Young Children ,JAMA, 2001;285(19): 2453-60
- 50.Horta BL, Victora CG, Gigante DP et al Breastfeeding duration in two generations 2007; Rev Saúde Pública.;41(1): 1-4

- 51. Iliyasu Z, Kabir M, Abuabakar IS, Galadanci NA. Current knowledge and practice of exclusive breastfeeding among mothers in Gwale Local Government Area of Kano State. Nig Med Pract 2005; 48: 50-55.
- 52.Isaacs C. E. Human milk inactivates pathogens individually, additively, and synergistically. J. Nutr. 2005; 135: 1286–88.
- 53.Jain A, Concato J, Leventhal JM. How good is the evidence linking breastfeeding and intelligence? Pediatrics 2002;109:1044-53.
- 54.Jeppesen DL, Hasselbalch H, Lisse IM, Ersboll AK, Engelmann MD.

 T-lymphocyte subsets, thymic size and breastfeeding in infancy. Pediatr

 Allergy Immunol. 2004;15:127–32.
- 55.Kent G: Child feeding and human rights. Int Breastfeed J. (2006); 1:27
- 56. Kiełbratowska B,. Ćwiek D,. Preis K,. Malinowski W, Hofman. A. Breastfeeding of twins. Archives of Perinatal Medicine 201016(4), 201-205
- 57.Kimbro RT. On-the-job moms: work and breastfeeding initiation and duration for a sample of low-income women. Matern Child Health J. 2006;10(1):19–26
- 58.Kramer MS et al .Breastfeeding and infant growth: biology or bias? Pediatrics. 2002; 110(1):343-7
- 59.Kreiter SR, Schwartz RP, Kerkman HN, Charlton PA, Calikoglu AS, and Davenport ML. Nutritional Rickets in African-American breast-fed infants. J. of Peds. 2000: 137(2) 153-157.
- 60.Kumar A, Kumar R, Basu S, Dash D and Saran Singh J. Cord Blood and breast milk iron status in maternal anemia. Pediatrics. 2008: 121(3); 673-77.

- 61.Landrigan PJ, Sonawane B, Mattison D, Mc-Cally M, and Garg A: Chemical contaminants in breast milk and their impacts on children's health 2006: an overview. Environ Health Perspect.; 110(6): 313–15
- 62.Lauritzen, L.; Hansen, H.S.; Jørgensen, M.H.; Michaelsen, K.F. The essentiality of long chain n-3fatty acids in relation to development and function of the brain and retina. Progr. Lipid Res. 2001,40, 1-94.
- 63.Lawrence RA and Lawrence RM. Breastfeeding, A Guide for the Medical Profession. 2005; 105-70
- 64.Lewis DB, Wilson CB. Developmental immunology and role of host defenses in fetal and neonatal susceptibility to infection. Infectious diseases of the fetus and newborn infant, Remington JS 2006; 87–210.
- 65.Li R, Rock VJ, and Grummer SL. Changes in public attitudes toward breastfeeding in the United States, 1999-2003. J. of the American Dietetic Association. 2007: 107(1); 122-127.
- 66.Maheshwari A et al. Effects of interleukin-8 on the developing human intestine. Cytokine. 2002;20:256–67.
- 67. Mahgoub SEO, Bandeke T, Nneypi M. Breastfeeding in Botswana: Practices, attitudes, patterns, and the socio-cultural factors affecting them. J Trop Pediatr 2002; 48: 195-199.
- 68.Mahmud M et al. impact of breast-feeding on giardia lamblia infections in Bilbeis, Egypt am. j. trop. med. hyg., 2001;65(3) 257–26
- 69.Marquis GS, Penny ME, Zimmer JP, Diaz, JM. An overlap of breastfeeding during late pregnancy is associated with subsequent changes in colostrums composition and morbidity rates among Peruvian infants and their mothers. J Nutr 2003; 133: 2585-2591

- 70.Mastorakos G, Ilias I: Maternal and fetal hypothalamic pituitary- adrenal axes during pregnancy and postpartum. Ann N Y Acad Sci 2003; 997:1036
- 71. Morrow, A. L., Ruiz-Palacios, G. M., Jiang, X. & Newburg, D. S. Human-milk glycans that inhibit pathogen binding protect breast-feeding infants against infectious diarrhea. J. Nutr 2005; 135: 1304–7.
- 72.Murray D, Ryan F, Keane E. Who's holding the baby? –women's experience of their postnatal care. Ir Med J 2000;93:148-50.
- 73.Newburg D. S . Innate Immunity and Human Milk J. Nutr. 2005; 135: 1308–12
- 74.Newton KN .Factors affecting exclusivity among Latina women giving birth in an inner-city, US Baby Friendly hospital ,J Hum Lact February 2009 25: 28-33
- 75.Ogbonna C, Okolo AA, Ezeogu A. Factors influencing exclusive breastfeeding in Jos, Plateau State, Nigeria. West Afr J Med 2000; 19: 107-110.
- 76.Ogra PL, Rassin DK, Garofalo RP. Human milk. . Infectious diseases of the fetus and newborn infant, Remington JS 2006; 6:211–243.
- 77.Oliveira L S, Giugliani E R, Cordova L. Factors Associated with Low Incidence of Exclusive Breastfeeding for the First 6 Months. BIRTH 2007;34(3): 212-219
- 78.Otaigbe BE, Alikor EAD, Nkanginieme KEO.Growth pattern of exclusively breastfed infants.Nig J Med 2005; 14: 137-145.
- 79.Ooylan LM, Hart S. Porter KB and Driskell JA (2002): Vitamin B-6 content of breast milk and neonatal behavioural functioning. J Am Diet Assoc. 102: 1433-1438

- 80.Pandit N., Yeshwanth M., Albuquerque Ida. Factors Influencing Initiation of Breastfeeding in an Urban Set Up. 1994; Indian pediatrics 31, 1558-60
- 81.Pe'rez-Escamilla R et al. Exclusive breast-feeding duration is associated with attitudinal, socioeconomic and biocultural determinants in three Latin American countries. J. Nutr. 1995; 125, 2972–84
- 82.Phadke S. M et al Antimicrobial peptides in mucosal secretions: the importance of local secretions in mitigating infection. J. Nutr. 2005; 135: 1289–93
- 83.Picciano, M.F.: Nutrient composition of human milk. Pediatr Clin North Am. 2001;48:53–67.
- 84.Ramsay DT, Kent JC, Hartmann RA, Hartmann PE: Anatomy of the lactating human breast redefined with ultrasound imaging. J Anat. 2005; 206(6):525-34.
- 85.Reynolds A: Breastfeeding and brain development. Pediatr Clin North. 2008; 48: 159-71
- 86.Riordan J. anatomical and biological imperatives ,Breastfeeding and human lactation 2005;4: 98-136
- 87.Rowe-Murray HJ, Fisher JR. Baby friendly hospital practices: cesarean section is a persistent barrier to early initiation of breastfeeding. Birth 2002; 29(2): 124–31.
- 88. Sacker et al. Breastfeeding and Developmental Delay: Findings From the Millennium Co hort Study 2005 Pediatrics 2006;118 (3) e682-690
- 89. Salminen S. J., Gueimonde, M. & Isolauri, E. Probiotics that modify disease risk. J. Nutr. 2005;135: 1294–98.
- 90.Scott JA, Binns CW, Oddy WH, Graham KI. Predictors of breastfeeding duration: evidence from a cohort study. Pediatrics. 2006;117(4).

- 91.Scott JA, Landers MCG, Hughes RM & Binns CW .Factors associated with breastfeeding at discharge and duration of breastfeeding. J. Paediatr. Child Health2001; 37, 254–261.
- 92. Shankar N. Maternal and Neonatal Factors Adversely Affecting Breastfeeding in the Perinatal Period, MJAFI 2005; 61: 216-219
- 93. Snijders et al Breastfeeding and Infant Eczema in the First Year of Life in the KOALA Birth Cohort Study: A Risk Period–Specific Analysis Pediatrics 2007;119(1)e137-e141
- 94. Sparks P J. Rural-Urban Differences in Breastfeeding Initiation in the United States, J Hum Lact, 2010;26: 359-361
- 95. Stepans, M. B et al. Early consumption of human milk oligosaccharides is inversely related to subsequent risk of respiratory and enteric disease in infants. Breastfeed. Med 2006; 1:207–15.
- 96.Strewler GJ. The Physiology of Parathyroid hormone-related protein. NEJM. 2000: 342(3):177-85.
- 97. Tawfeek HJ, Muhyaddin OM, al- Sanwi Hl and al Baety N (2002): Effect of maternal dietary vitamin C intake on the level of vitamin C in breast milk among nursing mothers in Baghdad Iraq. Food Nutr Bull 23: 244-247
- 98. Teixeira ML et al. Breastfeeding and hemoglobin in infants. Jornal de Pediatria 2010; 86(1) 65-72
- 99. Torres MAA et al. Anemia in exclusively breastfed infants . Jornal de Pediatria Vol. 82(4) 2006; 284-8
- 100. Uchendu U O: Factors associated with exclusive breastfeeding among mothers seen at the University of Nigeria Teaching Hospital, SAJCH 2009;.(3) 14-9

- 101. Venn B, Green TJ, Moser R, McKenzie JE, Skeaff CM and Mann J(2002): Increases in blood folate indices are similar in women of childbearing age supplemented with { 6S } -5- methyltetrahydrofolate and folic acid . J Nutr. 132:3353-3355
- 102. Vieira GO, Almeida JAG, Silva LR, Cabral VA, Netto PVS. Factors associated with breastfeeding and weaning in Feira de Santana, Bahia. Rev Bras Saúde Mater Infant. 2004; 4(2):143-50.
- 103. Vogel AM. Intended plans for breastfeeding duration: a simple tool to predict breastfeeding outcome. Acta Paediatr. 2003; 92(3):270-1.
- 104. Von Kries R, Koletzko B, Saurwald T, Von Mutius E, Barnert D, Grunert V and Von Voss H: breastfeeding and obesity: cross sectional study. BMJ 2003;317:147-150.
- 105. Ward M. et al. Infant feeding: Factors affecting initiation, exclusivity and duration. Irish medical journal 2004; 97(7) 197-199
- 106. Wang JS, Zhu QR, Wang XH. Breastfeeding does not pose any additional risk of immunoprophylaxis failure on infants of HBV carrier mothers. Int J Clin Pract. 2003;57(2):100-102.
- 107. Wendy H. et al. Pediatric and prenatal epidemiology2003:17; 81–90
- 108. Whaley SE, Meehan K, Lange L, Slusser W & Jenks E. Predictors of breastfeeding duration for employees of the Special Supplementatal Nutrition Program for Women, Infants, and Children (WIC). J. Am. Diet. Assoc. 2002;102, 1290–1293.