

## References

- **Aguilar PS, Plasencia G, Hardy TG, et al (1985):** Mucosal advancement in the treatment of anal fistula. *Dis Colon Rectum*; 28(7): 496-498.
- **Algra PR. (1991):** Gadopentate dimeglumine-enhanced MR imaging of spinal dermal sinus tract. *AJNR*; 12:1025–1026.
- **Arbiston E, Grasso M, Diegloli M, et al (1992):** Histopathologic and molecular profile of human cytomegalovirus infections. *Am J Clin Pathol.*, 98: 250-13.
- **Baily AS and Synder EM (2001):** Ambulatory anorectal surgery. In *basic science and clinical evidence 3<sup>rd</sup> edition*. Edited by David C Sasbiston, springer verlage. New York, 33:728-733.
- **Barranger E, Haddad B and Panial BJ (2000):** Fistula in ano as rare complication of mediolateral episiotomy report of three cases. *Am J Obstet Gynecol.*, 182 (3): 733-4.
- **Bitar R, Leung G, Perng R, et al (2006):** MR Pulse Sequences: What Every Radiologist Wants to Know but Is Afraid to Ask. *Radio Graphics*; 26: 513–537.
- **Block EG and Moasa AR (1997):** Surgical anatomy of the colon and rectum in operative colorectal surgery 10<sup>th</sup> edition. Edited by Ellen E Mack WB Saunders Company 2:23.
- **Brant WE. (1999):** Diagnostic imaging methods. In: Brant WE, Helms CA, eds. *Fundamentals of diagnostic radiology*. 2<sup>nd</sup> ed. Philadelphia, Pa: Lippincott Williams & Wilkins; 9–21.

- **Buchanan G, Halligan S, Bartram CI, et al. (2002):** Effect of MRI on clinical outcome of recurrent fistula in ano. *Lancet*; 360 (9346): 1661-1662.
- **Buchanan GN, Bartram CI and Phillips RK (2003):** Efficacy of sealant in the management of complex anal fistula, a prospective trial. *Dis Colon Rectum.*, 46:1167-74.
- **Bushberg JT, Seibert JA, Leidholdt EM, et al (2002):** Nuclear magnetic resonance. In: *The essential physics of medical imaging*. 2<sup>nd</sup> ed. Philadelphia, Pa:Lippincott Williams & Wilkins; 373–413.
- **Champagne BJ, O'Connor LM, Ferguson M, et al (2006):** Efficacy of anal fistula plug in closure of cryptoglandular fistulas; long-term follow-up. *Dis Colon Rectum*; 49(12): 1817-1821.
- **Christine M, Hobbs M A, Lowrey S et al (2001):** Anal gland carcinoma in cancer edited by World E. Carlson McGraw Hill Companies, 92:2045-9.
- **De Souza S, De Reuck M and Phillips N (1998):** Anorectal localization of chronic inflammatory disease of the intestine *Rev Med Brux* 16 (4): 274-7.
- **Devin CJ, Jordon PH and Schlossberg SM (1992):** Surgery of the penis and urethra in *Campbell's urology*, edited by Patrier KC Walsh WB Saunders Company Philadelphia, 6<sup>th</sup> edition, 6:83-2957.

- **Eisenhammer S (2003):** New approach on the anorectal fistulous abscess based on the high intermuscular lesion. *Surg Gynecol Obstet*; 106: 595-9.
- **Ergen FB, Arslan EB, Kerimoglu U, Akata D. (2007):** Magnetic resonance fistulography for the demonstration of anovaginal fistula: an alternative imaging technique? *J Comput Assist Tomogr*; 31: 243–246.
- **Farthing MJG (1993):** Tropical colporectology in: surgery of anus rectum and colon 1<sup>st</sup> edition, edited by Keighley MRB and William NS, WB sounders Philadelphia, 68:2223.
- **Fazio V (2001):** Complex anal fistulae. *Gastroenterology clinic North Am.* 16:93-114.
- **Federle P, Rosado-de-Christesnon L, Woodward et al (2006):** Anatomy of the pelvis in: diagnostic and surgical imaging anatomy 1<sup>st</sup> edition, printed by Amirsys, 3:37.
- **Finger C and Phillips MI (2001):** Pathology of anal glands with special reference to their mucin in *Colorectal Surgery* 2<sup>nd</sup> edition; W.B. Saunders Company; 300- 303.
- **Fischer (2001):** Anorectal disorder in mastery of surgery 4<sup>th</sup> edition by Lippincott Williams and Wilkins, 1642-1643.
- **Fleshman, Elisa H and Birnabaum (2005):** Colon rectum and anus in Seymour I shwart G Tom Shires, Frank C spencer , John M Daly, Jorsec E, Fiher Aubrey C Gallway *Principles of Surgery*, 78 edition Mc Grow Hill pp. 1266-1381.

- **Garcia-Aguilar J, Belmonte C, Wong WD, et al (1996):** Anal fistula surgery. Factors associated with recurrence and incontinence. *Dis Colon Rectum*; 39(7): 723-729.
- **Goldberg SM, Gordon PH and Nivatongs S (1999):** Anatomy essentials of anorectal surgery. 4<sup>th</sup> ed., Philadelphia, J.U.P., Lippincott, 14: 45-87.
- **Goligher JC (1989):** Surgery of the anus, rectum and colon, 5<sup>th</sup> edition. Edited by David W. Knuston, Bailliere, Tindall, London, pp. 1354-1401.
- **Gordon PH (1992):** Anorectal physiology in: principles and practice of surgery for colon, rectum and anus, anorectal disorders, edited by Ming JL, 3<sup>rd</sup> edition Quality Medical Publishing INC 23:204-240.
- **Gordon PH and Nivatongs S. (1999):** Principles and practice of surgery for the colon, rectum, and anus (2nd Ed). Quality Medical Pub.: St. Louis, Mo.; xxxi, 1455 p.
- **Graf W, Pahlman L, Ejerblad S. (1995)** Functional results after seton treatment of high transsphincteric anal fistulas. *Eur J Surg*; 161(4): 289-291.
- **Gray's H (2000):** Gray's anatomy of the Human Body, (20<sup>th</sup> ed) Philadelphia: Lea and Febiger, 1918; Bartleby.
- **Guillamin E, Jefiry RB, Shea WJ et al, (1986):** Perirectal inflammatory disease: CT findings. *Radiology*; 161:153-7.

- **Haggett PJ, Moore NM, Shearman JD, et al, (1995):** Pelvic and perianal complications of Crohn's disease: assessment using magnetic resonance imaging. *Gut*; 36:407-410.
- **Halligan S and Stoker J. (2006):** Imaging of fistula in ano. *radiology*; 239: 18-33.
- **Halligan S, Bartram CI. (1998):** MR imaging of fistula in ano; are endoanal coils the gold standard? *AJR Am J Roentgenol*; 171:407-412.
- **Hendee WR & Ritenour ER (2002):** Fundamentals of magnetic resonance. In: *Medical imaging physics*. 4<sup>th</sup> ed. New York, NY: Wiley-Liss; 355–365.
- **Hori M, Oto A, Orrin S, Suzuki K, Baron RL. (2009):** Diffusion-weighted MRI: a new tool for the diagnosis of fistula in ano. *J Magn Reson Imaging*; 30:1021–1026.
- **Houston J. (1999):** The rectum and anal canal. *Last's anatomy, regional and applied*, 19<sup>th</sup> ed., Churchill Livingstone, p. 285-287.
- **Hussain SM, Stoker J, Schouten WR, et al, (1996):** Endoanal sonography versus endoanal MR imaging in classification. *Radiology*; 2000:475-481.
- **Johnson EK, Gaw JU, Armstrong DN. (2006):** Efficacy of anal fistula plug vs. fibrin glue in closure of anorectal fistulas. *Dis Colon Rectum*; 49(3): 371-376.
- **Jun SH, Choi GS. (1999):** Anocutaneous advancement flap closure of high anal fistulas. *Br J Surg*; 86(4): 490-492.

- **Keighley and Williams NS, (1999):** The anus and anal canal in surgery of the anus, rectum and colon, 2<sup>nd</sup> edition, W.B. Saunders, London, 12: 355-380.
- **Kuijpers JHC and Schulpen TK (1991):** role of fistulography in diagnosis of anal fistula. Dis Colon Rectum. 32-76.
- **Lindsey I, Smilgin-Humphreys MM, Cunningham C, et al, (2002):** A randomized, controlled trial of fibrin glue vs. conventional treatment for anal fistula. Dis Colon Rectum; 45(12): 1608-1615.
- **Loungnarath R, Dietz DW, Mutch MG, et al, (2004):** Fibrin glue treatment of complex anal fistulas has low success rate. Dis Colon Rectum; 47(4): 432-436.
- **Lunniss PJ, Armstrong P, Barker PG, et al, (1992):** Magnetic resonance imaging of anal fistulae. Lancet;340:394-6.
- **Lunniss PJ, Barker PG, Sultan AH, et al, (1994):** Magnetic resonance imaging of fistula-in-ano. Dis Colon Rectum; 37(7): 708-718.
- **Mann CV and Clifton MA (2001):** Rerouting of the track for the treatment of high anal and anorectal fistulae. Br J surgery, 72:134-137.
- **Mc Courtney JS and Finlay IC (2004):** Seton in management of fistula in ano. Br J Surgery, 82 (4): 448-52.
- **Milligan ETC and Morgan N (1934):** Surgical anatomy of the anal canal with special reference to anorectal from: surgery

of the anus and colon, Keighley and Williams 1<sup>st</sup> edition, W.B Saunders, pp 4-85.

- **Morris J, Spencer A and Ambrose N (2000):** MR Imaging Classification of Perianal Fistulas and Its Implications for Patient Management *RadioGraphics*; 20:623–635.
- **Mortensen (2002):** fistula in ano *Oxford textbook of surgery*, edited by Mc Latchic GR and Leaper DJ vol II Published by Oxford University press, New York, pp.1143-1147.
- **Mulder CJ and Wijer ,OB (2002):** endosonography of perianal and pericorectal fistula and/or abscess in Crhon's disease. *Gastrointestinal endoscopy* , 36:331-336.
- **Myhr GE, Myrvold HE, Nilsen G, Thoresen JE, Rinck PA. (1994):** Perianal fistulas: use of MR imaging for diagnosis. *Radiology* 1994; 191: 545–549.
- **Narashimahao KL, Patel RV and Malik AK (1987):** Chronic perianal fistula be ware of rectal duplication postgrade *Medic J* 63:213-4.
- **Nelson R (2002):** Anorectal abscess fistula: what do we know? *Surg clin North Am.* 51.
- **Nicholls G, Haeaton ND and Lewis AM (1990):** Use of bacteriology in anorectal as an indicator of anal fistula: experience in a district general hospital. *JR Soc Med.*, 83.

- **O'Connor L, Champagne BJ, Ferguson MA, et al, (2006):** Efficacy of anal fistula plug in closure of Crohn's anorectal fistulas. *Dis Colon Rectum*; 49(10): 1569-1573.
- **Parks AG (1976):** The pathogenesis and treatment of fistula in ano. *BMJ*; 5224: 463-469.
- **Peter and Robin KS (2001):** Anal fistula evaluation and management colorectal surgery a companion to specialist surgical practice. 2<sup>nd</sup> edition, edited by Robin KS Philips Harcourt, pp.299-327.
- **Phillips RKS (2001):** Anal fistula evaluation and management in: colorectal surgery, 2<sup>nd</sup> edition, W.B. Saunders, company limited; 12: p. 305-307.
- **Present DH, Rutgeerts P, Targan S, et al, (1999):** Infliximab for the treatment of fistulas in patients with Crohn's disease. *N Engl J Med*; 340(18): 1398-1405.
- **Regina AM, Sainio P, Ward (2001)** Fistula-in-ano in a defined population: Incidence and epidemiological aspects. *Acta Chir Gynaecol* 73:219–224.
- **Robert A & Pooley Ph D (2005):** Fundamental Physics of MR Imaging Radio Graphics; 25:1087–1099.
- **Roger RD (1997):** Disorders of the anal canal. Textbook of surgery, the biological basis of modern surgical practice. 14 edition edited by David C Sabiston W.B. Saunder company pp. 1034-1044.

- **Runge VM, Nitz WR, Schmeets SH, et al. (2005):** The physics of clinical MR taught through images. New York, NY: Thieme.
- **Russell NS et al, (2004):** Specific clinical types of fistula in ano: in Baily and Loves short practice of surgery 24<sup>th</sup> by Arnold and Publisher, 61: 1138.
- **Sabir N, Sungurtekin U, Erdem E, Nessar M. (2000):** Magnetic resonance imaging with rectal Gd-DTPA: new tool for the diagnosis of perianal fistula. Int J Colorectal Disease ; 15:317–322.
- **Sakorafas G.H., Zouros E. and Peros G. (2006):** Applied vascular anatomy of the colon and rectum: clinical implications for the surgical oncologist. Surg Oncol; 15:243–255
- **Schaefer O, Lohrmann C, Langer M. (2004):** Assessment of anal fistulas with highresolution subtraction MR-fistulography comparison with surgical findings. J Magn Reson Imaging; 19:91–98.
- **Schoefield JH, Berry DP, Armitage NC et al. (1997):** Magnetic resonance imaging in the management of fistula in anao. Int J colorectal dis., 12:276-9.
- **Schwartz DA, Keli M, Bullard et al, (2005):** principles of surgery, Colon rectum and anus, anorectal disease, fistula in ano eight edition edited by F. Chales Brunicardi (1055-1108).
- **Seow Chan F, and Phillips RKS (1991):** insights gained from the management of problematic anal fistulae at ST Mar hospital, Br J Surg., 78:539-41.

- **Shahid M, Hussain, Joap Staker, et al, (1996):** Fistula in ano: endoanal sonography versus endoanal MRI in classification. *Radiology*;200:475-81.
- **Shan YS, Yan JJ and Sy ED (2002):** Nested polymerase chain reaction in diagnosis of negative Ziehl Nelsen stained mycobacterium tuberculosis fistula in ano report of four cases disease, *Colon Rectum.*, 45 (12): 1685-8.
- **Skandalakis JE, Skandalakis PN and Skandalakis LJ (2004):** Colon and rectum in surgical anatomy and technique, a pocket manual 3<sup>rd</sup> edition Springer Verlage, New York, 480-485.
- **Sloots CE, Felt- Bersma RJ and Poen AC (2001):** Assessment and classification of fistula in ano in patients with crhon's disease by hydrogen peroxide enhanced transanal ultrasound. *Int J Colorectal Dis* 16 (5): 292 -7.
- **Sonoda T, Hull T, Piedmonte MR, et al, (2002):** Outcomes of primary repair of anorectal and rectovaginal fistulas using the endorectal advancement flap. *Dis Colon Rectum*; 45(12): 1622-1628.
- **Sorensen MB, Rasmussen OO and Christiansen JM (1991):** Relation between electromyography and manometry of the external anal sphincter. *Gut* 1935-938.
- **Spencer JA, Chapple K, Wilson D, et al, (1998):** Outcome after surgery for perianal fistula: predictive value of MR imaging. *AJR Am J roentgenol*, 171: 403-406.

- **Spencer JA, Ward J, Beckingham IJ, et al, (1996):** Dynamic contrast enhanced MR imaging of perianal fistula. *AJR Am J Roentgenol*; 167:735-741.
- **Stoker J, Halligan S and Bartram CI (2001):** Pelvic floor imaging. *Radiology*; 218:621-641.
- **Stoker J, Rociu E, Wiersma TG, Laméris JS. (2000):** Imaging of anorectal disease. *Br J Surg*; 87:10-27.
- **Swinscoe MT, Ventakasubramaniam AK, Jayne DG. (2005):** Fibrin glue for fistula-in-ano: the evidence reviewed. *Tech Coloproctol*; 9(2): 89-94.
- **Van Outryve MJ, Pelckmans PA, Michiehsen PP, et al (1991):** Value of transrectal ultrasonography in Crohn's disease. *Gastroenterology*; 101:1171-1177.
- **Van Tets WF, Kuijpers HC. (1994):** Continence disorders after anal fistulotomy. *Dis Colon Rectum*; 37(12): 1194-1197.
- **Wark Wick R, Williams PL (1973):** splanchnology in Gray's anatomy ed.35 edinburgh, Longman 1290-1297.
- **Waxner steven SD, Particia L, Roberts, Terry Hicks and William GR (1996):** practice parameters: fistula inano prepared by: American society of colon and rectal surgeons standards practice task force, 39 (12): 1-363-1372.
- **Weir j, Abrahams PH, Belli AM, et al (2003):** Vertebral column and spinal cord in: *Imaging atlas of human anatomy*. St Louis, Mosby-Year Book, pp.49-64, 2003.

- **Weisman RI, Orsay CP, Pearl RK, et al (1991):** The role of fistulography in fistula-in ano. *Dis Colon Rectum*; 34:181-184.
- **Williams JG, MacLeod CA, Rothenberger DA, Goldberg SM. (1991).** Seton treatment of high anal fistulae. *Br J Surg*; 78(10): 1159-1161.
- **Wolbarst AB. (2005):** Magnetic resonance imaging I: nuclear magnetic resonance of stable hydrogen nuclei in the water molecules of tissues. In: Wolbarst AB, ed. *Physics of radiology*. 2<sup>nd</sup> ed. Madison, Wis: Medical Physics ; 128–138.
- **Zimmerman DD, Briel JW, Gosselink MP, et al, (2001):** Anocutaneous advancement flap repair of transsphincteric fistulas. *Dis Colon Rectum*; 44(10): 1474-1480.
- **Zimmerman DDE. (2003)** Diagnostic and treatment of transsphincteric perianal fistulas [Doctoral Thesis]. Rotterdam, The Netherlands: Erasmus University.