

References

- Aggarwal R, Sarkar N, Deorari AK, et al.** Sepsis in the newborn. *Indian J Pediatr.* **2001**;68(12):1143-1147.
- Andrade SS, Bispo PJ, Gales AC.** Advances in the microbiological diagnosis of sepsis. *Shock* **2008**; 30: Suppl 141–146.
- Angelone DF, Wessels MR, Coughlin M, Suter EE, Valentini P, et al.** Innate immunity of the human newborn is polarized toward a high ratio of IL-6/TNF-alpha production in vitro and in vivo. *Pediatr Res* **2006**;60: 205–209.
- Assumma M, Signore F, Pacifico L, Rossi N, Osborn JF, Chiesa C.** Serum procalcitonin concentrations in term delivering mothers and their healthy offspring: a longitudinal study. *Clin Chem* **2000**; 46: 1583-1587.
- Baek YW, Brokat S, Padbury JF, Pinar H, Hixson DC, Lim YP.** Inter-alpha inhibitor proteins in infants and decreased levels in neonatal sepsis. *J Pediatr* **2003**;143: 11-15.
- Bahl R, Martines J, Ali N, Bhan MK, Carlo W, et al.** Research priorities to reduce global mortality from newborn infections by 2015. *Pediatr Infect Dis J* **2009**;28: S43–48.
- Baldasso E, Garcia PC, Piva JP, Branco RG, Tasker RC.** Pilot safety study of low-dose vasopressin in non-septic critically ill children. *Intensive Care Med.* **2009**;35(2):355-359.
- Baltimore R.** Neonatal nosocomial infections. *Semin Perinatol* **1998**; 22: 25-32.
- Baltimore RS.** Neonatal Sepsis: Epidemiology and Management. *Pediatr Drugs* **2003**; 5 (11): 723-740.

- Baltimore RS.** Perinatal bacterial and fungal infections. In: Jenson HB, Baltimore RS, editors. *Pediatric infectious diseases: principles and practice*. 2nd ed. Philadelphia (PA): WB Saunders Co., **2002**: 1119-1134.
- Bang AT, Bang RA, Baitule SB, Reddy MH, Deshmukh MD.** Effect of home-based neonatal care and management of sepsis on neonatal mortality: field trial in rural India. *Lancet* **1999**; 354 : 1955-19861.
- Beardsall K, Vanhaesebrouck S, Ogilvy-Stuart AL, Vanhole C, Palmer CR, van Weissenbruch M, et al.** Early insulin therapy in very-low-birth-weight infants. *N Engl J Med*. **2008**;359(18):1873-1884.
- Benitz WE, Han MY, Madan A, Ramachandra P.** serial C-reactive protein levels in the diagnosis of neonatal infection. *Pediatrics* **1998**;102:E41.
- Benjamin DK Jr, Miller W, Garges H, Benjamin DK, McKinney RE Jr, et al.** Bacteremia, central catheters, and neonates: when to pull the line. *Pediatrics* **2001**;107: 1272–1276.
- Benjamin DK, Stoll BJ, Fanaroff AA, McDonald SA, Oh W, Higgins RD, et al.** Neonatal candidiasis among extremely low birth weight infants: risk factors, mortality rates, and neurodevelopmental outcomes at 18–22 months. *Pediatrics* **2006**;117:84–92.
- Bhandari N, Bahl R, Mazumdar S, Martines J, Black RE, et al.** Effect of community-based promotion of exclusive breastfeeding on diarrhoeal illness and growth: a cluster randomised controlled trial. *Lancet* **2003**;361: 1418–1423.
- Bhandari V, Wang C, Rinder C, et al.** Hematologic profile of sepsis in neonates: neutrophil CD64 as a diagnostic marker. *Pediatrics*. **2008**;121(1):129-134.
- Bhutta Z A, Yusuf K.** Early-onset neonatal sepsis in Pakistan: a case control study of risk factors in a birth cohort. *Am. J. Perinatol*. **1997**; 14:577.

- Bhutta ZA, Darmstadt GL, Hasan BS, Haws RA.** Community-based interventions for improving perinatal and neonatal health outcomes in developing countries: a review of the evidence. *Pediatrics* **2005**;115: 519–617.
- Bhutta ZA, Zaidi AK, Thaver D, Humayun Q, Ali S, et al.** Management of newborn infections in primary care settings: a review of the evidence and implications for policy? *Pediatr Infect Dis J* **2009**;28: S22–30.
- Bilgen H, et al.** Urinary tract infection and hyperbilirubinemia, Turk. J. *Pediatr.* **2006**; 48: 51–55.
- Biran A, Schmidt WP, Wright R, Jones T, Seshadri M, et al.** The effect of a soap promotion and hygiene education campaign on handwashing behaviour in rural India: a cluster randomised trial. *Trop Med Int Health* **2009**;14: 1303–1314.
- Bizzarro MJ, Raskind C, Baltimore RS, Gallagher PG.** Seventy-five years of neonatal sepsis at Yale:1928-2003. *Pediatrics*. 116;**2005**:595-602.
- Branco RG, Garcia PC, Piva JP, Casartelli CH, Seibel V, Tasker RC.** Glucose level and risk of mortality in pediatric septic shock. *Pediatr Crit Care Med*. **2005**;6(4):470-472.
- Brierley J, Carcillo JA, Choong K, Cornell T, Decaen A, Deymann A, et al.** Clinical practice parameters for hemodynamic support of pediatric and neonatal septic shock: 2007 update from the American College of Critical Care Medicine. *Crit Care Med*. **2009**;37(2):666-688. Erratum in: *Crit Care Med*. 2009;37(4):1536. Skache, Sara [corrected to Kache, Saraswati]; Irazusta, Jose [corrected to Irazuzta, Jose].
- Brierley J, Peters MJ.** Distinct hemodynamic patterns of septic shock at presentation to pediatric intensive care. *Pediatrics*. **2008**;122(4):752-759.

- Brilli RJ, Goldstein B.** Pediatric sepsis definitions: past, present, and future. *Pediatr Crit Care Med.* **2005**;6(3 Suppl):S6-8.
- Buhimschi CS, Bhandari V, Hamar BD, Bahtiyar MO, Zhao G, et al.** Proteomic profiling of the amniotic fluid to detect inflammation, infection, and neonatal sepsis. *PLoS Med* **2007**; 4: e18. doi:10.1371/journal.pmed.0040018.
- Buhimschi CS, Bhandari V, Han YW, et al.** Using proteomics in perinatal and neonatal sepsis: hopes and challenges for the future. *Curr Opin Infect Dis.* **2009** Jun;22(3):235-243.
- Buhimschi CS, Dulay AT, Abdel-Razeq S, Zhao G, Lee S, et al.** Fetal inflammatory response in women with proteomic biomarkers characteristic of intra-amniotic inflammation and preterm birth. *BJOG* **2009**;116: 257–267.
- Cayabyab R, McLean CW, Seri I.** Definition of hypotension and assessment of hemodynamics in the preterm neonate. *J Perinatol.* **2009**;29 Suppl 2:S58-62.
- Centers for Disease Control and Prevention.** Prevention of perinatal group B streptococcal disease: revised guidelines from the CDC. *MMWR Morb Mortal Wkly Rep* **2002**; 51 (RR11): 1-12.
- Cetinkaya M, Ozkan H, Köksal N, et al.** Comparison of serum amyloid A concentrations with those of C-reactive protein and procalcitonin in diagnosis and follow-up of neonatal sepsis in premature infants. *J Perinatol.* **2009**;29(3):225-231.
- Chiesa C, Panero A, Osborn JF, Simonetti AF, Pacifico L.** diagnosis of neonatal sepsis: a clinical and laboratory challenge. *Cli Che* **2004**;50:279-287.
- Chiesa C, Pellegrini G, Panero A.** C-reactive protein, interleukin-6, and procalcitonin in the immediate postnatal period: influence of illness severity,

- risk status, antenatal and perinatal complications, and infection. *Clin Chem.* **2003** Jan;49(1):60-68.
- Costello A, Francis V, Byrne A, et al.** The state of the world's newborns. Washington: Save the Children Fund, **2001**.
- Cotten CM, McDonald S, Stoll B, Goldberg RN, Poole K, Benjamin DK, et al.** The association of third-generation cephalosporin use and invasive candidiasis in extremely low birth-weight infants. *Pediatrics* **2006**;118:717–722.
- Cromwell D, Joffe T, Hughes R, Murphy D, Dhillon C, et al.** The local adaptation of national recommendations for preventing early-onset neonatal Group B Streptococcal disease in UK maternity units. *J Health Serv Res Policy* **2008**; 13: Suppl 252–257.
- Curtis VA, Danquah LO, Aunger RV.** Planned, motivated and habitual hygiene behaviour: an eleven country review. *Health Educ Res* **2009**;24: 655–673.
- Daniel T. Robinson, Kumar P, Cadichon SB.** Neonatal Sepsis in the Emergency Department. *Clin Ped Emerg Med* **2008**; 9:160-168.
- Darlow BA, Graham PJ.** Vitamin A supplementation to prevent mortality and short and long-term morbidity in very low birthweight infants. *Cochrane Database Syst Rev* **2007**; CD000501.
- Darmstadt GL, Batra M, Zaidi AK.** Oral antibiotics in the management of serious neonatal bacterial infections in developing country communities. *Pediatr Infect Dis J* **2009**; 28: S31–36.
- Darmstadt GL, Batra M, Zaidi AK.** Parenteral antibiotics for the treatment of serious neonatal bacterial infections in developing country settings. *Pediatr Infect Dis J* **2009**;28: S37–42.

- Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, et al.** Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* **2005**;365: 977–988.
- Darmstadt GL, Saha SK, Ahmed AS, Chowdhury MA, Law PA, et al.** Effect of topical treatment with skin barrier-enhancing emollients on nosocomial infections in preterm infants in Bangladesh: a randomised controlled trial. *Lancet* **2005**;365: 1039–1045.
- DaSilva O, Ohlsson A, Kenyon C.** Accuracy of leukocyte indices and C-reactive protein for the diagnosis of neonatal sepsis: a critical review. *Pediatr Infect Dis J* **1995**; 14: 362-366.
- De Felice C, Flori ML, Pellegrino M, et al.** Predictive value of skin color for illness severity in the high risk newborn. *Pediatr Res.* **2002**;51:100-105.
- Dempsey EM, Barrington KJ.** Evaluation and treatment of hypotension in the preterm infant. *Clin Perinatol.* **2009**; 36(1):75-85. Review.
- Dulay AT, Buhimschi IA, Zhao G, et al.** Nucleated red blood cells are a direct response to mediators of inflammation in newborns with early-onset neonatal sepsis. *Am J Obstet Gynecol.* **2008**;198(4):426.e1- e9.
- Edgar JD, Wilson DC, McMillan SA, Crockard AD, Halliday MI, et al.** Predictive value of soluble immunological mediators in neonatal infection. *Clin Sci (Lond)* **1994**; 87: 165–171.
- Edmond K , Zaidi A.** New Approaches to Preventing, Diagnosing, and Treating Neonatal Sepsis. *PLoS Medicine* **2010**; 7: 1 – 8.
- Edmond KM, Kirkwood BR, Amenga-Etego S, Owusu-Agyei S, Hurt LS.** Effect of early infant feeding practices on infection-specific neonatal mortality: an investigation of the causal links with observational data from rural Ghana. *Am J Clin Nutr* **2007**;86: 1126–1131.

- English M, Ngama M, Mwalekwa L, Peshu N** Signs of illness in Kenyan infants aged less than 60 days. *Bull World Health Organ* **2004**; 82: 323–329.
- Ewer AK, Tyler W, Francis A, Drinkall D, Gardosi JO.** Excessive volume expansion and neonatal death in preterm infants born at 27-28 weeks gestation. *Paediatr Perinat Epidemiol.* **2003**;17(2):180-186.
- Fanaroff A, Martin RJ.** Neonatal-perinatal medicine, diseases of the fetus and infant. 8th ed. St Louis: Mosby; **2006**.
- Feja KN, Wu F, Roberts K, Loughrey M, Nesin M, Larson E, et al.** Risk factors for candidemia in critically ill infants: a matched case–control study. *J Pediatr* **2005**;147:156–161.
- Fernandez EF, Montman R, Watterberg KL.** ACTH and cortisol response to critical illness in term and late preterm newborns. *J Perinatol.* **2008**;28(12):797-802.
- Fischer D, Nold MF, Nold-Petry CA, Furlan A, Veldman A.** Protein C preserves microcirculation in a model of neonatal septic shock. *Vasc Health Risk Manag.* **2009**;5:775-781.
- Fleer A, Krediet TG.** Innate immunity: toll-like receptors and some more. A brief history, basic organization and relevance for the human newborn. *Neonatology.* **2007**;92(3):145-157.
- Franz AR, Bauer K, Schalk A.** Measurement of interleukin 8 in combination with C-reactive protein reduced unnecessary antibiotic therapy in newborn infants: a multicenter, randomized, controlled trial. *Pediatrics* **2004**;114:1–8.
- Franz AR, Kron M, Pohlandt F, Steinbach G.** Comparison of procalcitonin with interleukin 8, C-reactive protein and differential white blood cell count for the early diagnosis of bacterial infections in newborn infants. *Pediatr Infect Dis J* **1999**;18:666–671.

- Franz AR, Steinbach G, Kron M, Pohlandt F.** Reduction of unnecessary antibiotic therapy in newborn infants using interleukin-8 and C-reactive protein as markers of bacterial infections. *Pediatrics* **1999**;104: 447–453.
- Gao H, Leaver SK, Burke-Gaffney A, Finney SJ.** Severe sepsis and Toll-like receptors. *Semin Immunopathol.* **2008**;30(1):29-40. Review.
- Garcia FG, Nager AL.** Jaundice as an early diagnostic sign of urinary tract infection in infancy. *Pediatrics.* **2002**;109(5):846-851.
- Garland JS, Alex CP, Sevallius JM, Murphy DM, Good MJ, Volberding AM, et al.** Cohort study of the pathogenesis and molecular epidemiology of catheter-related bloodstream infection in neonates with peripherally inserted central venous catheters. *Infect Control Hosp Epidemiol* **2008**;29:243–249.
- Gogia S, Sachdev HS.** Neonatal vitamin A supplementation for prevention of mortality and morbidity in infancy: systematic review of randomised controlled trials. *BMJ* **2009**;338: b919.
- Goldstein B, Giroir B, Randolph A;** International Consensus Conference on Pediatric Sepsis. International pediatric sepsis consensus conference: definitions for sepsis and organ dysfunction in pediatrics. *Pediatr Crit Care Med.* **2005**;6(1):2-8. Review.
- GomellaT L, CunninghamD, Eyal FG, Zenk KE.** Infectious diseases. In : meconium stained amniotic fluid (MSAF)Neonatology: Management, procedures, on call problems, diseases and drugs. Fifth edition. USA: Lang medicalbook/McGraw-hill, **2004**:435-440.
- Gonzalez BE, Mercado CK, Johnson L, et al.** Early markers of late-onset sepsis in premature neonates: clinical, hematological and cytokine profile. *J Perinat Med.* **2003**;31(1):60-68.
- Griffin MP, Lake DE, O'Shea TM, et al.** Heart rate characteristics and clinical signs in neonatal sepsis. *Pediatr Res.* **2007**;61(2):222-227.

- Haider BA, Bhutta ZA.** Multiple-micronutrient supplementation for women during pregnancy. *Cochrane Database Syst Rev* **2006**;ppCD004905.
- Hamrick SE, Hansmann G.** Patent ductus arteriosus of the preterm infant. *Pediatrics*. **2010**;125(5):1020-1030.
- Haque K N.** Defining infections in children and neonates. *J Hosp Infect* **2005**; 65(Suppl 2): 110-114.
- Haque K N.** Neonatal Sepsis in the Very Low Birth Weight Preterm Infants: Part 1: Review of Patho-physiology. *Journal of Medical Sciences* **2010**; 3(1): 11-27.
- Haque KN.** Neonatal Sepsis in the Very Low Birth Weight Preterm Infants: Part 2: Review of Definition, Diagnosis and Management. *Journal of Medical Sciences* **2010**; 3(1): 11-27.
- Haque KN.** Understanding and optimising outcome in neonates with sepsis and septic shock. In: Vincent JL, Ed. Year book of Intensive Care and Emergency Medicine. Springer **2007**; pp. 55-68.
- Healy CM, Baker CJ.** Maternal immunization. *Pediatr Infect Dis J* **2007**;26: 945–948.
- Hegy T, et al.** The Apgar score and its components in the preterm infant, *Pediatrics* **1998**; 101: 77.
- <http://www.aap.org/>** accessed 3rd September 2009.
- Irazuzta J, Sullivan KJ, Garcia PC, Piva JP.** Pharmacologic support of infants and children in septic shock. *J Pediatr (Rio J)*. **2007**;83(2 Suppl):S36-45. Review.
- Jain NK, Jain VM, Maheshwari S.** clinical profile of neonatal sepsis. *Kathmandu University medical journal* **2003**;1(2): 117-120.

- Jana A K, Sridhar S.** Clinical diagnosis of sepsis. *Journal of Neonatology* **2009**; 23 (1): 44- 47.
- Jepson HA, Talashek ML, Tichy AM.** The Apgar score: evolution, limitations, and scoring guidelines. *Birth* **1991**;18(Suppl 2):S83–92.
- Jiang J, Chiu N, Huang F, Kao H, Hsu C, Hung H, et al.** Neonatal sepsis in the neonatal intensive care unit: characteristics of early versus late onset. *J Microbiol Immunol Infect* **2004**;37:301–306.
- Jordan JA, Durso MB, Butchko AR, Jones JG, Brozanski BS.** Evaluating the near-term infant for early onset sepsis: progress and challenges to consider with 16S rDNA polymerase chain reaction testing. *J Mol Diagn* **2006**;8: 357–363.
- Jordan JA, Durso MB.** Comparison of 16S rRNA gene PCR and BACTEC 9240 for detection of neonatal bacteremia. *J Clin Microbiol* **2000**;38: 2574–2578.
- Jordan JA, Durso MB.** Real-time polymerase chain reaction for detecting bacterial DNA directly from blood of neonates being evaluated for sepsis. *J Mol Diagn* **2005**; 7: 575–581.
- Jordan JA, Jones-Laughner J, Durso MB.** Utility of pyrosequencing in identifying bacteria directly from positive blood culture bottles. *J Clin Microbiol* **2009**; 47: 368–372.
- Kaftan H, Kinney J.** Early onset neonatal bacterial infections. *Semin Perinatol* **1998**; 22: 15-24.
- Kaftan H, Kinney JS.** Early onset neonatal bacterial infections. *Semin Perinatol.* **1998** Feb;22(1):15-24.
- Kaufman DA.** Challenging issues in neonatal candidiasis. *Curr Med Res Opin.* **2010**;26(7):1769-1778.

- Kennon C, Overturf G, Bessman S, et al.** Granulocyte colony-stimulating factor as a marker for bacterial infection in neonates. *J Pediatr*. **1996**;128:765-769.
- Khassawneh M, Hayajneh WA, Kofahi H, et al.** Diagnostic markers for neonatal sepsis: comparing C-reactive protein, interleukin-6 and immunoglobulin M. *Scand J Immunol*. **2007**;65(2):171-175.
- Khinchy Y R, Kumar A, Yadav S.** Profile of Neonatal sepsis. *Journal of college of Medical Sciences-Nepal* **2010**;6(2): 1-6.
- Kingsmore SF, Kennedy N, Halliday HL, et al.** Identification of diagnostic biomarkers for Infection in premature neonates. *Mol Cell Proteomics*. **2008**;7(10):1863-1875.
- Klein J, Marcy S.** Bacterial sepsis and meningitis. In: Remington J, Klein J, editors. *Infectious diseases of the fetus and the newborn*. Philadelphia: Saunders, **1995**, 835-890.
- Klingenberg C, Rønnestad A, Anderson AS, Abrahamsen TG, Zorman J, Villaruz A, et al.** Persistent strains of coagulase-negative staphylococci in a neonatal intensive care unit: virulence factors and invasiveness. *Clin Microbiol Infect*. **2007**;13(11):1100-1111.
- Kovatchev BP, Farhy LS, Cao H, et al.** Sample asymmetry of heart rate characteristics with application to neonatal sepsis and systemic inflammatory response syndrome. *Pediatr Res*. **2003**;54(6):892-898.
- Kuhle S, Male C, Mitchell L.** Developmental hemostasis: pro-and anticoagulant systems during childhood. *Semin Thromb Hemost*. **2003**;29(4):329-338.
- Kurlat I, Stoll BJ, McGowan JE JR.** Time to positivity for detection of bacteremia in neonates. *J Clin Microbiol* **1989**;27: 1068–1071.

- Kurt AN, Aygun AD, Godekmerdan A, Kurt A, Dogan Y, Yilmaz E.** Serum IL-1beta, IL-6, IL-8, and TNF-alpha levels in early diagnosis and management of neonatal sepsis. *Mediators Inflamm.* **2007**;2007:31397.
- Lawn JE, Cousens S, Zupan J.** 4 million neonatal deaths: when? Where? Why? *Lancet* **2005**;365: 891–900.
- Levi M, van der Poll T.** Inflammation and coagulation. *Crit Care Med.* **2010**;38(2 Suppl):S26-34. Review.
- Levi M.** The coagulant response in sepsis and inflammation. *Hamostaseologie.* **2010**;30(1):10-2, 14-16. Review.
- Levy O, Martin S, Eichenwald E, Ganz T, Valore E, et al.** Impaired innate immunity in the newborn: newborn neutrophils are deficient in bactericidal/permeability-increasing protein. *Pediatrics* **1999**; 104: 1327–1333.
- Levy O.** Innate immunity of the human newborn: distinct cytokine responses to LPS and other Toll-like receptor agonists. *J Endotoxin Res* **2005**;11: 113–116.
- Levy O.** Innate immunity of the newborn: Basic mechanisms and clinical correlates. *Nat Rev Immunol.* **2007**;7(5):379-390.
- Lieberman E, et al.** Epidural analgesia, intrapartum fever, and neonatal sepsis evaluation, *Pediatrics* **1997**; 99: 415.
- Lumbiganon P, Thinkhamrop J, Thinkhamrop B, Tolosa JE.** Vaginal chlorhexidine during labour for preventing maternal and neonatal infections (excluding Group B Streptococcal and HIV). *Cochrane Database Syst Rev* **2004**; CD004070.
- Maisels M J, Kring E.** Risk of sepsis in newborns with severe hyperbilirubinemia, *Pediatrics* **1992**; 90: 741.

- Maiwald M.** Broad-range PCR for the detection and identification of bacteria. *Molecular microbiology: diagnostic principles and practice*. 2nd ed. Washington DC: American Society of Microbiology, **2004**;379- 390.
- Manroe BL, Weinberg AG, Rosenfeld CR, et al.** The neonatal blood count in health and disease. I. Reference values for neutrophilic cells. *J Pediatr*. **1979**;95(1):89-98.
- Marlowe S, Greenwald J, Anwar M.** Prolonged rupture of membranes in the term newborn. *Am J Perinatol* **1997**;14: 483-486.
- Marodi L.** Neonatal innate immunity to infectious agents. *Infect Immun* **2006**;74: 1999–2006.
- Marrin M, Paes BA.** Birth asphyxia: does the Apgar score have diagnostic value? *Obstet Gynecol* **1988**;72(Suppl 1):S120–123.
- Mayfield S R, et al.** Temperature measurement in term and preterm neonates, *J. Pediatr*. **1984**;104: 271.
- McClure EM, Goldenberg RL, Brandes N, Darmstadt GL, Wright LL, et al.** The use of chlorhexidine to reduce maternal and neonatal mortality and morbidity in low-resource settings. *Int J Gynaecol Obstet* **2007**;97: 89–94.
- Mehr S, Doyle LW.** Cytokines as markers of bacterial sepsis in newborn infants: a review. *Pediatr Infect Dis J*. **2000** Sep;19(9):879-887.
- Menezes EV, Yakoob MY, Soomro T, Haws RA, Darmstadt GL, et al.** Reducing stillbirths: prevention and management of medical disorders and infections during pregnancy. *BMC Pregnancy Childbirth* **2009**; 9: Suppl 1S4.
- Messaritakis J, Anagnostakis D, Laskari H, Katerelos C.** Rectal-skin temperature difference in septicemic newborn infants. *Arch Dis Child* **1990**;65:380-382.

- Metzger AM, Mazkereth R, Kuint J.** Fever in healthy asymptomatic newborns during the first days of life. *Arch Dis Child Fetal Neonatal Ed.* **2003**;88; F312-F314.
- MMWR Morb Mortal Wkly Rep 1996-2004.** Early-onset and late-onset neonatal group B streptococcal disease—United States, **2005**; 54: 1205–1208.
- Moisi JC, Saha SK, Falade AG, Njanpop-Lafourcade BM, Oundo J, et al.** Enhanced diagnosis of pneumococcal meningitis with use of the Binax NOW immunochromatographic test of *Streptococcus pneumoniae* antigen: a multisite study. *Clin Infect Dis* **2009**;48: Suppl 2S49–56.
- Mouzinho A, Rosenfeld CR, Sanchez PJ, et al.** Revised reference ranges for circulating neutrophils in very-low-birth-weight neonates. *Pediatrics.* **1994**;94(1):76-82.
- Mullany LC, Darmstadt GL, Khatry SK, Katz J, LeClerq SC, et al.** Topical applications of chlorhexidine to the umbilical cord for prevention of omphalitis and neonatal mortality in southern Nepal: a community-based, cluster-randomised trial. *Lancet* **2006**;367: 910–918.
- Mullany LC, Darmstadt GL, Tielsch JM.** Safety and impact of chlorhexidine antiseptics interventions for improving neonatal health in developing countries. *Pediatr Infect Dis J* **2006**;25: 665–675.
- Neal PR, Kleiman MB, Reynolds JK, Allen SD, Lemons JA, et al.** Volume of blood submitted for culture from neonates. *J Clin Microbiol* **1986**; 24: 353–356.
- Nizet V, Klein JO.** Bacterial Sepsis and Meningitis. In: Infectious Diseases of the Fetus and Newborn Infant. Eds. Remington JS, Klein JO, Wilson CB and Baker CJ. 7th Edn. Philadelphia PA: Elsevier Saunders. **2010**; 225-278.

- Noori S, McCoy M, Friedlich P, Bright B, Gottipati V, Seri I, Sekar K.** Failure of ductus arteriosus closure is associated with increased mortality in preterm infants. *Pediatrics*. **2009**;123(1):e138-144.
- Noori S, Patel D, Friedlich P, Siassi B, Seri I, Ramanathan R.** Effects of low oxygen saturation limits on the ductus arteriosus in extremely low birth weight infants. *J Perinatol*. **2009**;29(8):553-557.
- Ohlsson A, Shah VS** Intrapartum antibiotics for known maternal Group B streptococcal colonization. *Cochrane Database Syst Rev* **2009**; CD007467.
- Oliveira CF, Nogueira de Sá FR, Oliveira DS, Gottschald AF, Moura JD, Shibata AR, et al.** Time- and fluid-sensitive resuscitation for hemodynamic support of children in septic shock: barriers to the implementation of the American College of Critical Care Medicine/Pediatric Advanced Life Support Guidelines in a pediatric intensive care unit in a developing world. *Pediatr Emerg Care*. **2008**;24(12):810-815.
- Orr PA, Case KO, Stevenson JJ.** Metabolic response and parenteral nutrition in trauma, sepsis and burns. *J Infus Nurs* **2002**; 25: 45-53.
- Paananen R, Husa AK, Vuolteenaho R, Herva R, Kaukola T, Hallman M.** Blood cytokines during the perinatal period in very preterm infants: relationship of inflammatory response and bronchopulmonary dysplasia. *J Pediatr*. **2009**;154(1):39-43.e3.
- Palazzi DL, Klein JO, Baker CJ.** Bacterial Sepsis and Meningitis. In: Infectious Diseases of the Fetus and Newborn Infant. Eds. Remington JS, Klein JO, Wilson CB and Baker CJ. 6th Edn. Philadelphia PA: Elsevier Saunders. **2006**; 247-296.
- Paradisis M, Evans N, Kluckow M, Osborn D.** Randomized trial of milrinone versus placebo for prevention of low systemic blood flow in very preterm infants. *J Pediatr*. **2009**;154(2):189-195.

- Pascual F B, et al.** Tetanus surveillance—United States, 1998–2000, *MMWR. Surveill. Summ.* **2003**; 52:1.
- Paul V, Agrawal R.** Neonatal sepsis. In: *NNF Manual of Neonatal Care*. 1st ed, 2001 Prism Books Pvt. Ltd, Bangalore, 121-134.
- Pellicer A, Bravo MC, Madero R, Salas S, Quero J, Cabañas F.** Early systemic hypotension and vasopressor support in low birth weight infants: impact on neurodevelopment. *Pediatrics*. **2009**;123(5):1369-1376.
- Perlman SE, Saiman L, Larson EL.** Risk factors for late-onset healthcare-associated blood stream infections in patients in neonatal intensive care units. *Am J Infect Control* **2007**;35:177–182.
- Peters RP, van Agtmael MA, Danner SA, Savelkoul PH, Vandenbroucke-Grauls CM.** New developments in the diagnosis of bloodstream infections. *Lancet Infect Dis* **2004**;4: 751–760.
- Polinski C.** The value of the white blood cell count and differential count in the prediction of neonatal sepsis. *Neonatal Netw.* **1996**;15(7):13-23.
- Powell KR.** Evaluation and management of febrile infants younger than 60 days of age. *Pediatr Infect Dis J* **1990**; 9: 153.
- Procianoy RS, Silveira RC.** The role of sample collection timing on interleukin-6 levels in early-onset neonatal sepsis. *J Pediatr (Rio J)*. **2004**;80(5):407-410.
- Quiambao BP, Nohynek H, Kayhty H, Ollgren J, Gozum L, et al.** Maternal immunization with pneumococcal polysaccharide vaccine in the Philippines. *Vaccine* **2003**;21: 3451–3454.
- Rasul CH, Abul Hassan M, Habibullah M.** neonatal sepsis and use of antibiotic in tertiary care hospital. *Pak J Med Sci January* **2007**;23(1): 78-81.

- Reier-Nilsen T, Farstad T, Nakstad B, Lauvrak V, Steinbakk M.** Comparison of broad range 16S rDNA and conventional blood culture for diagnosis of sepsis in the newborn: a case control study. *BMC pediatrics* **2009**;9:5.
- Report of the National Neonatal Perinatal Database.** Report 2002-2003. NNPD Network. **2005** Jan;
http://www.newbornwhocc.org/pdf/nnpd_report_2002-03.PDF
- Rhee V, Mullany LC, Khatry SK, Katz J, LeClerq SC, et al.** Maternal and birth attendant hand washing and neonatal mortality in southern Nepal. *Arch Pediatr Adolesc Med* **2008**; 162: 603–608.
- Richard A, Polin, Elvira P, et al.** Bacterial sepsis and meningitis. William T, Roberta A, Christine A Avery's Disease of the Newborn, 8th ed **2005**;551-577.
- Robinson D T, Kumar P, Cadichon S B.** Neonatal Sepsis in the Emergency Department. *Clin Ped Emerg Med* **2008**;9:160-168.
- Rodrigo I.** Changing patterns of neonatal sepsis. *Sri Lanka Journal of Child Health*, **2002**; 31: 3-8.
- Roper MH, Vandelaer JH, Gasse FL.** Maternal and neonatal tetanus, *Lancet* **2007**; 370: 1947–1959.
- Rosenberg AE, Ahmed AS, Saha SK, et al.** Nosocomial sepsis risk score for preterm infants in low-resource settings. *J Trop Pediatr*. **2010**;56(2):82-89.
- Sa´ez-Llorens X, McCracken GH Jr.** Perinatal bacterial diseases. In: Feigin RD, Cherry JD, eds. Textbook of pediatric infectious diseases. Philadelphia: WB Saunders, **1998**:892–926.
- Sankar J M, Agarwal R, Deorari A K, and Paul V K.** Sepsis in the Newborn. *Indian Journal of Pediatrics* **2008**; 75: 261- 266.

- Sarkar S, Dechert R, Schumacher RE, Donn SM.** Is refractory hypotension in preterm infants a manifestation of early ductal shunting? *J Perinatol.* **2007**;27(6):353-358.
- Schrag SJ, Hadler JL, Arnold KE, Martell-Cleary P, Reingold A, et al.** Risk factors for invasive, early-onset *Escherichia coli* infections in the era of widespread intrapartum antibiotic use. *Pediatrics* **2006**;118: 570–576.
- Schrag SJ, Stoll BJ.** Early-onset neonatal sepsis in the era of widespread intrapartum chemoprophylaxis. *Pediatr Infect Dis J.* **2006**;25(10):939-940. Review.
- Seale AC, Mwaniki M, Newton CR, Berkley JA.** Maternal and early onset neonatal bacterial sepsis: burden and strategies for prevention in sub-Saharan Africa. *Lancet Infect Dis* **2009**;9: 428–438.
- Shah GS, Budhathoki S, Das BK, Mandal RN.** Risk factors in early neonatal sepsis. *Kathmandu University medical journal* **2006**;6(2):187-191.
- Short MA.** Linking the sepsis triad of inflammation, coagulation, and suppressed fibrinolysis to infants. *Adv Neonatal Care.* **2004**;4(5):258-273.
- Siegrist CA.** Mechanisms by which maternal antibodies influence infant vaccine responses: review of hypotheses and definition of main determinants. *Vaccine* **2003**;21: 3406–3412.
- Silveira RC, Giacomini C, Procianoy RS.** Neonatal sepsis and septic shock: concepts update and review. *Rev Bras Ter Intensiva.* **2010**; 22(3):280-290.
- Silveria RC, Procianoy RS.** Evaluation of interleukin-6, tumor necrosis factor-alpha and interleukin-1beta for early diagnosis of neonatal sepsis. *Acta Paediatr.* **1999**;88(6):647-650.
- Silveira RC, Procianoy RS, Dill JC, da Costa CS.** Periventricular leukomalacia in very low birth weight preterm neonates with high risk for neonatal sepsis. *J Pediatr (Rio J).* **2008**;84(3):211-6.

- Sinha A, Lieu TA, Paoletti LC, Weinstein MC, Platt R.** The projected health benefits of maternal group B streptococcal vaccination in the era of chemoprophylaxis. *Vaccine* **2005**;23: 3187–3195.
- Sinha A, Yokoe D, Platt R.** Epidemiology of neonatal infections: experience during and after hospitalization. *Pediatr. Infect. Dis. J.* **2003**; 22: 244.
- Sohil B C.** Early onset sepsis. *Indian J pediatrics* **2005**;72: 23-26.
- Stevens DY, Petri CR, Osborn JL, Spicar-Mihalic P, McKenzie KG, et al.** Enabling a microfluidic immunoassay for the developing world by integration of on-card dry reagent storage. *Lab Chip* **2008**; 8: 2038–2045.
- Stoll BJ, Hansen N, Fanaroff AA, Wright LL, Carlo WA, Ehrenkranz RA, et al.** Late-onset sepsis in very low birth weight neonates: the experience of the NICHD Neonatal Research Network. *Pediatrics.* **2002**;110(2 Pt 1):285-291.
- Stoll BJ, Hansen NI, Higgins RD, Fanaroff AA, Duara S, Goldberg R, Laptook A, Walsh M, Oh W, Hale E; National Institute of Child Health and Human Development.** Very low birth weight preterm infants with early onset neonatal sepsis: the predominance of gram-negative infections continues in the National Institute of Child Health and Human Development Neonatal Research Network, 2002-2003. *Pediatr Infect Dis J.* **2005**;24(7):635-639.
- Stoll BJ.** The global impact of neonatal infection. *Clin Perinatol.* **1997** Mar;24(1):1- 21.
- Sundaram V, Dutta S, Ahluwalia J, et al.** Score for neonatal acute physiology II predicts mortality and persistent organ dysfunction in neonates with severe septicemia. *Indian Pediatr.* **2009**;46(9):775-780.
- Thaver D, Ali SA, Zaidi AK.** Antimicrobial resistance among neonatal pathogens in developing countries. *Pediatr Infect Dis* **2009**; J 28: S19–21.

- Thaver D, Zaidi AK.** Burden of neonatal infections in developing countries: a review of evidence from community-based studies. *Pediatr Infect Dis J* **2009**;28: S3–9.
- Tiskumara R, Fakharee SH, Liu CQ, Nuntnarumit P, Lui KM, et al.** Neonatal infections in Asia. *Arch Dis Child Fetal Neonatal Ed* **2009**;94: F144–148.
- Torday JS, et al.** Sex differences in fetal lung maturation. *Am. Rev. Respir. Dis.* **1981**; 123: 205.
- Tourneux P, Rakza T, Abazine A, Krim G, Storme L.** Noradrenaline for management of septic shock refractory to fluid loading and dopamine or dobutamine in full-term newborn infants. *Acta Paediatr.* **2008**;97(2):177-80.
- Tripathi S and Malik G K.** Neonatal Sepsis: past, present and future; a review article. *Internet Journal of Medical Update* **2010**;5(2):45-54.
- Turner D, Hammerman C, Rudensky B, et al.** The role of procalcitonin as a predictor of nosocomial sepsis in preterm infants. *Acta Paediatr.* **2006**;95(12):1571-1576.
- Turunen R, Nupponen I, Siitonen S, et al.** Onset of mechanical ventilation is associated with rapid activation of circulating phagocytes in preterm infants. *Pediatrics.* **2006**;117(2):448-454.
- Valverde E, Pellicer A, Madero R, Elorza D, Quero J, Cabañas F.** Dopamine versus epinephrine for cardiovascular support in low birth weight infants: analysis of systemic effects and neonatal clinical outcomes. *Pediatrics.* **2006**;117(6):e1213-1222.
- Van Den Hoogen A, Gerards LJ, Verboon-Macielek MA, Fleer A, Krediet TG.** Long-term trends in the epidemiology of neonatal sepsis and antibiotic susceptibility of causative agents. *Neonatology.* **2010**;97(1):22-28.

- Verboon-Maciolek MA, Thijsen SF, Hemels MA, Menses M, van Loon AM, et al.** Inflammatory mediators for the diagnosis and treatment of sepsis in early infancy. *Pediatr Res* **2006**; 59: 457–461.
- Vergnano S, Sharland M, Kazembe P, Mwansambo C, Heath P T.** Neonatal sepsis: an international perspective. *Arch Dis Child Fetal Neonatal Ed* **2005**;90: F220–F224.
- Vincent JL.** Clinical sepsis and septic shock:definition, diagnosis and management principles. *Langenbecks Arch Surg.* **2008**;393(6):817-824. Review.
- Vlasselaers D, Milants I, Desmet L, Wouters PJ, Vanhorebeek I, van den Heuvel I, et al.** Intensive insulin therapy for patients in paediatric intensive care: a prospective, randomised controlled study. *Lancet.* **2009**;373(9663):547-556.
- Webster,** 9th New Colligiate English Dictionary, Springfield, Merriman **1991**.
- Weidlich K, Kroth J, Nussbaum C, Hiedl S, Bauer A, Christ F, Genzel-Boroviczeny O.** Changes in microcirculation as early markers for infection in preterm infants-- an observational prospective study. *Pediatr Res.* **2009**;66(4):461-465.
- Weile J, Knabbe C** Current applications and future trends of molecular diagnostics in clinical bacteriology. *Anal Bioanal Chem* **2009**; 394: 731–742.
- Weisman L E, et al.** Early-onset group B streptococcal sepsis: a current assessment, *J. Pediatr.* **1992**; 121: 428.
- William MG, Cleribhew L, Fowlie PW.** Infection in the preterm infant. *BMJ* **2004**;329:1277-1280.

- Wynn J, Cornell TT, Wong HR, Shanley TP, Wheeler DS.** The host response to sepsis and developmental impact. *Pediatrics*. **2010**;125(5):1031-1041.
- Yadav AK, Wilson CG, Prasad PL, et al.** Polymerase chain reaction in rapid diagnosis of neonatal sepsis. *Indian Pediatr*. **2005**;42(7):681-685.
- Yafeng Dong, Weijian Hou, Jiaxue Wei, Weiner CP.** Chronic hypoxemia absent bacterial infection is one cause of the fetal inflammatory response syndrome (FIRS). *Reprod Sci*. **2009**;16(7):650-656.
- Yager P, Edwards T, Fu E, Helton K, Nelson K, et al.** Microfluidic diagnostic technologies for global public health. *Nature* **2006**;442: 412–418.
- Yancy M, Duff P, Kubilis P.** Risk factors for neonatal sepsis. *Obstet Gynaecol* **1996**; 87: 188-194.
- Young Infants Clinical Signs Study Group:** Clinical signs that predict severe illness in children under age 2 months: a multicentre study. *Lancet*.**2008**;371:135-142.
- Zaidi AK, Huskins WC, Thaver D, Bhutta ZA, Abbas Z, et al.** Hospital-acquired neonatal infections in developing countries. *Lancet* **2005**;365: 1175–1188.
- Zaidi AK, Thaver D, Ali SA, Khan TA** Pathogens associated with sepsis in newborns and young infants in developing countries. *Pediatr Infect Dis J* **2009**;28: S10–18.
- Zaman K, Roy E, Arifeen SE, Rahman M, Raqib R, et al.** Effectiveness of maternal influenza immunization in mothers and infants. *N Engl J Med* **2008**;359: 1555–1564.
- Zhang Y, Ozdemir P.** Microfluidic DNA amplification—a review. *Anal Chim Acta* **2009**; 638: 115–125.