

REFERENCES

- 1- Admassie, D. (2008) :** Ultrasound assessment of common bile duct diameter in Tikur Anbessa Hospital, Addis Ababa, Ethiopia. *Ethiop. Med. J. Oct.* ; 46(4):391-5.
- 2- Agur, A. M. R. and Dalley A. F. (2009) :** Grant's Atlas Of Anatomy. 12th ed. Lippincott Williams & Wilkins, p.151.
- 3- Altunkaynak, B.Z. (2007) :** Relationship of body weight and volume of liver : a morphometrical and stereological study. *Saudi. Med. J.* ; 28: 891-5.
- 4- April, E.W. (1997):** Kidneys and posterior abdominal wall. In: Clinical anatomy, 3rd ed., Williams & Wilkins, Philadelphia, P. 356.
- 5- Atoosa , A. and Behrooz ,G. (2006):**Diameter of common bile duct : what are the predicting factors? *JRMS* ;12 (3): 121-124.
- 6- Bachar, G.N. ; Choen ,M. and Belenky ,A. (2003) :** Effect of aging on the adult extrahepatic bile duct. A sonographic study . *J. Ultrasound Med.* ;22:879-882.

- 7- Bates, J.A. (2004):** Abdominal ultrasound : How, Why and When, 2nd ed., Churchill Livingstone, Edinburgh, London, New York, p.17-33.
- 8- Beall , R. J. (2002) :** Real time ultrasound : A manual for physicians and technical personnel . Philadelphia. W.B. Saunders Co. , p. 1-8 and 37-73.
- 9- Bhavna ,D.; Suvasini, S.; Devendra, M.; Reema, K.; Ravidra, M. P. and Shailendra , A. (2009):** The normal values of liver and spleen size by ultrasonography in healthy Indian children, p.1-6.
- 10-Blumgrat, L. and Hann, L. (2007):** Surgical and radiologic anatomy of the liver and biliary tract. In Blumgart LH, {editor}: surgery of the liver, biliary tract and pancreas. 4th edition Churchill livingstone, USA ; 1: 3-30.
- 11-Capaccioli, L.; Stecco, A.; Vanzi, E. and Brizzi, E. (2000):** Ultrasonographic study on the growth and dimensions of healthy children and adults organs. Ital. J. Anat. Embryol ; 105: 1-50.

- 12-Carlson, B. M. (2009):** Digestive system. In: Human Embryology and Developmental Biology, 3rd ed., Mosby Company, London, P.451.
- 13-Carmen, J.C.; Roeder, B.L.; Nelson, J.L.; Beckstead, B.L.; Runyan, C.M.; Schaalje, G.B.; Robison, R.A. and Pitt, W.G. (2004):** Ultrasonically enhanced vancomycin activity against *Staphylococcus epidermidis* biofilms in vivo. *Journal of biomaterials applications* ;18 (4): 237–245.
- 14-Champetier , J. (1994):** Anatomie Clinique, vol. 2 : Le troc. Paris: Springer- Verlag France. Chevrel JP; P.389-406.
- 15-Chaurasia's, B.D. (2008) :**Human anatomy :Regional and applied dissection and clinical, 4th ed., Vol. 2; Lower Limb, Abdomen and Pelvis. New Delhi , Bangalore ,P. 268-277.
- 16- Clavien, P. ; Baillie, J. ; Morse, M. and Selzner, M. (2006):** Anatomy , Pathophysiology , Epidemiology of the Biliary System. In Diseases of the gallbladder and Bile Ducts Diagnosis and Treatment .2nd edition . Blackwell, P. 9-11.

- 17-Corness, J.A.; McHugh, K.; Roebuck, D.J. and Taylor, A.M. (2006):** The portal vein in children: radiological review of congenital anomalies and acquired abnormalities. *Pediatr. Radiol* ; 36: 87-96.
- 18-Curry , R.A. and Tempkin , B.B. (2004):** Sonography : Introduction to normal structure and function. 2nd. Ed. Elsevier, p. 113-147.
- 19- Dana, B. ; Blidaru, M. ; Pop, C. ; Carmen, C. and Reea, S. (2010) :**The common bile duct: size, course, relations. *Romanian Journal of Morphology and Embryology*. 51(1):141.
- 20- Daradkeh, S.; Tarawneh E. and Al-Hadidy A. (2005):** Factors affecting common bile duct diameter .*Hepatogastro - enterology*, Volume: 52, Issue: 66, P:1659-1661.
- 21- Edell, S.L.; Kurtz, A.B. and Rifkin, M.D. (1990):** Normal renal ultrasound measurements. In: Gold berg, B.B. and Kurtz, A.B. (Edits): *Atlas of ultrasound measurements*. Year book medical publishers, Inc. Chicago. London. Boca Raton. Littieton, P. 146-160.

- 22-French J. and Camitta BM. (1996):** Splenomegaly In: Nelson textbook of pediatrics. 15th ed. Philadelphia, P. 1439.
- 23- Gartner, L.P. and Hiatt, J.L. (2007):** Color Text book Of Histology , 3rd. Ed. Philadelphia , p. 433-436.
- 24-Gartner, L.P. ; Hiatt, J.L. and Strum, J.M. (2011) :** Cell Biology and Histology 6th ed. Philadelphia, Baltimore ,Lippincott Williams and Wilkins, p. 266-270.
- 25-Gore, R.M. and Levine, M.S. (2000):** Textbook of gastrointestinal ultrasonography ,2nd ed. Philadelphia :Saunders, P. 1487-1497.
- 26-Gosling, J.A. ; Harris P.F. ; Whitmore, I. and Willan, P.L.T. (2002):** Human anatomy :Color atlas and text, 4th ed. Edinburgh, London, P.157.
- 27-Grainger, R.D. and Allison, D. (1998):** Nature of ultrasound. In: Diagnostic radiology, 3rd ed., a textbook of medical imaging, Churchill Livingstone, Edinburgh, London, New York, P. 83-84.

- 28-Grant, E.G. ; Schiller, L.K. and Millener, P. (1992):** Color Doppler imaging of the hepatic vasculature. AJR ;159: 943-950.
- 29-Groinger, R.G. ; Allison, D.J. and Margulis, A.R. (1992):** Diagnostic radiology , Text book of imaging .2nd ed., Churchill Livingstone, Edinburgh ,London and Melbourne; 2 :1076-1077.
- 30- Gupta, L.C. and Sahu, U.C. (2007):**Dignostic ultrasound, 2nd ed. , Jaypee Brothers Medical Publishers.P. 33-59.
- 31-Hagen-Ansert, S.L. (2006):** The abdomen, the urinary system. In: Textbook of diagnostic ultrasonography, 6th ed., Mosby Company. London, Philadelphia. P. 292-296, 358-363.
- 32-Hangiandreou , N. J. (2003):** APM/RSNA Physics Tutorial for Residents: Topics in US: B-mode US: Basic Concepts and New Technology. Radiographics; 23 (4): 1019-1030.
- 33- Hansen, J.T. and Lambert, D.R. (2005):** Netter's Clinical Anatomy, 1st ed. Lippincott Williams & Wilkins, P 256.

- 34- Horrow, M.M. ; Horrow, J.C. and Niakosari, A. (2001):** Is age associated with size of adult extrahepatic bile duct: sonographic study. *Radiology*; 221:411-414.
- 35- Hugh, T.B.; Kelly, M.D. and Mekisic, A. (1997):** Rouvier 's sulcus ; a useful landmark in laparoscopic cholecystectomy . *Br. J. Surg* ;84 : 1253-4.
- 36- Ishibashi, H.; Higuichi, N. ; Shimamura, R. ; Hirata, Y. and Niho ,Y. (1991):** Sonographic assessment and grading of spleen size. *J. Clin. Ultrasound*; 19: 21-25.
- 37- Joshi, R.; Singh, A.; Jajoo, N.; Pai, M. and Kalantri, SP. (2004):**Accuracy and reliability of palpation and percussion for detecting hepatomegaly:a rural hospital based study. *Indian J. Gastroenterol.* ;23: 171-174.
- 38-Joshi, R. (2009):** Sonographic variations in common bile duct dimensions . *Journal of Institute of Medicine*; 31:3.
- 39 - Kaim, A. ; Steinke, K. and Frank, M. (1998):** Diameter of the common bile duct in the elderly patient: measurement ultrasound *Eur. Radiol* ; 8: 1413-1415.
- 40- Kaya, S. ; Ramazan, K. ; Cengiz, Y.; Yasar U. ; Tamer, B. and Unsal, O. (2000) :** Normal liver and spleen size

variations in school – age children by US. Turk. J. Med. Sci ;30; 187-190 .

41- Kerry, G. and Baker (2001): A Review of Therapeutic Ultrasound: Biophysical Effects. Physical Therapy; 81 (7): 1351-1361.

42- Klein, D. ; Jenett, M. and Gassel, H.J. (2004): Normal abdominal anatomy defined by ultrasound . Eur. Radiol ; 17:3-4.

43- Konus, O.L.; Ozdemir, a.; Akkaya, A. ; Erabs, G.; Celik, H. and Isik, S. (1998): Normal liver, spleen and Kidney dimensions in neonates, infants and children: evaluation with sonography, A.J.R.; 171 (6) : 1693-1698.

44- Kratzer,W. ; Fritz, V. ; Mason, R.A.; Haenle, M.M. and Kaechele, V. (2003): Factors affecting liver size: A sonographic survey of 2080 subjects. J.Ultrasound Med;22(11):1155-1161.

45- Krause,J.W. and Cutts,H.J. (1994): Essentials Of Histology .Text,Atlas, Review.1st ed. Brown and Company .Boston, New York, p 341.

- 46- Lewis, J.R.; George, K. and Olbricht (2008):** Acoustic enhanced Evans blue dye perfusion in neurological tissues;39 : 67-70.
- 47- Li ,Y. S. ; Kardorff, R. ; Richter,J. ; Sun ,K.Y. ; Zhou, H. ; McManus, D.P. and Hatz, C. (2004):**Ultrasound organometry : the importance of body height adjusted normal ranges in assessing liver and spleen parameters. Acta Tropica; 92 :133-138.
- 48- Loftus, W.K. and Metreweli, C. (1998):** Ultrasound Assessment of mild splenomegaly, spleen/kidney ratio, ped. Radiol;28(2): 98-100.
- 49- MacSween , R. and Scothorne , R. (2001) :** Clinical estimation of liver span in infants and children In : pathology of the liver(4thEd) ,Churchill Livingstone, London ,p. 1-66.
- 50- McMinn, R.M.H.(1992):**The abdomen ;The biliary tract. In Keith L. , Moore , Clinically oriented anatomy. 3rd ed. , published by Williams and Wilkins, London, Tokyo, p.200-203.
- 51- McMinn, R.M.H. (1994):** Last's Anatomy regional and applied, 9th Ed., P. 386-393.

- 52- McMinn, R.M.H. ; Ross, P. G. ; Hutchings,R.T. and Logon, B.M. (1995):** McMinn's Functional and Clinical Anatomy. London, Baltimore, p. 275-276.
- 53- Megremis, S.D.; Vlachonikolis, I.G. and Tsilimigaki, A.M. (2004):** Spleen length in childhood with ultrasound. Radiology;231: 129-134.
- 54- Moore, K.L. and Dally, A.F. (2010):** The abdomen. In: Clinically oriented anatomy, 6th ed. , Lippicott Williams and Wilkins, Baltimore, Philadelphia, P. 301-303.
- 55- Moore, K.L. and Persaud, T.V.N. (2008):** The developing human : Clinically oriented embryology, 8th ed., Saunders ,Elsevier, p. 218-220.
- 56- Niwa, T. ; Aida, N. ; and Tachibana, K. (2002):** Congenital absence of the portal vein: clinical and radiological findings. J. comput. Assist. Tomogr; 26:681–686.
- 57- Novelline and Robert (1997):** Squire's Fundamentals of Radiology (5th ed.). Harvard University Press, p. 34–35.

- 58- Northover, J.M.A. and Terbelanche, J. (1982):** A new look at the blood supply of the bile duct in man and its surgical implications .Br. J. Surg. ;66:379-384.
- 59- Ovalle , W.K. and Nahirney, P.C. (2008):** Netter's Essential Histology, 1st ed. , Saunders ,P. 324.
- 60- Partiquin, H.B. ; Perrault, G. and Grignon, A. (1990):** Normal Portal Venous Diameter in children. Pediatr. Radiol; 20: 245-247.
- 61- Paulsen, D.F. (2010) :**Histology and cell biology :Examination and Board Review, 5th edition , p. 238.
- 62- Perret, R.S.; Sloop, G.D.and Borne, J.A. (2005):** Common bile duct measurements in an elderly population. J. Ultrasound Med;19:727-730.
- 63- Pitt, W.G. and Ross, S.A. (2003):** Ultrasound increases the rate of bacterial cell growth. Biotechnol. Prog ; 19 (3): 1038–1044.
- 64- Romanes, G.J. (1997):** Cunningham's Manual of practical anatomy, Thorax and abdomen, 15th ed., Mass publishing Co., Oxford, New York, P. 149-153.

- 65- Rosenberg, H.K.; Markowitz, R.I.; Kolberg, H.; Park, C.; Hubbard, A. and Bellah, R.D. (1991) :** Normal splenic size in infants and children, sonographic measurements, A.J.R.; 157(1): 119-121.
- 66- Ross ,M. H. and Pawlina, W. (2006) :** A text and atlas with correlated cell and molecular biology ,5th edition , p. 590.
- 67- Rumack, C.M. ; Wilson, S.R. and Whiliam, C. (2005):** Diagnostic ultrasound, 2nd ed., London ,P. 88-96.
- 68- Sadler, T.W. (2010):** Langman's Medical Embryology .11th ed., Lippincott Williams and Wilkins , P . 219.
- 69- Safak, A.A. ; Simsek, E. and Bahcebasi, T. (2005):** Sonographic assessment of the normal limits and percentile curves of liver, spleen, and kidney dimensions in healthy school-aged children. J Ultrasound Med ; 24(10):1359-64.
- 70- Sanders, C.K. and Miner, L.E. (2000) :** Liver, Gallbladder and Bile Ducts . In :Sanders C.K. AND Miner L.E. (eds.) :Pediatric Ultrasonography. 1st ed. Williams and Wilkins . Baltimore,London, Saunders,P. 167-171.

- 71- Sanders, C.R. (1991) :** Clinical sonography. A practical guide ,
2nd ed., P.121.
- 72- Sant, S. (2008) :**Embryology for medical students .2nd
edition New Delhi , P. 114 and 193-195.
- 73- Sarac, K. ; Ramazan, K. and Cengiz, Y. (2000):** Sonographic
evaluation of liver and spleen size in school – Age
children. Turk. J. Med. Sci; 30; 187- 190.
- 74- Sarti, D.A. ; Lindstrom, R.R. and Tabrisisky, J.
(1976):**Correlation of ultrasonic appearance of the
portal vein with abdominal angiography . J. Clin.
Ultrasound; 3:236.
- 75- Schwartz , S.I. (1990):** Anatomy of the extrahepatic biliary
tract. In Maingot's abdominal operations. London and
Tokyo; 62:1337-1348.
- 76- Schwartz , S.I. (1994):**Liver .In :Principles of surgery. 6th ed.
New York ch .28. p 1319-1366.
- 77- Sinnatamby, C.S. (2006):** The abdomen. In: Last's anatomy,
Regional and applied, 11th ed., Churchill Livingstone,
Edinburgh, London, New York. P. 257-259.

- 78- Skandalakis, L. ; Skanalakis, J. and Skanalakis, L.J. (2000):**
Extrahepatic biliary tract. In Surgical anatomy and technique, 2nd edition , New York, Springer , P. 573-612.
- 79- Skandalakis, J. ; Skanalakis, L. and Skanalakis, P. (2004):**
Hepatic surgical anatomy. Surg. Clin. N. Am. ; 84 : 413-415.
- 80- Skandalakis, J.E. ; Skanalakis, P.N. and Skanalakis, P. (2009):** Anatomy of extrahepatic biliary system in Skanalakis' Surgical anatomy and technique, 3rd edition , New York, Springer , P. 533 .
- 81- Smajda, C. and Blumgart, L.H. (1994) :** The biliary tract and the anatomy of biliary exposure. In : Surgery of Liver and Biliary tract. 2nd ed . Vol. 1, Ch. 2 , p .13.
- 82- Snell, R.S. (2008):** The abdominal cavity: In clinical anatomy for medical students. 6th ed., Lippincott Williams & Wilkins. London, P. 232.
- 83- Soyupak S ., Aylin G., Gulsah S., Figen B., Medih C. and Mehmet In. (2009) :** Portal Venous diameter in children : Normal limits according to age ,weight and height . Radiology ;245-247.

- 84- Spielmann, A.L. ; Delong, D.M. and Kliwer, M.A. (2005):**
Sonographic evaluation of spleen size in tall healthy athletes. *AJR*; 184: 45-49.
- 85- Standring, S. ; Neil, R. ; Borley, P. C. and Alan, R. C. (2008):** Gray's Anatomy, 40th Ed. Ch. 69, P. 1170 - 1223.
- 86- Thibodeau ,G. A. and Patton K.T. (2007) :** Anatomy and Physiology .6th ed. Mosby, Elsevier , p. 946-947.
- 87- Valleix,D.; Sautereau, D. and Pouget, X. (1987):**
Ultrasonographic anatomy of liver, *Surg. Radio. Anatomy* ;9:123-124.
- 88- Valma, J. ; Robertson, K. G. and Baker (2001):** A Review of Therapeutic Ultrasound: Effectiveness Studies. *Physical Therapy*; 81 (7): 1339-1341.
- 89- Vocke, A.K. ; Kardoff, R. and Ehrich, J.H.H. (1998):**Sonographic measurements of the portal vein and its hepatic branches in children .*Eur. J. Ultrasound* ;7:121-127.
- 90- Weinreb ,J. ; Kumari, S. and Phillips, G. (1982):** Portal vein measurements by real time sonography .*AJR*; 139:497-499.
-

- 91- Williams ,P.L. and Dyson M. (1992):** The Biliary ducts and The Gall-bladder. In: Peter L Williams and May Dyson. Gray,s Anatomy. 37th ed. Churchill Livingstone, London ,p. 1393-1396.
- 92- Wu, C.C.; Ho, Y.H. and Chen, C.Y. (1984):** Effect of aging on common bile duct diameter. a real-time ultrasonographic study. J. Clin. Ultrasound ;12: 473 - 478.
- 93- Yetter, E, Acosta, K. Olson, M. and Blundell K. (2003):** Estimating splenic volume: sonographic measurement correlated with helical CT determination. AJR; 181: 1615-1620.
- 94- Young, B. and Heath, J.W. (2000):** Immune system. In: Functional Histology, 4th ed., Churchill Livingstone, Edinburgh, London, New York, Philadelphia, Toronto, P. 218-221.
- 95- Zhang, B. and Lewis, SM. (1989) :**A study of the reliability of clinical palpation of the spleen. Clin. Lab. Haematol. ; 11: 7-10.