

References

- Abdel Salam O.M.E., Hada jati, Baiuomy A.R. , El-Shinawy S. and Arbid M.S (2006a):** Exposure of rats to whole body gamma rays induces early alterations in biliary secretion. *Turk J. Med. Sci.*, 36 (5): 263-269.
- Abdel-Salam O.M.E., Sleem A.A., Hassan N.S., Sharaf H.A. and Mózsik G.y. (2006b):** Capsaicin ameliorates hepatic injury caused by carbon tetrachloride in the rat. *J. Pharmacol. Toxicol.*, 1: 147-156.
- Abdel Salam O.M.E., Sleem A.A., Omara E. A. and Hassan N.S. (2007):** Effect of Ribavirin alone or combined with silymarin on carbon tetrachloride induced hepatic damage in rats. *Drug Target Insights*, 2: 219–227.
- Abdel Aziz M.T., Atta H.M., Mahfouz S., Fouad H.H., Roshdy N.K., Ahmed H.H., Rashed L.A., Sabry D., Hassouna A.A. and Hasan N.M. (2007):** Therapeutic potential of bone marrow-derived mesenchymal stem cells on experimental liver fibrosis. *Clin. Biochem.*, 40 (12): 893-899.
- Abou Gabal A.A., Essawy A.E., Abdel-Moneim A.M., Hamed S.S., and El-Zergy A.A. (2007):** The protective effect of black seed (*Nigella sativa*) against carbon tetrachloride-induced chromosomal aberrations and ultrastructural changes of bone marrow cells. *Arab J. Biotech.*, 10 (2): 275-288.
- Abrahamsson-Zetterberg L., Zetterberg G., Sundell-Bergman S. and Grawe J. (2000):** Absence of genomic instability in mice following prenatal low-dose rate γ -irradiation. *Int. J. Radiat. Biol.*, 76: 971-977.

- Aghel N. ,Rashidi I. and Mombeini A. (2007):** Hepatoprotective Activity of *Capparis spinosa* Root Bark Against CCl₄ Induced Hepatic Damage in Mice. Iranian J. Pharmaceut. Res., 6 (4): 285-290.
- Ajith T.A. and Janardanan K.K. (2002):** Antioxidant and antihepatotoxic activities of *Phellinus rimosus* (Berk) Pilat. J. Ethnopharmacol. , 81(3): 387-391.
- Ali M., Ramachandram R., Rafiullah M.R.M., Singh O., Siddique A.W. and Mir S.R. (2004):** Prevention of carbon tetrachloride-induced hepatotoxicity by the ethanol extract of *Capparis moonii* fruits in rats. Pharmaceutical Biology, 42 (4-5): 286-288.
- Allen K.J., Buck N.E., Williamson R. (2005):** Stem cells for the treatment of liver disease. Transpl. Immunol., 15: 99-112
- Altinas A., Bilgili A., Essiz D., Iren N., Altintasi L., Pekcan M., Turker H. and Serkan C. (2007):** Effects of artificial ultraviolet radiation on several blood and urine parameters related to renal and hepatic functions in albino mice. Bull. Vet. Inst. Pulawy, 51: 303-308.
- Aneja R, Upadhyaya G, Prakash Satya, Dass SK. and Chandra R. (2005):** Ameliorating effect of phytoestrogens on CCl₄-induced oxidative stress in the livers of male Wistar rats. Artificial Cells, Blood Substitute and Biotechcnol., 33 (2): 201-213.
- Aniya Y., Koyama T., Miyagi C., Miyahira M., Inomata C., Kinoshita S., Ichiba T. (2005):** Free radical Scavenging and hepatoprotective actions of the medicinal herb, *Crassocephalum crepidioides* from the Okinawa Islands. Biol. Pharm. Bull., 28: 19- 23.
- Anoopkumar-Dukie S., Walker R.B. and Daya S. A. (2001):** Sensitive and reliable method for the detection of lipid peroxidation in biological tissues. J. Pharm. Pharmacol., 53: 263- 266.

- Anuradha C.D., Kanno S. and Hirano S. (2001):** Oxidative damage to mitochondria is a preliminary step to caspase-3 activation in fluoride-induced apoptosis in HL-60 cells. *Free Radic. Biol. Med.*, 31: 367-373.
- Auti S., Pagare R., Ahire D. and Sawale V. (2010):** Cytogenetical studies on the effect of Omnacortil on root tip cells of *Allium cepa* . *J. Cell and Tissue Res.*, 10 (3): 2331-2335.
- Avers C.J. (1980):** Genetics. D. Van Nastrand and Company, New York. Chapter 11, pp. 417-418.
- Avti P.K., Pathak D.C. M. , Kumar S., Kaushik G., Kaushik T., Farooque A., Khanduja K. L. and Sharma S. C. (2005):** Low dose gamma-irradiation differentially modulates antioxidant defense in liver and lungs of Balb/c mice. *Int. J. Rad. Biol.*, 81 (12): 901-910.
- Ayala F.J. and Kiger J.A. (1984):** Modern Genetics. 2nd ed. The Benjamin/Cummings, London. Chapter 21, pp. 688-729.
- Baldo G., Giugliani R., Uribe C., Cristina Belardinelli M., Soares Duarte M.E., Meurer L., da Silveira T.R. and Matte U. (2010):** Bone marrow mononuclear cell transplantation improves survival and induces hepatocyte proliferation in rats after CCl₄ acute liver damage. *Dig. Dis. Sci.*, 55 (12): 1195-1204.
- Bancroft J.D. and Stevens A. (2007):** Theory and Practice of Histological Techniques, 6th ed. Churchill Livingstone, London.
- Bataller, R. and Brenner, D. (2005):** Liver fibrosis. *J. Clin. Invest.*, 115: 209–218.
- Benova K., Toropila M., Falis M. and Dvorak P. (2003):** Influence of ionizing radiation on the activity of selected adaptive enzymes in chickens and rats. *Acta Vet. Berno.*, 72: 201-205.

- Bertollo Lac , Takahashi C.S. and Moreira- Filho O. (1978):** Cytotaxonomic considerations on *Hoplias lacerdae* (Pisces, Erythrinidae). Brazilian J. Genetics, 1: 103-120.
- Beutler E., Dixon O. and Kelly B.M. (1963):** Improved method for the determination of blood glutathione. J. Lab. Clin. Med., 61: 882-890.
- Bhadauria M., Jadon A., Sharma A. and Shukla S. (2002):** Effect of propriety herbal formulation against chronic carbon tetrachloride induced hepatotoxicity. Indian J. Exp. Biol., 40(11):1254-1259.
- Bhatia A.L. and Manda K. (2004):** Study on pre-treatment of melatonin against radiation-induced oxidative stress in mice. Environ. Toxicol. and Pharmacol., 18: 13–20.
- Bialek S.R., Redd J.T., Lynch A., Vogt T., Lewis S., Wilson C. and Bell B.P. (2008):** Chronic liver disease among two American Indian patient populations in the southwestern United States, 2000-2003. J. Clin. Gastroenterol., 42: 949-954.
- Bianco P.; Riminucci M.; Gronthos S. and Robey P.G. (2001):** Bone marrow stromal stem cells: nature, biology, and potential applications. Stem Cells , 19: 180–192.
- Boll M., Weber L.W.D., Becker E., and Stampfl A. (2001a):** Pathogenesis of carbon tetrachloride-induced hepatocyte injury. Bioactivation of CCl₄ by cytochrome P₄₅₀ and effects on lipid homeostasis. Z. Naturforsch., 56: 111–121.
- Boll M., Weber L.W.D., Becker E., and Stampfl A.(2001b)** Hepatocyte damage induced by carbon tetrachloride: inhibited lipoprotein secretion and changed lipoprotein composition. Z. Naturforsch., 56: 283–290.
- Boyle J.M.; Spreadborough A.R.; Greaves M.J.; Birch J.M.; Varley J.M. and Scot D. (2002):** Delayed chromosome changes in gamma

- irradiated normal and Li-Fraumeni fibroblasts. *Radiat. Res.*, 157: 158–165.
- Brogger A. (1974):** Chromosomes damage in human mitotic cells after in vivo and in vitro exposure to mutagens. *Mutation Res.*, 23: 353-373.
- Brouazin-Jousseau V., Guitton N., Legue F. and Chenal C. (2002):** GSH level and IL-6 production increased in Sertoli cells and astrocytes after gamma irradiation. *Anticancer Res.*, 22 (1A): 257-262.
- Bushong S.C. (2001):** Radiologic Science for Technologist: Physics, Biology, and Protection, 7th ed., St. Louis, Missouri: Mosby, London.
- Butterworth B. E., Popp J. A., Conolly R. B. and Goldsworthy T. L. (1992):** Chemically induced cell proliferation in carcinogenesis. In *Mechanisms of Carcinogenesis in Risk Identification*, eds. H. Vainio, P. N. Magee, D. B. McGregor, and A. J. McMichael, pp. 279–305. ARC Scientific Publication 116. Lyon, France.
- Cabre M.; Ferre N.; Folch J.; Paternain J.L.; Hernandez M.; del Castillo D.; Joven J. and Camps J. (1999):** Inhibition of hepatic cell nuclear DNA fragmentation by zinc in carbon tetrachloride-treated rats. *J. Hepatol.*, 3: 228–234.
- Cadet J., Bellon S., Douki T., Frelon S., Gasparutto D., Muller E., Pouget J.P., Ravanat J.L., Romieu A. and Sauvaigo S. (2004):** Radiation-induced DNA damage: formation, measurement, and biochemical features. *J. Environ. Pathol. Toxicol. Oncol.*, 23 (1): 33–43.
- Cai Y., Gong L.K., Qi X.M., Li X.H. and Ren J. (2005):** Apoptosis initiated by carbon tetrachloride in mitochondria of rat primary cultured hepatocytes. *Acta Pharmacologica Sinica*, 26: 969–975.

-
- Calabrese E.J. and Baldwin L.A.(2000a):** Radiation hormesis: origins, history, scientific foundations. *Human & Exp. Toxicol.*, 19(1): 72-97.
- Calabrese E.J. and Baldwin L.A. (2000b):** Radiation hormesis: its historical foundations as a biological hypothesis. *Human & Exp. Toxicol.*, 19: 41-75.
- Calabrese E.J. and Baldwin L.A.(2001):** Scientific foundations of hormesis. *Crit. Rev. Toxicol.*, 31 (4 & 5): 351-624.
- Cao B.Q., Lin J.-Z., Zhong Y.-S., Huang S.-B., Lin N., Tang Z.-F., Chen R., Xiang P. and Xu R.Y. (2007):** Contribution of mononuclear bone marrow cells to carbon tetrachloride-induced liver fibrosis in rats. *World J. Gastroenterol.*, 13(12): 1851-1856.
- Carey F.A. (1994):** Measurement of nuclear DNA contents in histological and cytological specimens, principles and applications. *J. Pathol.* , 172: 307-313.
- Carsten R.O., Bachand A.M., Baily S.M. and Ullrich R.L. (2008):** Resveratrol reduced radiation-induced chromosome aberration frequencies in mouse bone marrow cells. *Radiat. Res.*, 169 (6): 633-638.
- Castro L. and Freeman B. (2001):** Reactive oxygen species in human health and disease. *Nutrition*, 17: 161–165.
- Chang Y.J., Liu J.W., Lin P.C., Sun L.Y., Peng C.W., Luo G.H., Chen T.M., Lee R.P., Lin S.Z., Harn H.J. and Chiou T.W. (2009):** Mesenchymal stem cells facilitate recovery from chemically induced liver damage and decrease liver fibrosis. *Life Sci.*, 85(13-14): 517-525.
- Changani K.K., Jalan R., Cox I.J., Ala-Korpela M., Bhakoo K., Taylor-Robinson S.D. and Bell J.D. (2001):** Evidence for altered hepatic

- gluconeogenesis in patients with cirrhosis using in vivo 31-phosphorus magnetic resonance spectroscopy. *Gut*. 49:557–564.
- Chaung S.S., Lin C.C., Lin J., Yu K.H., Hsu Y.F. and Yen M.H. (2003):** The hepatoprotective effects of *Limonium sinense* against carbon tetrachloride and beta-D-galactosamine intoxication in rats. *Phytother. Res.*, 17: 784–791.
- Chen S. L., Cai L., Meng Q. Y., Xu S., Wan H. and Liu S. Z. (2000):** Low-dose whole-body irradiation (LD-WBI) changes protein expression of mouse thymocytes: Effect of a LD-WBI-enhanced protein RIP10 on cell proliferation and spontaneous or radiation-induced thymocyte Apoptosis. *Toxicol. Sciences*, 55: 97-106.
- Cuttler J.M. (2001):** The Significant Health Benefits of Nuclear Radiation. 21st Century Science & Technology, 14 (3): 48-57.
- Cuttler J.M. and Pollycove M. (2003):** Can cancer be treated with low doses of radiation?. *Journal of American Physicians and Surgeons*, 8 (4): 108-111.
- Dahiru D., Mamman D.N. and Wakawa H.Y. (2010):** *Ziziphus mauritiana* fruit extract inhibits carbon tetrachloride-induced hepatotoxicity in male rats. *Pakistan J. Nutrition.*, 9 (10): 990-993.
- Dai L.J., Li H.Y., Guan L.-X., Rit chie G., and Zhou J.X. (2009):** The therapeutic potential of bone marrow-derived mesenchymal stem cells on hepatic cirrhosis. *Stem Cell Res.*, 2: 16-25.
- Danqu P.D., Chen H.B., Patil J., Jagirdar J., Orsatti G. and Paronetto F. (1993):** Image analysis versus flow cytometry for DNA ploidy quantitation of solid tumors; A comparison of six methods of sample preparation. *Mod. Pathol.*, 6: 270- 275.

- Das R.K., Hossain S.U. and Bhattacharya S. (2007):** Protective effect of diphenylmethyl selenocyanate against CCl₄-induced hepatic injury. *J. App. Toxicol.*, 27: 527–537.
- De-Hondt H.A.; El-Laithy A.F. and Ali S.M. (1981):** Biochemical and chromosomal studies on rats injected with captan. *Egypt. J. Genet. Cytol.*, 11: 245-253.
- Dhawan D., Sena T. and Dani V.(2006):** Effectiveness of Zinc in Modulating the CCl₄- induced oxidative stress in rat liver ., *Toxicol. Mechan. and Meth.*, 16(1): 37-40.
- Dong M.X., Jia Y., Zhang Y.B., Li C.C, Geng Y.T., Zhou L., Li X.Y., Liu J., Niu Y. (2009):** Emodin protects rat liver from CCl₄-induced fibrogenesis via inhibition of hepatic stellate cells activation. *World J. Gastroenterol.*, 15 (38): 4753-4762.
- Doumas B.T. (1975):** Standards for Total Serum Protein Assays— A Collaborative Study. *Clinical Chemistry*, 21: 1159-1166.
- Dufour R., Lott J.A., Nolte F. S., Gretch D. R., Koff R. S. and Seeff L. B. (2000):** Diagnosis and monitoring of hepatic injury. II. Recommendations for use of laboratory tests in screening, diagnosis, and monitoring. *Clinical Chemistry*, 46:12: 2050–2068.
- Duroviæ B., Selakoviæ V. and Spasiæ-Jokiæ V. (2004):** Does occupational exposure to low-dose ionizing radiation induce cell membrane damage?. *Arch. Oncol.*, 12 (4): 197-199.
- Dynlacht J. R.; Roberts Z.V.; Earles M.; Henthorn J. and Seno J.D. (2000):** Different patterns of DNA fragmentation and degradation of nuclear matrix proteins during apoptosis induced by radiation, hyperthermia or etoposide. *Rad. Res.*, 154 (5): 515-530.

- El-Missiry M. A., Fayed T. A., El-Sawy M.R. and El-Sayed A. A. (2007):** Ameliorative effect of melatonin against gamma-irradiation-induced oxidative stress and tissue injury. *Ecotoxicol. Environ. Saf.*, 66 (2): 278-286.
- Fang B., Shi M., Liao L., Yang S., Liu Y. and Zhao R.C. (2004):** Systemic infusion of FLK1 (+) mesenchymal stem cells ameliorates carbon tetrachloride-induced liver fibrosis in mice. *Transplantation*, 78 (1): 83-88.
- Fang H.L. and Lin W.C. (2008):** Lipid peroxidation products do not activate hepatic stellate cells. *Toxicol.*, 253 (1-3): 36-45.
- Farombi E.O. (2000):** Mechanisms for the hepatoprotective action of Kolaviron: studies on hepatic enzymes, microsomal lipids and lipid peroxidation in carbon tetrachloride-treated rats. *Pharmacol. Res.*, 42: 75-80.
- Feinendegen L.E. (2005):** Evidence for beneficial low level radiation effects and radiation hormesis. *Br. J. Radiol.*, 78: 3-7.
- Feinendegen L.E. and Pollycove M. (2001):** Biologic responses to low doses of ionizing radiation: detriment versus hormesis, part 1: dose responses of cells and tissues. *J. Nucl. Med.*, 42 (7):18-27.
- Feinendegen L.E., Pollycove M. and Sondhaus C.A. (2004):** Responses to low doses of ionizing radiation in biological systems. *Nonlin. Biol. Toxicol. Med.*, 2 (3): 143-171.
- Feo F., Pascale R.M., Simile M.M., De Miglio M.R., Muroli M.R. and Calvisi D. (2000):** Genetic alterations in liver carcinogenesis: implications for new preventive and therapeutic strategies. *Crit. Rev. Oncog.*, 11: 19–62.

- Ferriera E.A., Gris E.F., Felipe K.B., Correia J.F.G., Cargnin-Ferreira E., Filho D.W. and Pedrosa R.C. (2010):** Potent hepatoprotective effect in CCl₄-induced hepatic injury in mice of phloroacetophenone from *Myrcia multiflora*. *Libyan J. of Med.*, 5: 4891- 4899.
- Friedman S.L. (2000):** Molecular regulation of hepatic fibrosis, an integrated cellular response to tissue injury. *J. Biol. Chem.*, 275: 2247–2250.
- Friedman S.L. (2003):** Liver fibrosis—from bench to bedside. *J. Hepatol.*, 38 (1): S38-S53.
- Gallucci R.M., Simeonova P.P., Toriumi W., and Luster M.I. (2000):** TNF- α regulates transforming growth factor- α expression in regenerating murine liver and isolated hepatocytes. *J. Immunol.*, 164: 872–878.
- Gartner L.P. and Hiatt J.L. (2001):** Cytoplasm. In: *Color Textbook of Histology*, editors. 2nd edition, WB: Saunders Company; .pp.11-49. London.
- George J., Rao K.R., Stern R. and Chandrakasan G. (2001):** Dimethylnitrosamine-induced liver injury in rats: the early deposition of collagen. *Toxicology*, 156 (2-3): 129-138.
- Greenwel P., Dominguez-Rosales J.A., Mavi G., Rivas-Estilla A.M., and Rojkind M. (2000):** Hydrogen peroxide: a link between acetaldehyde-elicited α 1(I) collagen gene up-regulation and oxidative stress in mouse hepatic stellate cells. *Hepatology*, 31: 109–116.
- Gressner A.M., Weiskirchen R., Breitkopf K. and Dooley S. (2002):** Roles of TGF-beta in hepatic fibrosis. *Front Biosci.*, 7: 793–807.
- Grudziński I.P., Frankiewicz-Jozko A., Gajewska J., Szczypka M. and Szymanski A. (2000):** Effects of whole-body γ -irradiation on lipid peroxidation and anti-oxidant enzymes in the liver of N

- nitrosodiethylamine-treated mice. Polish J. Environ. Studies, 9 (5): 385-390.
- Gulcin I., Buyukokuroglu M.E., Oktay M. and Kufrevioglu O.I. (2003):** Antioxidant and analgesic activities of turpentine of *Pinus nigra* Arn. subsp. *pallsiana* (Lamb) Holmboe. J. Ethnopharmacol., 86: 51-58.
- Guryev D.V. (2005):** Histologic assessment of regenerating rat liver under low-dose rate radiation exposure. International Congress Series, 1276: 181-182.
- Gutiérrez R., Alvarado J.L., Presno M. Pérez-Veyna O., Serrano C.J. and Yahuaca P. (2010):** Oxidative stress modulation by *Rosmarinus officinalis* in CCl₄-induced liver cirrhosis. Phytother. Res., 24 (4): 595 – 601.
- Hachiya N. and Motohashi Y. (2000):** Examination of lacZ mutant induction in the liver and testis of Muta Mouse following injection of halogenated aliphatic hydrocarbons classified as human carcinogens. Ind. Health, 38: 213–220.
- Haga J., Wakabayashi G., Shimazu M., Tanabe M., Takahara T., Azuma T., Sato Y., Hakamata Y., Kobayashi E. and Kitajima M. (2007):** *In vivo* visualization and portally repeated transplantation of bone marrow cells in rats with liver damage. Stem Cells Dev., 16 (2): 319-328.
- Hartl D.L., Ferifelder D. and Snyder L.A. (1987):** Basic Genetics. Jones and Bartlett, Boston. Chapter 6, pp. 155-178.
- Harvey A.N.; Costa N.D.; Savage J.R. and Thacker J. (1997):** Chromosomal aberrations induced by defined DNA double-strand breaks: the origin of achromatic lesions. Somat. Cell Mol. Genet., 23 (3): 211-219.

- Hassan S.A., Rizk M.Z., El-sharkawi F., Badary O. and Kadry M.O. (2007):** The possible synergistic role of phytic acid and catechin in ameliorating the deteriorative biochemical effects induced by carbon tetrachloride in rats. *J. Applied Sci. Res.*, 3 (11): 1449-1459.
- Hayashi S., Itoh A., Isoda K., Kondoh M., Kawase M. and Yagi K. (2008):** Fucoidan partly prevents CCl₄-induced liver fibrosis. *Eur. J. Pharmacol.*, 580: 380-384.
- Hayata I. (2005):** Chromosomal mutations by low dose radiation vs. those by other mutagenic factors. *Inter. Cong. Series.*, 1276: 17-20.
- Hellemans K., Rombouts K., Quartier E., Dittie A.S., Knorr A., Michalik L., Rogiers V., Schuit F., Wahli W. and Geerts A.(2003):** PPAR-beta regulates vitamin A metabolism-related gene expression in hepatic stellate cells undergoing activation. *J. Lipid Res.*, 44: 280-295.
- Higami Y., Tsuchiya T., To K., Chiba T., Yamaza H., Shiokawa D., Tanuma S., Shimokawa I. (2004):** Expression of DNase gamma during Fas-independent apoptotic DNA fragmentation in rodent hepatocytes. *Cell Tissue Res.*, 316 (3): 403-407.
- Higashiyama R., Inagaki Y., Hong Y.Y., Kushida M., Nakao S., Niioka M., Watanabe T., Okano H., Matsuzaki Y., Shiota G. and Okazaki I. (2007):** Bone marrow-derived cells express matrix metalloproteinases and contribute to regression of liver fibrosis in mice. *Hepatology*, 45 (1): 213-222.
- Higuchi H. and Gores G. (2003):** Mechanisms of liver injury: an overview. *Curr. Mol. Med.*, 3: 483–490.
- Hwang Y.P., Choi C.Y., Chung Y.C., Jeon S.S., and Jeong H.G. (2007):** Protective effects of puerarin on carbon tetrachloride-induced hepatotoxicity. *Arch. Pharm. Res.*, 30 (10): 1309-1317.

- Ibrahim N.K. (2011):** Possible protective effect of Kombucha tea ferment on cadmium chloride induced liver and kidney damage in irradiated rats. *Int. J. Biol. and Life Sciences*, 9:1-12.
- Ina Y. and Sakai K. (2004):** Prolongation of life span associated with immunological modification by chronic low-dose-rate irradiation in MRL-lpr/lpr mice. *Radiat. Res.*, 161 (2): 168-173.
- Ina Y and Sakai K (2005):** Activation of immunological network by chronic low-dose-rate irradiation in wild-type mouse strains: analysis of immune cell populations and surface molecules. *Int. J. Radiat. Biol.*, 81: 721-729.
- Inal M.E., Akguen A. and Kahraman A. (2002):** Radioprotective effects of exogenous glutathione against whole-body gamma-ray irradiation: Age- and gender-related changes in malodialdehyde levels, superoxide dismutase and catalase activities in rat liver. *Methods Find. Exp. Clin. Pharmacol.*, 24 (4): 209-214.
- Iniaghe O. M., Malomo S. O., Adebayo J. O., and Arise R. O. (2008):** Evaluation of the antioxidant and hepatoprotective properties of the methanolic extract of *Acalypha racemosa* leaf in carbon tetrachloride-treated rats. *African J. Biotechnol.*, 7 (11): 1716-1720.
- Iyer S.S., Torres-Gonzalez E., Neujahr D.C., Kwon M., Brigham K.L., Jones D.P., Mora A.L. and Mauricio Rojas M. (2010):** Effect of bone marrow derived mesenchymal stem cells on endotoxin-induced oxidation of plasma cysteine and glutathione in mice. *Stem Cells Inter.*, 2010: 1-9.
- Jadon A., Bhadauria M. and Shukla S. (2007):** Protective effect of *Terminalia belerica* Roxb. and gallic acid against carbon tetrachloride induced damage in albino rats. *J. Ethnopharmacol.*, 19 (2): 214-218.

- Jang Y.Y., Collector M.I., Baylin S.B., Diehl A.M. and Sharkis S.j. (2004):** Hematopoietic stem cells convert into liver cells within days without fusion. *Nat. Cell Biol.*, 6: 532-539.
- Jayashree B., Devasagayam T. P. A. and Kesavan P .C . (2001):** Low dose radiobiology: Mechanistic Considerations; *Curr. Sci.*, 80: 515–523.
- Johansson L. (2003):** Hormesis, an update of the present position. *Eur. J. Nucl. Med. Mol. Imaging*, 30: 921–933.
- Johnson L.B., Adawi D., , Ågren M.S., Jorgensen L.N., Wittgren L., Mattsson S., Blomquist P., , Gottrup F. and Jeppsson B. (2006):** Combination of pre-operative radiotherapy and surgery suppresses local accumulation of collagen and TGF- β 1 in rats. *J. Surg. Res.*, 133: 136 – 142.
- Johnson M. J., Lortie G., Simoneau J.A., Boulay M.R. (2003):** Glycogen depletion of human skeletal muscle fibers in response to high-frequency electrical stimulation. *Can. J. Appl. Physiol.*, 28 (3): 424-433.
- Kamalakkannan N., Rukkumani R., Varma P.S., Viswanathan P., Rajasekharan K.N. and Menon V.P. (2005):** Comparative effects of curcumin and an Analogue of curcumin in carbon tetrachloride-induced hepatotoxicity in rats. *Basic & Clinical Pharmacology & Toxicology*, 97(1): 15-21.
- Kanazawa Y. and Verma I.M. (2003):** Little evidence of bone marrow-derived hepatocytes in the replacement of injured liver. *Proc. Nat. Acad. Sci. U S A*, 100 (1): 11850- 11853.
- Kang K.S., Kim I.D., Kwon R.H. and Ha B.J. (2008a):** *Undaria pinnatifida* fucoidan extract protects against CCl₄-induced oxidative stress. *Biotechnology and Bioprocess Engineering*, 13(2) : 168-173.

- Kang K.S., Kim I.D., Kwon R.H. and Ha B.J. (2008b):** The effects of fucoidan extracts on CCl₄-induced liver injury. Arch. Pharmacol. Res., 31(5): 622-627.
- Kang M.S., Yoon C.O., Byun J.W., Lee O.Y., Yoon B.C., Hahm J.S., Kang J.S. and Lee M.H. (2001):** Changes of propranolol pharmacokinetic parameters according to hepatic fibrotic severity in CCl₄-Treated Rats. Korean J. Hepatol., 7(2): 181-188.
- Kang X.-Q., Zang W.-J., Song T.-S., Xu X.-L., Yu X.-J., Li D.-L., Meng K.-W., Wu S.-L., Zhao Z.-Y. (2005):** Rat bone marrow mesenchymal stem cells differentiate into hepatocytes in vitro. World J. Gastroenterol., 11(22): 3479-3484.
- Kanter M., Meral I., Dede S., Gunduz H., Cemek M., Ozbek H. and Uygan I. (2003):** Effects of *Nigella sativa* L. and *Urtica dioica* L. on lipid peroxidation, antioxidant enzyme systems and some liver enzymes in CCl₄-treated rats. J. Vet. Med. Physiol. Pathol. Clin. Med., 50 (5): 264-268.
- Khorshid H.R., Azonov J.A., Novitsky Y.A., Farzamfar B., and shahhosseiny M.H., (2008):** Hepatoprotective effects of setarud against carbon tetrachloride-induced liver injury in rats. Indian J. Gastroenterol., 27 (3): 110-112.
- Kim H.Y., Kim S.J., Kim K.N., Lee S.G. and Lee S.M. (2011):** Protective effect of HV-P411, a herbal mixture, on carbon tetrachloride-induced liver fibrosis. Food Chemistry, 124 (1): 248-253.
- Kim KY., Rhim T., Choi I. and Kim S.S. (2001):** N-acetylcysteine induces cell cycle arrest in hepatic stellate cells through its reducing activity. J. Biol. Chem., 276: 40591-40598.

- Kiselova Y., Popescu A., Chervenkov T., Kolova P., Galvnska B., Bratu M., and Ivanova D. (2006):** Hepatoprotective effect of *Holoschoenus vulgaris* Link. Rhizome extract on carbon tetrachloride-induced acute liver damage in rats. Ovidius University Annals of Medical Science-Pharmacy, IV (1): 106-108.
- Kmieć Z. (2001):** Cooperation of liver cells in health and disease. Adv. Anat. Embryol. Cell Biol., 161 (III-XIII): 1-151.
- Koh D.H., Park G.T., Kim J.M., Yun Y.S., Lee S.H., Kim D.U., Kim J.B., Choi Y.Y., Kang J.S., Choi H.S., Hahm J.S. and Lee M.H. (2002):** Relationship of propranolol pharmacokinetic parameters with portosystemic shunt in CCl₄-induced cirrhotic rats. Taehan Kan Hakhoe Chi., 8 (3): 277-287.
- Kojima S., Shimomura H. and Matsumori S. (2000):** Effect of pre-irradiation with low-dose γ -rays on chemically induced hepatotoxicity and glutathione depletion. Anti Cancer Res., 20 (3A): 1583-1588.
- Kojima S., Ishida H., Takahashi M. and Yamaoka K. (2002):** Elevation of glutathione induced by low-dose gamma rays and its involvement in increased natural killer activity. Radiat. Res., 157 (3): 275-280.
- Kojima S., Nakayama K. and Ishida H. (2004):** Low dose gamma-rays activate immune functions via induction of glutathione and delay tumor growth. J. Radiat. Res. (Tokyo), 45 (1): 33-39.
- Krithika R. and Verma R.J. (2009):** Ameliorative potential of *Phyllanthus amarus* against carbon tetrachloride-induced. Acta Pharmaceutica Polonniae Drug Research, 66 (5): 579-583.
- Kwon D.S., Gao X., Liu Y.B., Dulchavsky D.S., Danyluk A.L., Bansal M., Chopp M., McIntosh K., Arbab A.S., Dulchavsky S.A., Gautam S.C. (2008):** Treatment with bone marrow-derived stromal cells

- accelerates wound healing in diabetic rats. *Int. Wound J.*, 5 (3): 453-463.
- Lai J.T., Hsieh W.T., Fang H.L. and Lin W.C. (2009):** The protective effects of fermented substance from *Saccharomyces cerevisiae* on carbon tetrachloride-induced liver damage in rats. *Clinical nutrition* (Edinburgh, Scotland), 28 (3): 338-345.
- Lakshmi B., Tilak J.C., Adhikari S., Devasagayam T.P.A. and Janardhanan K.K. (2005):** Inhibition of lipid peroxidation induced by gamma radiation and AAPH in rat liver and brain mitochondria by mushrooms. *Curr. Sci.*, 88: 484-490.
- Law M.P., Hornsey S. and Field S.B. (1984):** Collagen content in lungs of mice after X-ray irradiation. *Rad. Res.*, 99: 185- 201.
- Lee C.S., Han J.H., Jang Y.Y., Song J.H., Han E.S. (2002):** Differential effect of catecholamine and MMP+ on membrane permeability in brain mitochondria and cell viability in PC12 cells. *Neurochem. Int.*, 40: 361–369.
- Lee C.H., Park S.W., Kim Y.S., Kang S.S., Kim J.A., Lee S.H. and Lee S.M. (2007):** Protective mechanism of glycyrrhizin on acute liver injury induced by carbon tetrachloride in mice. *Biol. Pharm. Bull.*, 30: 1898-1904.
- Lee K. H., Lee J. S., Lee J. H., Kim S. W., Suh C., Kim W. K., Kim S. H., Min Y. I., Kim B. S., Park K. C., Lee M. S. and Sun H. S. (1999):** Prognostic value of DNA flow cytometry in stomach cancer: a 5-year prospective study. *Br. J. Cancer*, 79 (11-12): 1727-1735.
- Lee K. D., Kuo T. K., Whang-Peng J., Chung Y. F., Lin C. T., Chou S. H., Chen J. R., Chen Y. P. and Lee O. K. (2004):** *In vitro* hepatic

- differentiation of human mesenchymal stem cells. *Hepatology*, 40: 1275–1284.
- Lee S., Tolmachoff Y. and Marchevsky A.M. (1994):** DNA content analysis (ploidy) by image analysis. Clinical applications and comparison with flow cytometry. In image analysis; A prime for pathologists. Edited by Marchevsky, A.M. and Bartels, P.H., Raven Press. Lt.
- Lee T.Y., Chang H.H., Wang G.J., Chiu J.H., Yang Y.Y. and Lin H.C. (2006):** Water-soluble extract of *Salvia miltiorrhiza* ameliorates carbon tetrachloride-mediated hepatic apoptosis in rats. *J. Pharm. Pharmacol.*, 58(5): 659-665.
- Lee H.S., Kim H.H. and Ku S.K. (2008):** Hepatoprotective effects of *Artemisiae capillaries* herba and *Picorrhiza rhizoma* combinations on carbon tetrachloride-induced sub acute liver damage in rats. *Nutr. Res.*, 20 (4): 270-277.
- Leonard A. (1976):** Heritable chromosome aberrations in mammals after exposure to chemicals. *Rad. and Environ. Biophys.*, 13: 1-8.
- Lima T.B., Suja A., Jisa O.S., sathyanarayanan S. and Remya K.S. (2010):** Hepatoprotective activity of LIV-first against carbon tetrachloride-induced hepatotoxicity in albino rats. *Int.J. Green Pharm.*, 4 (2): 71-74.
- Lin J.Q. (2002):** Effect of nutrition intervention on antioxidant capacity and lipid peroxide in patients with bone marrow transplantation. *Di Yi Jun Yi Da Xue Xue Bao.*, 22 (6): 530-532.
- Liu J., Tan H., Sun Y., Zhou S., Cao J. and Wang F. (2009):** The preventive effects of heparin–superoxide dismutase on carbon tetrachloride-induced acute liver failure and hepatic fibrosis in mice. *Mol. Cell. Biochem.*, 327: 219-228.

-
- Liu S. Z. (1989):** Radiation hormesis: a new concept in radiological science. Chin. Med. J. 102: 750–756.
- Liu S-Z. (2004):** Radiation-induced change in lymphocyte proliferation and its neuroendocrine regulation: Dose-response relationship and pathophysiological implications. Nonlin. Biol. Toxicol. Med., 2(3): 233-244.
- Lorenzini S. and Andreone P. (2007):** Regenerative medicine and liver injury: what role for bone marrow derived stem cells?. Current Stem Cell Res. & Ther., 2: 83-88.
- Lorimore S.A.; Coates P.J.; Scobie G.E.; Milne G. and Wright E.G. (2001):** Inflammatory type responses after exposure to ionizing radiation in vivo: a mechanism for radiation-induced bystander effects?. Oncogene, 20: 7085–7095.
- Luckey S.W. and Petersen D.R. (2001):** Activation of Kupffer cells during the course of carbon tetrachloride- induced liver injury and fibrosis in rats. Exp. Mol. Pathol., 71: 226–240.
- Maffei F., Angelini S., Forti G.C., Violante F.S., Lodi V., Mattioli S. and Hrelia P. (2004):** Spectrum of chromosomal aberrations in peripheral lymphocytes of hospital workers occupationally exposed to low doses of ionizing radiation. Mutat. Res./Fundamental and Molecular Mechanisms of Mutagenesis, 547 (1-2): 91-99.
- Mallet V.O., Mitchell C., Mezey E., Fabre M., Guidotti J.E., Renia L., Coulombel L., Kahn A. and Gilgenkrantz H. (2002):** Bone marrow transplantation in mice leads to a minor population of hepatocytes that can be selectively amplified *in vivo*. Hepatology, 35(4): 799–804.

- Manibusan M.K., Odin M. and Eastmond D.A. (2007):** Postulated Carbon Tetrachloride Mode of Action: A Review. *Journal of Environmental Science and Health*, 25: 185–209.
- Marsillach J., Ferre N., Camps J., Riu F., Rull A., and Joven J. (2008):** Moderately high folic acid supplementation exacerbates experimentally induced liver fibrosis in rats. *Exp. Biol. Med. (Maywood)*, 233 (1): 38-47.
- Mas N., Tasci I., Comert B., Ocal R. and Mas M.R. (2008):** Ursodeoxycholic acid treatment improves hepatocyte ultra structure in rat liver fibrosis. *World J. Gastroenterol.*, 14 (7): 1108–1111.
- Mayuren C., Reddy V.V., Priya S.V.P. and Devi V.A. (2010):** Protective effect of Livactine against CCl₄ and paracetamol induced hepatotoxicity in adult Wister rats. *North Am. J. Med. Sci.*, 2: 491-495.
- Migalkin N. S. and Ir'ianov I. M. (1983):** Modified method of staining semi-thin sections with hematoxylin and eosin. *Arkh. Patol.*; 45 (8): 88-89.
- Miura Y. and Endo T. (2010):** Survival responses to oxidative stress and aging. *Geriatr. Gerontol. Int.*, 10 (1): 1–9.
- Moreno M.G., Chávez E., Aldaba-Muruato L.R., Segovia J., Vergara P., Tsutsumi V., Shibayama M., Rivera-Espinoza Y. and Muriel P. (2011):** Coffee prevents CCl₄-induced liver cirrhosis in the rat. *Hepatol. Inter.*, 5(3): 857-863.
- Mortazavi S.M.J., Rahmani M.R., Rahnama A., Saeed-Pour A., Nouri E., Hosseini N. and Aghaiee M.M. (2009):** The stimulatory effects of topical application of radioactive lantern mantle powder on wound healing. *Dose Response*, 7 (2): 149–159.

- Muckerheide J. (2000):** It's time to tell the truth about the health benefits of low-dose radiation. 21st Century Science & Technology Magazine, 12 (2): 43-55.
- Muriel P., Alba N., Perez-Alvarez V.M., Shibayama M. and Tsutsumi V.K. (2001):** Kupffer cells inhibition prevents hepatic lipid peroxidation and damage induced by carbon tetrachloride. Comp. Biochem. Physiol. C. Toxicol. Pharmacol., 130: 219–226.
- Nally M.C. and Peter F. (2006):** GI/Liver Secrets: with Student Consult Access. Saint Louis: C.V. Mosby. Cheltenham, UK.
- Natarajan S.K., Amirtharaj G.J., Ramachandran A., Pulimood A.B. and Balasubramanian K.A. (2009):** Retinoid metabolism in the small intestine during development of liver cirrhosis. J. Gastroenterol. Hepatol., 24 (5): 821-829.
- Nkosi C.Z., Opoku A.R. and Terblanche S.E. (2005):** Effect of pumpkin seed (*Cucurbita pepo*) protein isolate on the activity levels of certain plasma enzymes in CCl₄-induced liver injury in low protein feed rats. Phy. The. Res., 19: 341-345.
- Noaman E., Ibrahim N.K. and Mansour S.Z. (2006):** Role of Quercetin and vitamin “C” in quenching oxidative damage induced by ionizing radiation and carbon tetrachloride in rats. Isotope & Rad. Res., 38 (2): 499-510.
- Nwachukwu D.C., Okwuosa C.N., Chukwu P.U., Nkiru N.A. and Udeani T. (2011):** Hepatoprotective activity of methanol extract of the seeds of *Sesamum indicum* in carbon tetrachloride induced hepatotoxicity in rats. Ind. J. Novel Drug delivery, 3 (1): 36-42.
- Ogeturk M., Kus I., Pekmez H., Yekeler H., Sahin S., and Sarsilmaz M. (2008):** Inhibition of carbon tetrachloride-mediated apoptosis and

- oxidative stress by melatonin in experimental liver fibrosis. *Toxicol. Ind. Health*, 24 (4): 201-208.
- Ono T., Ikchata H., Vishnu P.P., and Uehara Y. (2003):** Molecular nature of mutation induced by irradiation with repeated low-dose of x-rays in spleen, liver, brain and testis of Lac Z-transgenic mice. *Int. J. Rad. Biol.*, 79(8): 635-664.
- Opoku A.R., Ndlovu I.M., Terblanche S.E. and Hutchings A.H. (2007):** *In vivo* hepatoprotective effects of *Rhoicissus tridentata* sub sp. *cuneifolia*, a traditional Zulu medicinal plant, against CCl₄-induced acute liver injury in rats. *South Afr. J. Bot.*, 73: 372–377.
- Otsuka K., Koana T., Tauchi H. and Sakai K. (2006):** Activation of antioxidative enzymes induced by low-dose-rate whole body gamma irradiation: Adaptive response in terms of initial DNA damage. *Radiat. Res.*, 166: 474-478.
- Oyagi S., Hirose M., Kojima M., Okuyama M., Kawase M., Nakamura T., Ohgushi H. and Yagi K. (2006):** Therapeutic effect of transplanting HGF-treated bone marrow mesenchymal cells into CCl₄-injured rats. *J. Hepatol.*, 44 (4): 742-748.
- Ozturk F., Gul M., Ates B., Ozturk I.C., Cetin A., Vardi N., Otlu A. and Yilmaz I. (2009):** Protective effect of apricot (*Prunus armeniaca* L.) on hepatic steatosis and damage induced by carbon tetrachloride in Wistar rats. *Br. J. Nutr.*, 102 (12): 1767-1675.
- Palanivel M.G., R ajkapoor B., Kumar R.S., Einstein J.W., Kumar E.P., Kumar M.R., Kavitha K., Kumar M.P. and Jayakar B. (2008):** Hepatoprotective and Antioxidant Effect of *Pisonia aculeata* L. against CCl₄- induced hepatic damage in rats. *Sci. Pharm.*, 76: 203–215.

- Park S.H., Pradeep K., Choi M.H., Ko K.C. and Park H.J. (2010):** Hesperidin and Curdlan treatment ameliorates γ -radiation induced cellular damage and oxidative stress in the liver of Sprague-Dawley rats. *RJPBCS*, 1(3): 165- 177.
- Parola M. and Robino G. (2001):** Oxidative stress-related molecules and liver fibrosis. *J. Hepatol.*, 35: 297–306.
- Pinzani M., Romanelli R.G. and Magli S. (2001):** Progression of fibrosis in chronic liver diseases: time to tally the score. *J. Hepatol.*, 34: 764–767.
- Planaguma A., Claria J., Miquel R., Lopez-Parra M., Titos E., Masferrer J.L., Arroyo V. and Rodes J. (2005):** The selective cyclooxygenase-2 inhibitor SC-236 reduces liver fibrosis by mechanisms involving non-parenchymal cell apoptosis and PPAR gamma activation. *FASEB J.*, 19: 1120-1122.
- Pollycove M. and Feinendegen L.E. (2000):** "Cellular and organism dose-response: bio-positive (health benefit) effects," in *Proceedings of International Symposium on Health Benefits of Low-Dose Radiation – The Science and Medical Applications*, Washington, D.C., Nov. 15, (Needham, Mass.: Radiation, Science, and Health).
- Pollycove M. and Feinendegen L.E. (2001):** Biologic responses to low doses of ionizing radiation: detriment versus hormesis, part 2: dose responses of organisms. *J. Nuc. Med.*, 42 (9): 26-37.
- Prasad R.N., Srinivasan M., Pugalendi K.V. and Menon V.P. (2006):** Protective effect of ferulic acid on γ -radiation-induced micronuclei, dicentric aberration and lipid peroxidation in human lymphocytes. *Mutat. Res.*, 603: 129-134.
- Praveen T.K., Dharmaraj S., Jitendra Bajaj, Dhanabal S.Z., Manimaran S., Nanjan M.J. and Razdan R. (2009):** Hepatoprotective activity of

- petroleum ether, diethyl ether, and methanol extract of *Scoparia dulcis* L. against CCl₄-induced acute liver injury in mice. Indian J. Pharmacol., 41(3): 110–114.
- Premila A. (2004):** Lysosomal enzyme activity during development of carbon tetrachloride induced cirrhosis in rats. Indian J. Physiol. Pharmacol., 48 (2): 206–212.
- Prise K.M. and O'Sullivan J.M. (2009):** Radiation-induced bystander signaling in cancer therapy. Nat. Rev. Cancer, 9 (5): 351–360.
- Quintanilha L.F., Mannheimer E.G., Carvalho A.B., Paredes B.D., Dias J.V., Almeida A.S., Gutfilen B., Barbosa da Fonseca L.M., Resende C.M., Rezende G.F., Campos de Carvalho A.C. and Goldenberg R.C. (2008):** Bone marrow cell transplant does not prevent or reverse murine liver cirrhosis. Cell Transplant., 17 (8): 943-953.
- Reitman S. and Frankel S. A. (1957):** A colorimetric method for the determination of serum glutamic oxaloacetic and glutamic pyruvic transaminases. Am. J. Clin. Path., 28 (1): 56-59.
- Robertson J.D. and Orrenius S. (2000):** Molecular Mechanisms of Apoptosis Induced by Cytotoxic Chemicals. Criti. Rev. Toxicol., 30 (5): 609–627.
- Rothenberg M.E., Doecker M.P., Lewkowich I.P., Chiaramonte M.G., Stringer K.F., Finkelman F.D., MacLeod C.L., Ellies L.G. and Zimmermann N. (2006):** Cationic amino acid transporter 2 regulates inflammatory homeostasis in the lung. Proc. Nat. Acad. Sci. USA, 103: 14895-14900.
- Rothkamm K. and Löbrich M. (2003):** Evidence for a lack of DNA double-strand break repair in human cells exposed to very low x-ray doses. PNAS, 100 (9): 5057-5062.

- Roudkenar M.H., Li L., Baba T., Kuwahara Y., Nakagawa H., Wang L., Kasaoka S., Ohkubo Y., Ono K. and Fukumoto M. (2008):** Gene expression profiles in mouse liver cells after exposure to different types of radiation. *J. Radiat. Res.*, 49: 29-40.
- Ryan J.B., Ursula E., Julien S. and Erik S. K. (2011):** RB deletion disrupts coordination between DNA replication licensing and mitotic entry *in vivo*. *Mol. Biol. Cell. Org.*, 22 (7): 931-939.
- Saada H.N., Rezk R.G. and El-tahawy N.A. (2010):** Lycopene protects the structure of the small intestine against gamma-radiation-induced oxidative stress. *Phytother. Res.*, 24: 204-208.
- Saint-Georges L.D.E. (2004):** Low-dose ionizing radiation exposure: Understanding the risk for cellular transformation. *J. Biol. Regulat. and Homeostat. Agents*, 96-100.
- Sakai K. (2000):** Biological effects of low dose radiation, *Excerpta Medica International Congress Series 1211*. Elsevier; Effects of Low-Dose Pre-irradiation on Radiation-Induced Cell Death in Cultured Mammalian Cells; p. 53.
- Sakai K., Nomura T. and Ina Y. (2006):** Enhancement of the bio protective functions by low dose/dose rate radiation. *Dose-Response*, 4 (4): 327–332.
- Sakaida I. (2006):** Cell therapy with bone marrow cell for liver cirrhosis. *J. Electrophoresis*, 50 : 7-12.
- Sakaida I., Terai S., Yamamoto N., Aoyama K., Ishikawa T., Nishina H. and Okita K.H. (2004):** Transplantation of bone marrow cells reduces CCl₄-induced liver fibrosis in mice. *Hepatology*, 40 (6): 1304– 1311.

- Sakaida I., Terai S., Nishina H. and Okita K. (2005):** Development of cell therapy using autologous bone marrow cells for liver cirrhosis. *Med. Mol. Morphol.*, 38: 197–202.
- Samudram P., Rajeshwari Hari, Vasuki R., Geetha A. and Sathiya moorthi P. (2008):** Hepatoprotective activity of Bi - herbal ethanolic extract on CCl₄ induced hepatic damage in rats. *African J. Biochem. Res.*, 2 (2): 61-65.
- Sangeetha B. and Krishnakumari S. (2010):** Tephrosi purpurea (Linn.) pers: A folk medicinal plant ameliorate\ s carbon tetrachloride induced hepatic damage in rats. *Int. J. Pharma. and Bio. Sciences*, 1 (2): 1-10.
- Schulte E. and Wittekind D. (1989):** Standardization of the Feulgen. Schiff technique staining characteristics of pure fuchsin dyes cytophotometric investigations. *Histochemistry*, 91: 321-325.
- Schwartz J.L., Jordan R., Slovic J., Moruzzi A., Kimmel R., and Liber H.L. (2006):** Chronic low dose radiation effects on radiation sensitivity and chromosome instability induction in TK6 cells. *Nat. Cancer Inst.*, 59: 823-832.
- Scotta B.R. and Di Palmaa J. (2007):** Sparsely ionizing diagnostic and natural background radiations are likely preventing cancer and other genomic-instability-associated diseases. *Dose Response*, 5 (3): 230–255.
- Sener G., Jahovic N., Tosun O., Atasoy B.M. and Yegen B. (2003):** Melatonin meliorates ionizing radiation-induced oxidative organ damage in rats. *Life Sci.*, 74: 563–572.
- Sheweita S.A., Abd El-Gabar M. and Bastawy M. (2001):** Carbon tetrachloride-induced changes in the activity of phase II drug-metabolizing enzyme in the liver of male rats: role of antioxidants. *Toxicology*, 165 (2-3): 217-224.

- Shi G.F. and Qian L. I. (2005):** Effects of oxymatrine on experimental hepatic fibrosis and its mechanism *in vivo*. *World J. Gastroenterol.*, 11 (2): 268-271.
- Shi L., Li G., Wang J., Sun B., Yang L., Wang G., Wang D., Mu L., Chen H., Jin L., Kostulas N. and Li H. (2008):** Bone marrow stromal cells control the growth of hepatic stellate cells *in vitro*. *Dig. Dis. Sci.*, 53 (11): 2969-2974.
- Shigematsu A., Adachi Y., Koike-Kiriyama N., Suzuki Y., Iwasaki M., Koike Y., Nakano K., Mukaide H., Imamura M. and Ikehara S. (2006):** Effects of low-dose irradiation on enhancement of immunity by dendritic cells. *J. Rad. Res.*, 48: 151-155.
- Singh S., Mehta A. and Mehta P. (2011):** Hepatoprotective activity of *Cajanus cajan* against carbon tetrachloride induced liver damage. *Int. J. Pharm. Sci.*, 3 (2): 146-147.
- Sivikova K., Piesova E. and Dianovsky J.(2001):** The protection of Vitamin E and selenium against carbon tetrachloride-induced genotoxicity in ovine peripheral blood lymphocytes. *Mutat. Res.*, 494 (1-2): 135-142.
- Skepper J. N. and Powell J.M. (2006):** Immunohistochemistry: Methods Express (ed. Renshaw), from the Methods Express Series. Scion Publishing Ltd., Oxfordshire, UK. Pp. 1-36.
- Smaili S.S., Hsu Y.T., Carvalho A.C.P., Rosenstock T.R., Sharpe J.C. and Youle R.J. (2003):** Mitochondria, calcium and pro-apoptotic proteins as mediators in cell death signaling. *Braz. J. Med. Biol. Res.*, 36 (2): 183-190.
- Smart D.E., Vincent K.J., Arthur M.J., Eickelberg O., Castellazzi M., Mann J., and Mann D.A. (2001):** Jun D regulates transcription of the

- tissue inhibitor of Metalloproteinases-1 and interleukin-6 genes in activated hepatic stellate cells. *J. Biol. Chem.*, 276: 24414– 24421.
- Smyth R., Munday M.R., York M.J., Clarke C.J., Dare T. and Turton J.A. (2007):** Comprehensive characterization of serum clinical chemistry parameters and the identification of urinary superoxide dismutase in a carbon tetrachloride-induced model of hepatic fibrosis in the female Hanover Wistar rat. *Int. J. Exp. Pathol.*, 88: 361-376.
- Sorsa M.; Wilbourn J. and Vainio H. (1992):** Human cytogenetic damage as a predictor of cancer risk. *IARC Sci. Publ.*, (116): 543-554.
- Stoian V. and Raicu P. (1975):** Morphological Characteristics and the nature of gaps (achromatic lesions) induced by 4-Aminouracil in chromosomes of *Vicia faba*. *Mutat. Res.*, 200-217.
- Sudpraserta W., Navasumrit P., Ruchirawat M. (2006):** Effects of low-dose gamma radiation on DNA damage, chromosomal aberration and expression of repair genes in human blood cells. *Int. J. Hyg. Environ. Health*, 209 (6): 503-511.
- Sun C.K., Chen C.H., Kao Y.H., Yuen C.M., Sheu J.J., Lee F.Y., Chen Y.T., Kung C.T. and Yip H.K. (2010):** Bone marrow cells reduce fibrogenesis and enhance regeneration in fibrotic rat liver. *J. Surg. Res.*, 1-10.
- Takahashi M., Kojima S., Yamaoka K. and Niki E. (2000):** Prevention of type I diabetes by low-dose gamma irradiation in NOD mice. *Radiat. Res.*, 154 (6): 680-685.
- Takate S. B, Pokharkar R.D., Chopade V.V. and Gite V. N. (2010):** Hepatoprotective activity of the ethyl acetate extract of *Launaea intybacea* (Jaco) Beauv in paracetamol induced hepatotoxicity in albino rats. *Int. J. Pharma. Sci. Review and Research*, 1 (2): 72-74.

- Tanchev S., Georgieva S., Georgieva P. and Popov B. (2005):** Genetic effects in somatic and germ cells in rabbits following external gamma radiation. II- chromosome aberrations in peripheral blood lymphocytes. *Takia J. Sci.*, 3 (1): 49-52.
- Tang W., Dan Z.I., Yan H.M., Wu C.H., Zhang G., Liu M., Li Q. and Li S.B. (2003):** Experimental study of effect of Ganyanping on fibrosis in rat livers. *World J. Gastroenterol.*, 9 (6): 1292-1295.
- Tasci I., Mas N., Mas M.R., Tuncer M., and Comert B. (2008):** Ultrastructural changes in hepatocytes after taurine treatment in CCl₄ induced liver injury. *World J. Gastroenterol.*, 14 (31): 4897–4902.
- Terai S. (2009):** Currents status and prospects of autologous bone marrow cell infusion therapy for liver cirrhosis patients. *Bull. Yamaguchi Med. School*, 56 (1-2): 1-3.
- Terai S., Ishikawa T., Omori K., Aoyama K., Marumoto Y., Urata Y., Yokoyama Y., Uchida K., Yamasaki T., Fujii Y., Okita K. and Sakaida I. (2006):** Improved liver function in patients with liver cirrhosis after autologous bone marrow cell infusion therapy. *Stem Cell*, 24: 2292-2298.
- Theise N.D., Nimmakayalu M., Gardner R., Illei P.B., Morgan G., Teperman L., Henegariu O. and Krause D.S. (2000a):** Liver from bone marrow in humans. *Hepatology*, 32 (1): 11 –16.
- Theise N.D.; Badve S.; Saxena R.; Henegariu O.; Sell S.; Crawford J.M. and Krause D.S. (2000b):** Derivation of hepatocytes from bone marrow cells in mice after radiation-induced myeloablation. *Hepatology*, 31: 235–240.

- Toma C. Pittenger M.F., Cahill K. S., Byrne B.J. and Kessler P.D (2005):** Human mesenchymal stem cells differentiate to a cardiomyocyte phenotype in the adult murine heart. *Circulation*, 105: 93-98
- Tucker J.D. (2008):** Low-dose ionizing radiation and chromosome translocations: A review of the major considerations for human biological dosimetry. *Mutation Research/Reviews in Mutation Research*, 659 (3): 211-220.
- Turel I., Ozbek H., Erten R., Oner A.C., Cengiz N., and Yilmaz O. (2009):** Hepatoprotective and anti-inflammatory activities of *Plantago major* L. *Indian J. Pharmacol.*, 41(3): 120-124.
- Ulrich R.G., Bacon J.A., Brass E.P., Cramer C.T., Petrella D.K. and Sun E.L. (2001):** Metabolic, idiosyncratic toxicity of drugs: overview of the hepatic toxicity induced by the anxiolytic, panadiplon. *Chemico-Biological Interactions*, 134: 251–270.
- Uma-Devi P. and Hossain M. (2000):** Evaluation of the cytogenetic damage and progenitor cell survival in foetal liver of mice exposed to gamma radiation during the early foetal period. *Int. J. Rad. Biol.*, 76 (3): 413-417.
- Umemoto A., Komaki K., Monden Y., Suwa M., Kanno Y., Kitagawa M., Suzuki M., Lin C-X., Ueyama Y., Momen M. A., Ravindernath A. and Shibutani S. (2001):** Identification and Quantification of tamoxifen DNA adducts in the liver of rats and mice. *Chem. Res. Toxicol.*, 14 (8): 1006-1013.
- Valanteo M.R. and Latah M.S. (2002):** Antioxidant activity of *Curoligo echinoids* in carbon tetrachloride induced hepatopathy in rats. *Ind. J. Clin. Biochem.*, 17 (2): 80-87.

- Venkatesan N. (2000):** Pulmonary protective effects of Curcumin against paraquat toxicity. *Life Sci.*, 66 (2): 21 – 28.
- Veremeyeva G.; Akushevich I.; Pochukhailova T.; Blinova E.; Varfolomeyeva T.; Ploshchanskaya O.; Khudyakova O.; Vozilova A.; Kozionova O. and Akleyev A. (2010):** Long-term cellular effects in humans chronically exposed to ionizing radiation. *Health Phys.*, 99 (3): 337-346.
- Vorobtsova I., Dawoudi F., Semyonov A., Kanayeva A., Timofeyeva N., Yakovleva T., Zharinov G. and Natarajan A. T. (2001):** Analysis of chromosome aberrations by FISH and Giemsa assays in lymphocytes of cancer patients undergoing whole-body irradiation: comparison of in vivo and in vitro irradiation. *Int. J. Radiat. Biol.*, 77: 1123-1131.
- Wade A. (2009):** Radiation and Reason: The Impact of Science on a Culture of Fear. York, England: York Publishing Services. p. 2.
- Wagner R.P.; Judd B.H.; Saunders B.G. and Richardson R.H.(1980):** Introduction to Modern Genetics. Wiley, New York. Pp. 573-580.
- Wang L.S., Duan H.F., Hu J.W., Zhang Q.W., Wang H., Lu Z.Z., Wu Z.Z. and Wang L.S. (2005):** Treatment of CCl₄ induced chronic liver injury with bone marrow mesenchymal stem cells over expressing hepatocyte growth factor. *Zhonghua Gan Zang Bing Za Zhi.*, 13 (12): 934-936.
- Wang P. P., Wang J. H., Yan Z. P., Hu M. Y., Lau G. K., Fan S. T. and Luk J. M.(2004):** Expression of hepatocytes like phenotypes in bone marrow stromal cells after HGF induction. *Biochem. Biophys. Res. Commun.*, 320: 712– 716.

- Wang X., Montini E., Al-Dhalimy M., Lagasse E., Finegold M. and Grompe M. (2002):** Kinetics of liver repopulation after bone marrow transplantation. *Am. J. Pathol.*, 161 (2): 565–574.
- Watanabe M., Murata S., Hashimoto I., Nakano Y., Ikeda O., Aoyagi Y., Matsuo R., Fukunaga K., Yasue H., and Ohkohchi N. (2008):** Platelets contribute to the reduction of liver fibrosis in mice. *J. Gastroenterol. Hepatol.*, 24 (1): 78-89.
- Weber L.W., Boll M. and Stampfl A. (2003):** Hepatotoxicity and mechanism of action of haloalkanes: carbon tetrachloride as a toxicological model. *Crit. Rev. Toxicol.*, 33(2): 105-136.
- Woo S.H., Park I.C., Park M.J., Lee H.C., Lee S.J., Chun Y.J., Lee S.H., Hong S.I. and Rhee C.H. (2002):** Arsenic trioxide induces apoptosis through a reactive oxygen species-dependent pathway and loss of mitochondrial membrane potential in HeLa cells. *Int. J. Oncol.*, 21: 57-63.
- Wu S.J., Lin Y.H., Chu C.C., Tasi Y.H., and Chao J.C. (2008):** Curcumin or saikosaponin A improves hepatic antioxidant capacity and protects against CCl₄-induced liver injury in rats. *J. Med. Food.*, 11 (2): 224-229.
- Wu X.L., Zeng W.Z., Wang P.L., Lei C.T., Jiang M.D., Chen X.B., Zhang Y., Xu H. and Wang Z. (2003):** Effect of compound rhodiola sachalinensis A Bor on CCl₄-induced liver fibrosis in rats and its probable molecular mechanisms. *World J. Gastroenterol.*, 9: 1559-1562.
- Xu L., Gao J. , Wang Y., Yu W., Zhao X., Yang X., Zhong Z. and Qian Z. (2009):** *Myrica rubra* extracts protect the liver from CCl₄-induced

- damage. Evidence-Based Complementary and Alternative Med., 2011: 1-8
- Xu L., Gao J., Wang Y., Yu W., Zhao X., Yang X., Zhong Z. and Qian Z.M. (2011):** *Myrica rubra* extracts protect the liver from CCl₄-induced damage. Evid. Based Complement. Alternat. Med., 17: 1-9.
- Yagi K., Kojima M., Oyagi S., Ikeda E., Hirose M., Isoda K., Kawase M., Kondoh M. and Ohgushi H. (2008):** Application of mesenchymal stem cells to liver regenerative medicine. Yakugaku Zasshi., 128 (1): 3-9. (abstract).
- Yamaoka K., Kataoka T., Nomura T., Taguchi T., Wang D.H., Mori S., Hanamoto K. and Kira S. (2004):** Inhibitory Effects of Prior Low-dose X-ray Irradiation on Carbon Tetrachloride-induced Hepatopathy in Acatalasemic Mice. J. Radiat. Res. (Tokyo), 45(1): 89-95.
- Yan L., Xu S., Wang S. and Wu B. (2010):** G-CSF mobilized PBMCs contribute to the liver function of cirrhotic rats. EXCLI Journal, 9: 67-75.
- Yan Y., Wanshun L., Baoqin H., Bing L. and Chenwei F. (2006):** Protective effects of chitosan oligosaccharide and its derivatives against carbon tetrachloride-induced liver damage in mice. Hepatol. Res., 35 (3): 178-184.
- Yang J., Li Y., Wang F. and Wu C. (2010):** Hepatoprotective effects of apple polyphenols on CCl₄-induced acute liver damage in mice. J. Agric. Food Chem., 58 (10): 2525-2631.
- Yannaki E., Athanasiou E., Xagorari A., Constantinou V., Batsis I., Kaloyannidis P., Proya E., Anagnostopoulos A. and Fassas A.(2005):** G-CSF-primed hematopoietic stem cells or G-CSF per se accelerate recovery and improve survival after liver injury,

- predominantly by promoting endogenous repair programs. *Exp. Hematol.*, 33: 108-119.
- Yesufu H.B., Bassi P.U., Khan I.Z., Abdul Rahman F.I. and Mohammed G.T. (2010):** Phytochemical screening and hepatoprotective properties of the aqueous root bark extract of *Sarcocephalus latifolius* (Smith) bruce african peach. *Arch. of Clin. Micro.*, 1 (23): 1-5.
- Yokoyama Y., Terai S., Ishikawa T., Aoyama K., Urata Y., Marumoto Y., Nishina H., Nakamura K., Okita K. and Sakaida I. (2006):** Proteomic analysis of serum marker proteins in recipient mice with liver cirrhosis after bone marrow cell transplantation. *Proteomics* , 6 (8): 2564-2570.
- Yoshida T.M. and Amano K. (1965):** Autosomal polymorphism in laboratory bred and wild Norway rats *Rattus norvegicus* found in Misima. *Chromosoma*, 16: 658- 667.
- Yoshioka T., Kawada K., Shimada T. and Mori M. (1979):** Lipid peroxidation in maternal and cord blood and protective mechanism against activated –oxygen toxicity in the blood. *Am. J. Obstet. Gynecol.*, 135: 372-376.
- Yukawa O., Nakajima T., Miura Y., Ueda J. and Ozawa T. (2005):** Induction of radical scavenging ability and suppression of lipid peroxidation in rat liver microsomes following whole-body, low-dose X-irradiation. *Int J. Radiat. Biol.*, 81(9): 681-688.
- Zhang L.J., Yu J.P., Li D., Huang Y.H., Chen Z.X. and Wang X.Z. (2004):** Effects of cytokines on carbon tetrachloride-induced hepatic fibrogenesis in rats. *World J. Gastroenterol.*, 10 (1):77-81.

- Zheng J.F. and Liang L.J. (2008):** Intra-portal transplantation of bone marrow stromal cells ameliorates liver fibrosis in mice. *Hepatobil. Pancreat. Dis. Int.*, 7 (3): 264-270.
- Zima A., Hošek J., Tremel J., Muselík J., Suchý P., Pražanová G., Lopes A. and Žemlička M. (2010):** Antiradical and cytoprotective activities of several C-Geranyl-substituted flavanones from *Paulownia tomentosa* fruit. *Molecules*, 15: 6035-6049.
- Zubay G. (1987):** Genetics. Chapter 9, pp. 308-357. The Benjamin/ Cummings, Menlo Park, California.