

REFERENCES

Acosta F and Gupta N (2006): *Spinal Dysraphism. In: Pediatric Neurosurgery, Frim DM and Gupta N (eds). Georgetown, Texas: Landes Bioscience Publishers, 8:143-160.*

Barness LA (1994): *The pediatric history and physical examination. In: Principles and Practice of Pediatrics, Oski FA et al (eds). Philadelphia: J. B. Lippincott Company, 2nd Ed, Ch 6.*

Bhidayasiri R, Waters MF and Giza CC (2005a): *Neuroanatomy and Neuropathology. In: Neurological Differential Diagnosis: A Prioritized Approach, Baehring JM and Piepmeier JM (eds). Massachusetts: Blackwell Publishing, 1:2-61.*

Bhidayasiri R, Waters MF and Giza CC (2005b): *Pediatric Neurology. In: Neurological Differential Diagnosis: A Prioritized Approach, Baehring JM and Piepmeier JM (eds). Massachusetts: Blackwell Publishing, 11:346-381*

Blair EM, Liu Y, Klerk NH and Lawrence DM (2005): *Optimal fetal growth for the Caucasian singleton and assessment of appropriateness of fetal growth: an analysis of a total population perinatal database. BMC Pediatrics, 5:13.*

Blatter BM, van der Star M and Roeleveld N (1994): *Review of Neural Tube Defects: Risk Factors in Parental Occupation and the Environment Environ Health Perspect, 102:140-145.*

Bol KA, Collins JS and Kirby RS (2006): *Survival of infants with neural tube defects in the presence of folic acid fortification. Pediatrics, 117(3):803-13.*

Brent RL (2004): *Environmental Causes of Human Congenital Malformations: The Pediatrician's Role in Dealing with These Complex Clinical Problems Caused by a Multiplicity of Environmental and Genetic Factors. Pediatrics Vol. 113 No. 4 April, pp. 957-968.*

Camarata PJ and Haines SJ (1993): *Ventriculoatrial shunting. In: Neurosurgical Operative Atlas, Rengachary SS and Wilkins RH (eds). Chicago: The American association of neurological surgeons, 1:231-239.*

Chi J.H., Fullerton H.J. and Gupta N. (2005): *Time trends and demographics of deaths from congenital hydrocephalus in children in the United States: National Center for Health Statistics data, 1979 to 1998. Journal of Neurosurgery, 103(2): 113-118.*

Choux M (2009): *Specificities of, and changes in, pediatric neurosurgery. In: Practical Handbook of Neurosurgery from Leading Neurosurgeons, Marc Sindou (ed). Strauss, Germany: Springer-Verlag / Wien Printing, 2:485-495.*

De Divitiis E (2009): *Endoscopy: Principles and Techniques. In: Practical Handbook of Neurosurgery from Leading Neurosurgeons, Marc Sindou (ed). Strauss, Germany: Springer-Verlag / Wien Printing, 1:31-48.*

Eichholzer M, Tönz O and Zimmermann R (2006): Folic Acid: A Public Health Challenge. *Lancet.*, 22; 367(9519):1352-1361.

Flotte ER (2004): Outline of Neurosurgery. *Pediatric*, 59-62.

Frim DM and Gupta N (2006): Hydrocephalus. In: *Pediatric Neurosurgery*, Frim DM and Gupta N (eds). Georgetown, Texas: Landes Bioscience Publishers, 6:117-129.

Fudge R (2003): Hydrocephalus Diagnosed in Young and Middle-Aged Adults (SHYMA). *Hydrocephalus Association*, San Francisco, California, 1-31.

Gallucci M, Capoccia S and Catalucci A (2005): Sectional Anatomy of the Telencephalon. In: *Radiographic Atlas of Skull and Brain Anatomy*, Gallucci M, Capoccia S and Catalucci A (eds). Berlin: Springer-Verlag, 2:29-84.

Garton HJ and Piatt JH (2004): Hydrocephalus. *Pediatr Clin N Am*, 51:305-325.

Gleason S. C. (2002): Iowa Birth Defects Registry's annual report for the year 2002.

Greenberg MS (2010): Hydrocephalus. In: *Handbook of Neurosurgery*, Greenberg MS (ed). New York: Thieme Medical Publishers, 7th Ed, 11:206-241.

Greene A (2007): Intraventricular hemorrhage of the newborn. *MedHelp.org web site*.

Grieve JP and Kitchen ND (2005): Aneurysmal Subarachnoid Hemorrhage. In: *Neurosurgery Principles and Practice*, Moore AJ and Newell DW (eds). London: Springer-Verlag, 18:315-332.

Gupta A.K. and Sharma R. (1997): Imaging in hydrocephalus and spinal dysraphism. *Indian J. Pediatric*, 64(6):34-47.

Hirsch JF (1992): Outcomes in Hydrocephalus. *Acta Neurochirurgica*, 116:155-160.

Hyattsville A (2008): Centers for Disease Control and Prevention (CDC). National center for Health Statistics (NCHS). National Health and Nutrition Examination Survey Data.

Jallo GI, Kothbauer KF and Abbott IR (2005): Endoscopic third ventriculostomy. *Neurosurg Focus*, 19(6):E11, 1-5.

Jones HC and Klinge PM (2008): Abstracts of the Congress 'Hydrocephalus 2008' Hannover, Germany. *Clin Neurol Neurosurg*, 110(Suppl 1):1-46.

Jones J, Lopez A and Wilson M (2003): Congenital toxoplasmosis. *American Family Physician*, 67: 2131–2138.

Kalangu KN (2009): Management of encephaloceles. In: *Practical Handbook of Neurosurgery from Leading Neurosurgeons*, Marc Sindou (ed). Strauss, Germany: Springer-Verlag / Wien Printing, 2:601-608.

Kallen B (2002): Use of antihistamine drugs in early pregnancy and delivery outcome. *Journal of Maternal-Fetal and Neonatal Medicine*, 11:146-152.

Kaye AH (2005a): Raised intracranial pressure and hydrocephalus. In: *Essential Neurosurgery*, Kaye AH (ed). Massachusetts: Blackwell Publishing, 3rd Ed, 3:27-39.

Kaye AH (2005b): Developmental abnormalities. In: *Essential Neurosurgery*, Kaye AH (ed). Massachusetts: Blackwell Publishing, 3rd Ed, 11:158-169.

Kaye AH (2005c): Infections of the central nervous system. In: *Essential Neurosurgery*, Kaye AH (ed). Massachusetts: Blackwell Publishing, 3rd Ed, 12:170-184.

Kiesler J and Ricer R (2003): The Abnormal Fontanel. *American Family Physician*, 67(12):2547 -2552.

Koren G, Pstuszek A and Ito S (1998): Drugs in pregnancy. *New England Journal of Medicine*, 338:1128–1137.

Kramer LC and Reynolds M (2011): Spina Bifida Hydrocephalus and Shunts.

Landingham MV, Nguyen TV, Roberts A, Parent AD and Zhang J (2009): Research paper: Risk factors of congenital hydrocephalus: a 10 year retrospective study. *J Neurol Neurosurg Psychiatry*, 80:213-217.

Lee MC and Frim DM (2006): Neonatal Neurosurgery. In: *Pediatric Neurosurgery*, Frim DM and Gupta N (eds). Georgetown, Texas: Landes Bioscience Publishers, 5:110-116.

Leipold H, Worda C, Gruber CJ, Kautzky-Willer A, Husslein PW and Bancher-Todesca D (2005): Large-for-gestational-age newborns in women with insulin-treated gestational diabetes under strict metabolic control. *Wien. Klin. Wochenschr*, 117(15-16):521–525.

Lukas R (2009): Hydrocephalus. Mayo Clinic website.

Maher CO, Cohen-Gadol AA and Raffel C (2006): Pediatric Neurosurgery. In: *Guiding Neurosurgery by Evidence*, Pollock BE (ed). Basel: Prog Neurol Surg., 19:97-106.

McComb JG (1996): Fourth National Conference on Hydrocephalus.

McCullough DC (1993): Ventriculoperitoneal shunting. In: *Neurosurgical Operative Atlas*, Rengachary SS and Wilkins RH (eds). Chicago: The American association of neurological surgeons, 1:223-230.

McDowell J. (2007): Hydrocephalus: Causes, Incidence, and Risk factors.

www.Ahealthyme.com 10/8/2009.

Murshid WR, Jarallah JS and Dad MI (2000): Epidemiology of infantile hydrocephalus in Saudi Arabia: birth prevalence and associated factors. *Pediatr Neurosurg*, 32:119-123.

Mweshi MM (2011): Evidence of Spina bifida and hydrocephalus in Zambia

Challenge - Zambia, 12(2).

Nussbaum R L, McInnes RR and Willard HF (2001): *Prenatal diagnosis should begin with measures to identify pregnancies in which there is a recognizable risk for a diagnosable fetal disorder. In: Thompson and Thompson genetics in medicine, Nussbaum R L, McInnes RR and Willard HF (eds). Philadelphia: W. B. Saunders, 6th Ed, 1:51–78.*

Pierre-Kahn A (2009): *Management of lumbosacral lipomas. In: Practical Handbook of Neurosurgery from Leading Neurosurgeons, Marc Sindou (ed). Strauss, Germany: Springer-Verlag / Wien Printing, 2:585-600.*

Plotkin SR and Grier JT (2007): *Increased Intracranial Pressure and Extradural Compression Syndromes. In: Brain Tumors: Practical Guide to Diagnosis and Treatment, Baehring JM and Piepmeier JM (eds). New York: Informa Healthcare Publishers, 24:427-446.*

Reefhuis J and Honein M (2004): *Maternal aged and non-chromosomal birth defects, Atlanta—1968-2000: teenager or thirty-something, who is at risk? Birth Defects Research (PartA). Clinical and Molecular Teratology, 70:572-579.*

Rekate HL (1996): *Fourth National Conference on Hydrocephalus.*

Rengachary SS (1993): *Lumbar-peritoneal shunting. In: Neurosurgical Operative Atlas, Rengachary SS and Wilkins RH (eds). Chicago: The American association of neurological surgeons, 2:323-333.*

Ross RT and Rowland LP (2006): *Higher cortical functions: Intelligence and Memory. In: How to Examine the Nervous System, Ross RT and Rowland LP (eds). Totowa, New Jersey: Humana Press, 6th Ed, 19:191-196.*

Saggar AK and Bittles AH (2008): *Consanguinity and child health Paediatrics and Child Health, 18(5):245-249.*

Sankhla S. and Khan G.M. (2009): *Reducing CSF shunt placement in patients with spinal myelomeningocele. Journal of Pediatric Neurosciences, 4(1):2-9.*

Schrander-Stumpel C. (1998): *Congenital hydrocephalus: nosology and guidelines for clinical approach and genetic counselling. Eur. J. Pediatric, 157:355-362.*

Shawky RM, Mokhtar GM, Abdel Hay A and Agaiyby E (2000): *Some genetic aspects of congenital hydrocephalus. Egyptian J Med Hum Genet., 1(1):197-205.*

Smith R. (2009): *Research Initiative Fact Sheet. Hydrocephalus Association web site.*

Sood S, Ham SD and Canady AI (2001): *Current Treatment of Hydrocephalus: Neurosurgery Quarterly. Philadelphia: Lippincott Williams & Wilkins, 11(1):36-44.*

Stevenson KL (2004): *Chiari Type II malformation: past, present, and future. Neurosurg. Focus, 16(2):5.*

Thompson D (2005): *Hydrocephalus and Shunts*. In: *Neurosurgery Principles and Practice*, Moore AJ and Newell DW (eds). London: Springer-Verlag, 24:425-444.

Toporek C. and Robinson K. (1999): *What is hydrocephalus? Getting the diagnosis*. In: Toporek C. and Robinson K. (eds), *Hydrocephalus: A Guide for Patients, Families & Friends*. New York, Thieme Medical Publishers, 1:1-53.

Tsmentzis SA (2000): *Neuroradiology*. In: *Differential Diagnosis in Neurology and Neurosurgery*, Tsmentzis SA (ed). New York: Thieme Medical Publishers, 2:7-49.

Vintzileos A.M., Ingardia C.J. and Nochimson D.J. (1983): *Congenital hydrocephalus: A review and protocol for perinatal management*. *Obstetric & Gynecology*, 62:539-549.

Waggoner Dand and Dobyns W (2006): *Genetic Syndromes and Congenital Anomalies*. In: *Pediatric Neurosurgery*, Frim DM and Gupta N (eds). Georgetown, Texas: Landes Bioscience Publishers, 7:130-142.

Weeks AC and Rutka JT (2007): *Tumors of the Choroid Plexus*. In: *Brain Tumors: Practical Guide to Diagnosis and Treatment*, Baehring JM and Piepmeier JM (eds). New York: Informa Healthcare Publishers, 11:219-228.

Weprin BE and Swift DM (2002): *Complications of Ventricular Shunts: Techniques in Neurosurgery.* Philadelphia: Lippincott Williams & Wilkins, 7(3):224-242.

Whitelaw A., Evans D., Carter M., Thoresen M. and Wroblewska J. (2007): *Randomized Clinical Trial of Prevention of Hydrocephalus After Intraventricular Hemorrhage in Preterm Infants: Brain-Washing Versus Tapping Fluid.* *Pediatrics*, 119(5):1071-1078.

WWW.ahealthyme (2011): *Hydrocephalus.* *www.ahealthyme web site*, 18\8\2011.

[WWW.sbhi](#) (2011): *Hydrocephalus & Child Development. Spina Bifida Hydrocephalus Ireland, National Resource Centre, 1-4.* *www.sbhi web site*, 15\7\2011.

WWW.wikipedia (2011): *www.Wikipedia web site*, 2\7\2011.

Yadav Y.R., Mukerji G., Shenoy R., Basoor A., Jain G. and Nelson A. (2007): [*Endoscopic management of hypertensive intraventricular haemorrhage with obstructive hydrocephalus.*](#) *BMC Neurology*, 7: 1-9.

Zamani GR and Mohammadi M (2005): *Bilateral choroid plexus papilloma of lateral ventricles.* *Acta Medica Iranica*, 43(2):158-160.