

REFERENCES

Abou-Jaoude ES, Brooks M, Katz DG et al., (2002): Spontaneous wound dehiscence after removal of single continuous penetrating keratoplasty suture. *Ophthalmology*; 109:1291-6.

Alberts B, Bray D , Lewis J et al., (1994): The cell. The Cytoskeleton. Garland publishing Inc .;787-862.

Amayem AF, Anwar M (2000): Fluid lamellar keratoplasty in keratoconus. *Ophthalmology*;107:76–80.

Anwar M, Teichmann KD(2002): Big-bubble technique to bare Descemet's membrane in anterior lamellar keratoplasty. *J Cataract Refract Surg*;28:398-403.

Anwar M, Teichmann KD(2002): Deep lamellar keratoplasty surgical techniques for anterior lamellar keratoplasty with and without baring of the Descemet's membrane. *Cornea*;21:374-383.

Archilia EA (1984): Deep lamellar keratoplasty dissection of host tissue with intrastromal air injection. *Cornea*;3:217–218.

Ardjomand N, Hau S, Jams C, Alister Mc (2007): Quality of vision and Graft thickness. Am J Ophthalmol;143:228–235.

Arentsen JJ(1983): Corneal transplant allograft reaction: possible predisposing factors. Trans Am Ophthalmol Soc;81: 361–402.

Azar DT, Jain S, Sambursky R (2000): A New Surgical Technique of Microkeratome-Assisted Deep Lamellar Keratoplasty With a Hinged Flap. Arch Ophthalmol. ;118:1112-1115.

Azar DT, Jain S, Sambursky R (2001): Microkeratome-assisted posterior keratoplasty. J Cataract Refract Surg;27:353-356.

Beebe DC, Masters BR(1996): Cell lineage and differentiation of corneal epithelial cells. Invest Ophthalmol Vis Sci ;37 (9):1815-1825.

Bonini S, Rama P, Olzi D, et al.,(2003): Neurotrophic keratitis. Eye;17(8):989-995.

Brik DE(2001): Type V collagen :hyterotypic type I/V collagen interactions in the regulation of fibril asymbly. Micron;32(3):223-37.

Bron AJ and Tripathi R (1997): Wolff's anatomy of the eye and orbit, Chapman and Hall medical, London, 8th edition, chapter 6: 211-232.

Busin M, Zambianchi L, Arffa RC (2005): Microkeratome-assisted lamellar keratoplasty for the surgical treatment of keratoconus. Ophthalmology;112:987–997.

Costarilis G ,Cheng SZ , Dong G et al., (1989): Existence of slow cycling limbal epithelial basal cells that can be preferentially stimulated to proliferate :implications on epithelial stem cells;57(2):201-209.

Danjo Y,Gipson IK (1998): Actin 'purse string'filaments are anchored by E-cadherin-mediated adherens junctions at the leading edge of the epithelial wound ,providing co-ordinated cell movement .J Cell Sci;111:3323-3332.

Doughty MJ(1990): Morphometric analysis of the surface cells of rabbit corneal epithelium by scanning electron microscopy. Am J Anat; 189: 316.

Eckardt C (1987): A new temporary keratoprosthesis for pars plana vitrectomy. Retina;7(1):34-37.

Folga R and Padmanabhan P(2005): Results of Deep Lamellar Keratoplasty Using the Big-bubble Technique in Patients With Keratoconus. Am J Ophthalmol; 141:254-258.

Fournié P, Malecaze F, Couillet J et al., (2007): Variant of the big bubble technique in deep anterior lamellar keratoplasty. J Cataract Refract Surg.;33:371-375.

Funnell CL, Ball J, Noble BA (2006): Comparative cohort study of the outcomes of deep lamellar keratoplasty and penetrating keratoplasty for keratoconus. Eye;20:527–532.

Gipson IK (2004): Distribution of mucins at the ocular surface .Exp Eye Res;78(3):379-388.

Gipson IK, Argueso P (2003): Role of mucins in the function the corneal and conjunctival epithelia .Int Rev Cytol ;231:1-49.

Gipson IK, Joyce NC (2000): Principles and Practice of ophthalmology. Anatomy and cell biology of the cornea ,superficial limbus ,and conjunctiva.WB Saunders Company.;612-629.

Hanna KD, David T, Resson" J et al., (1991) : Lamellar keratoplasty with the Barraquer microkeratorne. Refract Corneal Surg; 7:177-181.

John T (2003): Use of indocyanine green in deep lamellar endothelial keratoplasty. J Cataract Refract Surg; 29:437-43.

Joyce NC (2003): proliferative capacity of corneal endothelium .Prog Retin Eye Res;22(3):359-389.

Kaminski SL, Biowski R, Koyuncu D, et al., (2003): Ten-year follow up of epikeratophakia for the correction of high myopia. Ophthalmology;110:2147–2152.

Kim JY , Djalilian AR, Schwartz GS et al.,(2003): Occular reconstruction: limbal stem cell transplantation.Ophthalmol Clin North Am: 16(1):67-77.

King JH(1965):Unusual techniques. the cornea worled congress, Butterworth Inc,Washing.

Klyce SD. and Beurmann RW(1997): Structure and function of the cornea in: The cornea, Kaufman H., Butter Worth Heinemann, 2nd edition, chapter 1: 3-50,.

Ko WW, Feldman ST, Frueh BE, et al (1993): Experimental posterior lamellar transplantation of the rabbit cornea. Invest Ophthalmol Vis Sci.;34:1102.

Komai Y (1991): Three-dimensional organization of collagen fibrils in the human cornea and sclera. Invest Ophthalmol Vis Sci ;32(8):2244-2258.

Korb, DR, Craig, J, Doughty, M, et al(2002): The tear film: structure, function and clinical examination. BCLA.

Koenig SB, Covert DJ(2007): Early results of small-incision Descemet's stripping and automated endothelial keratoplasty. *Ophthalmology*; 114:221-226.

Kuhn F, Witherspoon CD, Morris RE (1991): Endoscopic surgery vs temporary keratoprosthesis vitrectomy. *Arch Ophthalmol*;109(6):768.

Landers MB, Fbulks GN, Landers DM et al.,(1981):Temporary keratoprosthesis for use during pars plana vitrectomy. *Am J Ophthalmol*:91 (5):615-619.

Malbran E (1966): lamellar keratoplasty in keratoconus. *Int Ophthalmol Clin* :6:99-109.

Malbran E, Malbran E Jr, Malbran J,Feldmann R (2002): the actual scope of lamellar grafts .In Agarwal S,Agarwal A,Apple DJ et al.text book of ophthalmology .New Delhi :Jaypee Brothers medical publishers (p) Ltd :2:1093-1103.

Manche EE, Holland GN, Maloney RK (1999) : Deep lamellar keratopiasty using viscoelastic dissection. *Arch Ophthalmol*; 117 :1561-1565.

Massimo B, Priya R,. (2008) :late detachment of donor graft after descemet`s memberan striping automated endothelial keratoplasty. *J cataract refractive surg*;34:159-160.

McDonald MB, Koeing SB, Safir A et al., (1983): Onlay lamellar keratoplasty for the treatment of Keratoconus. Br J Ophthalmol; 67:615-618.

Melles GR, (2007): Descemet's membrane endothelial keratoplasty. Eurotimes J; 12:27.

Melles GR, Eggink FA, Lander F, et al (1998): A surgical technique for posterior lamellar keratoplasty. Cornea.; 17:618-626.

Melles GR, Lander F, Rietveld FJ, et al (1999) : A new surgical technique for deep stromal, anterior lamellar keratoplasty. Br J Ophthalmol.; 83:327-333.

Melles GRJ, Remeijer L, Geerards AJ, et al (2000): A quick surgical technique for deep, anterior lamellar keratoplasty using visco-dissection. Cornea.; 19:427-432.

Melles GRJ, Geerards AJ, Beekhuis WH (1999): The future of lamellar keratoplasty. Curr Opin Ophthalmol; 10: 253-259.

Melles GRJ, Lander F, Rietveld FJR, et al (1999): A new surgical technique for deep stromal, anterior lamellar keratoplasty. Br J Ophthalmol; 83:327-333.

Melles GR, Lander F, Nieuwendaal C (2002): Sutureless, posterior lamellar keratoplasty: a case report of a modified technique. Cornea; 21:325-27.

Michelacci YM (2003): Collagens and proteoglycans of the corneal extracellular matrix. *Braz J Med Biol Res* ;36 (8):1037-1046.

Muller LJ, Marfurt CF, Kruse F, et al (2003): Corneal nerves: structure, content and function. *Exp eye res*;76 (5):521-542.

Muraine M, Calenda E, Watt L, et al., (1999): Peribulbar anesthesia during keratoplasty: a prospective study of 100 cases. *Br J Ophthalmol*; 83(1): 104-109.

Muraine M, Collet A, Brasseur G (2001) : deep lamellar keratoplasty as surgical management of anterior and posterior segment injuries to the eye. *Cornea*;20(8):897-901.

Muraine MC, Collet A, Brasseur G (2002): Deep lamellar keratoplasty combined with cataract surgery. *Arch Ophthalmol*;120(6): 812-815.

Nagano T, Nakamura M, Nakata K, et al., (2003) : Effects of substance P and IGF-1 on corneal epithelial barrier function and wound healing in rat model of neurotrophic keratopathy. *Invest Ophthalmol Vis Sci* ;44(9):3810-3815.

- Panda A , Bageshwar LMS , Ray M , et al., (1999):** Deep lamellar keratoplasty versus penetrating keratoplasty for corneal lesions. Cornea;18:172–175.
- Panda A. Pangtey MS. Sony R Khokhai S(2002):** Big-bubble technique in anterior lamellar keratoplasty. J Cataract Refract Surg;28(12):2067
- Pfister R and Renner M (1977):** The histopathology of experimental dry spots and dellen in the rabbit cornea: a light microscopy and scanning and transmission electron microscopy study. IOVS; 16: 1025.
- Polack F (1971):**Lamellar keratoplasty. Malbran's "Peeling OF" Technique, Arch Ophthalmol; 86:293-295.
- Poon AC,Geerling G ,Dart JK,et al.,(2001):** Autologous serum eyedrops for dry eyes and epithelial defects :Br J Ophthalmol;85(10):1188-1197.
- Price FW Jr, Price MO (2006):** A nonsurgical treatment for donor dislocation after descemet stripping endothelial keratoplasty (DSEK). Cornea; 25:991
- Rasik B, Vajpaye E, Tyagi J,et al.,(2007):** Deep Anterior Lamellar Keratoplasty by Big-Bubble Technique for Treatment Corneal Stromal Opacities. Am J Ophthalmol;20:1-4.

- Saini JS, Jain AK, Sukhija J, et al., (2003):** Indications and outcome of optical partial thickness lamellar keratoplasty. *Cornea*;22:111–113.
- Shen YC, Wang YC, Tsai YH, Lee FY, MD(2007):** Spontaneous Resolution of Partial Donor Disk Dislocation After Deep Lamellar Endothelial Keratoplasty. *Am J Ophthalmol*;143:358–360.
- Shimmura S, Tsubota k, and Shamazaki J (2006):** Comparison of deep lamellar keratoplasty and penetrating keratoplasty *American Journal of ophthalmology*; 142: 304-309.
- Shimazaki J, Shimmura S, Ishioka M, et al.,(2002):** Randomized clinical trial of deep lamellar keratoplasty vs penetrating keratoplasty. *Am J Ophthalmol*; 134(2): 159-165.
- Shimazaki J(2000):** The evolution of lamellar keratoplasty. *Curr Opin Ophthalmol*;11:217-223.
- Sivak J, Fini ME(2002):** MMPs in the eye :emerging roles for matrix metalloproteases in ocular physiology .*Prog Retin Eye Res*;21(1):1-14.
- Sugar A, Sugar J(2000):** Techniques in penetrating keratoplasty: a quarter century of development. *Cornea*;19:603-610.

Sugita J, Kondo J (1997): Deep lamellar keratoplasty with complete removal of parastromal stroma for vision improvement. Br J Ophthalmol; 81:184-188.

Terry MA, Ousley PJ (2001): Deep lamellar endothelial keratoplasty in the first United States patients: Early Clinical Results. Cornea; 20: 239-243.

Terry MA, Ousley PJ (2006): Deep lamellar endothelial keratoplasty: early complications and their management. Am J Ophthalmol; 141: 789 - 790.

Terry MA, Ousley PJ (2005): Deep lamellar endothelial keratoplasty; visual acuity, astigmatism, and endothelial survival in a large prospective series. Ophthalmology; 112:1541-1548.

Thoft RA, Friend J (1983): The X, Y, Z hypothesis of corneal epithelial maintenance. Invest ophthalmol Vis Sci; 24 (10):1442-1443.

Tong L, Donald T, Tan H et al., (2004): Deep Anterior Lamellar Keratoplasty in a Patient With Descemetocoele Following Gonococcal Keratitis. Am J Ophthalmol; 38:506–507.

Tseng CC (1961): The fine structure of the corneal epithelium and basement membrane of the rabbit. Am J Ophthalmol; 51: 278.

Tsubota K, Kaido M, Monden YU et al .,(1998): A New Surgical Technique for Deep Lamellar Keratoplasty With Single Running Suture Adjustment. Am J Ophthalmol;126:1–8.

Urrets-Zavalía A (1963): A fixed, dilated pupil iris atrophy and secondary glaucoma. A distinct clinical entity following penetrating keratoplasty in keratoconus. Am J Ophthalmol; 56:257–265.

Von Hippel A(1877):Ueber die operative Behandlung Tolater stationärer Hornhaut-Trübungen.Albrecht V Graefes Arch Ophthal; 23: 2, 79-100.

Watson SL, Ramsay A, Dart JK,et al., (2004) : Comparison of deep lamellar keratoplasty and penetrating keratoplasty in patients with keratoconus. Ophthalmology; 111:1676 -1682.

Wilhelmus KR,Hwang DG ,Parrish CM, et al., (2000): External diseases and cornea .In basic and clinical sinence Course. The foundation of the American Acadmy of Ophthalmology;11-3.

Wilson SE, Mohan RR, Ambrosio R Jr,et al., J(2001): The corneal wound healing response:cytokine-mediated interaction of the epithelium,stroma ,and inflammatory cells .Prog Retin Eye Res;20(5):625-637.

Wilson SE, Netto M, Ambrosio R (2003): corneal cells chatty in development ,homeostasis,wound healing and disease. *Am J Ophthalmol*; 136(3):530-536.

Zhao J ,Nagasaki T(2003): centrepetal movement of corneal epithelial cells in the normal adult mouse. *Invest Ophthalmol Vis Sic*;44(2):558-566.

Zieske Jd (2001): extracellular matrix and wound healing .*Curr Opin Ophthalmol*;12(4):237-241.

Zieske JD, Gipson IK (2000): Agent that affect corneal wound healing :modulation of structure and function .In Albert DM,jacobiec FA (Eds): principles and practice of ophthalmology (2nd edn).philadiphia :WB Saunders Co.;364-372.