

References

- Alken P. (1985):** The telescope dilators. *World J Urol*; 3:7-10.
- Aron M., Goel R., Kesarwani p, seth A and Gupta (2004):** Upper Pole access for complex lower pole renal calculi *BJUI* 94:849-852
- Buchholz NP. (2001):** Double infundibular obliteration with abscess formation after percutaneous nephrolithotomy. *Urol Int*; 66:46.
- Cadeddu JA, Arrindell D, Moore RG. (1997):** Near fatal air embolism during percutaneous nephrostomy placement. *J Urol*; 158:1519.
- Castañeda-Zúñiga W.R., Smith A.D., Rusnak B., et al; (1982):** Single step dilation of the nephrostomy tract. *J Urol*; 127:341.
- Chang Y. H., Tsai T. H., Chen H. M., Tsai F. S. and Wong W. Y. (2007):** Percutaneous Renal Access with Patients in a Modified Supine Position (*JTUA* 18:87-89)
- Cuellar D.C. and Averch T.D. (2004):** Holmium laser percutaneous nephrolithotomy using a unique suction device. *J Endourol*; 18: 780.
- Delvecchio F.C., Kuo R.L. and Preminger G.M. (2000):** Clinical efficacy of combined lithoclast and lithovac stone removal during ureteroscopy. *J Urol*; 164:40-42.
- Denstedt J.D. and Clayman R.V. (1990):** Electrohydraulic lithotripsy of renal and ureteral calculi. *J Urol*; 143:13-17.
- Denstedt JD, Clayman RV and Picus DD. (1991):** Comparison of endoscopic and radiological residual fragment rate following percutaneous nephrolithotripsy. *JUrol*; 145:703.
- Di Silverio F, Gallucci M, Alpi G, 1990:** Staghorn calculi of the kidney classification and therapy. *Br. J. Urol.* 65: 449-52.

- Drake RL, Vogl W, and Mitchell AW. (2007):** Gray's anatomy; 4:272-293.
- El- Nahas A.R., Mansour A.M., Ellaithy R. (2008):** conservative treatement of liver injury during percutareous nephrolithotomy. *J Endoural* 22; 1649-1652.
- Evans CP and Stoller ML. (1993):** The fate of the iatrogenic retroperitoneal stone. *J Urol*; 150:827.
- Falahatkar S. and Allahkhah A. (2010):** Recent Developments in Percutaneous Nephrolithotomy: Benefits of the Complete Supine Position. *UroToday International Journal. Volume 3* - April.
- Fuchs E.F., Forsyth M.J., (1990):** supracostal approach for percutaneous ultrasonic lithotripsy. *Urol clin North Am* 17; 99-102.
- Fuchs GJ, Moody JA, Gutierrez-Aceves J, et al. (2001):** Complications of percutaneous renal surgery: prevention, recognition and management. *Quoted from Smith et al., (2006) 20: 160-166.*
- Goh M. and Wolf Jr J.S. (1999):** Almost totally tubeless percutaneous nephrolithotomy: Further evolution of the technique. *J Endourol*; 13:177-180
- Golijanin D., Katz R., Verstanding A. (1998):** the supra costal Nephrostomy for treatment of stagehorn and complex kidney stones *J Endourol* 12; 403-405.
- Griffith DP, Valiquete L, PICA / Burden, 1987:** A staging system for upper tract urinary stones. *J. Urol.* 138: 253-7.
- Gupta M., Michael C. Ost, Jay B. Shah, Elspeth M. McDougall, and Arthur D. Smith (2007):** Percutaneous management of the upper urinary tract in: Campbell – Walsh urology. Ninth edition, edited by Louis R. Kavoussi, Andrew C. Novick,

- Alan W. Prtin, Graige A. Peters and Alan J. Wein. W.B. Saunders company ch. (46) p. 1526-1563
- Gupta R., Kumar A., Kapoor R. (2002):** Prospective evaluation of safety and efficacy of the supracostal approach for percutaneous nephrolithotomy *Bju Int* 90; 809-813.
- Hopper KD, Sherman JL, Luethke JM, et al. (1987):** The retrorenal colon in the supine and prone position. *Radiology* 162: 443-446.
- Hopper KD, Sherman JL, Williams MD, et al. (1990):** The variable anteroposterior position of the retroperitoneal colon to the kidneys. *Invest. Radiol.* 22: 298-302.
- Hopper KD, Yakes WF: 1990** The posterior intercostals approach for percutaneous renal procedures. Risk of puncturing the lung, spleen, and liver as determined by CT. *AJR; 154: 115-7.*
- Irby PB. Schwartz BF, Stoller ml1999:** percutaneous nephrolithotomy risk factors for recurrence. *Urology* 5 : 29-39
- Jackman SV, Potter SR, Regan F, et al. (2000):** Plain abdominal x-ray versus computerized tomography Screening: sensitivity for stone localization after non-Enhanced spiral computerized tomography *J Urol; 164:308.*
- Jun-Ou J, Lojanapiwat B, 2010:** Supracostal Access: does it affect tubeless percutaneous nephrolithotomy efficacy and safety? *Int. Braz. J. Urol. Vol. 36(2): 171-176.*
- Karlin G.S., Smith A.D., (1989):** Approaches to the supercor calyx: Renal displacement technique and review of options *jurnal* 142; 774-777.
- Kekre N.S., Gopalakrishnan G.G., Gupta G.G. (2001):** Supra costal approach in percutaneous Nephro lithotomy:experience with 102 cases *j Endourol* 15; 789-791.
-
-

- Kerbl K, Picus DD and Clayman RV. (1994):** Clinical experience with the Kaye nephrostomy tamponade catheter. *Eur Urol*; 25:94
- Khan F., Borin J.F., Pearle M.S., et al., (2006):** Endoscopically guided percutaneous renal access: "seeing is believing" *J Endourol* 20; 451-455.
- Kim IY and Clayman RV. (2006):** Surgical Renal Anatomy AUA Update Series volume (25) Lesson 40; 361- 367.
- Kim S.C., Tinmouth W.W., Kuo R.L., et al; (2005):** Using and choosing a nephrostomy tube after percutaneous nephrolithotomy for large or complex stone disease: A treatment strategy. *J Endourol*; 19 (3): 348 – 352.
- Kohrmann KU, Rassweiler J, Alken P, 1993:** The recurrence rate of stones following ESWL. *World J. Urol.* 11: 26-30.
- Kondas J, Szentgyorgyi E, Vaczi L and Kiss A. (1994):** Splenic injury: a rare complication of percutaneous nephrolithotomy. *Int Urol Nephrol*; 26:399. Quoted from Shah and Assimos (2006) in *Smith's Textbook Of Endourology* 20: 160 - 166.
- Koolpe HA and Lord B. (1990):** Eccentric nephroscopy for the incarcerated nephrostomy. *Urol Radiol*; 12:96.
- Kuo RL, Paterson RF, Siqueira TM, et al. (2004):** In vitro assessment of lithoclast ultra intracorporeal lithotripter. *J Endourol*; 18: 153.
- Lam HS, Lingeman JE, Barron M, 1992:** Staghorn calculi: analysis of treatment results between initial percutaneous nephrolithotomy and extra corporeal shock wave lithotripsy monotherapy with reference to surface area. *J. Urol.* 147: 1219-25.

- Lam HS, Lingeman JE, Mosbaugh PG, et al. (1992):** Evolution of the technique of combination therapy for staghorn calculi: a decreasing role for extracorporeal shock wave lithotripsy. *J Urol*; 148:1058.
- Lang E., Thomas R. Davis R., et al., (2009):** Risk, advantages and complications of intercostal VS subcostal approach for percutaneous nephrolithotripsy. *Urology* 74; 751-755.
- Leder RA and Nelson RC. (2001):** Three-dimensional CT of the genitourinary tract. *J Endourol*; 15:37.
- Lee D.I., Uribe C., Eichel L., et al; (2004):** Sealing percutaneous nephrolithotomy tracts with gelatin matrix haemostatic sealant: Initial clinical use. *J Urol*; 171:575-578.
- Lee WJ, Smith AD, Cubelli V, et al. (1987):** Complications of percutaneous nephrolithotomy. *AJR Am J Roentgenol*; 148:177. Quoted from Shah and Assimos (2006) in Smith's *Textbook Of Endourology* 20: 160
- LeRoy A. J. (1996):** Percutaneous access. In: Smith AD, Badlani GH, Kavoussi LR, et al ed. *Smith's Textbook of Endourology*, St Louis: Quality Medical; 199-210.
- Limb J. and Bellman G.C. (2002):** Tubeless percutaneous renal surgery: Review of first 112 patients. *Urology*; 59:527-531.
- Lojanapiwat B.P., Rasopsuk S., (2006):** upper pole access for percutaneous Nephrolithotomy comparison of supracostal of supracostal and infracostal approaches *J endourol* 20; 491-494.
- Lu HF, Shekarriz B, and Stoller ML. (2002):** Donor-gifted allograft urolithiasis: early percutaneous management. *Urology*; 59:25.

- Maheshwan P.N., Mane D.A., Pathak A.B. (2009):** Management of pleural injury after percutaneous renal surgery *J Endourol* 23; 1769-1772.
- Matlaga B.R., Kim S.C., Watkins S.L. (2006):** Percutaneous Nephrolithotomy for ectopic kidneys: over around or through *urology* 67; 513-517.
- Matlaga BR, Shah OD, Zagoria RJ, et al. (2003):** Computerized tomography guided access for percutaneous nephrostolithotomy. *J Urol*; 170:45.
- McAleer SJ and Loughlin KR. (2004):** Nephrolithiasis and pregnancy. *Curr Opin Urol*; 14:123.
- Miller NL, Matlaga BR, and Lingeman JE. (2007):** Techniques for fluoroscopic percutaneous renal access. *J Urol*; 178:15-22.
- Monga M. Third prize 2007:** Contemporary percutaneous nephrolithotripsy 1585 procedures in 1338 consecutive patients. *Int Braz. J Urol* 33: 714-715.
- Munver R, Delvecchio FC, Newman GE, et al. (2001):** Critical analysis of supracostal access for percutaneous renal surgery. *J Urol*; 166:1242.
- Mutazindwa T and Hussein T. (1996):** Imaging in acute renal colic: the intravenous urogram remains the gold standard. *Eur J Radiol*; 23: 238.
- Niles and Smith (1996):** Techniques of antegrade nephrostomy. *Atlas Urol Clin North Am*; 4:1.
- Organ K., Corwin T.S., Smith T. (2003):** Sensitivity of chest fluoroscopy combined with chest CT and chest radiography. For diagnosing hydropneumothorax in association with percutaneous nephrostolithotomy. *Urology* 62; 988-992.

- Paik ML, Resnick MI, 2000:** Is there a role for open stone surgery. *Urol. Clin. N. Amer.* 27: 323-31.
- Park S, Maxwell V, Meng, et al. (2006):** Percutaneous Nephrolithotomy Technical Aspects. In urinary stone disease. Edited by; *Stoller M, and Meng M. (2006).*38; 609-42
- Park S., Margaret S. and Pearle (2006):** Imaging for Percutaneous Renal Access and Management of Renal Calculi. *Ch. (33); 353–364.*
- Patel A, Soonawalla P, Shepherd SF, et al. (1996):** Long-term outcome after percutaneous treatment of transitional cell carcinoma of the renal pelvis. *J Urol* 1996; 155:868.
- Pearle MS, Corwin TS and Mullican MA. (2000):** Comparison of intra operative chest fluoroscopy, chest radiography and chest CT for detecting hydropneumothorax after percutaneous nephrostolithotomy . *J Endourol; 14:A86.*
- Pearle MS, Watamull LM and Mullican MA. (1999):** Sensitivity of noncontrast helical computerized tomography and plain film radiography compared to flexible nephroscopy for detecting residual fragments after percutaneous nephrostolithotomy. *J Urol; 162: 23.*
- Pedro R.N., Netto N.R., (2009):** Upper pole access for percutaneous nephrolithotomy *J Endourol* 23; 1645-1647.
- Pietrow P.K., Auge B.K., Zhong P., et al; (2003):** Clinical efficacy of a combination pneumatic and ultrasonic lithotrite. *J Urol; 169:1247.*
- Preet S, and Raj MP. (2007):** Ultrasound-Guided Genitourinary Interventions: *Ultrasound Clin: 2, 115–120.*

- Preminger G.M., Schulez S., Clayman R.V. (1986):** Cephalad renal movement during percutaneous nephrolithotomy *J urol* 137: 623-625.
- Preminger GM. Assimos DG. Lingeman JE. Nakada Sy. Pearle MS. Wolf JR. 2005,** AUA guideline on the management of staghorn calculi: diagnosis and treatment recommendations. *J Urol.* 173, 1991-2000.
- Press S.M. and Smith A.D. (1995):** Dilation of the nephrostomy tract: Use of plastic malleable dilators—Amplatz system. In: Smith AD, ed. *Controversies in Endourology*, Philadelphia: WB Saunders; 51-59.
- Raj GV, Auge BK, Weizer AZ, et al. (2003):** Percutaneous management of calculi within horseshoe kidneys. *J Urol*; 170:48.
- Raza A, Moussa S, Smith G, David A, 2008:** Upper pole Puncture in percutaneous nephrolithotomy, aretrospective review of treatment safety and efficacy. *BJU.* 101, 599-602
- Renner CH, Rassweiler J, 1999:** Treatment of renal stones by extra corporeal shock wave lithotripsy. *Nephron* 81 (suppl): 71-81.
- Roberts S, Bolton DM and Stoller ML. (1994):** Hypothermia associated with percutaneous nephrolithotomy. *Urology*; 44:832.
- Rocco F, Mandressi A, Larcher P, 1984:** Surgical classification of renal calculi. *Eur. Urol.* 10: 121-3.
- Rusnak B., Castañeda-Zúñiga W., Kotula F., et al; (1982):** An improved dilator system for percutaneous nephrostomies. *Radiology*; 144:174.
- Safak M., Gogus C. and Soygur T. (2003):** Nephrostomy tract dilation using a balloon dilator in percutaneous renal surgery: Experience with 95 cases and comparison with the fascial dilator system. *Urol Int*; 71:382-384.

- Sakurai H, Mitsuhashi N, Harashima K, et al. (2004):** CT- fluoroscopy guided interstitial brachtherapy with image-based treatment planning forum unrespectable locally recurrent rectal carcinoma. *Brachytherapy*; 3:222.
- Sampaio FJB , Mandarim-de-lacerda Ca. 1988.** 3 dimentional and radiological pelvicaliceal anatomy for endourology. *J Urol*, 140. 1352 - 6.
- Sampaio FJB. (2000):** Renal anatomy: endourologic considerations. *URol clin North Am*; 27 : 585 – 607. .
- Seeman O. and Alken P. (1995):** Dilation of the nephrostomy tract: Use of metal dilators. In: Smith AD, ed. *Controversies in Endourology*, Philadelphia: WB Saunders; 42-49.
- Sengupta S., Donnellan S., Vincent J.M. and Webb D.R. (2000):** CT analysis of caliceal anatomy in the supine and prone positions. *J Endourol*; 14:555-7
- Segura JW, Preminger GM, Assimos DG, 1994:** Nephrolithiasis clinical guidelines panel summary report on the management of staghorn calculi. *J. Urol*. 151: 1648-51.
- Shah H.N., Hegde S.S., MahaJan A.P. (2007):** Splenic injury rare complications of percutaneous nephrolithotomy: Report of two cases with review of literature *J Endourol* 21; 919-922.
- Shah M.N.Megde S.S., Mah J.N., et al., (2006):** safety and efficacy of supracostal accessin tubeless percutaneous Nephrohthotomy *J Endourol* 20; 1016-1021.
- Shah O and Assimos DG. (2006):** Complications of Percutaneous Renal Surgery in *Smith's Textbook of Endourology* 20: 160 - 166.
- Shukumar S, Nair B, Kumar GP, Sajeevan KV, Bhat SH, 2008:** Supracostal access for percutaneous nephrolithotomy: less morbid, more effective. *Int. Urol. Nephrol.* 40: 263-267.

- Smith AD, Badlani GH, Bagley, DH, et al. (2006):** *Smith's Textbook Of Endourology*; 12: 79-101.
- Smith AD, Badlani, GH, Bagley, DH et al. (2006):** *Smith's Textbook Of Endourology*; 20: 161.
- Soble JJ and Streem SB. (1998):** Prospective randomized comparison of percutaneous nephrostomy tract dilation techniques. *J Endourol*; 12:S115A.
- Stoller ML, Wolf JS Jr and St Lezin MA. (1994):** Estimated blood loss and transfusion rates associated with percutaneous nephrolithotomy. *J Urol*; 152:1977.
- Sukumar S., Nair B., Kumar, P.G., et al., (2008):** Spracastal access for per cutaneous Nephrolithotomy Less morgid more effective *Int Urol Nephrol* 40; 263-267.
- Teichman JM, Long RD and Hulbert JC. (1995):** Long-term renal fate and prognosis after staghorn calculus management. *J Urol*. 153-1403. Quoted from Smith et al., (2006) 20 :160 – 166.
- Thiruchelvam N, Mostafid H, Ubhayakar G. (2005):** Planning percutaneous nephrolithotomy using multidetector computed tomography urography, multi-planar reconstruction and three-dimensional reformatting. *BJU Int*; 95:1280.
- Vorreuther R. (1993):** New tip design and shock wave pattern of electrohydraulic probes for endoureteral lithotripsy. *J Endourol*; 7:35-43.
- Wang LP, Hoo YW, Griffith OP, 1997:** Treatment options in struvite stones. *Urol. Clin. North. Am.* 24: 149-62.
- Wong B.T. (2009):** Percutaneous nephrolithotomy in: *Medical Bulletin* vol. 14 no. 10 October