

References

- **André, RF. and Vuyk, HD.(2006):** Reconstruction of dorsal and/or caudal nasal septum deformities with septal battens or by septal replacement: an overview and comparison of techniques. *Laryngoscope*;116(9):1668-1673.
- **Arya, AK., Butt, O. and Nigam, A. (2003):** Double-blind randomized controlled trial comparing Merocel with rapid rhino nasal packs after routine nasal surgery. *Rhinology* 41:241–243
- **Asch, M. (1899):** treatment of nasal stenosis due to deflective septum with and without thickening of the convex side. *Laryngoscope*; 6: 340. Quoted after: Ridenour, B. (1998): The nasal septum. In: *Otolaryngology Head and Neck Surgery*, 3rd edition, edited by Cumming C., Mosby-Year Book. Vol.2A. P.921 - 948.
- **Bachmann, W. (1976):** The present state of rhinomanometry. *Rhinology*;14: 5-9.
- **Basha SI, Gupta D, Kalusakar SK. (2005):** Routine nasal packing following nasal surgery is it necessary? *Clinical Reports* 1: 69-71.
- **Bernstein, L. (1973):** Early submucous resection of nasal septal cartilage. *Archives of Otolaryngology*; 97:273.
- **Berry, M., Bannister, L. and Standring, S. (1995):** Nervous system in : Gray's anatomy, 38th edition, edited by Williams, P., Churchill Livingstone. P. 1225-1226.
- **Bingham, B. and Hawthorne, M. (1992):** Septal, turbinate and rhinoplasty surgery. In: *Synopsis of Operative ENT Surgery*, Butterworth-Heinemann. P. 171-177.

-
- **Bothra, R. and Mathur, N. (2009):** Comparative evaluation of conventional versus endoscopic septoplasty for limited septal deviation and spur .Journal of Laryngology & Otology; 123: 737–741.
 - **Brain, D. (1997):** The nasal septum. In: Scott-Brown's Otolaryngology, 6th edition, edited by Mackay I., Butterworth-Heinemann International edition. P. 4/11/1- 27.
 - **Bridger, G. and Proctor, D. (1970):** Maximum nasal inspiratory flow and nasal resistance. Ann. OtolRhinolLaryngol; 79: 481-488.
 - **Broms, P., Jonson, B. and Lamm, C. (1982):** Rhinomanometry II. A system for numerical description of nasal airway resistance. Acta Otolaryngol (Stockholm); 94: 157.
 - **Canbay, E. and Bhatia, S. (1996):** An evaluation of active anterior and posterior rhinomanometry in British adults. Am J Rhinol; 10-33.
 - **Cantrell, H. (1997):** Limited septoplasty for endoscopic sinus surgery. Otolaryngol Head & Neck Surgery; 166: 274-277.
 - **Casasus, C., Vazquez, B., Liorens, C. and Mas, S. (1997):** Endoscopic surgery for turbinates and nasal obstruction. An Otorinolaringol Ibero Am; 24(2): 151-160.
 - **Castelnuovo P, Pagella F, Cerniglia M, Emanuelli E.(1999):** Endoscopic limited septoplasty in combination with sinonasal surgery. Facial Plast Surg;15(4):303-7.
 - **Christmas, D. and Yanagisawa, E. (1999):** Powered endoscopic excision of the septal ridge. Ear, Nose and Throat Journal; 78(7): 466-467.

-
- **Chung BJ, Batra PS, Citardi MJ, Lanza DC. (2007):** Endoscopic septoplasty: revisitation of the technique, indications, and outcomes. *Am J Rhinol*;21(3):307-11.
 - **Clement, P. (1984):** Committee report on standardization of rhinomanometry, *Rhinology*; 22: 151-155.
 - **Cole, P. (1988):** Nasal airflow resistance. In: *Respiratory Function of the Upper Airway. Lung Biology in Health and Disease* vol. 35, edited by Mathew, O. and Sant' Ambreogio, G. New York: Marcell Dekker. P. 391- 414. Quoted after Eccles, R.(1997): Evaluation of the nasal airway and nasal challenge. In: *Scott-Brown's Otolaryngology*, 6th edition, edited by Mackay I., Butterworth-Heinemann International edition. P. 4/4/1- 12.
 - **Cole, P. (1989):** Rhinomanometry 1988; Practice and trends. *Laryngoscope*; 99:311.
 - **Cole, P., Ayiomamitis, A. and Motofumil (1989):** Anterior & Posterior rhinomanometry. *Rhinology*; 27:257-262.
 - **Cole, P., Fastag, O. and Niinimaa, V. (1980):** Nasal Computer-aided rhinomanometry. A research rhinomanometer for clinical trial. *Acta Otolaryngol (Stockholm)*; 90:139-142.
 - **Cole, P., Forsyth, R. and Haight, J. (1983):** Effects of cold air and exercise on nasal patency. *Annals of Otology, Rhinology and Laryngology*; 92:196-198.
 - **Cole, P., Mintz, S., Niinimaa, V. and Silverman, F. (1979):** Nasal aerodynamics. *Journal of Otolaryngology*; 8:191.
 - **Cook, J., Murrant, N., Evans, K. and Lavelle, R. (1992):** Intranasal splints and their effects on intranasal adhesions and septal stability. *Clinical Otolaryngology*; 17: 24-27.

- **Cottle, M., Fischer, G., Gaynor, I. and Loring, R. (1958):** The maxilla-premaxilla approach to extensive nasal septum surgery. *Archives of Otolaryngology*; 68: 301.
- **Craig, A., Dvorak, M. and Mellreath, F. (1965):** Resistance to airflow through the nose. *Ann. OtolRhinolLaryngol*; 74: 589-593.
- **Cruise, AS., Amonoo-Kuo, WK., Srouji, I., Kanagalingam, J., Georgalas, C., Patel, NN., Badia, L. and Lund, VJ. (2006):** A randomized trial of rapid rhino Riemann and Telfa nasal packs following endoscopic sinus surgery. *Clin Otolaryngol* 31(1):25–32.
- **Daniel, R. and Letourneau, A. (1988):** Rhinoplasty: Nasal anatomy. *Ann. Plastic Surgery*; 20:5.
- **De Sousa, A., Inciartef, L. and Levine, H. (2005):** Powered endoscopic nasal septal surgery. *Acta Med Port*;18:249-256.
- **Dishoeck, V. (1957):** Some Remarks on Nasal Physiology. Lectures read for the American Rhinological Society at Yale University, New Haven, P. 23.
- **Doeuk, E. (1979):** Physiology of the nose and paranasal sinuses. In Scott-Brown's *Otolaryngology*, 4th edition, Basic Sciences, edited by Ballentyne, J. and Groves, J., Butterworths, London. P. 157-204.
- **Drakee-Lee, A. (1997):** The physiology of the nose and paranasal sinuses. In: Scott-Brown's, 6th edition, edited by Glesson M., Butterworth-Heinemann International edition. P. 1/6/3-5.
- **Durr D.G. (2003) :** Endoscopic septoplasty, technique and outcomes. *J Otolaryngol*; 32: 6-11.

-
- **Eccles, R. (1997):** Evaluation of the nasal challenge. In: Scott-Brown's Otolaryngology, 6th edition, edited by Mackay I., Butterworth-Heinemann International edition. P. 4/4/1- 12.
 - **Eccles, R., Jawad, M. and Morris, S. (1990):** The effects of oral administration of menthol on nasal resistance to airflow and nasal sensation of airflow in subjects suffering from nasal congestion associated with the common cold. J. of Pharmacy and Pharmacology; 42: 652-654.
 - **Eichler, J. and Lenz, H. (1985):** Comparison of different coefficients and units in rhinomanometry. Rhinology; 23:149.
 - **Fomons, S., Gilbert, I., Silver, A. and Syracuse, V. (1948):** Plastic repair of the obstructing nasal septum. Archives of Otolaryngology; 47: 7.
 - **Freer, O. (1902):** The correction of deflections of the nasal septum with a minimum of traumatism. Journal of the American Medical Association; 38: 636-642. Quoted after: Brain, D. (1997): The nasal septum. In: Scott-Brown's Otolaryngology, 6th edition, edited by Mackay I., Butterworth-Heinemann International edition. P. 4/11/1- 27.
 - **Galloway, T. (1946):** Cited by Bolotow, N., Fomon, S., Pullen, M. and Syracuse, V. Plastic repair of the deflected nasal septum. Archives of Otolaryngology; 44: 141. Quoted after: Brain, D. (1997): The nasal septum. In: Scott-Brown's Otolaryngology, 6th edition, edited by Mackay I., Butterworth-Heinemann International edition. P. 4/11/1- 27.
 - **Genc, E., Ergin, NT. and Bilezikci, B. (2004):** Comparison of suture and nasal packing in rabbit noses. Laryngoscope 114(4):639–645.
 - **Getz AE, Hwang PH. (2008) :** Endoscopic septoplasty. Curr Opin Otolaryngol Head Neck Surg;16(1):26-31.

-
- **Giacomini PG, Alessandrini M, DePadova A.(2003):** Septoturbinat surgery in contact point headache syndrome: long-term results. *Cranio*;21(2):130-5.
 - **Giles, W., Gross, C., Abraham, A., Greene, W. and Avner, T. (1994):** Endoscopic septoplasty. *Laryngoscope*; 104: 1507-1509.
 - **Gleeson, M., Youtlen, L., Shelton, D., Siodlak, M., Eiser, N. and Wengraf, C. (1986):** Assessment of nasal airway patency: a comparison of four methods. *Clinical Otolaryngology*; 11: 99-107.
 - **Goldman, I. (1956):** New technique in surgery of the deviated nasal septum. *Archives of Otolaryngology Head & Neck Surgery*; 64: 183-189.
 - **Gordon, A., Mcaffery, T. and Kern, E. (1989):** Rhinomanometry for preoperative and postoperative assessment of nasal obstruction. *Otolaryngology Head and Neck Surgery*; 101(1): 20-26.
 - **Graf, P. and Hallén, H. (1996):** Effect on the nasal mucosa of long-term treatment with oxymetazoline, benzalkonium chloride, and placebo nasal sprays. *Laryngoscope*; 106: 605-9.
 - **Gray, R. and Hawthorne, M. (1992):** Surgical anatomy of the nose and paranasal sinuses. In: *Synopsis of Otolaryngology*, Butterworth-Heinemann. P. 174.
 - **Grymer, L., Hilberg, O., Pedersen, O. and Rasmussen, T. (1991):** Acoustic rhinometry: values from subjects with subjective normal patency. *Rhinology*; 29: 35- 47.
 - **Gubisch, W.(2005):** Extracorporeal septoplasty for the markedly deviated septum. *Arch Facial Plast Surg*;7: 218-226.
 - **Gupta, N. (2005) :** Endoscopic septoplasty. *Ind J Otolaryngol Head Neck Surg*; 57: 240–243

-
- **Hallén, H., Enerdal, J. and Graf, P. (1997):** Fluticasone propionate nasal spray is more effective and has a faster onset of action than placebo in treatment of rhinitis medicamentosa. Clin Experimental Allergy; 27(5): 552-558.
 - **Hamilton, L. (1979):** Nasal airway resistance, its measurement and regulation. Physiologist; 22:43.
 - **Hey, E. and Price, J. (1982):** Nasal conductance and effective airway diameter. Journal of physiology; 330: 429-437.
 - **Hindered, K. (1971):** Fundamentals of anatomy and surgery of the nose, Birmingham, Ala, Aesculapius Publishing. Quoted after: Ridenour, B. (1998): The nasal septum. In: Otolaryngology Head and Neck Surgery, 3rd edition, edited by Cumming C., Mosby-Year Book. Vol.2A. P. 921-948.
 - **Hirschberg, A., Roithmann, R., Parikh, S., Miljeteig, H. and Cole, P. (1995):** The airflow resistance profile of healthy nasal cavities. Rhinology; 33(1): 10-13.
 - **Hwang, M., McLaughlin, R., Lanza, D. and Kennedy, D. (1999):** Endoscopic septoplasty: Indications, technique, and results. Otolaryngol Head & Neck Surgery; 120 (5): 678-682.
 - **Ingals, E. (1882):** Deflections of the nasal septum, Archives of Otolaryngology; 3: 291. Quoted after: Ridenour, B. (1998): The nasal septum. In: Otolaryngology Head and Neck Surgery, 3rd edition, edited by Cumming C., Mosby-Year Book. Vol.2A. P. 921-948.
 - **Iqbal A, Mohammad, Rahman N. (2003):** Complications of the surgery for deviated nasal septum. J Coll Physian Surg; 13: 565-8.
 - **Jalowaysky, A., Yuh, Y., Koziol, J. and Davidson, T. (1983):** Surgery for nasal obstruction – Evaluation by rhinomanometry. Laryngoscope; 93: 341-345.

-
- **Jones, A., Lancer, J., Stevens, J. and Beckingham, E. (1987):** Nasal resistance to airflow (Its measurement; reproducibility and normal parameters). *The Journal of Laryngology and Otology*; 101: 800-810.
 - **Juto, J. and Lundberg, C. (1982):** An optical method for determining changes in mucosal congestion in the nose in man. *Acta Otolaryngol (Stockholm)*; 94: 149-156.
 - **Kasperbauer, J. and Kern, E. (1987):** Nasal valve physiology: Implications in nasal surgery. *Otolaryngologic Clinics of North America*; 20: 699.
 - **Keefe, M. and Cupp, C. (1999):** Rhinoplasty and septoplasty (The septum in rhinoplasty). *Otolaryngologic Clinics of North America*; 32 (1): 15-37.
 - **Kern, E. (1973):** Rhinomanometry. *Otolaryngologic Clinics of North America*; 6 (3): 863-870.
 - **Kern, E. (1979):** Rhinomanometry. *Otolaryngology*; 2: 1-8. Quoted after Philips, P., McCaffery, T. and Kern, E. (1991): *Physiology of the human nose*. In: *Surgery of the paranasal sinuses*, 2nd edition, edited by Blitzer A., W.B. Sanders Company. P. 25-40.
 - **Killian, G. (1904):** Die submucöse Fénsterresktion der Nasen-scheidewand. *Arch für laryngologie und Rhinologie*; Quoted after: Ridenour, B. (1998): The nasal septum. In: *Otolaryngology Head and Neck Surgery*, 3rd edition, edited by Cumming C., Mosby-Year Book. Vol.2A. P. 921-948.
 - **Konno, A. (1969):** Rhinology of nasal airflow in the human subject. *Jpn.J. Otol.*; 72: 36-65.
 - **Kortekanges, A. (1979):** Significance of anterior and posterior technique in rhinometry. *Acta otolaryngol. (Stockholm)*; 73: 218-224.

-
- **Kurkcuoglu S, Titiz A, Olcay İ, Ozcan M, Tuncel U, Unal A.(2007):** Effect Of Nasal Septal Deviation On Respiratory Function Tests And Arterial Blood Gases. Kulak Burun Boğaz ve Baş Boyun Cerrahisi Dergisi; 15: 134–138.
 - **Lanza, D., Kennedy, D. and Zinreich, S. (1994):** Nasal endoscopy and its surgical applications. In Essential Otolaryngology Head and Neck Surgery, 5th ed., edited by Lee, K. New York Medical Examination; p. 373-387.
 - **Lanza, D., Rosin, D. and Kennedy D. (1993):** Endoscopic septal spur resection. Am J Rhinol; 7:213-216.
 - **Lee, BJ., Chung, YS. and Jang, YJ. (2004):** Overcorrected septum as a complication of septoplasty. Am J Rhinol.;18(6):393-396.
 - **Lemmens, W. and Lemkens, P. (2001):** Septal suturing following nasal septoplasty, a valid alternative for nasal packing. Acta Otorhinolaryngol Belg; 55(3):215–221
 - **Lund, V. (1989):** Objective assessment of nasal obstruction. Otolaryngologic Clinics of North America; 22 (2): 279-290.
 - **Lund, V. (1992):** Office evaluation of nasal obstruction. Otolaryngologic Clinics of North America; 25: 803-816.
 - **Lund, V. (1997):** Anatomy of the nose and paranasal sinuses. In : Scott-Brown's Otolaryngology, 6th edition, edited by Gleeson M., Butterworth-Heinemann International edition. P. 1/5/11- 14.
 - **Makitie, A., Aaltonen, LM., Hytonen, M. and Malmberg, H. (2000):** Postoperative infection following nasal septoplasty. Acta Otolaryngol ;120 (suppl 543):165–6
 - **Malam, L. (1992):** Rhinomanometric assessment for rhinologic surgery. Ear, Nose and Throat J; 71:11.

-
- **Maran, A. (1974):** Septoplasty. *Journal of Laryngology and Otology*; 88: 393-402.
 - **Maran, A. and Lund, V. (1990):** *Clinical rhinology* Stuttgart: George Thieme Verlag. Quoted after Lund, V. (1997): *Anatomy of the nose and paranasal sinuses*. In: : *Scott-Brown's Otolaryngology*, 6th edition, edited by Gleeson M., Butterworth-Heinemann International edition. P. 1/5/11- 14.
 - **Marks, S. (2000):** Nasal and sinus endoscopy. In *Nasal and Sinus Surgery*, Saunders Company. P. 59-63.
 - **Marks, S. (2000):** Nasoseptal surgery In: *Nasal and Sinus Surgery*, Saunders Company. P. 193-214.
 - **Marshall, AH., Johnston, MN. and Jones, NS. (2004):** Principles of septal correction. *J Laryngol Otol*; 118:129–134.
 - **McCaffrey, T. and Kern, E., (1979):** Clinical evaluation of nasal obstruction. *Archives of Otolaryngol*; 105: 542.
 - **Metzenbaum, M. (1929):** Replacement of the lower end of the dislocated cartilage versus submucous resection of the dislocated end of the septal cartilage. *Archives of Otolaryngology*; 9: 282.
 - **Mink, P. (1920):** *Physiologie der oberen Luftwete*, Leipzig. Cited by Uddstromer, M. (1940): *Nasal Respiration*. *Acta Otolaryngol.* (Stockholm) 42 (Suppl.), 69. Quoted after: Haight, J., Cole, P. and Ont, T. (1983): The site and function of the nasal valve. *Laryngoscope*; 93: 49-55.
 - **Moinuddin, R., Mamikoglu, B., Barkatullah, S. and Corey, J. (2001):** Detection of the nasal cycle. *American Journal of Rhinology*; 15(1): 35-39.

-
- **Murakami, W., Wong, L., Davidson, T. and Diego, S. (1982):** Applications of the biomechanical behavior of cartilage to nasal septoplasty surgery. *Laryngoscope*; 92: 300-309.
 - **Nayak, D., Balakrishnan, R. and Murthy, D. (1998):** An endoscopic approach to the deviated nasal septum – a preliminary study. *Journal of Laryngology and Otology*; 112: 934 - 939.
 - **Newcombe, R., O'Neill, G., Tolley, N. and Montgomery, P. (1997):** Characterization of nasal airflow. *Clin. Otolaryngol*; 22: 414 - 418.
 - **Nicklasson, B. and Sundén, L. (1982):** Rhinomanometry and septoplasty. *Journal of Laryngology and Otology*; 96: 991-995.
 - **Notle, D. and Luder – Luhr, I. (1973):** Comparing measurements of nasal resistance by body plethysmography and rhinomanometry. *Respiration*; 30: 338-343.
 - **Pallanch, J., McCaffery, T. and Kern, E. (1998):** Evaluation of nasal breathing function with objective airway testing. In: *Otolaryngology Head and Neck Surgery*, 3rd edition, edited by Cumming C., Mosby-Year Book. Vol.2A. P. 799-832.
 - **Park JH, Min JH. (1995):** Endoscopic septal spur resection. *Korean J Otolaryngol*;38(9):1366-71.
 - **Park, D., Kim, T., Han, D. and Ahn, K. (1998):** Endoscopic-assisted correction of the deviated nose. *Aesthetic Plastic Surgery*; 22: 190-195.
 - **Parker, A., Clark, P. and Maw, A. (1990):** A comparison of active anterior rhinomanometry and nasometry in the objective assessment of nasal obstruction. *Rhinology*; 28: 47-53.

-
- **Parker, A., Maw, A. and Szallasi, F. (1989):** An objective method of assessing nasality: a possible aid in the selection of patients for adenoidectomy. *Clinical Otolaryngology*; 14: 161-166.
 - **Peer, L. (1937):** An operation to repair lateral displacement of the lower border of the septal cartilage. *Archives of Otolaryngology*; 25: 475.
 - **Philips, P., McCaffery, T. and Kern, E. (1991):** Physiology of the human nose. In: *Surgery of the paranasal sinuses*, 2nd edition, edited by Blitzler, A., W.B. Saunders Company. P. 25-40.
 - **Philpott, J., Singh, A. and Mochloulis, G. (2001):** Raising of the mucoperichondrial flap in septal surgery. *Journal of Laryngology and Otology*; 115: 307.
 - **Proetz, A. (1953):** Respiratory air currents and their clinical aspects. *Journal of Laryngology and Otology*; 67: 1.
 - **Ranjan, G., Gupta, R., and Jayman, R. (2009):** Endoscopic Septoplasty: A Novel Technique-A Case Series of 19 Cases. *Clinical Rhinology*; 2(3):11-13
 - **Raynor EM.(2005):** Powered endoscopic septoplasty for septal deviation and isolated spurs. *Arch Facial Plast Surg*;7 (6):410-2.
 - **Rees, T. (1986):** Surgical correction of the severely deviated nose by extra mucosal excision of the osteo-cartilaginous septum and replacement as a free graft. *Plastic and Reconstructive Surgery*; 78: 320-330.
 - **Rettinger, G. and Kirsche, H. (2006):** Complications in septoplasty. *Facial Plast Surg*; 22:289–297.
 - **Richelmann, H., Hinni, M. and Klimek, L. (1995):** Objective measurement of nasal function. *Curr. Opin. Otolaryngol. Head & Neck Surgery*; 3: 207-212.

-
- **Ridenour, B. (1998):** In: Otolaryngology Head and Neck Surgery, 3rd edition, edited by Cumming C., Mosby-Year Book. Vol.2A. P. 921-948.
 - **Roithmann, R., Cole, P., Chapnik, J., Shpirer, I., Hoffstein, V. and Zamel, N. (1995):** Acoustic rhinometry in the evaluation of nasal obstruction. Laryngoscope; 105: 275-280.
 - **Rubin, F. (1983):** Controlled tip sculpturing with the morselizer. Archives of Otolaryngology; 109: 160-163.
 - **Schumacher, M. (1987):** Advances in tests for the evaluation of rhinitis, Immunol Allergy Clin North Am.; 7:15.
 - **Sessions, R. and Troost, T. (1993):** The nasal septum. In: Otolaryngology Head and Neck Surgery, 2nd edition, edited by Cumming C., Mosby-Year Book. Vol.2. P. 786-806.
 - **Shelton, D., Perutze, J., Gleeson, M., Thompson, J., Denman, W., Goff, J., Eiser, N. and Pride, N. (1990):** Comparison of oscillation with three other methods for measuring nasal airways resistance. Respir Med; 84(2): 101-106.
 - **Siegel N, Glicklich R, Taghizadeh F, Chang Y.(2000):** Outcomes of septoplasty. Otolaryngol Head and Neck Surg; 122: 228-232.
 - **Silkoff, P., Chakravorty, S. and Cole, P. (1999):** Reproducibility of acoustic rhinometry and rhinomanometry in normal subjects. American Journal Rhinology; 13: 131-135.
 - **Sindwani, R. and Wright, ED. (2003):** Role of endoscopic septoplasty in the treatment of atypical facial pain. J Otolaryngol; 32: 77-80.
 - **Song, HM., Kim, JS., Lee, BJ. and Jang, YJ.(2008):** Deviated nose cartilaginous dorsum correction using a dorsal L-strut cutting and suture technique. Laryngoscope; 118(6):981-986.

-
- **Stammberger, H. (1991):** Functional endoscopic sinus surgery: the Messerklinger technique. Philadelphia: BC Decker; p. 156-159, 432-433.
 - **Stewart, MG., Smith, TL., Weaver, EM., Witsell, DL., Yuch, B. and Hannley, MT., et al. (2005):** Outcomes after nasal septoplasty: Results from the Nasal Obstruction Septoplasty Effectiveness (NOSE) study. *Otolaryngol Head and Neck Surg*;130 : 283-290
 - **Stewart, MG., Smith, TL., Weaver, EM., Witsell, DL., Yuch, B. and Hannley, MT., et al. (2004):** Development and validation of the Nasal Obstruction Symptom Evaluation (NOSE) scale. *Otolaryngol Head and Neck Surg*;130 :157-163.
 - **Szucs, E. and Clement, P. (1998):** Acoustic rhinometry and rhinomanometry in the evaluation of nasal patency of patients with nasal septal deviations. *American Journal of Rhinology*; 12: 345-352.
 - **Tardy, M. (1997):** Rhinoplasty: the art and the science, Philadelphia, WB Saunders.
 - **Togawa, K. and Kono, A. (1977):** Aerodynamic studies on the effect of nasal septal plasty. *Rhinology*; 15: 173-182.
 - **Toh, E., Kerschner, J. and Wackym, P. (2002):** Comparison of the operating microscope with the rigid endoscope. In: *Minimally invasive surgery of the head, neck and cranial base*, edited by Wackym, P., Rice, D. and Schaefer, S., Lippincott Williams & Wilkins. P. 9.
 - **Vanclooster, C. and Jorissen, M. (1998):** Endoscopic septal spur resection in combination with endoscopic sinus surgery. *Acta Otolaryngol Bel*; 52(4): 335-339.