

CONTENTS

PREFACE	I
ACKNOWLEDGMENTS	II
ABSTRACT	III
CONTENTS	IV
CHAPTER 1.....	1
INTRODUCTION	1
1.1 Introduction	1
1.2 Objectives of the Thesis.....	2
1.3 Thesis Outline.....	4
CHAPTER 2.....	6
LITERATURE REVIEW.....	6
2.1 Introduction	6
2.2 Numerical methods for electric field calculations	7
2.2.1 The Finite Element Method (FEM)	8
2.3 Advantages of SF ₆ -gas.....	16
2.4 Disadvantages of SF ₆ -gas	17
2.5 Importance of using GIS compared with AIS	18
2.6 SF ₆ -gas mixtures as alternative to pure SF ₆	19
2.6.1 Theoretical studies	19
2.6.2 Experimental studies.....	29
CHAPTER 3.....	40
Electric Field Distribution Around Contaminating Particles Between Two Parallel Plates Inside Compressed Gas Devices.....	40
3.1 Electric Field Calculations	41
3.2 Modeling of Conducting Particle Contamination	43
3.3 Electrostatic modeling of Wire Particle Contamination	43

3.3.1 When the Particle is on earthed electrode	43
3.3.1.1 For wire particle of 2mm length and of 0.2mm radius	43
3.3.1.2 For wire particle of 5mm length and of 0.2mm radius	47
(a) Effect of Particle Length on the Electric Field values	51
(b) Effect of Ratio (L/r) on the Electric Field values	52
(c) Effect of wire particle radius on the electric field values	53
(d) Effect of gap spacing between plates on the electric field values	53
3.3.2 Modeling of hovering wire particle inside the gap	54
(a) Effect of particle height above the ground plate on the electric field	60
3.4 Electrostatic modeling of Spherical Particle Contamination.....	61
3.4.1 When the Particle is on earthed electrode	61
(a) Effect of particle radius on the electric field	62
3.4.2 Modeling of hovering Spherical Particle inside the gap	63
(a) Effect of particle height above ground plate on the electric field	64
CHAPTER 4.....	65
Breakdown Voltage Calculations For Parallel Plates and Gap With Particle Contamination Inside Compressed Gas Devices	65
4.1 Introduction	65
4.2 General Concept of Discharge	65
4.2.1 Townsend theory of breakdown in electronegative gases	66
4.2.2 Streamer mechanism of breakdown in electronegative gases..	69
4.3 Ionization Coefficients for SF ₆ -gas mixtures	71
4.4 Methodology for Breakdown Voltage Calculations	72
4.4.1 Breakdown voltage calculations for a uniform field gap	74
4.4.1.1 Effect of gas pressure on the breakdown voltage	76

(a) Comparison between Theoretical and Experimental calculations for breakdown voltage	79
(b) Breakdown Voltage calculations for clean gap with three different gas mixtures	81
4.4.1.2 Effect of gap spacing between two parallel plates on breakdown voltages	85
4.4.2 Breakdown Voltage calculations for gas mixture with particle contamination.....	88
4.4.2.1 Effect of gas pressure on the breakdown voltage	90
4.4.2.2 Effect of gap spacing between two parallel plates on breakdown voltage	94
4.4.2.3 Effect of the dimensions for particle contamination on breakdown voltage	98
(a) Effect of particle radius on breakdown voltage	98
(b) Effect of particle length on breakdown voltage.....	101
4.5 Comparison between Breakdown Voltage for particle contamination and clean gap.....	104
4.5.1 Effect of gas pressure on breakdown voltage.....	104
4.5.2 Effect of gap spacing on breakdown voltage	107
CHAPTER 5.....	110
Electric Field and Breakdown Voltage Calculations for Multi-Particles Contamination	110
5.1 Electric Field Calculations for Multi-particles Contamination....	110
5.1.1 Modeling of Two Vertical Particles Located Inside the Gap..	110
(a) For 1mm spacing between the two particles	111
(b) For 9mm spacing between the two particles	118
5.1.1.1 Effect of spacing between the two particles on the electric field	125

5.1.2 Modeling Of Three Horizontal Particles Rested On The	
Earthed Plate	126
(a) For 2mm Spacing between particles	127
(b) For 10mm Gap Space between particles.....	133
5.2 Breakdown Voltage Calculations.....	140
5.2.1 Effect of two contaminating particles	140
5.2.1.1 Effect of gas pressure on the breakdown voltage	140
(a) When height between two particles is 1mm.....	140
(b) When height between two particles is 9mm	143
5.2.1.2 Effect of height between two particles on Breakdown	
Voltage	145
5.2.2 Breakdown Voltage Calculations Around Three Wire Particles	
Rested On the Earthed Plate	147
5.2.2.1 Effect of gas pressure on the breakdown voltage	147
(a) When gap space between three particles is 2mm	148
(b) When gap space between three particles is 10mm.....	150
5.2.2.2 Effect of Gap Spacing between particles on Breakdown	
Voltage	153
CHAPTER 6.....	157
CONCLUSIONS	157
REFERENCES	161
BIBLIOGRAPHY	167
ARABIC SUMMARY	168