

REFERENCES

- [1] Sayed A. Ward, " Optimum SF₆-N₂, SF₆-Air, SF₆-CO₂ Mixtures Based on Particle Contamination ", Conference Record of the 2000 IEEE International Symposium on Electrical Insulation, Anaheim, CA USA, pp.292-295, 2000.
- [2] M.M. Morcos, S.A. Ward, H. Anis, K.D. Srivastava and S.M. Gubanski, "Insulation Integrity of GIS/GITL Systems and Management of Particle Contamination", IEEE Electrical Insulation Magazine, Vol. 16, No. 5, pp.25-37, 2000.
- [3] H. Anis and K.D. Srivastava, "Particle-initiated breakdown under time-varying voltages", IEEE Transactions on Power Apparatus and Systems, vol. PAS-100, pp. 3694-3702, 1981.
- [4] M.M. Morcos, H. Anis, and K.D. Srivastava, "Metallic particle movement, corona and breakdown in compressed gas insulated transmission line systems", IEEE Transactions on Industry Applications, vol. IA-27, pp. 816-823, 1991.
- [5] Sayed A. Ward, " The Breakdown Voltages for Compressed Gas-Insulated Systems with Contamination Considering the Space Charge Effect", Conference Record of IEEE International Symposium on Electrical Insulation, Montreal, Quebec, Canada, pp.87-90, 1996.

- [6] Sayed A. Ward, "Influence of Conducting Particles on the Breakdown Voltages of SF₆-N₂ mixture", High Voltage Engineering Symposium, Conference Publication No. 467, IEE, pp.187-192, 1999.
- [7] H.R. Hiziroglu, J.Griggs, M.S.Dincer, "Breakdown Voltages in Argon+SF₆ Mixtures Subjected to Impulse Voltages ", Annual Report, Conference on Electrical Insulation and Dielectric Phenomena, IEEE, pp.786-788, 2002.
- [8] Hitoshi Okubo, Naoto Koshino, Naoki Hayakawa, "Electrical insulation characteristics of CO₂ and CO₂ gas mixtures under non-uniform electric field", Annual Report Conference on Electrical Insulation and Dielectric Phenomena, IEEE, pp.538-541, 2003.
- [9] H.Saitoh, K.Morita, T.Kikkawa, N.Hayakawa, H.Okubo, "Impulse Partial Discharge and Breakdown Characteristics of Rod-plane Gaps in N₂/SF₆ gas mixtures", IEEE Transactions on Dielectrics and Electrical Insulation, Vo1.9, N0.4, pp.544-550, 2002.
- [10] Y. Hoshina, M. Sato, M. Shiiki, M. Hanai, E. Kaneko, "Lightning impulse breakdown characteristics of SF₆ alternative gases for gas-insulated switchgear", IEE Proc.-Sci. Meas. Technol., Vol. 153, No. 1, pp.1-6, 2006.
- [11] Masayuki Hikita, Shinya Ohtsuka, Shigemitsu Okabe, Shuhei Kaneko, "Insulation Characteristics of Gas Mixtures including

Perfluorocarbon Gas", IEEE Transactions on Dielectrics and Electrical Insulation, Vol. 15, No.4, pp.1015-1022, 2008.

[12] Z. Gacek, T. Rusek, " Introduction to Design of Gas Insulated Lines with N_2/SF_6 Mixtures", Electronics and Electrical Engineering, Kaunas: Technologija, No. 7(63), pp.66–69, 2005.

[13] H. Okubo and N. Hayakawa, "Dielectric Characteristics and Electrical Insulation Design Techniques of Gases and Gas Mixtures as Alternatives to SF_6 ", Gaseous Dielectrics X, pp.243-252, 2004.

[14] T. Takuma, O. Yamamoto and S. Hamada, "Gases as Dielectric", Gaseous Dielectrics X, pp.195-204, 2004.

[15] R. Bartinkas, "A Commentary on Partial discharge Measurement and Detection", IEEE Trans. On Electrical Insulations, Vol. 22, pp.629-653, 1987.

[16] B. Rajesh Kamath, and J. Sundara Rajan, "Measurement of Small PD'S in Compressed SF_6 (10%) - N_2 (90%) Gas Mixture", International Journal of Electrical and Electronics Engineering, pp.254-257, 2008.

[17] Michael G. Danikas and Despoina Pitsa, "Detection and Registration of Partial Discharge Events below the so called Inception Voltage : The case of small air gaps", Journal of Electrical Engineering, Vol. 59, No. 3, pp 160-164, 2008.

[18] Rauno Gordon, Tuukka Arola, Katrina Wendel, Outi Ryyanen and Jari Hyttinen, "Accuracy of numerical methods by calculating static and

quasistatic electric fields", Proc. Estonian Acad. Sci. Eng., vol. 12, pp.262-283, 2006.

[19] Jawad Faiz, M. Ojaghi, "Instructive Review of Computation of Electric Fields using Different Numerical Techniques", International Journal of Engineering, vol. 18, no.3, pp. 344-356, 2002.

[20] E. Kuffel, W.S. Zaengl and J. Kuffel, "High Voltage Engineering Fundamentals", Second edition, Butterworth-Heinemann Linacre House, Jordan Hill, Oxford OX2 8DP, 225 Wildwood Avenue, Woburn, MA 01801-2041, pp. 246-254, 2000.

[21] David Meeker, "Finite Element Method Magnetics, Version 4.2, User's Manual", September 2006.

[22] O. C. Zienkiewicz, R. L. Taylor, "The Finite Element Method", Volume 1: The Basis, Fifth Edition, Butterworth Heinemann, 2000.

[23] Siegfried Ruhland, "Responsible Use of SF₆ in Electrical Distribution Systems", CIRED, 17th International Conference on Electricity Distribution, Barcelona, Session1 Paper No 73, pp.1-5, 2003.

[24] Y. Hoshina, M. Sato, H. Murase, M. Toyoda, A. Kobayashi, "Dielectric Properties of SF₆/N₂ Gas Mixtures on a Full Scale Model of the Gas-insulated Busbar", IEEE, pp.2129-2134, 2000.

[25] Jan de Kock, Kobus Strauss, "Practical Power Distribution for Industry", First published, Elsevier Linacre House, Jordan Hill, Oxford OX2 8DP, 200 Wheeler Road, Burlington, MA 01803, pp.22-23, 2004.

- [26] E. Önal, Ö. Kalenderli, K. Mardikyan, "Breakdown Characteristics of CO₂ and N₂ Containing 0.125% of SF₆ in Non- Uniform Fields", XIII International Conference on Gas Discharges and their Applications, Glasgow, pp.370-372, 2000.
- [27] S. Ohtsuka, M. Koumura, M. Cho, Y. Hashimoto, M. Nakamura and M. Hikita, "Insulation Properties of CO₂/N₂ Gas Mixture with a Small Amount of SF₆", Gaseous Dielectrics IX, pp.295-300, 2001.
- [28] M. S. Naidu, V.Kamaraju, "High Voltage Engineering", McGraw-Hill Publishing Company Limited, New Delhi, 2004.
- [29] V. N. Maller, M. S. Naidu, "Advances In High Voltage Insulation and Arc Interruption In SF₆ and Vacuum", Pergaman Press., New York, 1981.
- [30] L. B. LOEB," BASIC Processes of Gaseous Electronics", University of California Press, Berkeley, Calif, 1955.
- [31] H. Raether, "Electron Avalanches and Breakdown in gases", Butterworth & Company (Publishers) Ltd., London, 1964.
- [32] M. Khalifa, editor,"High-Voltage Engineering Theory and Practice", chapter 10 by H.Anis, Marcel Dekker, Inc.New York, 1990.
- [33] E. Nasser, "Fundamentals of Gaseous Ionization and Plasma Electronics", John Wiley & Sons, New York, 1970.

- [34] N. H. Malik, A. H. Qureshi, "A review of electrical breakdown in mixtures of SF₆ and other gases", IEEE Transaction on Electrical Insulation, Vol. EI- 14, No. 1, pp. 1-13, 1979.
- [35] A Rein, " Breakdown mechanisms and breakdown criteria in gases: Measurement of discharge parameters. A literature survey", Bioctra, No. 32, pp. 43-60, 1974.
- [36] S. Berger, "Onset of breakdown voltage reduction by electrode surface roughness in air and SF₆", IEEE Trans. on PAS, Vol. PAS-95, No. 4, pp. 1073-1079, 1976.
- [37] N. H. Malik and A. H. Qureshi, "Breakdown mechanisms in sulphur-hexafluoride", IEEE Trans. on Elect. Insul., Vol. EI-12, No. 3, pp. 135-145, 1978.
- [38] Y. Qiu, I. D. Chalmers, "Effect of electrode surface roughness on breakdown in SF₆-N₂ and SF₆-CO₂ gas mixtures", J.Phys. D : Appl. Phys. Vol. 26, pp. 1928-1932, 1993.
- [39] T. w. Dakin, G. Luxa, G. Oppermann, J. Vigreux, G. Wind, H. Winkeln- Kemper, "Breakdown of gases in uniform fields, Paschen curves for nitrogen, air and sulphur-hexaflouride", Electra. CIGRE Paper No.32, pp.64-70, 1974.
- [40] N. H. Malik, A. H. Qureshi, "Breakdown gradients in SF₆-N₂ , SF₆-Air and SF₆- CO₂ mixtures", IEEE Transaction on Electrical Insulation, Vol. EI- 15, No. 5, pp. 413-418, 1980.