

References

A

Abbas A.B. and Lichtman A.H. (2009): Innate Immunity. Basic Immunology. Functions and disorders of the immune system (3rd ed.).

Abboud CF (2002): Anterior Pituitary failures. In Melmed S. The Pituitary; 2nd Ed. Wiley-Blackwell; 349-52.

Agarwal JK, Sahay RK, Bhadada SK et al. (2001): Empty Sella Syndrome. Journal, Indian Academy of Clinical Medicine; 2(3):198-202.

Alpagut, U; Ugurlucan, M; Kafali, E; et al. (2006): Endoluminal stenting of mycotic saccular aneurysm at the aortic arch. Texas Heart Institute Journal; 33 (3): 371–5.

Ambrosi B, Dall'Asta C, Cannavo S, et al. (2004): Effects of chronic administration of PPAR-gamma ligand rosiglitazone in Cushing's disease. Eur J Endocrinol; 151(2):173-8.

Antunovic V, Dragutinovic G, Levic Z, et al. (2001): Magnetic resonance in the diagnosis of C.N.S. Disorders. Thieme; 190-95.

B

Bellastella A, Bizzarro A, Coronella C and et al. (2003):

Lymphocytic hypophysitis: a rare or underestimated disease?
European Journal of Endocrinology; 149: 363–376.

Berger SA, Edberg SC and David G (2000): Infectious disease in
the sella turcica. Rev Infect Dis; 8:747 -755.

Binning MJ, Liu JK, Gannon BS, et al. (2008): Hemorrhagic and
nonhemorrhagic Rathke cleft cysts mimicking pituitary
apoplexy. J Neurosurg; 108:3-8.

Biousse V, Newman NJ and Oyesiku NM (2001): Precipitating
factors in pituitary apoplexy. J Neurol Neurosurg Psychiatry;
71(4):542-5.

Brisman JL (2010): Cerebral Aneurysm. www.emedicine.com.

Bunch TJ, Dunn WF, Basu A, et al. (2002): Hyponatremia and
hypoglycemia in acute Sheehan's syndrome. Gynecol.
Endocrinol.; 16 (5): 419–23.

C

Chahal HS, Stals K, Unterländer M, et al. (2011): AIP mutation
in pituitary adenomas in the 18th century and today. N Engl J
Med; 364(1):43-50.

References

Chandra P and Taylor CR (2005): Part A. General Pathology, Section II. The Host Response to Injury, Chapter 3. The Acute Inflammatory Response, sub-section Cardinal Clinical Signs. Concise Pathology (3rd edition). New York, N.Y.: McGraw-Hill.

Cheung CC, Ezzat S, Smyth HS et al. (2001): The spectrum and significance of primary hypophysitis. J Clin Endocrinol Metab; 86 (3): 1048 - 1053.

D

Dasen, J. S. and Rosenfeld, M. G. (2009): Signaling mechanisms in pituitary morphogenesis and cell fate determination. Curr Opin Cell Biol; 11 (6): 669–677.

Dode C, et al. (2006): Kallmann syndrome: mutations in the genes encoding prokineticin-2 and prokineticin receptor-2. PLoS Genet; 2: e175.

Dormandy T (2006): The worst of evils: man's fight against pain. New Haven, Conn: Yale University Press; 22.

E

Evanson J (2009): Radiology of the Pituitary. In Grossman A. Pituitary disease and neuroendocrinology. Endotext; Chapter 4.

Ezzat S, Asa SL, Couldwell WT, et al. (2004): The prevalence of pituitary adenomas: A systematic review. Cancer; 101(3): 613-9.

F

Frohman H and Lawrence A (2001): Pituitary tumors in pregnancy. Lippincott Williams and Wilkins; 11(5): 399-406.

G

Gibo H, Hokama M, Kyoshima K, et al. (2003): Arteries to the pituitary. Nippon Rinsho; 51 (10): 2550–4.

Greenberg MS (2006): Empty sella syndrome in Handbook of neurosurgery; 6th Ed. Thieme; 499.

H

Hamilton B, Salzman K and Osborn A (2007): Anatomic and Pathologic Spectrum of Pituitary Infundibulum Lesions. AJR; 188: 223-232.

Hamrahian AH (2003): Basal and glucose-suppressed GH levels less than 1 microg/L in newly diagnosed acromegaly. Pituitary; 6: 175-180.

Hamrahian AH (2004): The prevalence of pituitary adenomas: A systematic review. Cancer; 101: 613-619.

Hamrahian AH (2006): Evaluation and treatment of adult growth hormone deficiency: An Endocrine Society Clinical Practice Guideline. J Clin Endocrinol Metab; 9: 1621-1634.

Hamrahian AH (2007): Dopamine agonists and the risk of cardiac-valve regurgitation. N Engl J Med; 356: 29-38.

References

Hargrave, B. Y.; Tiangco, D. A.; Lattanzio, F. A.; et al. (2003):

Cocaine, not morphine, causes the generation of reactive oxygen species and activation of NF- κ B in transiently cotransfected heart cells. *Cardiovasc Toxicol*; 3 (2): 141–151.

Haughton V and Peebles T (2002): Radiology of the

Hypothalamus and Pituitary. In Grossman A. Pituitary disease and neuroendocrinology. Endotext; chapter 4.

Hoyer PB (2002): Hyperprolactinoma: aetiology, diagnosis and

management. *Semin Reprod Med*. Quoted from Burger N, Healy D and Vollenhoven BJ. Prolactinoma. *Endocrinology and metabolism*. 4th Ed. New York: McGraw Hill; 752-53.

J

Janmohamed S, Grossman AB, Metcalfe K, et al. (2002):

Suprasellar germ cell tumors: specific problems and the evolution of optimal management with a combined chemoradiotherapy regimen. *Clin Endocrinol (Oxf)*; 57:487–500.

K

Kallmann FJ, Schönfeld WA and Barrera SE (1944): The genetic

aspects of primary eunuchoidism. *Am J Ment Defic*; 48: 203-236.

References

Kaplun J, Fratila C, Ferenczi A et al. (2008): Sequential Pituitary MR Imaging in Sheehan Syndrome: Report of 2 Cases. *AJNR Am J Neuroradiol*; 29:941– 43.

Kattah J (2006): Pituitary Tumors. www.emedicine.com.

Kemink SA, Wesseling P, Pieters GR et al. (2002): Progression of a Nelson's adenoma to pituitary carcinoma; a case report and review of the literature. *J Endocrinol Invest*; 22 (1): 70-5.

Khan AN (2009): Pituitary Adenoma, Brain. www.emedicine.com.

Knepel W, Homolka L, Vlaskovska M, et al. (2004): Stimulation of adrenocorticotropin/beta-endorphin release by synthetic ovine corticotropin-releasing factor in vitro. Enhancement by various vasopressin analogs. *Neuroendocrinology*; 38(5):344-50.

Kreutzer J and Fahlbusch R (2004): Diagnosis and treatment of pituitary tumors. *Curr Opin Neurol*; 17(6): 693-703.

Kucharczyk W and Hazewinkel M (2008): Sella Turcica and Parasellar Region, *Neuroradiology. The radiology assistant*.

Kumar V (2004): Robbins & Cotran Pathologic Basis of Disease, 7th Edition. Saunders Book tea; 11: 2-6.

Kumar V (2007): Robbins Basic Pathology, 8th Edition. W.B. Saunders Company; 10: 7.

Kyrou I and Tsigos C (2008): Chronic stress, visceral obesity and gonadal dysfunction. *Hormones*; 7(4):287-293.

L

Lau KY, Fung WT, Chan PO, et al. (2001): MRI of the Hypothalamus and Pituitary Gland in Patients with Hyperprolactinaemia Following Radiotherapy for Nasopharyngeal Carcinoma. *Singapore Med J*; 42(9): 406-409.

Lumenta DR (2010): Neurosurgery, Springer.

M

MacColl G, Bouloux P and Quinton R (2002): Kallmann syndrome: adhesion, afferents, and anosmia. *Neuron*; 34 (5): 675–8.

Madan R, Sawlani V, Gupta S, et al. (2004): Findings in Kallmann syndrome; 52 (4): 501-503.

Mohr G and Hardy J (1992): Hemorrhage, necrosis, and apoplexy in pituitary adenomas. *Surg Neurol*; 18(3):181-9.

Mou C, Han T, Zhao H, et al. (2009): Clinical features and immunohistochemical changes of pituitary apoplexy. *J Clin Neurosci*; 16(1):64-8.

N

Nations SP, Boyer PJ, Love LA, et al. (2008): Denture creams: an unusual source of excess zinc, leading to hypocupremia and neurologic disease. *Neurology*; 71:639-43.

References

Nawar RN, AbdelMannan D, Selman WR, et al. (2008): Pituitary tumor apoplexy: A review. *J Intensive Care Med*; 23(2): 75-90.

Nazari S (2009): Expandable device type III for easy and reliable approximation of dissection layers in sutureless aortic anastomosis. Ex vivo experimental study. *Interact CardioVasc Thorac Surg*; 10: 161-164.

O

Osborn A (2002): Diagnostic Imaging. Salt Lake City: Amirsys, Sadler T, Susceptible periods during embryogenesis of the heart and endocrine glands. *Environ Health Perspect*; 108: 555-561.

P

Porth C (2007): Essentials of pathophysiology: concepts of altered health states. Hagerstown, MD: Lippincott Williams & Wilkins; 270.

R

Rebar RW (2010): Chapter 4. Evaluation of Amenorrhea, Anovulation, and Abnormal Bleeding. Department of Obstetrics and Gynecology, University of Alabama at Birmingham.

Riss D, Jin L, Qian X, et al. (2003): Differential expression of galectin-3 in pituitary tumors. *Cancer Res*; 63(9): 2251-5.

Romer AS and Parsons TS (1977): The Vertebrate Body. Philadelphia, PA: Holt-Saunders International; 549–550.

S

Saleem SN, Hesham AM and Lee DH (2007): Lesions of the Hypothalamus: MR Imaging Diagnostic Features. *RadioGraphics*; 27(4): 1087–1108.

Scheithauer BW, Kovacs KT, Laws ER Jr, et al. (2002): Pathology of invasive pituitary tumors with special reference to functional classification. *J Neurosurg*; 65 (6): 733-44.

Schrager S and Sabo L (2001): Sheehan syndrome: a rare complication of postpartum hemorrhage. *J Am Board Fam Pract*; 14 (5): 389–91.

Semple PL, Webb MK, de Villiers JC, et al. (2005); Pituitary apoplexy. *Neurosurgery*; 56(1): 65-73.

Sheehan HL (1937): Post-partum necrosis of anterior pituitary. *The Journal of Pathology and Bacteriology, Chichester*; 45: 189-214.

Sylvia L (2007): Pituitary histopathology in man: normal and abnormal. In Grossman A. *Pituitary disease and neuroendocrinology. Endotext*; Chapter 3.

T

Talkad AV, Kattah JC, Xu MY, et al. (2004): Prolactinoma presenting as painful postganglionic Horner syndrome. *Neurology*; 62(8):1440-1.

Tanriverdi F, et al. (2003): The hypothalamic-pituitary-gonadal axis: immune function and autoimmunity. *J Endocrinol*; 176(3): 293-304.

V

Vaphiades M (2007): The pituitary ring sign: An MRI sign of pituitary apoplexy. *Neuro-ophthalmology*; 31: 111-6.

Vlotides G, Eigler T and Melmed S (2007): Pituitary tumor-transforming gene: physiology and implications for tumorigenesis. *Endocr Rev*; 28(2): 165-86.

Vogel WH and Berke A (2009): Brief History of Vision and Ocular Medicine. Kugler Publications; 97.

W

Wells, M. J. and Wells, J. (2009): Pituitary Analogue in the Octopus. *Nature*; 222 (5190): 293–294.

Werner R (2009): A massage Therapist Guide to Pathology (4th ed.). Philadelphia, PA and Baltimore, MD: Wolters Kluwer.

Westbrook C (1999): Pituitary fossa in Handbook of MRI Technique; 2nd edition. Blackwell; 81-82.

Y

Yamashita S, Matsumoto Y, Kunishio K, et al. (2004): Craniopharyngiomas with intratumoral hemorrhage--two case reports. *Neurol Med Chir (Tokyo)*; 44(1): 43-6.