

References

1. **Al-mefty O and Franco DM (1995):** in Andrew H., and Edward R.: Brain tumors. vol 2, 1015-1079, Churchill Livingstone, London.
2. **Barker PB (1997):** MRS of the brain – Clinical. Fifth scientific meeting of International Society for Magnetic Resonance in Medicine; Apr 12-18, (Vancouver, B.C., Canada); ISMRM Educational Course Syllabus, 329-336.
3. **Barrett CP, Poliakof SJ and Holder LE (1990):** primer of sectional anatomy with MRI and CT correlation . Williams and Wilkins. 1st edition .; P. 8-35.
4. **Bottomelly PA, Hardy CJ, Cousins JP et al (1990):** Brain high energy phosphate metabolite deficits. Radiology. 176:407-411.
5. **Bradley J, John H and Karis P (2000):** current applications of MR Spectroscopy of the brain. Article for the official Journal of Barrow Neurological Institute (BNI); vol. 16 No. 2.
6. **Bradley WG and Stark D. (1999):** Magnetic Resonance Imaging.Spectroscopy . 3rd edition. Mosby year book; 1(9).

7. **Bruner JM. (1994):** Neuropathology of malignant gliomas. *Semin Oncol* . April; 21(2): 126-38.
8. **Bukte Y, Serdar K, Hasan N, et al. (2004):** Cerebral hydatid disease: CT and MR imaging findings. *SWISS MED WKLY*; 134:459–467. www.smw.ch.
9. **Burtscher IM, Gunnar S, Holtas S, et al. (2000):** Proton MR Spectroscopy and Preoperative Diagnostic Accuracy: An Evaluation of Intracranial Mass Lesions Characterized by Stereotactic Biopsy Findings. *American Journal of Neuroradiology*. Jan; 21:84-93.
10. **Burtscher IM and Holtas S (1999):** In Vivo Proton MR Spectroscopy of Untreated and Treated Brain Abscesses. *American Journal of Neuroradiology*. June; 20:1049-1053.
11. **Burtscher IM and Holtas S (2001):** Proton MR spectroscopy in clinical routine. *J Magn Reson Imaging*. Apr; 13(4):560-7.
12. **Butzen J, Prost R, Chetty V, et al. (2000):** Discrimination between neoplastic and nonneoplastic brain lesions by use of proton MR spectroscopy: The limits of accuracy with a logistic regression model. *Am J Neuroradiol*, Aug; 21:1213-1219.

- 13.**Byrd S, Radkowski M and Darling C. (1998):** Neuroimaging adjuncts to MRI: MRA/MRS/CINE MR CSF flow and analysis. *The Child's Doctor, Journal of Children's Memorial Hospital, Chicago.*
- 14.**Castillo M (2001):** Neuroimaging and cartography: Mapping brain tumors. *Am J Neuroradiol.* April; 22:597-598.
- 15.**Castillo M., Kwock L, Scatliff J ,et al. (1998):** Proton MR spectroscopy in neoplastic and non-neoplastic brain disorders. *MRI Clinics of North America.* 6(1): 1-20.
- 16.**Castillo M., Kwock L, Scatliff J, et al (1996):** Clinical applications of Proton MR spectroscopy. *Am J Neuroradiol.* Jan; 17:1-15.
- 17.**Chang K, Song IC, Kim SH, et al. (1998):** In vivo single voxel Proton MR spectroscopy in intracranial cystic masses. *Am j Neuroradiol,* Mar; 19: 401-405.
- 18.**Clark GB, Henry JM, McKeever PE (1985):** Cerebral pilocytic astrocytoma. *Cancer,* 56: 1128-33.
- 19.**Cousins JP (2000):** Clinical MR spectroscopy: fundamentals, current applications, and future potential. *AJR;* 164:1337-1347.

- 20.**Delsole A, Falini A, Ravasi L, et al. (2001):** Anatomical and biochemical investigation of primary brain tumors. *Eur J Necl Med*, 28 (12): 1851-72.
- 21.**Dowling C, Bollen AW, Noworolski SM et al (2001):** Preoperative proton MR spectroscopic imaging of brain tumors: Correlation with histopathologic anlysis of resection specimens. *Am J Neuroradiol*. April; 22: 604-612.
- 22.**Fan G, Sun B, Wu Z, et al. (2004):** In vivo single-voxel proton MR spectroscopy in the differentiation of high grade gliomas and solitary metastases. *Clin Radiol*. Jan; 59(1):77-85.
- 23.**Fan TWM (1996):** Metabolite profiling by one and two dimensional NMR analysis of complex mixtures. *Prog NMR spectroscopy*; 28: 161-219.
- 24.**Faria AV., Fabiano R, Verônica AZ, et al (2004):** The pattern of proton magnetic resonance spectroscopy in non-neoplastic encephalic lesions. *Arquivos de Neuro-Psiquiatria*. June ; vol. 62 no.2b.
- 25.**FitzGerald MJT, Curran JF (2002):** Clinical Neuroanatomy and related neurosciences. 4th ed., Spain: WB Saunders.

26. **Froelich J.W., Stephen A.K, David A, et al. (2003):** standard for the performance and interpretation of magnetic resonance spectroscopy of the brain. General Diagnostic Radiology.; 9:73-76.
27. **Gadian DG (1997):** Introduction of physics of MRI. Fifth scientific meeting of International Society for Magnetic Resonance in Medicine. Apr 12-18 (Vancouver BC, Canada); ISMRM Educational Course Syllabus. 229-233.
28. **Gado MH and Tobben PJ (1992):** Supratentorial anatomy. In Magnetic Resonance Imaging. By Bradley WG, Stark D., 2nd edition. Mosbey year book; P 120-210.
29. **Gajewicz W, Papierz W, Szymczak W, et al. (2003):** The use of proton MRS in the differential diagnosis of brain tumors and tumor-like processes. Med Sci Monit. Sep; 9(9):MT97-105.
30. **Garwood M (1997):** principles of spectroscopic localization. 5th scientific meeting of International Society for magnetic Resonance in Medicine. April 12-18; (Vancouver, Canada); ISMRM Educational course syllabus, 250-259.
31. **Gilbert Vezina (2002):** MR imaging of brain tumors Recent developments. Article written for the Childhood Brain Tumor Foundation, Germantown.

32. **Gonen O, Stephan G, Belinda S.Y, et al.(2001):** Multivoxel 3D Proton Spectroscopy in the Brain at 1.5 Versus 3.0 T: Signal-to-Noise Ratio and Resolution Comparison. American Journal of Neuroradiology. October; 22:1727-1731.
33. **Grand S, Ghislaine P, Anne Z, et al. (1999):** Necrotic Tumor versus Brain Abscess: Importance of Amino Acids Detected at 1H-MR Spectroscopy-Initial Results. Radiology. 213:785-793.
34. **Graves EE, Nelson SJ, Vigneron DB, et al. (2001):** Serial proton MR spectroscopic imaging of recurrent malignant gliomas after gamma knife radiosurgery. AJNR Am J Neuroradiol. Apr; 22(4):613-24.
35. **Gray A, Peter L, Martin M, et al. (1995):** The anatomical basis of medicine and surgery. 38:20-30.
36. **Greenberg S.H (2000):** Handbook of Neurosurgery. Thieme Medical Pub; 5th edition.
37. **Grossman RI and Yousem DM (2003):** Neuroradiology; the requisites. 2nd edition Mosby, Inc; 37-70
38. **Gruetter R, Weisdorf SA, Rajanayagan V, et al. (1998):** Resolution improvements in invivo ¹H NMR spectra with increased magnetic field strength. J Magn Reson. 135:260-264.

39. **Gupta S, Desai K, Goel A (1999):** Intracranial hydatid cyst: a report of five cases and review of literature. *Neurology India*. 47: 214-7.
40. **Haaga J, Charles F, David J, et al (1994):** CT and MRI of the whole body. 4th ed. United States of America: Mosby, 82-101.
41. **Heerschap A, René DK, Paul P.van den Berg, et al. (2002):** MR Spectroscopy in the Human Fetus. *Radiology*. 223:584-585.
42. **Higgins CB, Hedvig H and Clyde AH (1997):** Magnetic Resonance Imaging of the Body. 3rd edition; 11-24. Lippincott Raven Press, New york.
43. **Hornak JP (2002):** The basics of MRI, XII. Chap 4, 5 & 12 (www.cis.rit.edu).
44. **Howe FA, Opstad KS (2003):** Proton MR Spectroscopy of brain tumors and masses .*NMR BIOMED*. 16; 123-131.
45. **Janine Rennert, Andreas Stadlbauer et al.(2006):** Usefulness of 1H-MRS in the diagnosis of contrast enhancing cystic lesions. *Rontgenpraxis* 56 , 99—104.

46. **Jayasundar R (2002):** Human brain: biochemical lateralization in normal subjects. *Neurol India*. September; 50(3):267-71.
47. **Kadota T, Takashi H and Chikazumi K (2001):** Development and Aging of the Cerebrum: Assessment with Proton MR Spectroscopy. *American Journal of Neuroradiology*. Jan; 22:128-135.
48. **Katherine E, Frank AJ, Black JL et al. (2000):** Proton magnetic resonance spectroscopic imaging in children with recurrent primary brain tumors. *J Clin Oncol*. March; 18(5): 1020-6.
49. **Katherine E. Warren (2004):** NMR Spectroscopy and Pediatric Brain Tumors. *The Oncologist*. June; Vol. 9, No. 3, 312–318.
50. **Kavindra Natha , Monika Agarwala , Mahesh Ramolab et al.(2009):** Role of diffusion tensor imaging metrics and in vivo proton magnetic resonance spectroscopy in the differential diagnosis of cystic intracranial mass lesions. *Magnetic Resonance Imaging* 27 (2009) 198–206.
51. **Kienlin M. Von (1999):** Basic Magnetic Resonance Spectroscopy and localization methods. 16th annual scientific meeting of Europ. Soc. For MR in Medicine

and Biology (ESMRMB) September; 3-27.

52. **Kim SH, Chang K, Moon Hee Han, et al. (1997):** Brain abscess and brain tumor: Discrimination with in vivo ^1H -MRS. Radiology. 204:239-245.
53. **Kimura T, Sako K, Tanaka T, et al (2001):** in vivo single voxel proton MR spectroscopy in brain lesions with ring like enhancement. NMR Biomed. 14:339-349.
54. **Kissane JM (1990):** Anderson's pathology. Ninth edition, Mosby, Vol 2: 2123-2174.
55. **Kleihus P, Cavenee WK (2000):** Pathology and Genetics. Tumors of the Nervous System. Oxford University Press.; 56-64.
56. **Kumar A, Kaushik S, Tripathi RP, et al (2003):** Role of in vivo proton MR spectroscopy in the evaluation of adult brain lesions: Our preliminary experience. Neurology India; 51: 474-478.
57. **Lai PH, Jih T.H, Wei LC, et al. (2002):** Brain Abscess and Necrotic Brain Tumor: Discrimination with Proton MR Spectroscopy and Diffusion-Weighted Imaging. American Journal of Neuroradiology. September; 23:1369-1377.

- 58.**Macdonald DR (1994):** Low-grade gliomas, mixed gliomas, and oligodendrogliomas. *Semin Oncol.*; 21(2): 236-48.
- 59.**Meyerand ME, Pipas JM, Niamourian A, et al. (1999):** Classification of biopsy-confirmed brain tumors using single voxel MR spectroscopy. *Am J Neuroradiol*, Jan; 20(1): 117-123.
- 60.**Mills CM, Groot JD and Posin JP (1988):** Magnetic resonance imaging : Atlas of head neck and spine.; 1st ed. Lea & Febiger ,Philadelphia, 82-103.
- 61.**Mishra AM, Gupta RK, Jaggi RS, et al. (2004):** Role of diffusion-weighted imaging and in vivo proton magnetic resonance spectroscopy in the differential diagnosis of ring-enhancing intracranial cystic mass lesions. *J. of Comput Assist Tomogr.* 28(4):540-7.
- 62.**Moller HW, Herminghaus S, Krings T, et al (2002):** Clinical application of proton magnetic resonance spectroscopy in the diagnosis of intracranial mass lesions. *Neuroradiology.* 44(5):371-81.
- 63.**Murphy PS, Viniers L, Abson C, et al. (2004):** Monitoring temozolomide treatment of low grade glioma with proton magnetic resonance spectroscopy.

Br J Cancer. February; 23; 90(4):781-6.

64.**Naheedy MH (1994):** in Hagga JR, lanzieri CF, Sartoris DL, et al.: Normal CT and MRI anatomy of the brain. In computed tomography and magnetic resonance imaging of the whole body. 3rd ed Mosby year book, 77-102.

65.**Nakasio M, Uno M, Harada M, et al. (2002):** Brain abscess and glioblastoma identified by combined proton magnetic resonance spectroscopy and diffusion weighted magnetic resonance imaging. Neurol Med Chiol. 42:346-8.

66.**Nelson SJ, Vigneron DB and Dillon WP (1999):** serial evaluation of patients with brain tumors using volume MRI and 3D MRSI. NMR Biomed. 12: 123-138.

67.**Pattany PM, Khamis IH, Bowen BC, et al. (2002):** Effects of physiologic human brain motion on proton spectroscopy: Quantitative analysis and correction with cardiac gating. Am J Neuroradiol. Feb; 23: 225-230.

68.**Ping-Hong Lai, MDa, Shu-Shong Hsu, Shang-Wu**

- Ding, et al. (2007):** Proton magnetic resonance spectroscopy and diffusion-weighted imaging in intracranial cystic mass lesions. *Surgical Neurology* 68 ,S1:25–S1:36, .
- 69.**Pomper MG and Port JD (2000):** New techniques in MR imaging of brain tumors. *MRI Clinics of North America*,; 8(4): 691-713.
70. **Preul MC , Caramanos Z, Villemure J ,ct al. (2000):** Using proton magnetic resonance spectroscopic imaging to predict in vivo the response of recurrent malignant gliomas to tamoxifen chemotherapy. *Neurosurgery*. Feb; 46(2):306-18.
- 71.**Prost R, Haughton V and Li SJ (1997):** Brain tumors: Localized ¹H-MR spectroscopy at 0.5 T. *Radiology*,; 204: 235-238.
- 72.**Ramin SL, Waldir AT and Antonio RS (2003):** Proton magnetic resonance spectroscopy: clinical applications in patients with brain lesions. *Sao Paulo Med. J.*; vol.121 no 6.
- 73.**Rand SD, Prost R, Haughton V, et al. (1997):** Accuracy of single-voxel proton MR spectroscopy in distinguishing neoplastic from non-neoplastic brain lesions. *Am J Neuroradiol*. October; 18: 1695-1704.
- 74.**Rao KGVG (1991):** Normal anatomy. In *Cranial*

computed tomography and MRI by Lee SH., Rao KGVG, Zimmerman RA, 3rd Ed McGraw Hill Book Company, New York. P 85-100.

- 75.**Robbins S.L., Kumar V. and Collins T. (1999):** Robbins pathologic basis of disease. 6th edition. USA, WB Saunders. 30:1293-1355.
- 76.**Ross B and Bluml S (2001):** Magnetic resonance spectroscopy of the human brain. Anat Rec.; 265:54-84.
- 77.**Schlemmer H, Bachert P, Herfarth KK, et al. (2001):** Proton MR spectroscopic evaluation of suspicious brain lesions after stereotactic radiotherapy. Am J Neuroradiol, Aug; 22:1316-1324.
- 78.**Schmitzlein HN and Murtagh FR (1990):** Imaging anatomy of the head and spine, a photographic color atlas of MRI, CT, Gross and microscopic anatomy in axial, coronal and sagittal planes.; 2nd ed., P 143-300.
- 79.**Shawn FS (2002):** MRS develops central role in clinical practice. Diagnostic Imaging Europe. Dec; 12: 450-454.
- 80.**Shellock FG (2002):** Reference manual for MR safety. edition. Salt Lake City, Utah. Amirsys Inc.

81. **Shukla-Dave A, Gupta RK, Husain N, et al. (2001):** Prospective evaluation of in vivo proton MR spectroscopy in differentiation of similar appearing intracranial cystic lesions. *Magn Reson Imaging*. 19(1):103-10.
82. **Sijens PE, Den Heijer T, De Leuw FE, et al. (2003):** Brain Changes with Aging: MR Spectroscopy at Supraventricular Plane Shows Differences between Women and Men. *Radiology*. 226:889-896.
83. **Simonetti WI, Mlessen AW, Vander-Graaf M, et al. (2003):** A chemometric approach for brain tumor classification using magnetic resonance imaging and spectroscopy. *anal chem*. 75:5325-61.
84. **Singh I (2002):** Text book of Human Neuroanatomy. 6th ed. New Delhi. Jaypee Brothers Medical publishers Ltd.
85. **Speck O, Hennig J and Thiel T (1997):** Improved sensitivity to overlapping multiplet signals in invivo proton spectroscopy using multiecho volume selective (CPRESS) experiment magnetic Resonance in Medicine.; 37:816.
86. **Stevens A and James L (1996):** Pathology. London. Mosbey.

87. **Tayfun H and Fugen VA (2003):** A Case Report of Fatal Echinococcosis. *Annals of Neurosurg.* 1(1):14-16.
88. **Tosi MR, Ricci R, Bottura G , et al. (2001):** In vivo and in vitro nuclear magnetic resonance spectroscopy investigation of an intracranial mass. *Oncology Reports.* 8:1337-1339.
89. **Tsui EY, Chan JH, Cheung YK, et al. (2002):** Evaluation of cerebral abscesses by diffusion-weighted MR imaging and MR spectroscopy. *Comput Med Imaging Graph.* 26(5):347-51.
90. **Tzika AA, Astrakas LG, Zarifi MK, et al. (2004):** Spectroscopic and perfusion magnetic resonance imaging predictors of progression in pediatric brain tumors. *Cancer.* March 15; 100(6): 1246-56.
91. **Watanabe H, Fukatsu H, Katsuno M, et al. (2004):** Multiple regional ¹H-MF spectroscopy in multiple system atrophy: NAA/Cr reduction in pontine base as a valuable diagnostic marker. *J Neurol. Neurosurg. Psychiatry.* January; 75(1): 103-9.
92. **Weir J and Abrahams P (1996):** Imaging Atlas of Human Anatomy CD-ROM. Times Mirror International Publishers Ltd. Lynton House, London, England.