

1. **AbuRahma AF (2000):** Segmental Doppler pressures and Doppler waveform analysis in peripheral vascular disease of the lower extremities. In: AbuRahma A F, Bergan J J (eds) Noninvasive vascular diagnosis. Springer, London, pp 213–229.
2. **AbuRahma AF, Woofruff BA, and Lucente FC (1990):** Edema after femoropopliteal bypass surgery Lymphatic and venous theories of causation. J. Vasc. Surg; 11:461-467.
3. **Albrecht T, Foert E, Holtkamp R, et al (2007):** 16-MDCT Angiography of Aortoiliac and Lower Extremity Arteries: Comparison with Digital Subtraction Angiography. AJR; 189:702–711.
4. **Bagi P, Shroeder T, Sillesen H, et al (1989):** Real time B-mode mapping of greater saphenous vein. European Journal of Vascular Surgery 3: 103-105.
5. **Bastounis E, Georgopoulos S, Maltezos C, et al (1999):** PTFE-vein composite grafts for critical limb ischaemia: a valuable alternative to all-autogenous infrageniculate reconstructions. Eur J Vasc Endovasc Surg.; 18(2):127–132.
6. **Batra P, Bigoni B, and Manning J (2000):** Pitfalls in the diagnosis of thoracic aortic dissection at CT angiography. Radiographics; 20:309-320.
7. **Baxter BT, Rehm JP and Grange JJ (1998):** The formation of aneurysms. Semin Vasc surg 11: 193-202.
8. **Beard JD, Benveside GL, Miller J, et al. (1985):** Haemodynamics of the interposition vein cuff. Surg.; 73:823-825.

9. **Behrendta FF, Brunersa P, Keil S, et al (2009):** Effect of different saline chaser volumes and flow rates on intravascular contrast enhancement in CT using a circulation phantom. *European Journal of Radiology*. Article in press.
10. **Bergman RA (1984):** Abdomen Anatomy in Catalog of human variation by Thompson SA, and Afifi AK; Baltimore, Urban & Schwarzenberg Inc; 65-72.
11. **Bernhard VM, Ray LI and Militells TM (1995):** The role of angioplasty of profunda femoris artery in revascularization of ischemic limb. *J. Vasc. Surg.*; 50:142-152.
12. **Bernhard VM (1989):** Bypass to the popliteal and infrapopliteal arteries. In: Rutherford RB (ed.): *Vasc. Surg.*, 3rd ed., Philadelphia, WB Saunders Company; 692-704.
13. **Blaisdell FW (2002):** Managment of acute lower extremity ischemia due to embolism and thrombosis.
14. **Bostrom A, Ljungman C, Hellberg A, et al (2002):** Duplex scanning as the sole preoperative imaging method for infrainguinal arterial surgery. *Eur J Vasc Endo Vasc Surg* 23:140-145.
15. **Campbell WB, Geens VR, Tambour LJ. (1994):** Local complications after arterial bypass grafting. *Ann R Coll Surg Engl.*; 76: 127-131.
16. **Carroccio A, Faries P, Marrissey N, et al (2002):** Predicting iliac limb occlusion after bifurcated aortic stent grafting: anatomic and device-related cuases. *J Vasc Surg.* 36: 679-684.
17. **Chow LC and Rubin GD (2002):** CT angiography of the arterial system. *Radiol Clin N Am* 40; 729-749.

18. **Clemente CD (1985):** The Arteries of the Lower Extremity in Gray's Anatomy by Gray Henry, American Ed 30. Philadelphia. WB Saunders Co.; 1034-1067.

19. **Cody DD (2002):** Image Processing in CT. Radiographics; 22: 1255-1268.

20. **Devine C, Hons B, McCollum C (2001):** Heparin-bonded Dacron or polytetrafluoroethylene for femoropopliteal bypass grafting: a multicenter trial. J Vasc Surg; 33(3):533-539.

21. **Duddalwar VA (2004):** Multislice CT angiography: a practical guide to CT angiography in vascular imaging and intervention. British Journal of Radiology; 77: 27-38.

22. **Fishman EK, Ney DR, David G, et al (2006):** Volume Rendering versus Maximum Intensity Projection in CT Angiography: What Works Best, When, and Why. Radiographics; 26:905-922.

23. **Fishman EK, Kuszyk BS, Heath DG, et al (1996):** Skeletal 3-D CT: advantages of volume rendering over surface rendering. Skeletal Radiol 25:207-214

24. **Fleischmann D (2004):** Contrast-Medium Administration. In C. Catallano & R. Passariello (ed). Multidetector-Row CT Angiography. 1st ed. Springer; 41-54.

25. **Flinn WR, Flanigan DP, Verta MJ, et al. (1990):** Sequential Femoral, tibial bypass for severe limb ischemia. Surgery; 88:357.

26. **Foshager MC, Sane SS, David M et al., (1996):** Evaluation of lower extremity bypass grafts with use of color duplex sonography. RadioGraphics; 16:9-25.

References

27. **Freischlage JA (1990):** Infra-inguinal graft failure: clinical consideration. *Surgery*; 3:35-37.
28. **Gaspar MR and Barker WE (1981):** Abdominal Aorta. In *Peripheral arterial disease* by Barker WE, 3 ed. Philadelphia. WB Saunders Co.; 74-77.
29. **Gazoni M, Rebecca C, Skinner J, et al (2006):** Endoscopic versus open saphenous vein harvest for femoral to below the knee arterial bypass using saphenous vein graft. *J Vasc Surg*; 44:282-8.
30. **Gelbert HA and Wuinones BW (1990):** Progressive atheromatous disease. *Surgery*; 3: 29-34.
31. **Gerlock AJ, Giyanani VL, Krebs C et al (1988):** Applications of Noninvasive Vascular Techniques. Philadelphia, W.B. Saunders.
32. **Gibbons GW (1987):** The diabetic foot-Amputations and drainage of infection. *J. Vasc. Surg*; 5:791.
33. **Gray H (2000):** Anatomy of the abdominal aorta and peripheral arterial system. In *Anatomy of the human body*, by Henry Gray. 20th ed., thoroughly rev. and re-edited by Warren H. Lewis, Bartleby Press; 125-410.
34. **Greenberg RK and Ouriel K (2000):** Arterial thromboembolism. 5th ed. Philadelphia: W.B Saunders, p822-835.
35. **Heiken PJ and Bae KT (2005):** Contrast Medium Administration and Scan Timing for MDCT. In: Marchal G (ed.), *Multidetector-Row Computed Tomography: Scanning and Contrast Protocols*. 1st ed. Springer; 13-20.
36. **Hirsch AT, Stewart KJ, Hiatt WR et al (2002):** Exercise training

- for claudication. *N Engl J Med* 2002; 347: 1941-1951.
- 37. Hopper KD, Mosher TJ and Kasales CJ (1997):** Thoracic spiral CT: delivery of contrast material pushed with injectable saline solution in a power injector. *Radiology*; 205:269-271.
- 38. Horst R, Helmut S, Josef T, et al (2003):** Semitransparent Volume-rendering CT Angiography for lesion display in Aortoiliac Arteriosclerotic Disease. *Journal of Vascular and Intervention, Radiology*; 14:1023-1030.
- 39. Indrajit IK, Souza JD, Bedi VS, et al (2005):** Impact of Multidetector CT on 3D CT Angiography. *MJAFI*; 61:360-363.
- 40. Ito H, Okadome K, Odashiro T et al (1994):** Persistent sciatic artery: two case reports and a review of the literature. *Cardiovasc Surg*; 2:275-80.
- 41. Johnson L, Bandyk F, Back R, et al (2000):** Intraoperative duplex monitoring of infrainguinal vein bypass procedures. *J Vasc Surg*; 31:678-690.
- 42. Karadeli E, Tarhan NC, Kayahan EM, et al (2009):** Evaluation of failing hemodialysis fistulas with multidetector CT angiography: Comparison of different 3D planes. *European Journal of Radiology*; 69:184-192.
- 43. Kiaii B, Moon BC, Massel D, et al (2002):** A prospective randomized trial of endoscopic versus conventional harvesting of the saphenous vein in coronary artery bypass surgery. *J Thorac Cardiovasc Surg*; 123:204-12.
- 44. Kimberly A, Kenneth D, Tune A, et al (2001):** CT angiography; In Vitro comparison of Five Reconstruction Methods. *British Journal of Radiology*; 74:219-255.

- 45. Kreienberg PB, Darling RC, Chang BB, et al (2000):** Adjunctive techniques to improve patency of distal prosthetic bypass grafts: polytetrafluoroethylene with remote arteriovenous fistulae versus vein cuffs. *J Vasc Surg*; 31(4):696–701.
- 46. Krupski WC, Selzman CH, Florida R et al (1998):** Contemporary management of isolated iliac aneurysms. *J Vasc Surg* 28: 1-13,
- 47. Kuszyk BD and Fishman EK (1998):** Technical aspects of CT angiography. *Semin ultrasound CT MR*; 19:383-393.
- 48. Landry G J, Moneta G L, Taylor L M, et al (2002):** Long term outcome of revised lower-extremity bypass grafts. *Journal of Vascular Surgery*; 35:56–63.
- 49. Leather RP, Shah DM (1994):** In situ saphenous vein arterial bypass. In: Veith FJ, et al, (eds). *Vascular surgery: principles and practice*. 2nd ed. New York, NY: McGraw-Hill; 447–458.
- 50. Li XM , Li YH , Tiana JM, et al (2009):** Evaluation of peripheral artery stent with 64-slice multi-detector row CT angiography: Prospective comparison with digital subtraction angiography. *European Journal of Radiology*. Article in press.
- 51. Lopera JE, Trimmer CK, Josephs SG, et al (2008):** Multidetector CT angiography of infrainguinal arterial bypass. *RadioGraphics*; 28:529-548.
- 52. Mazzariol F, Ascher E, Hingorani A et al (1998):** Lower- leg ischaemia in Gloucestershire. *Br J Surg* 84:504.
- 53. McMinn RM (1994):** Last's anatomy, Regional and applied. Philadelphia, Rapen Press; 145-240.

- 54. Melntyre KL, Bailey SA, Malone JM, et al. (1984):** amputation in the treatment of nonsalvage lower extremity infections. *Arc. Surg.*; 119:150.
- 55. Mills J L, Harris E J, Taylor L M Jr, et al (1990):** The importance of routine surveillance of distal bypass grafts with duplex scanning: a study of 379 reversed vein grafts. *Journal of Vascular Surgery*; 12:379–389.
- 56. Moore KL (1992):** Clinically oriented anatomy the lower limb. Oralnod, Dwenk Press; 273-500.
- 57. Muller-Hulsbeck S, Order BM, Jahnke T (2006):** Interventions in Infrainguinal Bypass Grafts. *Cardiovascular Intervent Radiol.*; 29:17–28.
- 58. Neri E, Vagli P, Odoguardi F, et al (2004):** Multidetector-Row CT: Image-Processing Techniques and Cinical Applications. In C. Catallano & R. Passariello (ed). *Multidetector-Row CT Angiography*, 1st ed. Springer; 25-39.
- 59. Novelli GP, Adembri C, Gandini E et al (1997):** Vitamin E protects human skeletal muscle from damage during surgical ischemia-reperfusion. *Am J Surg* 173, 206–209.
- 60. Nunez AA, Vieth FJ, Cooier P, et al. (1988):** Direct approaches to the distal portions of deep femoral artery for limb salvage bypass. *J. Vas. Surg.*; 8:576-81.
- 61. Orton DF, LeVeen RF, Saigh JA, et al (2000):** Aortic prosthetic graft infections: Radiologic manifestations and implications for management. *RadioGraphics*; 20:977–993.

- 62. Ota H, Takase K, Rikimaru H, et al (2005):** Quantitative Vascular Measurements in Arterial Occlusive Disease *RadioGraphics*; 25:1141-1158.
- 63. Perera GB, Fujitani RM, Kubaska SM (2006):** Aortic graft infection: update on management and treatment options. *Vasc Endovascular Surg*; 40(1):1–10.
- 64. Regn J, Ezrielev J, Hupke R et al. (1994):** Basics of CT angiography. In: Pokieser H. Lechner G. (eds.) *Advances in CT III*, 3rd European scientific conference somatom plus. Vienna, April 1994. Springer-Verlag; 3-14.
- 65. Romanes GJ (1981):** *Abdominal aorta and peripheral vessels.* (Oxford Medical Publications) by G. J. Romanes. In *Cunningham's Manual of practical anatomy*. 14th edition.
- 66. Romano M, Mainenti PP, Imbriaco M, et al (2002):** Multidetector row CT angiography of the abdominal aorta and lower extremities in patients with peripheral arterial occlusive disease: diagnostic accuracy and interobserver agreement. *Eur J Radiol*; 44:80-88.
- 67. Rosen AJ and Depolma RG (1993):** Risk factors in peripheral atherosclerosis. *Arch. Surg*; 107:303-309.
- 68. Rubin GD (2001):** Techniques for Performing Multidetector-Row Computed Tomographic Angiography. *Techniques in Vascular and Interventional Radiology*; 4(1): 2-14.
- 69. Rubin GD, Michael D, Chailes PS et al (1995):** Current status of three dimensional spiral CT scanning for imaging the vasculature. *Radiologic Clinics of North America*; 33 (1): 51-68.

- 70. Rubin GD and Silverman (1995):** Helical (spiral) CT of the retroperitoneum. *Radiology Clinics of North America*; 33(5): 903-912.
- 71. Rutherford RB (1995):** Role of antithrombotic drugs in maintaining graft patency. In: Stanley EC (eds.): *Current therapy in vascular surgery*, 2ed, Philadelphia, BC Decker Inc.; 565-571.
- 72. Rutherford RB, Jones DN, Bergentz SE, et al. (1984):** The efficacy of dextran 40 in prevention early post-operative thrombosis following difficult lower extremity bypass. *J. Vas. Surg.*; 1:765-773.
- 73. Sala F, Hassen-Khodja R, Lecis A, et al (2003):** Long-term outcome of femoral above-knee popliteal artery bypass using autologous saphenous vein versus expanded polytetrafluoroethylene grafts. *Ann Vasc Surg.*; 17(4):401-407.
- 74. Sarkar S, Salacinski HJ, Hamilton G, et al. (2006):** The Mechanical Properties of Infrainguinal Vascular Bypass Grafts: Their Role in Influencing Patency. *Eur J Vasc Endovasc Surg.*; 31: 627-636.
- 75. Schaberle W, (2005)** Peripheral arteries. In *Ultrasonography in Vascular Diagnosis*. 1st ed. Springer; 29-60.
- 76. Sheiman RG, Raptopoulos V, Caruso P, et al. (1996):** Comparison of Tailored and Empiric Scan Delays for CT Angiography of the Abdomen. *AJR*; 167:725-729.
- 77. Sidawy AN, Menzoian JO, Cantelmo NL, et al (1986):** Effect of inflow and out flow sites on the Results of tibioperoneal vein grafts. *J. Surg.*; 152:211-214.
- 78. Sogaro F, Toffon A, Galeazzi E et al (1994):** Spontaneous limited dissection of the external iliac artery. Case report after 14 years

follow-up.

79. **Stager A and Clement D (1999):** Popliteal artery entrapment syndrome. *Sports Med*, 28:61-70.
80. **Steinmetz E, Bouchot O, et al (2000):** Preoperative intraarterial thrombolysis before surgical revascularization for popliteal artery aneurysm with acute ischemia. *Ann Vase Surg*; 14(4): 360.
81. **Strandness DE and Primozich JF (2002).** Vein Graft Surveillance. In *Duplex Scanning in Vascular Disorders*, 3rd Edition. Lippincott Williams & Wilkins.
82. **Sun Z (2006).** Diagnostic accuracy of multislice CT angiography in peripheral arterial disease. *J Vasc Interv Radiol.*; 17(12):1915–1921.
83. **Thrush A, Hartshorne T, Evans D et al., (2005).** Graft surveillance and preoperative vein mapping for bypass surgery. In: *Peripheral Vascular Ultrasound How, Why and When*. 2th ed. Elsevier Limited; 207-225.
84. **Toomay SM, and Dolmatch B L (2006).** CT Angiography of Lower Extremity Vascular Bypass Grafts. *Tech Vasc Interventional Rad.*; 9:172-179.
85. **Towne JB (2000).** The autogenous vein. In: Rutherford RB, ed. *Vascular surgery*. 5th ed. Philadelphia, Pa: Saunders; 539–549.
86. **Veith JF, Gupta SK, Wengerter KR, et al. (1991):** Femoral popliteal occlusive disease. In: Haimovici H (ed): *vascular surgery, a comprehensive review*. Philadelphia, WB Saunders; 364-389.
87. **Veith FJ, Gupta SK and Ascer E (1990):** Techniques in arterial

- surgery. *J. Vasc. Surg.*; 14: 145-146.
88. **Veith FJ, Ascer E, Gupta SK, et al. (1985):** Tibiotibial vein by pass grafts: A new operation for limb salvage. *J. Vasc. Surg.*; 2:552-551.
89. **Walsh DB, Gilbertson JJ, Zwolak RM, et al. (1991):** The natural history of superficial femoral artery stenoses. *J. Vasc. Surg.*; 14:299.
90. **Ward R, Jones D, Haponik EF et al (1995):** Paradoxical embolism: an under-recognized problem. *Chest*; 108:549 -558.
91. **Wengerter KP, Veith FJ, Gupta SK, et al. (1990):** Influence of vein size (diameter) on infrapopliteal reversed vein graft patency. *J. Vasc. Surg.*; 11:525-531.
92. **Whittemore AD, Belkin M (2000):** Infrainguinal bypass. In: Rutherford RB, ed. *Vascular surgery*. 5th ed. Philadelphia, Pa: Saunders; 998–1018.
93. **Willmann JK, Wildermuth S. (2005):** Multidetector-row CT angiography of upper and lower-extremity peripheral arteries. *European Radiology Supplements*; 15:3–9.
94. **Willmann JK, Mayer D, Banyai M, et al (2003):** Evaluation of peripheral arterial bypass grafts with multi-detector row CT angiography: comparison with Duplex US and digital subtraction angiography. *Radiology*; 229:465-474.
95. **Wixon CL, Mills JL, Westerband A, et al (2000):** An economic appraisal of lower extremity bypass graft maintenance. *Journal of Vascular Surgery*; 32:1–12.

References

96. **Yeager R, Taylor L, Porter J (1991):** The present status of infra-inguinal arterial reconstructive surgery for chronic lower extremity ischemia. *Surg.*; 125-139.
97. **Zeman RK, Silverman PM, Pedro T Vieco et al (1995):** CT angiography. *AJR*; 165: 1079-1088.