

REFERENCES

"Book of Members, 1780–2010: Chapter B". American Academy of Arts and Sciences 2011.

Abate V, De Corato R, Cali A, Stinchi A: Endometrial biopsy at the time of embryo transfer: correlation of histological diagnosis with therapy and pregnancy rate. *J In Vitro Fertil Embryo Transfer* 1987; (4):173-7.

Abdalla HI, Brooks AA, Johnson MR. Endometrial thickness: a predictor of implantation in ovum recipients? *Hum Reprod* 1994; (9):363–5.

Agrawal R, Conway G, Sladkevicius P, Tan SL, Engmann L, Payne N, Bekir J, Campbell S, Jacobs H. Serum vascular endothelial growth factor and Doppler blood flow velocities in in vitro fertilization: relevance to ovarian hyperstimulation syndrome and polycystic ovaries. *Fertil Steril* 1998; (70): 651–8.

Agrawal R, Sladkevicius P, Engmann L, Conway GS, Payne NN, Bekis J, Tan SL, Campbell S, Jacobs HS. Serum vascular endothelial growth factor concentrations and ovarian stromal blood flow are increased in women with polycystic ovaries. *Hum Reprod* 1998; (70): 551–5.

- Alcázar JL.** Three dimensional ultrasound assessment of endometrial receptivity: a review *.Reprod Biol Endocrinol* 2006; (4): 56-7.
- Alper MM.** Treatment options III: in vitro fertilization. *The Boston Handbook of infertility*. 2nd edition by **Penzias A.S, Alper M.M, Bayer S.R.** 2007: 91-109
- Amer A, Hammadeh ME, Kolkailah M and Ghandour AA.** Three-dimensional versus two-dimensional ultrasound measurement of follicular volume: are they comparable? *Arch Gynecol Obstet* 2003; (268): 155-7.
- Amsalem H, Valsky DV, Yagel S.** Diagnosis of congenital uterine anomaly using three-dimensional ultrasound [in Hebrew]. *Harefuah* 2007; (146): 276–9.
- Anderson RE, Nugent NL, Gregg AT.** Transvaginal ultrasound guided embryo transfer improves outcome in patients with previous failed in vitro fertilization cycles. *Fertil Steril* 2002; (77): 769–75.
- Arslan M, Bocca S, Mirkin S, Barroso G, Stadtmayer L and Oehninger S.** Controlled ovarian hyperstimulation protocols for in vitro fertilization: two decades of experience after the birth of Elizabeth Carr. *Fertil Steril* 2005; (84): 555-69.
- Asch RH, Ellsworth LR, Balmaceda JP, et al.** Birth following gamete intrafallopian transfer. *Lancet* 1985 ;(2):163-6.

- Asch RH, Li HP, Balmaceda JP, Weckstein LN, Stone SC.** Severe ovarian hyperstimulation syndrome in assisted reproductive technology: definition of high risk groups. *Hum Reprod* 1991; (6): 1395–9.
- Ata B, Seyhan A, Reinblatt SL, Paz ES, Krishnamurthy S, Tan SL.** Comparison of automated and manual follicle monitoring in an unrestricted population of 100 women undergoing controlled ovarian stimulation for IVF. *Hum Reprod* 2011; (26): 127–33.
- Ata B, Tulandi T.** Ultrasound automated volume calculation in reproduction and in pregnancy. *Fertil Steril* 2011; 2163-70.
- Auslender R, Lavie O, Kaufman Y.** Coiling of the ovarian vessels: a color Doppler sign for adnexal torsion without strangulation. *Ultrasound Obstet Gynecol* 2002; (20):96–97.
- Baba K, Ishihara O, Hayashi N, Saitoh M, Taya J, Kinoshita K.** Where does the embryo implant after embryo transfer in humans. *Fertil Steril* 2000; (73): 123–5.
- Baba K, Ishihara O, Hayashi N.** Three dimensional ultrasound in embryo transfer. *Ultrasound Obstet Gynecol* 2000; (16): 372–3.
- Baerwald AR, Walker RA, Pierson RA.** Growth rates of ovarian follicles during natural menstrual cycles and ovarian stimulation cycles. In: *Proceedings of the 50th Annual Conference of the Canadian Fertility and Andrology Society*, 2004:68-73.

- Baird DT, Collins J, Egozcue J, Evers LH, Gianaroli L et al.** Fertility and ageing. *Hum Reprod Update* 2005 ;(11):261-76.
- Bancsi LF, Broekmans FJ, Eijkemans MJ.** Predictors of poor ovarian response in in vitro fertilization: a prospective study comparing basal markers of ovarian reserve. *Fertil Steril* 2002 ;(77):328–36.
- Bassil S, Wyns C, Toussaint-Demyllle D, et al.,** The relationship between ovarian vascularity and the duration of stimulation in in vitro fertilization. *Hum Reprod* 1997; (12):1240–5.
- Benacerraf BR, Benson CB, Abuhamad AZ, Copel JA, Abramowicz JS et al.** Three- and four-dimensional ultrasound in obstetrics and gynecology: proceedings of the American institute of ultrasound in medicine consensus conference. *J Ultrasound Med* 2005 ;(24): 1587-97.
- Ben-Ami M, Perlitz Y, Haddad S.** The effectiveness of spectral and color Doppler in predicting ovarian torsion: a prospective study. *Eur J Obstet Gynecol Reprod Biol* 2002; (104):64–66.
- Bergh C, Broden H, Lundin K and Hamberger L.** Comparison of fertilization, cleavage and pregnancy rates of oocytes from large and small follicles. *Hum Reprod* 1998 ;(13): 1912-5.
- Bordes A, Bory AM, Benchaib M, et al.,** Reproducibility of transvaginal three dimensional endometrial volume measurements with virtual organ computer-aided analysis (VOCAL) during ovarian stimulation. *Ultrasound Obstet Gynecol* 2002; (19):76–80.

- Borth R, Lunenfeld B, de Watterville H.** Activite gonadotrope d'un extrait d'urines de femmes en menopause. *Experimentia* 1954; (10):266-7.
- Bouchard P, Charbonnel B, Caraty A, et al.** The role of LHRH during the periovulatory period: a basis for the use of LHRH antagonists in ovulation induction. In: **Filicori M, Flamigni C, eds.** Ovulation: Basic Science and Clinical Advances. *Elsevier Science BV International Congress Series 1046*, 1994.
- Broekmans FJ, Kwee J, Hendriks DJ, et al.,** A systematic review of tests predicting ovarian reserve and IVF outcome, *Hum Reprod Update* 2006;(12):685–718.
- Buckett WM.** A Meta analysis of ultrasound guided versus clinical touch embryo transfer. *Fertil Steril* 2003; (80): 1037–41.
- Bukulmez O, Arici A.** Assessment of ovarian reserve. *Curr Opin Obstet Gynecol* 2004; (16):231–7.
- Bustillo M.** Unsuccessful oocyte retrieval: technical artifact or genuine 'empty follicle syndrome'? *Reprod Biomed Online* 2004; (8): 59–67.
- Cacciatore B, Simbetg N, Fusaro P.** Transvaginal Doppler study of uterine artery blood flow in in vitro fertilization–embryo transfer cycles. *Fertil Steril* 1996; (66):130–4.

- Carson RS, Trounson AO, Findlay JK:** Successful fertilization of human oocytes in vitro: concentration of estradiol 17 β , progesterone and androstenedione in the antral fluid of donor follicles. *J Clin Endocrinol Metab* 1982 ;(55):798-9.
- Chang MC.** Fertilization and normal development of follicular oocytes in the rabbit. *Science* 1955; (121):867-8.
- Chang MC.** Fertilization of rabbit ova in vitro. *Nature* 1959; (184):466-9.
- Chen C.** Pregnancy after human oocyte cryopreservation. *Lancet* 1986; (11):884-8.
- Chien LW, Au HK, Xiao J.** Fluid accumulation within the uterine cavity reduces pregnancy rates in women undergoing IVF. *Hum Reprod* 2002; (17):351–356.
- Clark L, Stanger J, Brinsmead M.** prolonged follicle stimulation decreases pregnancy rates after IVF. *Fertil steril* 1991; (55): 1192-4
- Coats, DW and Clamp JC:** Ciliated Protists (Ciliophora) of the Gulf of Mexico in: **Elder DL and Camp DK (eds.)**, Gulf of Mexico—Origins, Waters, and Biota. *Biodiversity* 2009; 57-79.
- Cohen J, Elsner C, Kort H, et al.** Impairment of the hatching process following IVF in the human and improvement of implantation by assisting hatching using micromanipulation. *Hum Reprod* 1990; (5):7-11.

- Cohen J, Howard W. Jones Jr. :** In Vitro Fertilization: The First Three Decades. *In vitro fertilization a practical approach*. In :**David K. Gardner**. *In vitro fertilization a practical approach*. New York: Informa Healthcare Inc, 2007: 1-15.
- Cohen J, Scott R, Schimmel T, et al.** Birth of infant after transfer of anucleate donor oocyte cytoplasm into recipient eggs. *Lancet* 1997; 286-9.
- Cohen J, Trounson A, Dawson K, et al.** The early days of IVF outside the UK. *Hum Reprod Update* 2005; (11):439-45.
- Csemiczky G, Wramsby H, Johannisson E, Landgren BM.** Endometrial evaluation is not predictive for in vitro fertilization treatment.. *J Assist Reprod Genet* 1999; 16(3):113-6.
- Danninger B, Brunner M, Obruca A.** Prediction of ovarian hyperstimulation syndrome by ultrasound volumetric assessment of baseline ovarian volume prior to stimulation. *Hum Reprod* 1996; 11:1597–1599.
- de Camargo Martins AM, Baruffi RL, Mauri AL.** Ultrasound guidance is not necessary during easy embryo transfers. *J Assist Reprod Genet* 2004; (21):421–5.
- Deb S, Batcha M, Jayaprakasan K, Clewes JS.** The predictive value of automated quantification of the number and size of small antral follicles in women undergoing ART. *Hum reprod* 2009; (24): 2124-32.

- DeCherney AH, Laufer N.** The monitoring of ovulation induction using ultrasound and estrogen. *Clin Obstet Gynecol* 1984; (27):993–1002.
- Demir R, Kayisli UA, Cayli S, Hupperzt B.** Sequential steps during vasculogenesis and angiogenesis in the very early human placenta. *Placenta* 2006; (27):535-9.
- Deutch TD, Joergner I, Matson DO, Oehninger S, Bocca S, Hoenigmann D, Abuhamad A.** Automated assessment of ovarian follicles using novel three-dimensional ultrasound software. *Fertil Steril* 2009; 92(5):1562-8.
- Devroey P, Braeckmans P, Smits J, et al.** Pregnancy after translaparoscopic zygote intrafallopian transfer in a patient with sperm antibodies. *Lancet* 1986; 1329-34.
- Dickey RP, Olar TT, Curole DN.** Endometrial pattern and thickness associated with pregnancy outcome after assisted reproduction technologies. *Hum Reprod* 1992; (7):418–21.
- Dimitry ES, Oskarsson T, Conaghan J, Margara R.** beneficial effects of a delay in hCG administration during IVF treatment cycles. *Hum reprod* 1991; (6): 944-6.
- Edwards RG.** Maturation in vitro of human ovarian oocytes. *Lancet* 1965; 926-33.

- Engmann L, Sladkevicius P, Agrawal R, Bekir JS, Campbell S, Tan SL.** Value of ovarian stromal blood flow velocity measurement after pituitary suppression in the prediction of ovarian responsiveness and outcome of in vitro fertilization treatment. *Fertil Steril* 1999; (14): 22-9.
- Erdem A, Erdem M, Biberoglu K.** Age-related changes in ovarian volume, antral follicle counts and basal FSH in women with normal reproductive health. *J Reprod Med* 2002 ;(47):835–9.
- Feichtinger W.** Current technology of oocyte retrieval. *Curr Opin Obstet Gynecol*, 1992; (4):697–701.
- Feldberg D, Goldman JA, Ashkenazi J.** Transvaginal oocyte retrieval controlled by vaginal probe for in vitro fertilization: a comparative study. *J Ultra-sound Med* 1988; (7): 339–3.
- Fleming R, Adam AH, Barlow DH, et al.** A new systematic treatment for infertile women with abnormal hormone profiles. *Br J Obstet Gynaecol* 1982; 80-9.
- Fleming R.** Gonadotrophin-releasing hormone agonist and estrogen–progestogen replacement therapy. *Am J Obstet Gynecol* 1991; 156-65.
- Forman RG, Robinson J, Yudkin P, Egan D, Reynolds K, Barlow DH.** What is the true follicular diameter: an assessment of the reproducibility of transvaginal ultrasound monitoring in stimulated cycles. *Fertil Steril* 1991; (56):989–92.

- Frank N:** Egerton. A History of the Ecological Sciences, Part 19: Leeuwenhoek's Microscopic Natural History. *Bulletin of the Ecological Society of America* 2006 ;(87): 47-58.
- Frank N.** Egerton. Van Leeuwenhoek as a founder of animal demography. *Journal of the History of Biology* 1967; (1): 1–22.
- Frankfurter D, Silva CP, Mota F, Trimarchi JB, Keefe DL.** The transfer point is a novel measure of embryo placement. *Fertil Steril* 2003; (79):1416–21.
- Garcia JE, Acosta AA, Hsiu JG, Jones HW:** Advanced endometrial maturation after ovulation with human menopausal gonadotropin/human chorionic gonadotropin for in vitro fertilization. *Fertil Steril* 1984:31-41.
- Gardner DK, Lane M.** Culture and selection of viable blastocysts: a feasible proposition for human IVF? *Hum Reprod Update* 1997; (3):367-9.
- Gemzell CA, Diczfalusy E, Tillinger K.** Clinical effect of human pituitary follicle-stimulating hormone (FSH). *J Clin Endocrinol Metab* 1958; 18:1333-56.
- Gergely RZ, DeUgarte CM, Danzer H, Surrey M, Hill D, DeCharney AH.** Three dimensional four dimensional ultrasound guided embryo transfer using the maximal implan-tation potential point. *Fertil Steril* 2005; (84): 500–3.

- Gonen Y, Casper RF, Jacobson W.** Endometrial thickness and growth during ovarian stimulation: a possible predictor of implantation in in vitro fertilization. *Fertil Steril* 1989; (52):446–50.
- Gougeon A.** Ovarian follicular growth in humans; ovarian ageing and population of growing follicles. *Maturitas* 1998;(30): 137-42.
- Grigore M, Mare A.** Applications of 3D ultrasound in female infertility. *Rev Med Chir Soc Med Nat Iasi* 2009; (4):1113-9.
- Haadsma M L, Bukman A, Groen H, Roeloffzen E M et al .** The number of small antral follicles (2-6mm) determines the outcome of endocrine ovarian reserve tests in a subfertile population. *Hum Reprod* 2007;(22): 1925-31.
- Hale L.** Embryo transfer: how to ensure correct placement in utero. *Reprod Fertil Dev* 2001; (13): 95–8.
- Hamberger L, Wikland M, Enk L.** Laparoscopy versus ultrasound guided puncture for oocyte retrieval. *Acta Eur Fertil* 1986; (17): 195–8.
- Handyside AH, Kontogianni EH, Hardy K, et al.** Pregnancies from biopsied human preimplantation embryos sexed by Y-specific DNA amplification. *Nature* 1990; (344):768-73.
- Healy DL, Breheny S, MacLachlan V, Baker G.** Basics of Ovarian Stimulation. *In vitro fertilization a practical approach*. In: **David K. Gardner.** *In vitro fertilization a practical approach*. New York: Informa Healthcare Inc, 2007:43-65.

Hendriks DJ, Mol BW, Bancsi LF et al. Antral follicle count in the prediction of poor ovarian response and pregnancy after in vitro fertilization; a meta-analysis and comparison with basal follicle-stimulating hormone level. *Fertil Steril* 2005; (83): 291-301.

Howies CM, Macnamee MC, Edwards RG, Goswamy R, Steptoe PC: Effect of high tonic levels of luteinizing hormone on outcome of in vitro fertilization. *Lancet* 1986:521-6.

Howies CM, Macnamee MC, Edwards RG: Follicular development and early luteal function of conception and nonconception cycles after human in-vitro fertilization: endocrine correlates. *Hum Reprod* 1987 2-17.

Hunter John. *Dictionary of National Biography* 1885-1900, Volume 28 .

Jarvela IY, Sladkevicius P, Kelly S, Ojha K, Campbell S, Nargund G. Evaluation of endometrial receptivity during in vitro fertilization using three-dimensional power Doppler ultrasound. *Ultrasound Obstet Gynecol*, 2005; (26): 765-9.

Jarvela IY, Sladkevicius P, Kelly S, Ojha K, Campbell S, Nargund G. quantification of ovarian power Doppler signal with three dimensional ultrasonography to predict response during in vitro fertilization. *Obstet Gynecol* 2003;(102): 816-22.

Jay V. *Archives of Pathology & Laboratory Medicine* 2000 124 (8): 1115–6.

Jayaprakasan K, Al-Hasie H, Jayaprakasan R. The three dimensional ultrasonographic ovarian vascularity of women developing poor ovarian response during assisted reproduction treatment and its predictive value. *Fertil Steril* 2008; (92): 1862-9.

Jayaprakasan K, Campbell BK, Clewes JS, Johnson IR, Raine-Fenning NJ . Three dimensional ultrasound improves the interobserver reliability of antral follicle counts and facilitates increased clinical work flow. *Ultrasound Obstet Gynecol* 2008 ;(93): 439-44.

Jayaprakasan K, Deb S, Batcha M, Hopkisson J, Johnson I, Campbell B, Raine-Fenning N. The cohort of antral follicles measuring 2-6mm reflects the quantitative status of ovarian reserve as assessed by serum levels of anti-Müllerian hormone and response to controlled ovarian stimulation. *Fertil Steril* 2010; 94- 5.

Jayaprakasan K, Hilwah N, Kendall NR, Does 3D ultrasound offer any advantage in the pretreatment assessment of ovarian reserve and prediction of outcome after assisted reproduction treatment?, *Hum Reprod*, 2007; (22): 1932–41.

Jayaprakasan K, Hopkisson JF, Campbell BK, Clewes J, Johnson IR, Raine-Fenning NJ. Quantification of the effect of pituitary down-regulation on 3D ultrasound predictors of ovarian response. *Hum Reprod* 2008; (7): 1538-44.

- Jayaprakasan K, Jayaprakasan R, Al-Hasie HA, Clewes JS, Campbell BK, Johnson IR, Raine-Fenning NJ.** Can quantitative three-dimensional power Doppler angiography be used to predict ovarian hyperstimulation syndrome? *Ultrasound Obstet Gynecol*, 2009; (5): 583-91.
- Jayaprakasan K, S Deb S, Raine-Fenning N.** Imaging in Assisted Reproduction. *Eur Obst Gyn* 2008: 43-7
- Jayaprakasan K, Walker KF, Clewes JS,** The interobserver reliability of off-line antral follicle counts made from stored three-dimensional ultrasound data: a comparative study of different measurement techniques. *Ultrasound Obstet Gynecol* 2007; (29): 335–41.
- Jones HW Jr., Jones GS, Andrews MC, et al.** The program for in vitro fertilization at Norfolk. *Fertil Steril* 1982; 38:1.
- Kemeter P, Feichtinger W.** Trans-vaginal oocyte retrieval using a trans-vaginal sector scan probe combined with an automated puncture device. *Hum Reprod*, 1986; (11): 21–4.
- Khalifa E, Brzyski RG, Oehninger S.** Sonographic appearance of the endometrium: the predictive value for the outcome of in vitro fertilization in stimulated cycles. *Hum Reprod* 1992; (7):677–680.

- Kingsland CR, Taylor CT, Aziz N.** Is follicular flushing necessary for oocyte retrieval? A randomized trial. *Hum Reprod* 1991; (6): 382–3.
- Klein R, Palmer R.** Technique of sampling human ova by follicular puncture under celioscopy. *CR Seances Soc Biol Fil* 1961; 155:1919
- Knight DC, Tyler JP, Driscoll GL.** Follicular flushing at oocyte retrieval: a reappraisal. *Aust NZ J Obstet Gynaecol* 2001; (41): 210–3.
- Kojima K, Nomiyama M, Kumamoto T.** Transvaginal ultrasound guided embryo transfer improves pregnancy and implantation rates after IVF. *Hum Reprod* 2001; (16): 2578–82.
- Kolibianakis EM, Bourgain C, Papanikolau EG, Camus M, Tounaye H, Van Steirteghem AC, et al.** Prolongation of follicular phase by delaying hCG administration results in a higher incidence of endometrial advancement on the day of oocyte retrieval in GnRH antagonist cycles. *Hum Reprod* 2005, (20): 2453-6.
- Kosma IP, Kolibianakis EM and Devroey P.** Increased endometrial thickness is associated with improved treatment outcome for selected patients undergoing in vitro fertilization-embryo transfer. *Fertil Steril* 2004, (83): 336-40

- Kupesic S, Bekavac I, Bjelos D, Kurjak A.** Assessment of endometrial receptivity by transvaginal color Doppler and three dimensional power Doppler ultrasonography in patients undergoing in vitro fertilization procedures. *J Ultrasound Med* 2001; (20): 125-34.
- Kupesic S, Kurjak A, Bjelos D, Vujisic S:** Three dimensional ultrasonographic ovarian measurements and in vitro fertilization outcome are related to age. *Fertil Steril* 2003; (79): 190-7.
- Kupesic S, Kurjak A,** Predictors of IVF outcome by three dimensional ultrasound, *Hum Reprod*, 2002; (17):950–5.
- Kyei-Mensah A, Macanochie N, Zaidi J, Pittrof R, Campbell S and Tan SL.** Transvaginal three-dimensional ultrasound: reproducibility of ovarian and endometrial measurements. *Fertil Steril* 1996, (66): 718-22.
- Lambers MJ, Dogan E, Lens JW, Schats R, Hompes PG.** The position of transferred air bubbles after embryo transfer is related to pregnancy rate. *Fertil Steril* 2007; (88): 68–73.
- Lass A, Silye R, Abrams DC, et al.,** Follicular density in ovarian biopsy of infertile women: a novel method to assess ovarian reserve, *Hum Reprod* 1997; (12):1028–31.
- Lass A, Skull J, McVeigh E, et al.:** Measurement of ovarian volume by transvaginal sonography before ovulation induction with human menopausal gonadotrophin for in vitro fertilization can predict poor response. *Hum Reprod* 1997; (12): 294-7.

- Laufer N, De Cherney AH, Haseltine FP, et al:** The use of high-dose human menopausal gonadotropin in an in vitro fertilization program. *Fertil Steril* 1983; (40):734-6.
- Lee MS, Ben-Rafael Z, Meloni F, Mastroianni L, Flickinger GL:** Relationship of human oocyte maturity, fertilization, and cleavage to follicular fluid prolactin and steroids. *J In Vitro Fertil Embryo Transfer* 1987;(4):168-72.
- Letterie GS, Marshall L, Angle M.** A new coaxial catheter system with an echo-dense tip for ultrasonographically guided embryo transfer. *Fertil Steril*, 1999; (72): 266–8.
- Letterie GS.** Three dimensional ultrasound guided embryo transfer: a preliminary study. *Am J Obstet Gynecol* 2005; (192): 1983-7.
- Leung PCS, Lopata A, Kellow GN, Johnston WLH, Gronow MJ:** A histochemical study of cumulus cells for assessing the quality of preovulatory cycles. *Fertil Steril* 1983; (39):853-7.
- Li R, Lu L, Hao G.** Abdominal ultrasound guided embryo transfer improves clinical pregnancy rates after in vitro fertilization: experiences from 330 clinical investigations. *J Assist Reprod Genet* 2005; (22): 3–8.
- Lopata A:** Concepts in human in vitro fertilization and embryo transfer. *Fertil Steril* 1983; (40):289-94.
- Mansour RT, Aboulghar MA.** Optimizing the embryo transfer technique. *Hum Reprod*, 2002; (17): 1149–53.

- Marcus SF, Ledger WL.** Efficacy and safety of long-acting GnRH agonists in in vitro fertilization and embryo transfer. *Hum Fertil*, 2001; (2):85-93.
- Matikainen T, Ding YQ, Vergara M, Huhtaniemi I, Couzinet, B, Schaison G.** Differing responses of plasma bioactive and immunoreactive follicle-stimulating hormone and luteinizing hormone to gonadotropin-releasing hormone antagonist and agonist treatments in postmenopausal women. *J Clin Endocrinol Metab* 1992; (75):820–25.
- Matorras R, Urquijo E, Mendoza R.** Ultrasound guided embryo transfer improves pregnancy rates and increases the frequency of easy transfers. *Hum Reprod* 2002; (17): 1762–6.
- Maymon R, Herman A, Ariely S, Dreazen E, Buckovsky I, Weinraub Z:** Three dimensional vaginal sonography in obstetrics and gynecology. *Hum Reprod Update* 2000; (6): 475-84.
- Meldrum DR, Chetkowske R, Steingold KA, de Ziegler D, Cedars MI, Hamilton F:** Evolution of a highly successful in vitro fertilization-embryo transfer program. *Fertil Steril* 1987; 48- 84.
- Meldrum DR, Wisot A, Hamilton F, Gutlay AL, Kempton W, Huynh D:** Routine pituitary suppression with leuprolide before ovarian stimulation for oocyte retrieval. *Fertil Steril* 1989; (51):455-8.

Meldrum DR.: Ovulation Induction for In Vitro Fertilization Procedures. *Seminars In Reproductive Endocrinology* 1990.

Meldrum DR: GnRH agonists as adjuncts for in vitro fertilization. *Obstet Gynecol Surv* 1989; (44):314-8.

Mercé LT, Gómez B, Engels V, Bau S, Bajo JM. Intraobserver and Interobserver Reproducibility of Ovarian Volume, Antral Follicle Count, and Vascularity Indices Obtained With Transvaginal 3-Dimensional Ultrasonography, Power Doppler Angiography, and the Virtual Organ Computer-Aided Analysis Imaging Program. *J Ultrasound Med* 2005; (24):1279-87.

Merz E. Three-dimensional transvaginal ultrasound in gynecological diagnosis. *Ultrasound Obstet Gynecol* 1999; (14): 81-6.

Molina R, Castilla JA, Vergara F, Perez M, Garrido F, Herruzo AJ: Luteal cytoplasmic estradiol and progesterone receptors in human endometrium: in vitro fertilization and normal cycles. *Fertil Steril* 1989; (51):976-82.

Murtinger M, Aburumieh A, Rubner P, Eichel V, Zech M H, Zech N H. Improved monitoring of ovarian stimulation using 3D transvaginal ultrasound plus automated volume count. *Reproductive BioMedicine Online* 2009; (19):695–9.

Ng EH, Chan CC , Tang OS , Yeung WS , Ho PC . Effect of pituitary downregulation on antral follicle count, ovarian volume and stromal blood flow measured by three-dimensional ultrasound with power Doppler prior to ovarian stimulation. *Hum Reprod* 2004; (19):2811-5.

Ng EH, Chan CC, Tang OS, Ho PC. Antral follicle count and FSH concentration after clomiphene citrate challenge test in the prediction of ovarian response during IVF treatment. *Hum Reprod* 2005; (20): 1647-54.

Ng EH, Chan CC, Tang OS, Yeung WS, Ho PC. Endometrial and subendometrial blood flow measured by three dimensional power Doppler ultrasound in patients with small intramural uterine fibroids during IVF treatment. *Hum Reprod* 2005; (20): 501-6.

Ng EH, Chan CC, Tang OS, Yeung WS, Ho PC. The role of endometrial and subendometrial blood flows measured by three dimensional power Doppler ultrasound in the prediction of pregnancy during IVF treatment. *Hum Reprod*, 2006; (21): 164-70.

Ng EH, Tang OS, Chan CC, Ho PC. Ovarian stromal blood flow in the prediction of ovarian response during in vitro fertilization treatment. *Hum Reprod* 2005; (20): 3147-51.

- Ng EH, Tang OS, Chan CC, Ho PC.** Ovarian stromal vascularity is not predictive of ovarian response and pregnancy. *Reprod Biomed Online* 2006; (12): 43–9.
- Ng EH, Tang OS, Ho PC,** The significance of the number of antral follicles prior to stimulation in predicting ovarian responses in an IVF program, *Hum Reprod*, 2000;(15): 1937–42.
- Ng SC, Bongso A, Ratnam SS, et al.** Pregnancy after transfer of sperm under zona. *Lancet* 1988; 790-4.
- NICE, Fertility:** Assessment and Treatment for People with Fertility Problems. London: National collaborating centre for Women's and Children's Health for the National Institute for Clinical Excellence, RCOG, 2004; 33.
- Noyes N, Iiu HC, Sultan K.** Endometrial thickness appears to be a significant factor in embryo implantation in in vitro fertilization. *Hum Reprod* 1995; (10):919–22.
- O'Herlihy C, Pepperell RJ, Robinson HP:** Ultrasound timing of human chorionic gonadotropin administration in clomiphene stimulated cycles. *Obstet Gynecol* 1982; (59):40-5.
- Oktay K, Tilly J.** Live birth after cryopreserved ovarian tissue autotransplantation. *Lancet* 2004; (364):2091-7.
- Olivennes F.** Gonadotropin-Releasing Hormone-Antagonist in Human In Vitro Fertilization. *In vitro fertilization a practical approach*. In : **David K. Gardner.** *In vitro fertilization a practical approach*. New York: Informa Healthcare Inc, 2007: 67-90.

- Orvieto R.** Can we eliminate severe ovarian hyperstimulation syndrome? *Hum Reprod* 2005; (20):320–322.
- Palermo G, Joris H, Devroey P, et al.** Pregnancies after intracytoplasmic injection of single spermatozoon into an oocyte. *Lancet* 1992; (340):17-23.
- Parsons J, Riddle A, Booker M.** Oocyte retrieval for in vitro fertilisation by ultrasonically guided needle aspiration via the urethra. *Lancet* 1985:1076–7.
- Pensis M, Loumaye E, Psalti I.** Screening of conditions for rapid freezing of human oocytes: preliminary study toward their cryopreservation. *Fertil Steril* 1989; (52):77-93.
- Penzias AS, Emmi AM, Dubey AK, Layman LC, DeCherney AH, Reindollar RH.** Ultrasound prediction of follicle volume: is the mean diameter reflective? *Fertil Steril* 1994; (62):1274–6.
- Pierson R.A.** Ultrasonography in In Vitro Fertilization. In : **David K. Gardner.** *In vitro fertilization a practical approach*. New York: Informa Healthcare Inc, 2007: 91-116.
- Pierson RA, Chizen DR, Olatunbosun OA.** Ultrasonographic assessment of ovulation induction. In: **Jaffe R, Pierson RA, Abramowicz JA,** eds. *Imaging in Infertility and Reproductive Endocrinology*. Philadelphia: J.B. Lippincott, 1994:155–166.

- Pope CS, Cook EK, Arny M.** Influence of embryo transfer depth on in vitro fertilization and embryo transfer outcomes. *Fertil Steril* 2004; (81): 51–8.
- Potlog-Nahari C, Catherino WH, McKeeby JL.** A suboptimal endometrial pattern is associated with a reduced likelihood of pregnancy after a day 5 embryo transfer. *Fertil Steril* 2005; (83):235–7.
- Queenan JT, O'Brien GD, Bains LM, Simpson J, Collins WP, Campbell S.** Ultrasound scanning of ovaries to detect ovulation in women. *Fertil Steril* 1980; (34): 99-107.
- Raga F, Bonilla-Musoles F, Casan EM, Klein O, Bonilla F.** Assessment of endometrial volume by three dimensional ultrasound prior to embryo transfer: clues to endometrial receptivity. *Hum Reprod* 1999; (14): 2851-4.
- Ragni G, Lombroso GC, De Lauretis L.** Echo guided transvaginal oocyte retrieval: effective and easy to learn technique. *Acta Eur Fertil* 1991; (22): 89–90.
- Raine-Fenning N, Deb S, Jayaprakasan K, Clewes J, Hopkisson J and Campbell B:** Timing of oocyte maturation and egg collection during controlled ovarian stimulation: a randomized controlled trial evaluating manual and automated measurements of follicle diameter. *Fertil Steril* 2010 ; (94):184-8.

- Raine-Fenning N, Jayaprakasan K, Chamberlain S, Devlin L, Priddle H, Johnson I:** Automated measurements of follicle diameter; a chance to standardize? *Fertil Steril* 2009; (91): 1469-72.
- Raine-Fenning N, Jayaprakasan K, Clewes J, Joergner I, Bonaki SD, Chamberlain S, Devlin L, Priddle H, Johnson I:** SonoAVC: A novel method of automatic volume calculation. *Ultrasound Obstet Gynecol* 2008; (31): 691-6.
- Raine-Fenning N, Jayaprakasan K, Clewes J:** Automated follicle tracking facilitates standardization and may improve work flow. *Ultrasound Obstet Gynecol* 2007 (30):1015-8.
- Raine-Fenning NJ, Campbell BK, Clewes JS, Johnson IR:** The interobserver reliability of ovarian volume measurement is improved with three-dimensional ultrasound, but dependent upon technique. *Ultrasound Med Biol* 2003; (29): 1685-90.
- Raine-Fenning NJ, Campbell BK, Clewes JS, Kendall NR, Johnson I:** The reliability of virtual organ computer aided analysis (VOCAL) for the semi quantification of ovarian, endometrial and sub endometrial perfusion. *Ultrasound Obstet Gynecol* 2003; (22):633-9
- Raine-Fenning NJ, Campbell BK, Clewes JS, Kendall NR, Johnson IR.** The interobserver reliability of three dimensional power Doppler data acquisition within the female pelvis. *Ultrasound Obstet Gynecol* 2004; (23): 501–8.

Raine-Fenning NJ, Campbell BK, Kendall NR, Clewes JS, Johnson IR. Quantifying the changes in endometrial vascularity throughout the normal menstrual cycle with three dimensional power Doppler angiography. *Hum Reprod* 2004; (19): 330-8.

Raine-Fenning NJ, Clewes JS, Kendall NR, et al., The interobserver reliability and validity of volume calculation from three dimensional ultrasound datasets in the in vitro setting. *Ultrasound Obstet Gynecol* 2003; (21):283–91.

Raine-Fenning NJ, Jayaprakasan K, Clewes JS. Establishing the validity of a new technique that facilitates automated follicular volume measurement, *Ultrasound Obstet Gynecol* 2007; (30): 393-4.

Reissmann T, Felberbaum R, Diedrich K, Engel J, Comaru-Schally AM, Schally AV. Development and applications of luteinizing hormone-releasing antagonists in the treatment of infertility: an overview. *Hum Reprod* 1995; (10):1974–81.

Ritchie WG. Ultrasound in the evaluation of normal and induced ovulation. *Fertil Steril* 1985; (43):167–81.

Rizk B, Smitz J. Ovarian hyperstimulation syndrome after superovulation using GnRH agonists for IVF and related procedures. *Hum Reprod* 1992; (7): 320–7.

- Rodriguez-Fuentes A, Hernández J, García-Guzman R, Chinea E, Laconianni L, Palumbo A:** Prospective evaluation of automated follicle monitoring in 58 in vitro fertilization cycles: follicular volume as a new indicator of oocyte maturity. *Fertil and Steril* 2010; (93):616-20.
- Rogers PAW, Milne BJ, Trounson AO:** A model to show human uterine receptivity and embryo viability following ovarian stimulation for in vitro fertilization. *J In Vitro Fertil Embryo Transfer* 1986; (3):93-9.
- Russell JB, DeCherney AH, Hobbins JC.** A new transvaginal probe and biopsy guide for oocyte retrieval. *Fertil Steril* 1987; (47): 350–2.
- Sallam HN.** Should embryo transfer always be performed under ultrasound guidance? *Ultrasound Obstet Gynecol* 2004; (24): 383–6.
- Sarty GE, Pierson RA.** An application of Lacker's mathematical model for the prediction of ovarian response to superstimulation. *Math Biosci* 2005; 198:80–96
- SAS/STAT Software.** Changes and enhancements through release 6.11. Cary (NC): SAS Institute Inc 1966; 231-316.
- Scheffer GJ, Broekmans FJ, Bancsi LF, Habbema JD, Looman CW, Te Velde ER.** Quantitative transvaginal two and three dimensional sonography of the ovaries; reproducibility of antral follicle counts. *Ultrasound Obstet Gynecol* 2002; (20): 270-5.

Scheffer GJ, Broekmans FJ, Looman CW, Blankenstein M, Fauser BC, teJong FH, teVelde ER. The number of antral follicles in normal women with proven fertility is the best reflection of reproductive age. *Hum Reprod* 2003; (18): 700-6.

Schild RL, Holthaus S, d'Alquen J, Fimmers R, Dorn C, van Der Ven H, Hansmann M. Quantitative assessment of subendometrial blood flow by three dimensional ultrasound is an important predictive factor of implantation in an in-vitro fertilization programme. *Hum Reprod* 2000; (15): 89-94.

Schild RL, Indefrei D, Eschweiler S, Van der Ven H, Fimmers R, Hansmann M. Three dimensional endometrial volume calculation and pregnancy rate in an in vitro fertilization programme. *Hum Reprod* 1999; (14): 1255-8.

Schild RL, Knobloch C, Dorn C, et al., The role of ovarian volume in an in vitro fertilization program as assessed by 3D ultrasound, *Arch Gynecol Obstet* 2001; (265): 67–72.

Schoolcraft W, Sinton E, Schlender T, Huynh D, Hamilton F, Meldrum DR: Lower pregnancy rate with premature luteinization durin pituitary suppression with leuprolide acetate. Abstract 009, *Annual Meeting of the American Fertility Society, San Francisco*, November 1989

Seifer DB, Scott RT Jr, Bergh PA, et al., Women with declining ovarian reserve maydemonstrate a decrease in day 3 serum inhibin B before a rise in day 3 follicle-stimulating hormone, *Fertil Steril*, 1999; (72):63–5.

Serafini P, Batzofin J, Nelson J. Sonographic uterine predictors of pregnancy in women undergoing ovulation induction for assisted reproductive treatments. *Fertil Steril* 1994; (62):815–822.

Shamonki MI, Schattman GL, Spandorfer SD. Ultrasound guided trial trans-fer may be beneficial in preparation for an IVF cycle. *Hum Reprod* 2005; (20): 2844–9.

Sharif K, Elgendy M, Lashen H, Afnan M: Age and basal follicle stimulating hormone as predictors of in vitro fertilization outcome. *Br J Obstet Gynaecol* 1998; (105): 107-12.

Sherer DM, Abulafia O. Angiogenesis during implantation, and placental and early embryonic development. *Placenta* 2001; (22): 1-3.

Shmorgun D, Hughes E, Mohide P and Roberts R : Prospective cohort study of three versus two dimensional ultrasound for prediction of oocyte maturity. *Fertil Steril* 2010; 93(4):1333-7.

Sieck UV, Jaroudi KA, Hollanders JM. Ultrasound guided embryo transfer does not prevent ectopic pregnancies after in vitro fertilization. *Hum Reprod* 1997; (12): 2081–2.

Silber SJ, Nagy ZP, Liu J, et al. Conventional in vitro fertilization versus intracytoplasmic sperm injection for patients requiring microsurgical sperm aspiration. *Hum Reprod* 1994; (9):1705-11.

- Singh J, Adams GP, Pierson RA.** Promise of new imaging technologies for assessing ovarian function. *Anim Reprod Sci* 2003; (78): 371–99.
- Smotrich DB, Widra EA, Gindoff PR et al.** Prognostic value of day 3 estradiol on in vitro fertilization outcome, *Fertil Steril*, 1995; (64): 1136-40.
- Speroff L, Fritz MA,** Assisted Reproductive Technologies. In: Clinical Gynecologic Endocrinology and Infertility, *Philadelphia: Lippincott Williams & Wilkins*, 2005; 1215–74.
- Stanger JD, Yovich JL:** Reduced in vitro fertilization of human oocytes from patients with raised basal luteinizing hormone levels during the follicular phase. *Br J Obstet Gynecol*, 1985; (92): 385-92.
- Steirteghem V A.** assisted fertilization. In : **David K. Gardner.** *In vitro fertilization a practical approach*. New York: Informa Healthcare Inc, 2007: 161- 82.
- Steptoe PC, Edwards RG.** Birth after the reimplantation of a human embryo. *Lancet* 1978; (2):366-72.
- Sterzik K, Grab D, Sasse V.** Doppler sonographic findings and their correlation with implantation in an in vitro fertilization program. *Fertil Steril* 1989; (52): 825–828.
- Sterzik K, Grab D, Schneider V.** Lack of correlation between ultrasonography and histologic staging of the endometrium in in vitro fertilization (IVF) patients. *Ultrasound Med Biol* 1997; (23):165–170.

- Sterzile K, Dallenbach C, Schneider V, Sasse V, Dallenbach-Hellweg G:** In vitro fertilization: the degree of endometrial insufficiency varies with the type of ovarian stimulation. *Fertil Steril*, 1988; (50):457-64.
- Strickler RC, Christianson C, Crane JP, Curato A, Knight AB, Yang V.** Ultrasound guidance for human embryo transfer. *Fertil Steril*, 1985; (43): 54–61.
- Sun Y, Fang L, Su Y, Guo Y.** Advantages of 3Dimensional Sonography in Embryo Transfer. *J Ultrasound Med*, 2009; (28): 573–8.
- Syrop CH, Willhoite A, Van Voorhis BJ.** Ovarian volume: a novel outcome predictor for assisted reproduction, *Fertil Steril*, 1995; (64): 1167–71.
- Tan SL, Balen A, El Hussein E, Mills C, Campbell S.** a prospective randomized study of the optimum timing of hCG administration after pituitary desensitization in IVF. *Fertile steril* 1992; (57): 1259-64.
- Tang OS, Ng EH, So WW.** Ultrasound guided embryo transfer: a prospective randomized controlled trial. *Hum Reprod*, 2001; (16): 2310–5.
- Tekay A, Martikainen H, Jouppila P.** Blood flow changes in uterine and ovarian vasculature, and predictive value of transvaginal pulsed colour Doppler ultrasonography in an in-vitro fertilization programme. *Hum Reprod*, 1995; (10): 688-93.

- Tomas C, Nuojuu-Huttunen S, Martikainen H.** Pretreatment transvaginal ultrasound examination predicts ovarian responsiveness to gonadotropins in in vitro fertilization. *Hum Reprod*, 1997; (12): 220-3.
- Toner J P.** Testing ovarian reserve. In : **David K. Gardner.** *In vitro fertilization a practical approach*. New York: Informa Healthcare Inc, 2007: 29- 42.
- Trounson A, Mohr L.** Human pregnancy following cryopreservation, thawing and transfer of an eight-cell embryo. *Nature*, 1983; (305):707-12.
- Trounson A, Wood C, Kausche A.** In vitro maturation and the fertilization and developmental competence of oocytes recovered from untreated polycystic ovarian patients. *Fertil Steril* 1994; (62):353-9.
- Trounson AO, Leeton JF, Wood EC, Webb J, Wood J.** Pregnancies in humans by fertilisation in vitro and embryo transfer in the controlled ovulatory cycle. *Science*, 1981; (212):616-21.
- Tummon I, Newton C, Lee C.** Lidocaine vaginal gel versus lidocaine paracervical block for analgesia during oocyte retrieval. *Hum Reprod*, 2004; (19): 1116–20.
- Van Rooij IA, Broekmans FJ, te Velde ER et al.** Serum anti Mullerian hormone levels: a novel measure of ovarian reserve, *Hum Reprod*, 2002; (17): 3065-71.

Van Voorhis BJ : Clinical practice. In vitro fertilization. *N Engl J Med*, 2007; (356): 379-86.

Verhagen TE, Hendriks DJ, Bancsi LF, Mol BW, Broekmans FJ : The accuracy of multivariate models predicting ovarian reserve and pregnancy after in vitro fertilization; a meta analysis. *Hum Reprod Update* 2008; (14): 95-100.

Vilksa S, Tiitinen A, Hyden-Granskog C, et al. Elective transfer of one embryo results in an acceptable pregnancy rate and eliminates the risk of multiple births. *Hum Reprod* 1999; (14): 2392-8.

Vladimkov IK, Tacheva DM, Kalinov KB. Prognostic value of some ovarian reserve tests in poor responders. *Arch Gynecol Obstet* 2005; (272): 74–9.

Wikland M, Enk L, Hammarberg K. Use of a vaginal transducer for oocyte retrieval in an IVF/ET program. *J Clin Ultrasound* 1987; (15): 245–51.

Wiseman DA, Short WB, Pattinson HA. Oocyte retrieval in an in vitro fertilization–embryo transfer program: comparison of four methods. *Radiology* 1989; (173): 99–102.

Wittmaack FM, Kreger DO, Blasco L, Tureck RW, Mastroianni L Jr, Lessey Ba. Effect of follicular size on oocyte retrieval, fertilization, cleavage, and embryo quality in in-vitro fertilization cycles: a 6- year data collection. *Fertile Steril* 1994; (62): 1205-10.

Wu HM, Chiang CH, Huang HY, Chao AS, Wang HS, Soong YK.

Detection of the subendometrial vascularization flow index by three dimensional ultrasound may be useful for predicting the pregnancy rate for patients undergoing in vitro fertilization-embryo transfer. *Fertil Steril* 2003; (79): 507-11.

Yaman C, Ebner T, Sommergruber M, Polz W, Tews G. Role of three-dimensional ultrasonographic measurement of endometrium volume as a predictor of pregnancy outcome in an IVF-ET program: a preliminary study. *Fertil Steril* 2000; (74): 797-801.

Yaman C, Ebner T, Sommergruber M. Three-dimensional endometrial volume estimation as a predictor of pituitary down-regulation in an IVF-embryo transfer program, *Hum Reprod* 2000; (15): 1698–702.

Yang JH, Wu MY, Chen CD. Association of endometrial blood flow as determined by a modified colour Doppler technique with subsequent outcome of in vitro fertilization. *Hum Reprod* 1999; (14):1606–1610.

Yokota A, Nakai A, Oya A. Changes in uterine and ovarian arterial impedance during the periovulatory period in conception and nonconception cycles. *J Obstet Gynaecol Res* 2000; (26):435–40.

- Zaidi J, Barber J, Kyei-Mensah A, Bekir J, Campbell S, Tan SL.** Relationship of ovarian stromal blood flow at the baseline ultrasound scan to subsequent follicular response in an in vitro fertilization program. *Obstet Gynecol* 1996; (88): 779–84.
- Zaidi J, Campbell S, Pittrof R.** Endometrial thickness, morphology, vascular penetration and velocimetry in predicting implantation in an in vitro fertilization program. *Ultrasound Obstet Gynecol* 1995; (6):191–198.
- Zaidi J, Collins W, Campbell S, Pittrof R, Tan SL.** Blood flow changes in the intraovarian arteries during the periovulatory period: relationship to the time of day. *Ultrasound Obstet Gynecol* 1996; (7): 135–40.
- Zhang X, Chen CH, Confino E, Barnes R, Milad M , Kazer RP.** Increased endometrial thickness is associated with improved treatment outcome for selected patients undergoing in vitro fertilization-embryo transfer. *Fertil Steril* 2005, (83): 336-40.
- Zollner U, Zollner KP, Specketer MT, Blissing S, Muller T, Steck T, Dietl J.** Endometrial volume as assessed by three-dimensional ultrasound is a predictor of pregnancy outcome after in vitro fertilization and embryo transfer. *Fertil Steril* 2003; (80): 1515-7.