

References

Albee FM: Formation of radius congenitally absent. Condition seven years often implantation of bone grafts. Ann Surg. 87: 105-110, 1982. In Green's Operative Hand surgery, 4th edition, Vol. 1. PP. 344-358.

Antionolli I: Su un case macanza congenita bilaterale derradio. Gazz Med Italian, Torino 55: 501-513, 1904 (in German as: Ein Fall, Von kongentialem bilatralem Radiusddefekt. Orthop Chir 14: 213-232, 1905). In Congenital Malformation of the Hand and forearm. PP. 433-447.

Barsky AJ: Congenital anomalies of the Hand and Their Surgical Treatment. Apringfield, IL, Charles Thomas, 1958.

Bayne LG. And Klug MS: Long-Term review of the surgical treatment of radial deficiencies. J. Hand Surg. 12A: 169-179, 1987.

Bayne LG: Malformations of the upper limb. PP. 566-569. In Morissy RT (ed): Lovell and Winter's Pediatric Orthopaedics. Vol. 2. 3rd. Ed. JB. Lippincott, Philadelphia, 1990.

Bayne LG: Radial Club Hand. (Radial deficiencies). PP. 261-274. In Green Dp (ed): Operative Hand Surgery. 3rd Ed. Churchill Livingstone, New, 1993.

RK. And Rolf: Vater association: A unifying concept of multiple anomalies: J. Bone Joint Surg. 71A: 948-950, 1989.

Bora FW: Radial meromelia: the deformity and its treatment. J. Bone Joint Surg. 52A: 966, 1970.

Bora FW: Radial club hand deformity. J Bone Joint Surg. 63A: 741, 1981.

Buck-Gramcko D.: Radialization as a new treatment for radial club hand. J. Hand Surg. 10A: 964-968, 1985.

Buck-Gramcko D: Congenital malformation. PP. 12, 77-12, 91. In Nigst H, Buck-Gramcko D. Millesi H., Lister GD (eds): Hand Surgery. Vol. 1. Thieme Medical Publisher, New York, 1988.

Catagni MA: preliminary experience with Ilizarov method in late reconstruction of radial hemimelia. J Hand Surg 18A: 316-321, 1993.

Cooney W and Dahi M: Radial Deficiency and the Role of Distraction Lengthening. Vol. 16: 1992.

Define D: Treatment of congenital radial club hand. Clin. Orthop. 73: 153-159. 1970.

Delmore TL: Treatment of congenital absence of the radius by transepiphyseal fixation. J. Bone Joint Surg. 51A: 117-129, 1969.

Dixey FA: On the ossification of the terminal phalanges. Proc. R. Soc. London. 31: 63-71, 1881.

Drachman DB. And Skoloff L: The role of movement in embryonic joint development. Dev. Bio., 14: 401, 1966.

Dylevsky, I.: Contribution to the ontogenesis of the flexor digitorum superficialis and the flexor digitorum profundus in man. Folio Morphol., 15: 330, 1967.

Evans JA and Vitez M: On the biologic nature of association: Evidence from a study of radial ray deficiencies and associated malformations. Birth Defects 29: 63-81, 1993.

Evens DM: The use of a biobased flap in the correction of radial club hand J. Hand Surg. 20B: 333-337, 1995.

Flatt AE: The care of congenital Hand Anomalies. 2nd Ed. PP. 366-410. Quality Medical Publishing, St. Louis, 1994.

Frankel ME: Radial club hand: Is centralization necessary? A rational surgical approach. J. Bone Joints Surg. 53A: 1026, 1971.

Goldenberg RP: Congenital bilateral complete absence of the radius in identical twins. J. Bone Joint Surg. 30A: 1001-1003, 1984.

Goldberg MA and Meyn M: The radial club hand Orthop Clin. North Am, 7: 341, 1976.

Goldberg MJ: Congenital hand anomaly. Etiology and association malformations. Hand Clin. 1: 405-415, 1985.

Graham JM: Determination in the morphogenesis of muscle tendon insertions. J. pediatr., 101: 825, 1982.

Hains RW: The development of joints. J. Anat., 81: 33, 1949.

Hiekel HA: Aplasia and hypoplasia of the radius Acts Orthop Scan Suppl. 39: 1, 1959.

Hippe P and Blauth W: Erfahrungen mit Karpalresection. Z orthop. 117: 863-872, 1979.

Ilizarov GA: Clinical application of the tension-stress effect for limb lengthening. Clinical orthopedics and Related Research, 250: 8-26, 1990.

Inoue G and Miurat T: Arteriographic findings in radial and ulnar deficiencies. J. Hand Surg. 16B: 409-412, 1991.

Kelikian H: Congenital anomalies of the hand. Part I. J. Bone joint Surg. 39A: 1002-1019, 1957.

Helikian H: Congenital deformities of the Hand and Frearm. PP. 780-824. WB. Saunders, Philadelphia, 1974.

Kelly RO: Fine structure of the apical rim-mesenchyme complex during limb morphogenesis in man. J. Embryol. Exp. Morphol. 29: 117, 1973.

Kessler, I: Centralization of the radial club hand by gradual distraction. J. Hand surg. 14B: 37-42, 1989.

Lamb DW: The treatment of radial club hand. Hand. 4: 22, 1972.

Lamb DW: Radial club hand: A continuing study of sixty-eight patients with one hundred seventeen club hands. J. Bone Joint Surg. 59A: 1, 1977.

Lamb DW: An Estimate of the population frequency of congenital malformations of the upper limb. J. Hand. Surg. 7: 5557, 1982.

Lamb DW: Congenital upper limb anomalies: An etiologic grouping of clinical, genetic, and epidemiologic data from 387 patients with 'absence' defects, constriction bands,

polydactylies, and synactylies. J. Hand Surg. 10A: 958, 1985.

Lloyd- Roberts GS: Orthopaedics in Infancy and Childhood. Butterworth, London. 1971.

Manske PR: Abductor digit minimi opponens plasty I congenital radial dysplasia. J. Hand. Surg. 3: 552-559, 1978.

Manske PR.: Centralization of the radial club hand: An ulnar surgical approach. J. Hand. Surg. 6: 423-433, 1981.

Manske PR and McCarroll R: Radial club hand, Congenital malformations of the hand and forearm, Ch. 35, pp. 433-447. 1998.

Messina A. Ann Chir Main. 7 (3): 238-46, 1988.

Newbury Ecob RA: Holt-oram Syndrome: A clinical genetic study. J. Med. Geneti 33: 300-307, 1996.

O'Rahilly and Gardner: The timing and sequences of events in the development of the limbs in the human embryo. Anat. Embryol. 148: 1-23, 1975.

Petit JL: Remarques sur un infant nouveau-ne, don't les bras etoient difformes. PP. 1-22. Memoires de Mathematique et de physique, Tires des Registres de l'Academie Royale des

sciences, 1733. in Congenital Malformations of the Hand and Forearm. PP. 433-477.

Pardini AG: Radial dysplasia. Clin Orthop. 57: 153, 1968.

Riordan DC: Congenital absence of the radius. J. Bone Joint Surg. 37A: 1129, 1955.

Riordan DC: The upper Limb. PP. 708-714. In Lovell WW, Winter RB (eds). JB. Lippincott, Philadelphia, 1978.

Ryerson EW: P. 593, cited by Kato, 1942.

Sadler TW, Waters PM (2000): Embryology and gene regulation of limb development. The child with limb deficiency, American academy of orthopaedic surgery, 2000.

Sawaizumi M: Free vascularized epiphyseal transfer designed on the reverse anterior tibial artery. Br. J Plast. Surg. 44: 59, 1991.

Sayre, RH: A contribution to the study of club hand. NY Med. J. 58: 529-532, 1893.

Schaeffer JP: Some observation on the anatomy of the upper extremities of an infant with complete bilateral absence of the radius. Anat. Rec. 8: 1, 1914.

Schoenecker PL: Dysplasia of the knee associated with the syndrome of thrombocytopenia and absent radius. J. Bone Joint Surg. 66A: 421, 1984.

Scott WJ: Physiology cell death in normal and abnormal rodent limb development. In Advances in the study of Birth Defects. Vol. 3, PP. 135. Edited by Persound, T.V. M., Baltimore University Park Press, 1979.

Skerik SK: The anatomy of congenital radial dysplasia. Clin. Orthop Rel Res. 66: 125, 1969.

Snyder M: Leczenie wordzonej reki koslawej. Chir. Narz Ruchu Orthop Pol. 49: 47-50, 1984.

Starr DE: Congenital absence of the radius. A method surgical correction. J. Bone Joint Surg. 27: 572-577, 1945.

Steindler A: Liver jubilaire offert au docteur Albin Lambotte. Vromant, Bruxelles, 1963. in Congenital Malformations of the Hand and Forearm PP. 433-447.

Tickle C: Limbe regeneration. Am. Sci. 69: 939, 1981.

Tonkin MA: Longitudinal radial deficiency. In Saffar P. Amadio PC, Foucher G (eds): Current Practice in Hand Surgery. Martine Duntiz, London. 1997.

Tsuge and Watari S: New surgery procedure for correction of club hand. J. Hand Surg. 10B: 90-94, 1985.

Tsuyuguchi Y: Radial ray deficiency. J. Ped. Orthop. 7: 699, 1987.

Urban MA and Osterman AL: Management of radial dysplasia Hand Club. 6: 589-605, 1990.

Wanger H: Operative lengthening of the femur. Clinical orthopedics and Related Research, 136:125-142, 1978.