


References



Abramson A. and Zielinski B.(2004):Congenital laryngeal saccular cyst of the newborn.Laryngoscope,84:1580.

Abramson AL, Steinberg BM and Winkler B (1987): Laryngeal papillomatosis : Clinical, histopathologic and molecular studies. Laryngoscope, 97:678-685.

Al-Otieschan AT, Madison Z and Gangopadhy K., (1996): Schwannoma of the larynx: two case reports and review of literature. J Otolaryngol 25: 412-415



Baatenburg de Jong et al (2004). : Chondroma & chondrosarcoma of the larynx .Curr Opin otolaryngeal Head & Neck Surg. 12(2):98-105


Baker HL, Baker SR, and McClatchey KD (2002): Manifestations and management of laryngoceles, Head Neck Surg 4:450,.

Barbara L and Carter (1985) : Computer tomography of the head and neck, book Churchill Livingstone book.

Barens L.,Ferlito A. and Altavilla G. (1996): Basaloid squamous cell carcinoma of the head & neck :A clinico-pathological features and differential diagnosis.Ann otol rhinol laryngol ,105 :75-82

- Becker M, Zbaren P, and Delavelle J (1997) :** Neoplastic invasion of the laryngeal cartilage: Reassessment of criteria for diagnosis at CT. *Radiology* 203: 521-532.
- Berkowitz RG. (2000) :** Laryngeal electromyography findings in idiopathic congenital bilateral vocal cord paralysis. *Ann Otol Rhinol Laryngol.*; 105(3):207-12
- Blake Simpson, Clark Rosen, Hans Von Leden, Robert H. Ossof (2008)** *Operative Techniques in Laryngology*
- Bouquot JE and Gnepp DR (1991):** Laryngeal precancer: A review of the literature, commentary and comparison with oral leukoplakia. *Head Neck* 13: 488-497
- Bradley P. Thomas¹, Megan K. Strother, Edwin F. Donnelly, et al., (2009) :** CT Virtual Endoscopy in the Evaluation of large Airway Disease: Review. *AJR*; 192:S20–S30 0361–803X/09/1923–S20
- Brandwein, M., Lebenger, J., Strauchen, J. and Biller, H. (1990),** Atypical granular cell tumor of the larynx: An unusually aggressive tumor clinically and microscopically. *Head Neck*, 12: 154–159. doi: 10.1002/hed.2880120211
- Branes L. (1995):** Diseases of the larynx & esophagus .In Branes L(ed);*Surgical pathology of the head and neck vol 1* .New York; Marcel Dcckker 485-688
- Brink J. (1995):** Technical aspects of helical (spiral) CT. *Radiol. Clin. North Am.*, 33: 825-841.

Byrne A, Walshe B., McShaneb S., and Hamilton A.,(2005) European Journal of Radiology 56 (2005) 38–42



Calhoun P.S.; Kuszyk B.S.; Heath D.G.; et al., (1999). Three dimensional volume rendering of spiral CT data: theory and method. RadioGraphics; 19:745-764

Castelijns JA, van den Brekel MW, Niekoop VA, et al., (1996): Imaging of the larynx. Neuroimaging Clin N Am May; 6(2): 401-15.


Christine M. Glastonbury. (2008) : Non-Oncologic Imaging of the Larynx,Otolaryngologic Clinics of North America, Volume 41, Issue 1, February 2008, Pages 139-156



De Foer B, Hermans R, Feenstra L, et al (1993) : CT and MRI of the laryngeal amyloidosis. Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr 159:492-494.

Deborah L. Reede, Margaret Anne Whelan, ,R. and Thomas Bergeron, (1984); Neck, computed tomography, Lymphatic system, computed tomography Radiology 145: 389-395.

Duggan M., Lim M., and Gill M. (1990): HPV DNA typing of adult onset respiratory papillomatosis Laryngoscope, 100:639-642.



Eckel, H.E.; Sittel, C.; Zorowka, P and Jerka, A. (1994): Dimensions of the laryngeal framework in adults. *Surg. Radiol. Anat.* 1994; 16:31-36.



Ferlito A and Recher G (1980): Verrucous carcinoma of the larynx. A clinico-pathologic study of 77 cases. *Cancer* 46: 1617-1630.

Ferlito A., Nicolai P. and Montaguti A. (1984): Chondrosarcoma of the larynx: review of literature and report of the three cases. *Otolaryngol* 5:350-369.

Fletcher C. (2000): Diagnostic histopathology of tumors, ed 2, Churchill Livingstone, 138-169.

Francis B. Quinn, Jr., MD and Matthew W. Ryan, MD (2002) Congenital Laryngeal Anomalies, Grand Rounds Presentation, UTMB, Dept. of Otolaryngology,1-15

Fried MP., Vick M. Mohair, Hiroshi Shinmoto, et al (1999) : Virtual laryngoscopy. *Ann Oto Rhinol Laryngol* 108(3): 221- 226.



Garud O., Elvertand H., and Bostad L. (1984): Granular cell tumor of the larynx in a 5-year -old child. Ann Otorhinolaryngo, 93:45-47.


Gray H (2000) : Gray's Anatomy of the Human Body, Philadelphia: Lea & Febiger, 1918 New York: Bartleby.Com.

Gray H. The larynx. (2005): In Anatomy of the human body. Philadelphia, PA: Lea & Febiger;

Gray H. The larynx. (2005): In Anatomy of the human body. Philadelphia, PA: Lea & Febiger; Available at: <http://www.bartleby.com/107/236.html>

Greene FL, Page DL, Fleming ID, et al (2002): AJCC cancer staging manual, ed 6, New York, Springer-Verlag, p. 48

Greene FL, Page DL, Fleming ID, et al (2002): AJCC cancer staging manual, ed 6, New York, Springer-Verlag, p. 36




Harnsberger H.R. (2004) : The larynx and hypopharynx. Harnsberger HR. Handbook of head and neck imaging, 2nd ed. St. Louis Mosby Year Book. 224-260

Healy G, Pastrizi G. and Battolla H. (2000);Treatment of subglottic hemangioma with the carbon dioxide laser, Laryngoscope 90:809,.

Hermans (2002): Imaging of the larynx. Book of the Medical Radiology Diagnostic Imaging. And Radiation oncology, 2nd ed. Springer-Verlag Berlin Heidelberg book.

Hintz BL, Kagan A. and Nussbaum H (1981): A "watchful waiting" Policy for in situ carcinoma of vocal cordis. Arch Otolaryngol, 102:746-751.


Hugh Curtin, (1989) : Laryngocele, Larynx,anatomy Larynx, CT, Larynx, MR studies, Larynx, neoplasms, 271.373Larynx, surgery, Pharynx, neoplasms, State-of-Art reviews Radiology; 173:1-11



Jemal A., Chang H and Ferrucci J. (2004): Cancer statistics, Cancer Journal Chin., 54:833-840.

Johns M., Farrior E. and Boyd J. (1982): Staging of supraglottic cancer. Arch Otolaryngol., 108:700-702.

Johnson C., Health D. and Fishman E. (1997): CT angiography: thoracic vascular imaging with interactive volume rendering technique. J. Comput. Assist. Tomogr., 21:110-114



Krichner FR. (1987) : Laryngeal structure following microcauterization.;
85(5):797-805



Le Blang SD, and Nuñez DB., Jr (1999) : Helical CT of cervical spine
and soft tissue injuries of the neck. Radiol Clin North Am.
May;37(3):515-32–v-vi.


Lee JKT, Sagel SS, Stanly RJ and Heiken JP (1998): Computed
Tomography with MRI correlation, ed 3, Lippincott-Raven,
Philadelphia, 107-182.

Liang GS, Loevner LA, and Kumar P. (2000) : Laryngeal
rhabdomyoma involving the paraglottic space. AJR Am J
Roentgenol.; 174(5):1285-7.

Lim RY and Chang H (1987): Malignant degeneration of laryngeal
papilloma. Otol Head and Neck surgery. 96:559.

Lisa L., Bernier J. and Cesare G. (2003): Cancer of the larynx critical
reviews in Oncology/Hematology, 47: 65-80.

Ljumanovic R, Pouwels PJ, Langendijk JA, et al., (2007) : Has the
degree of contrast enhancement with MR imaging in laryngeal
carcinoma added value to anatomic parameters regarding
prediction of response to radiation therapy? AJNR Am J
Neuroradiol.; 28(8):1540-6.



Maroldi R, Battaglis G, Nicolai P, et al (1997) : The appearance of the larynx after conservative and radical surgery for carcinomas, Eur Radiol 7:418–431.

Mauro Magnano, Guido Bongioannini, and Stefano Cirillo, (2005); Virtual endoscopy of laryngeal carcinoma: Is it useful?; Otolaryngology–Head and Neck Surgery Volume 132 Number 5 776-782

Meyers, E. N. and Alvi, A. (1996), Management of Carcinoma of the Supraglottic Larynx: Evolution, Current Concepts, and Future Trends. The Laryngoscope, 106: 559–567.

Micheals L. (2004) : Pathology of the Larynx Springer-Verlag page 258

Michaels V. Springer-Verlag. and Naiman AN (2004),: Pathology of the larynx intralesional cidotovir and surgical excision for laryngeal papillomatosis, Laryngoscope 113: 2174-2181, 4

Minerva B. ,Karim B. and Pavel D. (2008): European journal of radiology, volume 66,issue 3 :460-479.

Minerva B., Mnulin G., and Anne-Marie K. (1998): Non-squamous cell neoplasms of the larynx: Radiologic-pathologic correlational radiographics ,18:1189-1209.

Mittal B., Marks J., and Ogura J. (1984): Transglottic carcinoma. Cancer 53:151-161.

Mohamed El lackany, and Ahmad M. Ragab Shalaby (2005) : The Frequency of Laryngeal Cancer Among Different Laryngeal Swellings in Adult Patients Journal of the Medical Research Institute JMRI; Vol. 26 No. 4: (350-355)


Moore K. (1992): Clinically oriented anatomy, ed 3. Williams & Wilkins, Baltimore, 838-850.

Munir Turk L.,Wynnder EL and Hogg DA (1993): Age changes in human larngéal cartilages. Clin Anat 6:154-162.

Munoz A, Alvi A and Fenlon H.M. (1993): Laryngeal carcinoma: sclerotic appearance of the cricoid and arytenoid cartilage. CT pathologic correlation, Radiology 189:433.


Muscat JE and Wynder EL (1992): Tobacco, alcohol, asbestos and occupational risk factor for laryngeal cancer. Cancer 69,2244-2251.

Myssiorek D, Vamburas A and Abramson AL: Carcinoma in situ of the glottic larynx, Laryngoscope 104:463, 2004.



Naiman A. and Harnsen W.(2003): Surgical excision of papillomatosis. Laryngoscope,113:2174-2181.


Nakayama M., Brandenburg J. and Hafez G.(2003):Dedifferentiated chondrosarcoma of the larynx with regional and distant metastasis. Ann.Otorhinol.,102:785.



Painter (1990) : Electroglottogram waveform types of untrained speakers. Eur Arch Otorhinolaryngol; 247(3):168-73. **1990.**

Peter D., Robinson J. and Richard W. (2006): Pharynx & larynx; David Sutton; Churchil livingstone publication , 6: 1489-1519

Petersen KL, Fu Y-S, and Calcaterra T (1997) : Subglottic Paragnglioma. Head Neck 19:54-56.



Reidenbach MM (1998); Subglottic region: normal topography and possible dinner implications. Clin Anat 11:9-21.

Remy J.; Jardin M.; Artaud D. et al., (1998). Multi-planer and three-dimensional reconstruction techniques in CT. Eur. Radiol.; 8:335-351

Roberts TJ, Epstein B and Lee DJ (1991): Second neoplasms in patients with carcinoma of the vocal cord. Incidence and implications for survival. Int. J Radiat. Oncol. Biol.Phys. 21: 383-589.

Rodriguez-Romero R, Vargas-Serrano B, Cortina-Moreno B, et al (1996): Calcified amyloidoma of the larynx. AJNR Am J Neuroradiol 17:1491-1494.

Rogalla P, Nischwitz A, Gottschalk S, et al., (2007) B. Virtual endoscopy of the nose and paranasal sinuses .Eur Radiol 1998; 8:946–950 , Bauer TL, Steiner KV .Virtual bronchoscopy : clinical applications and limitations .Surg Oncol Clin N Am; 16:323–328)

Rogalla P.; Meiri N. and Bartram C. (2001). Virtual colonoscopy of the colon. In virtual endoscopy and related 3D techniques “Eds. Rogalla, Sheltinga and Hamm” Springer Verlag Berlin Heidberg. PP: 101-163

Romo LV, and Curtin HD (1999) : Atrophy of the posterior cricoarytenoid muscle as an indicator of recurrent laryngeal nerve palsy, AJNR Am J Neuroradiol 20:467–471.

Rosai J (1996): Surgical pathology, congenital malformations of the larynx ,2:314-337.

Roy S., Harper M. and Pope J.(2002): Role of planned neck dissection for advanced metastatic disease in tongue base or tonsil squamous cell carcinoma treated with radiotherapy. Head Neck ,24:474 -488

Ryan S. and Mc Nicholas M.(1998): Anatomy for diagnostic imaging. W.B. Saunders coompany ,23-25.



Sanders KW, Abrea F, Rivera E, et al (2001): A diagnostic and therapeutic approach to paragangliomas of the larynx. Arch Otolaryngol Head Neck Surg 127:565-569.


- Sato T and Shimada K (1995):** Arborization of the inferior laryngeal nerve and internal nerve on the posterior surface of the larynx. Clin Anat 8: 379-87.
- Schreiner S., Paschal C. and Galloway R. (1996):** Comparison of projection algorithms used for the conduction of maximum intensity projection images. J. Comput. Assist tomogr.,20:56-57
- Scott PP, Scott WW, and Siegelmann SS (1986):** Amyloidosis, an overview. Semin Rontegenol 21:103-112.
- Seeram E. (1997).** 3-D imaging basic concepts for radiologic technologists. Radiologic technology; 69:127-144
- Seidman J., Berman J.and Yost B. (1991):** Basaloid squamous carcinoma of the hypopharynx and larynx associated with second primary tumors. Cancer 68: 1545-1549.
- Shikhani AH, Marsh BR, Jones MM and et al, (1986):** Infantile subglottic hemangiomas. An update. Ann Otol-Rhinol-Laryngol 95: 336-347.
- Spector JG and others (2001):** Delayed regional metastases, distant metastases, and second primary malignancies in squamous cell carcinomas of the larynx and hypopharynx, Laryngoscope 111:1079.
- Süleyman Men, M. Cenk Ecevit, I. Topçu, Neslihan Kabakçı, et al., (2007) :** Diagnostic Contribution of Virtual Endoscopy in Diseases of the Upper Airways. J Digit Imaging. 2007 March; 20(1): 67–71.




Teksam M., Casey S. O., Michel E., et al., (2000) : Real time 3D volume-rendered virtual laryngoscopy with a multi-detector CT scanning. *Tansal ve Giriflimsel Radyoloji* 6:361-368

Thawely and Bone SE (1991) : Laryngopyocele. *Laryngoscope*. 1991; 83:362.

Thumfarte, W.F.; Platzer, W.; Gunkel, A.R. et al., (1999): Surgical approaches in otolaryngeology. Thieme, New York, 38-41.



Udupa J. and Herman G. (1991): 3-D imaging in medicine. Boca Raton: CRC Press; 260-266.



Van Scheltinga J.T. (2001). Technical Background in virtual endoscopy and related 3D techniques (eds): Rogalla; Van Scheltinga and Hamm. Springer Verlag. Berlin Heidelberg. PP:1-16

Vermeersch H, Van Vug P, Lemmerling M, et al (2000) : Bilateral recurrent adult Rhabdomyomas of the pharyngeal wall. *Eur Arch Otorhinolaryngol* 257:24-26.



Walshe P.,_ Hamilton S., D. and Mcshane Y. (2002); The potential of virtual laryngoscopy in the assessment of vocal cord lesions , Clin. Otolaryngol. 2002, 27, 98–100

Wang Dong; Zhang Wanshi; Xoing Manghui et al., (2001) : Laryngeal & hypolaryngeal carcinoma compersion of helical CT, multiplanner reformation, three dimensional reconstruction and virtual laryngoscopy, Chineas medical journal 2001...114..1..54-58.

Wenig BM (1995): Lipomas of the larynx and hypopharynx: a review of the literature with the addition of three new cases. J Laryngol-Otol, 109: 353-357

Wiliams, P.L.; Bannister, L.H.; Berry, M.M. et al (1995) : Gray's anatomy. The anatomical basis of medicine and surgery. ELBS with Churchill Livingstone; 11:12-3.

Wood B J, Wang Dong and Razavi P. (2002) : Virtual Endoscopy : A Promising New Technology. American Family Physician. 66. 107-112.