

Result

Hyperkalaemia Results

Table 7. Patients with neuropathy.

Total	82 (41 %)
Female	38 (19 %)
Male	44 (22 %)
Type 1	8 (4 %)
Type 2	74 (37 %)
Mean age	59.93 yr
Mean duration	13.37 yr

Table 8. Patients with ischemia.

Total	39 (19.5 %)
Female	15 (7.5%)
Male	24 (12%)
Type 1	5 (2.5%)
Type 2	34 (17 %)
Mean age	62.97 yr
Mean duration	14.39 yr

Result

Table 9. Vascular affection.

	Dorsalis . pedis	Posterior . tibial	Both
Total	19 (9.5 %)	31 (15.5 %)	11 (5.5 %)

Table 10. Patients with foot infection.

Total	17 (8.5 %)
Female	8 (4 %)
Male	9 (4.5 %)
Type 1	2 (1 %)
Type 2	15 (7.5 %)
Mean age	58.7 yr
Mean duration	13.52 yr

Table 11. Patients with foot deformity.

Total	40 (20 %)
Female	19 (9.5 %)
Male	21 (10.5%)
Type 1	3 (1.5%)
Type 2	37 (18.5%)
Mean age	58.17 yr
Mean duration	12.35 yr

Result

Table 12. Patients with ulcer.

Total	10 (5 %)
Female	4 (2 %)
Male	6 (3%)
Type 1	2 (1 %)
Type 2	8 (4 %)
Mean age	51.4 yr
Mean duration	14.8 yr

Table 13. Patients with amputation.

Total	18 (9 %)
Female	6 (3 %)
Male	12 (6 %)
Type 1	6 (3 %)
Type 2	12 (6 %)
Mean age	55.88 yr
Mean duration	16.5 yr

Result




Fig.(2): Mean age and duration in relation to foot complications

Table 14. Mean age and duration in relation to foot complications.

	Mean age	Mean duration
neuropathy	59.93 yr	13.37 yr
ischemia	62.97 yr	14.39 yr
ulcer	51.4 yr	14.8 yr
Amputation	55.88 yr	16.5 yr
Infection	58.7 yr	13.52 yr
deformity	58.17 yr	12.35 yr

Result




Fig. (3): Risk factors for amputation.

Table 15. Risk factors for amputation.

	ulcer	Neuropathy	Ischemia	Infection	deformity
Amputation	6 (33.3%)	13 (72.2 %)	6 (33.3%)	4 (22.2%)	3 (16.6 %)

Result




Fig. (4): Risk factors for ulcer.

Table 16. Risk factors for ulcer.

	Neuropathy	Ischemia	deformity	callus
ulcer	7 (70 %)	2 (20%)	4 (40 %)	3 (30%)

Result




Fig. (5) :Diseases associated with ulcer.

Table 17. Diseases associated with ulcer.

Hypertension	3 (30 %)
Ischemic heart disease	1 (10 %)
Retinopathy	1 (10 %)
Infection	4 (40%)

Result




Fig. (6) Diseases associated with amputation.

Table 18. Diseases associated with amputation.

Hypertension	5 (27.77%)
Ischemic heart disease	3 (16.66%)
Congestive heart failure	2 (11.11%)
Retinopathy	3 (16.66%)
Nephropathy	1 (5.55%)
Stroke	1 (5.55%)
Infection	3 (16.66%)

Result




Fig. (7): Diseases associated with diabetic patients.

Table19. Diseases associated with diabetic patients.

Hypertension	117 (56.5 %)
Ischemic heart disease	85 (42.5 %)
Congestive heart disease	31 (15.5 %)
Nephropathy	12 (6 %)
Retinopathy	10 (5 %)
Stroke	5 (2.5 %)
Ketoacidosis	4 (2 %)
Hypoglycemia	3 (1.5 %)