

References

- Abelsohn A, Sanborn MD, Jessiman BJ and Weir E. (2002):** Identifying and managing adverse environmental health effects: 6. carbon monoxide poisoning. *Can Med Assoc J*; 166: 1685-1690.
- Aberg AM, Hultin M, Abrahamson P and Larsson JE. (2004):** Circulatory effects and kinetics following acute administration of carbon monoxide in a porcine model. *Life sci*; 75 (9): 1029-1039.
- Ait El Cadi M, Khabbal Y and Idrissil L. (2009):** Carbon monoxide poisoning in Morocco during 1999 – 2007. *J Forensic Leg Med*; 16 (7): 385 -7
- Akimoto H. (2003):** Global air quality and pollution. *Science*; 302: 1716-19.
- Akkose N, Turkmen M, Bulut S, Akgoz R, Isciment and Eren B. (2010):** An analysis of carbon monoxide poisoning cases in Bursa, Turkey. *EMHJ*; 16.
- Alonso JR, Cardellach F and Lopez S. (2003):** Carbon monoxide specifically inhibits cytochrome C oxidase. *Pharmacol Toxicol Sep*; 93 (3): 142.
- Amitai X, Zlotogorski Z, Golan-Katzav V, Wexler A and Gross D. (1998):** Neuropsychological impairment from acute low-level exposure to carbon monoxide. *Arch Neurol*; 55: 845-848.
- Annest PHD and Haileyesus MS . (2008):** Non fatal unintentional; non – five related carbon monoxide exposures. United States, 2004 – 2006. *MMWR Morb Mortal Wkly Rep*; (33): 896-9.
- Aslant S, Erol MK, Karcioglu O, Meral M, Cakir Z and Katirci. (2005):** The investigations of ischemicmyocardial damage in

- patients with carbon monoxide poisoning. Anadolu. Kardiyol. Derg. Sep; 5(3) 189-193.
- Atımtay, A.T., Emri, S., Bağcı, T. and Demir, A.U. (2000):** Urban CO exposure and its health effects on traffic policemen in Ankara. Environ. Res; 82(3): 222-230.
- Baek SO, Hwang SM and Moon YH. (1999):** Carbon monoxide pollution in Korea public health implication. In door and Built environment; 8: 156-167.
- Bajo, A., Santos-Perez, M.E., Sanz-Ortega, F., Zapico-Alvarez, N., Carcica-Perez, A. and Borrás-Beato, R. (1999):** An Epidemiological study of acute antidotes. An. Med. Interna. Jun; 16(6): 285-289.
- Bhattarai MD, Dacruz D, Chaudhry M, Khanna R, Trimble M, Holligswroth, J, Jones R, Harris R, Tones AL and Volans G. (2000):** Managing self poisoning. BMJ; 325: 711.
- Bozeman WP and Hampson NB. (2000):** Pulse oximetry in CO poisoning- additional data. Chest Jan; 117 (1): 295-6.
- Bravar M, Mozina H, Osredkar J, et al. (2004):** S 100 B protein in carbon monoxide poisoning: A pilot study. Resuscitation; 61: 357-360.
- Carson, H.J. and Esslinger, K. (2001):** Carbon monoxide poisoning without cherry red. livor Am. J. Forensic Med. Pathol ;22(3): 233-235.
- Choi IS and cheon HY. (1999):** Delayed movement disorders after carbon monoxide poisoning. Eur Neurol; 42: 741-744.
- Choi IS and Choi YC. (1998):** Complications of carbon monoxide poisoning. J Korean Med Sci; 8 (1): 78-83.
- Choi IS. (2001):** Carbon monoxide poisoning: systemic manifestations and complication. J. Korean Med sci; 16 (3): 253-61.

- Chou, K.J., Fisher, J.L. and Sliver, E.J. (2000):** Characteristics and outcome of children with carbon monoxide poisoning with and without smoke exposure referred for hyperbaric oxygen therapy, *Pediatr. Emerg. Care*; 16(3): 151-155.
- Christian T. (2002):** Carbon Monoxide in Gold frank LR., Flomenbaum NE, Lewin NA, Howland MA, Hoffman RS and Nelson LS. Gold frank's: toxicologic emergencies 7th edition. The Mc Grow. Hill companies, Inc., New york, USA- chapter 97. PP: 1478-1498.
- Claude A (2002):** Carbon monoxide poisoning. *NEJM*; Volume 347: 14:1054.
- Deschamps D, Geraud C, Julien H, Baud FJ and Dally S. (2003):** Memory one month after acute carbon monoxide intoxication: a prospective study. *Occup Environ Med*; 60: 212-6.
- Dianat I and Nazari J. (2011):** Characteristics of unintentional carbon monoxide poisoning in Northwest Iran - Tabriz. *Int J Inj Contr Saf Promot*; 18 (4): 313 – 20
- Du T , Zhang Y , Wu JS , Wang H , Ji X , Xu L and Lewin MR . (2010):** Domicile – related carbon monoxide poisoning in cold months and its relation with climatic factors. *Am J Emerg Med*; 28 (8): 928 -32.
- Ernst A and Zibrak JD. (1998):** Carbon monoxide poisoning .*N Engl J Med*; 339 (22): 1603-8.
- Ersanli, D., Yildiz, S., Togrol, E., Ay, H. and Qyrdedi, T. (2004):** Visual loss as a late complication of carbon monoxide poisoning and its successful treatment with hyperbaric oxygen therapy .*Swiss Med. Wkly*.30; 134(43-44): 650-655.

- Felta-Zaragozano, J., Fons-Estupina, C., Arnauda-Espatolero, P., Ferrer-Dufol, A. and Lopez, J.L. (2005):** Carbon monoxide poisoning. *An. Pediatr. Jun*; 62(6): 587-590.
- Finnerty JP. (2006):** Hyperbaric oxygen for acute carbon monoxide poisoning. *N Engl J med*; 348: 557.
- Fisher J. (1999):** Carbon monoxide poisoning :A disease of a thousand faces. *Chest*; 115: 322-323.
- Foster M, Goodwin SR, Williams C and Loeffler J. (1999):** Recurrent acute life threatening events and lactic acidosis caused by chronic carbon monoxide poisoning in an infant. *Pediatrics* ;104:34.
- Gale SD, Hopkins RO and Weaver LK. (1999):** MRI, quantitative MRI, SPECT. And neuropsychological finding following carbon monoxide poisoning. *Brain Inj*; 13: 229-243.
- Ganong and William F. (2005):** "37" Review of medical physiology (22 ed). Mc Graw- Hill. P. 684.
- George L and Joseph V. (2003):** Claud-Bbernard: on the origin of carbon monoxide poisoning. *Resuscitation*; 58:127-130
- Gilmer B, Kilkenny T, Tomaszewski C and Watts JA. (2002):** Hyperbaric oxygen does not prevent neurologic sequel after carbon monoxide poisoning. *Acad. Emerg. Med*; 9: 1-8.
- Goksu, S., Yildirim, C., Kocoglu, H., Tutak, A. and Oner, U. (2002):** Characteristics of acute adult poisoning in Gaziantep, Turkey. *J. Toxicol. Clin Toxiol.* 40(7): 833-837.
- Gomotka E and Gawlikowski T. (2011):** Estimation of carbon monoxide poisoning frequency based on carboxyhemoglobin determination performed in toxicology laboratory in Krakow in years 2002-2010. *Prezegl Lek*; 68 (8): 413 -6.

- Gorman D, Drewry A, Huang YL. (2003):** The clinical toxicology of carbon monoxide .Toxicology; 187 (1): 25-38.
- Gorman DF, Huang YL and Williams C. (2002):** Anarcotic dose of carbon monoxide induces neuronal heame oxygenase and nitric oxide synthetase in sheep. Toxicology; 179:79-84.
- Graham, B.L., Mink, J.T. and Cotton, D.J. (2002):** Effects of increasing carboxyhemoglobin on the single breath carbon monoxide diffusing capacity, Am. J. Respir Crit Care Med; 165(11): 1504-1515.
- Guffie MC, Pwatt J, Kerr GW and Hislop WS. (2000):** Mass carbon monoxide poisoning. Accid Emerg Med; 17: 38-39. .
- Hajat, S., Haines, A., Goubet, S.A., Atkinson, R.W. and Anderson, H.R. (1999):** Association of air pollution with daily GP consultations for asthma and lower respiratory conditions in London. Thorax 54: 597-605.
- Hampson MP and Hampson LA. (2002):** Characteristics of headache Associated with acute carbon monoxide poisoning. Headache; 42: 220-223.
- Hampson N and Little C. (2005):** Hyperbaric treatment of patients with carbon monoxide poisoning in the United States. Undersea Hyperb Med; 32:21.
- Hampson N, Scott K, and Zmaeff J. (2006):** Carboxyhemoglobin measurement by hospitals: Implications for the diagnosis of carbon monoxide poisoning. J Emery Med; 31-13.
- Hampson NB and Zmaeff JL. (2001):** Outcome of patients experiencing cardiac arrest with carbon monoxide poisoning treated with hyperbaric oxygen. Ann. Emerg. Med. Jul; 38 (7): 36-41.

- Hampson NB, Dunford RG, Kramer CC and Norkool DM. (1995):** Selection criteria utilized for hyperbaric oxygen treatment of carbon monoxide poisoning. *J Emery Med*; 13: 227-31.
- Handa, P.K. and Tai, D.Y. (2005):** Carbon monoxide poisoning: A five years review at Tan Tock Serg hospital, Singapore. *Ann. Acad. Med. Singapore*. Nov; 34(10): 611-614.
- Harduar – Morano L and Watkins S. (2011):** Review of unintentional non – fire related carbon monoxide poisoning morbidity and mortality in Florida, 1999 – 2007. *Publio Health Rep*; 126(2):240-50.
- Hardy P, Dumont I, Bhattacharya M, Hou X, Lachapelle P, Varma DR and Chemtob S. (2000):** Oxidants nitric oxide and prostanoids in the developing ocular vasculature: a basis for ischemic retinopathy. *Cardiovasc. Res*; 47: 489-509.
- Hawkins M, Harrison J and Charters P. (2000):** Sever carbon monoxide poisoning: outcome after hyperbaric oxygen therapy. *Br J Anaesth*; 84 (5): 584-586.
- Hay PJ, Denson LA, Van Hoof M, and Blumenfeld N. (2002):** The neuropsychiatry of carbon monoxide poisoning in attempted suicide: a prospective controlled study. *J psychosom Res*; 53: 699-708.
- Hendrik JV, Wong RJ and Stevenson DK. (2000):** Carbon monoxide in breath, blood and other tissues. In: penney, D.G., (ED.), carbon monoxide toxicity. CRC press, Boca Raton, PP. 19-60.
- Henry CR, Satran D and Lindgren B. (2006):** Myocardial injury and long- term mortality following moderate to sever carbon monoxide poisoning. *JAMA*; 295: 398.

- Henz S and Maeder M. (2005):** Prospective study of accidental carbon monoxide poisoning in 38 swiss soliders. Swiss wkly; 135 (27-28): 398-408.
- Hoetzel A and Schmidt R. (2006):** Carbon monoxide – Poison or potential therapeutic?. Anaesthesist; 55 (10): 1068-79.
- Hoffmann D, Hoffmann I and El-Bayoumy K. (2001):** The less harmful cigarette: a controversial issue .Chem. Res. Toxicol; 14: 767-90.
- Homer, C.D., Engelhart, D.A., Lavins, E.S. and Jenkins, A.J. (2005):** Carbon monoxide-related deaths in a metropolitan county in the USA: an 11-year study. Forens. Sci, Int. May 10. 149(2-3): 159-165.
- IPCS- International Programme on chemical safety (1999):** Carbon Monoxide. WHO, Geneva.
- Kaabi JM , Wheatley AD , Barss P , Shamsi M , Lababidi A and Mudhtag A . (2011):** Carbon monoxide poisoning in the United Arab Emirates. Int J Occup Environ Health; 17 (3): 202 -9
- Kao LW and Nanagas KA. (2004):** Carbon monoxide poisoning. Emerg. Med. Clin. North Am; 22 (4): 985-1018.
- Kinoshita T, Sugihara S, Matsusue E, Fujii S, Ametani M and Ogawa T. (2005):** Pallidoreticular damage in acute carbon monoxide poisoning: diffusion – weighted MR imaging findings. AJNR Am J Neuroradiol; 26 (7): 1845-8.
- Kleinman, M.T., Leaf, D.A., Kelly, E., Caiozzo, V., Osann, K. and O`Niell, T. (1998):** Urban angina in the mountains: Effects of Carbon monoxide and mild hypoxemia on subjects with chronic stable angina Arch. Environ Health; 53: 388-397.
- Knobeloch L and Jackson R. (1999):** Recognition of chronic carbon monoxide poisoning. WMJ; 98 (6): 26-9.

- Kochanek K, Nurphy S, Anderson R and Scott C. (2004):** Deaths: Final data for 2002. *Natl vital stat Rep*; 53: 1-115.
- Kostaglou – Athasassiou I, Jacobs RA, Satta MA, Dahia PL, Costa A, Navarra P, Chew SL, Forsling ML and Grossman AB. (1998):** Acute and subacute effects of endotoxin on hypothalamic gaseous neuromodulators. *Ann. NY Acad. Sci*; 840: 249-261.
- Kourenbanas S. (2002):** Hypoxia and carbon monoxide in the vasculature antioxd. *Redox. Signil*; 4 (2): 291-299.
- Kunsman GW, Presses CL and Rodriguez P. (2000):** Carbon monoxide stability in stored postmortem blood samples. *J Anal Toxicol*; 24: 572-578.
- Kuo, D.C. and Jerrard, D.A. (2003):** Environmental Insults; smoke inhalation, submersion, diving and high altitude. *Emerg Med Clin. North Am*; 21(2): 475-497.
- Kutzelnigy W. (2002):** Metabolic modulation of carbon monoxide toxicity. *Toxicology*; 180 (2): 139-150.
- Laita A, Mambrilla M and Gandia f. (2001):** Epidemiology of acute carbon monoxide poisoning in a Spanish region. *Clinical Toxicology*; 39: 53-57.
- Lam SP, Fong SY, Kwork A, Wong T and Wing YK. (2004):** Delayed neuropsychiatric impairment after carbon monoxide poisoning from burning charcoal. *Hong Kong Med. J*; 10 (6): 428-431.
- Landry DW and Oliver JA. (2001):** The pathogenesis of vasodilatory Shock. *N. Engl J med*; 345: 588-95.
- Lascaratos JG and Marketos SG. (1998):** The carbon monoxide poisoning of two Byzantine emperors. *J Toxicol clin toxicol* ; 36 (1-2): 103-7.
- Lindell K, Romona O and Karen J. (2003):** Hyperbaric oxygen for acute carbon monoxide poisoning. *NEJM volume*; 347: 1057.

- Liu S, Krewski D, Shi Y, Chen Y and Burriett RT. (2007):** Association between maternal exposure to ambient air pollutants during pregnancy and fetal growth restriction. *J. Expo. Sci. Environ. Epidemiol*; 17: 426-32.
- Louise W and Kristine A. (2004):** Carbon monoxide poisoning. *Emerg Med Clin. N. Am*; 22:985.
- Mandal, N.G., While, N. and Wee, My (2001):** Carbon monoxide poisoning in a parturient and the use of hyperbaric oxygen for treatment. *Int. J. Obstet Anesth*; 10 (1): 71-74.
- Mario Pehar, Marijan Kirin , Gordana Cavric , Tomas Matic , Ivan Kirin And Bozo Petrov . (2003):** Carbon monoxide poisoning. A six year review: University Hospital Dubrava . *Intensivmedizin and Notfallmedizin*; 45: 390-395.
- McNulty JA, Maher BA, Chu M, et al. (1997):** Relationship of short-term verbal memory to the need for hyperbaric oxygen treatment after carbon monoxide poisoning. *Neuropsychiatry Neuropsychol Behav Neurol*; 70: 774-179.
- Mendelman A, Zarchin N, Meilin S, Guggenheimer- Furman E, Thom SR, and Mayevsky A. (2002):** Blood flow and ionic responses in the awake brain due to carbon monoxide. *Neural Res*; 24: 765-772.
- Mendoza JA and Hampson NB. (2006):** Epidemiology of severe carbon monoxide poisoning in children. *Undersea Hyperb Med*; 33 (6): 439 – 46.
- Miro O, Alonso JP, Casademont J, Jerreta D, Urbano Marquez A and Cardellach F. (1999):** Oxidative damage on lymphocyte membranes is increased in patients suffering from acute carbon monoxide poisoning. *Toxicol. Lett*; 770: 219-223.

- Muscateillo NA, Babcock G, Jones R, Horn E and Hwang SA. (2010):** Hospital emergency department visits for carbon monoxide poisoning following an October 2006 snowstorm in Western New York. *J Environ Health*; 72 (6): 43 – 8.
- Nazari J, Dianat I and Stedmon A. (2010):** Unintentional carbon monoxide poisoning in Northwest Iran: a 5 – year study.
- NdisangJF, Tabien HEN and Wang R. (2004):** Carbon monoxide and hypertension. *J Hypertension*; 22: 1057-1074.
- Omaye ST. (2002):** Metabolic modulation of carbon monoxide toxicity. *Toxicology*; 180: 139-50.
- Park S and Choi S. (2004):** Chorea following acute carbon monoxide poisoning. *Yonsei Medical J*; 45 (3): 363-366.
- Parkinson RB, Hopkins RO and Cleavinger HB. (2002):** White matter hyperintensities and neuropsychological outcome following carbon monoxide poisoning. *Neurology*; 58: 1525-32.
- Partrick M, Fiessler F, Shin R, Riggs R and Hung O. (2009):** Monthly variations in the diagnosis of carbon monoxide exposures in the emergency department. *Undersea Hyperb Med*; 36 (3): 161-7.
- Penney D, Helfman C and Hull J (2008):** Elevated blood glucose is associated with poor outcome in the carbon-monoxide-poisoned rat. *Journal Title Toxicology*; 54: 287.
- Perrone J and Hoffman RS. (1995):** Fetal hemoglobin interference with carboxyhemoglobin determination. *Toxicol clin toxicol*; 33: 475-486.
- Piantadosi CA, Tatro L and Zhang J. (1995):** Hydroxyl radical production in the brain after co hypoxia in rats. *Free Rad. Biol. Med*; 18: 603-9.

- Piantadosi CA. (1999):** Diagnosis and treatment of carbon monoxide poisoning. *Respir Care Clin N Am*; 5: 183-202.
- Piantadosi CA. (2002):** Biological chemistry of carbon monoxide. *Antioxid Redox Signalling*; 4: 259-270.
- Prockop LD and chichkova RL. (2007):** Carbon monoxide intoxication: an updated review. *J. Neurol. Sci*; 262: 122-30.
- Prockop LD and Naidu KA. (1999):** Brain CT and MRI findings after carbon monoxide toxicity. *J Neuroimaging*; 9 (3): 175-81.
- Prockop LD. (2005):** Carbon monoxide brain toxicity: Clinical, magnetic resonance imaging, magnetic resonance spectroscopy, and neuro psychological effects in 9 people. *J Neuro Imaging*; 15 (2): 144-9.
- Pryor WA, Houk KN, Foute CS, Fukuto JU, Ignarro LJ, Squardrito GL and Davies KJA. (2006):** Free radical biology and medicine it's a gas, man. *Am.J. Physiol.* 291: R 491-511.
- Ramsey PS, Lane MM, Ramin DK and Robert HH. (2001):** Delayed postpartum hemorrhage: A rare presentation of carbon monoxide poisoning. *Am J obstet Gynecol*; 784: 243-244.
- Raub JA, Mathieu-Nolf M, Hampson NB and taorn SR. (2000):** Carbon monoxide poisoning a public health perspective. *Toxicol*; 7:145 (1): 1-14.
- Raw E, Hudsmith L, Aithal GP and Jaspan T. (2003):** A Not-so- simple collapse. *JR. Soc. Med*; 96: 459-460.
- RCOG., (2000):** Carbon monoxide poisoning in pregnancy. *Br J obstet Gynaecol*; 707; 833-838.
- Renwick AG and Walton K. (2001):** The use of surrogate endpoints to assess potential toxicity in humans. *Toxicol lett*; 120: 47-110.
- Restelli G, Callegari S, Locatelli C and Vezzani G. (2009):** Myocardial injury in carbon monoxide poisoning. *G Ital Cardiol (Rome)*; 10 (4): 227-33.

- Richardson RS, Noyszewski EA, Saltin B and Gonzalez-Alonso J. (2002):** Effect of mild carboxy – hemoglobin on exercising skeletal muscle: intravascular and intracellular evidence. *Am. J. Physiol*;283: 1131-9.
- Roberts GP, Youn H and Kerby RL. (2004):** CO-Sensing Mechanisms. *Microbiology and Molecular biology Reviews* 68 (3): 453-473.
- Runyan, C.W., Johnson, R.M, Yong, T., Waller, A.E., Pertis, D., Marshall, S.W., Coyne-Beasley, T. and McGee, K.S. (2005):** Risk and protective factors for fires, burns and carbon monoxide poisoning in US households. *Am J. Prev. Med*; 28(1): 102-108.
- SamLai NF, Saviuc P and Danel Y. (2003):** Carbon monoxide poisoning monitoring network: a five – year experience of household poisonings in two French regions. *J Toxicol Clin Toxicol*; 41 (4): 349 – 53.
- Samoli E, Touloumi G, Schwart ZJ, Anderson HR, Schindler C, Forsberg B, Vigotti AM, Vonk J, Kodnik M, Skorkovsky J and Katsouyanni K. (2007):** Short-term effects of carbon monoxide on mortality: an analysis within the APHEA (Air pollution and health: a European Approach) Project. *Environ. Health Perspect*; 115: 1578-83.
- Satran D, Henry CR, Adkinson C, Nicholson CT, Bracha X and Henry TD. (2005):** Cardiovascular manifestations of moderate to severe carbon monoxide poisoning. *J.A. Col. Cardiol*; 45 (9): 1513-1516.
- Sawano M, Mato T and Tsutsumi H. (2006):** Beside red cell Volunetry by low-dose carboxyhaemoglobin dilution using expiratory gas analysis. *Br J Anaesth*; 96 (2): 186-94.
- Sears, D.A., Udden, M.M. and Thomas, L.J. (2001):** Carboxyhemoglobin levels in patients with sickle cell anemia

- relationship to hemolytic and vasoocclusive severity. Am J. Med Sci; 322(6): 345-348.
- Seleye – Fubara D , Etebu EN and Athanasius B (2011):** Pathology of deaths from carbon monoxide poisoning in Port Harcourt : an autopsy study of 75 cases . Niger J Med; 20 (3): 337 - 40.
- Sener RN. (2003):** Acute carbon monoxide poisoning: diffusion MR imaging findings. AJNR Am J Neuroradiol; 24 (7): 1475-7.
- Sheikhazadi A, Saberi Anary SH and Ghadyani MH. (2010):** Non fire carbon monoxide – related deaths. Am J Forensic Med Pathol ; 31 (4) : 359 – 63 .
- Shen M, Jian He, Jianmei Cai, Qiang Sun, Xuejun Sun and Zhenglu Huo.(2010):** Hydrogen as a novel and effective treatment of acute carbon monoxide poisoning. Nat Med; 5: 334-335.
- Silver DA, Cross M, Fox B and Paxton RM. (1999):** Computed tomography of the brain in acute carbon monoxide poisoning. Clin Radiol; 51: 480-483.
- Sorheim S, Nissena H and Nesbakken T. (1999):** The storage life of beef and pork packaged in an atmosphere with low carbon monoxide and high carbon dioxide. Journal of meat science; 52 (2): 157-164.
- Stoller kp. (2007):** Hyperbaric oxygen and carbon monoxide poisoning: A critical review. Neural Res; 29(2): 146 – 55.
- Sungur, M. and Guven, M. (2001):** Rhabdomyolysis due to carbon monoxide poisoning. Clin Nephrol; 55(4): 336-337.
- Suzanne R. (2007):** Treatment of Carbon Monoxide Poisoning. In Carbon Monoxide Poisoning, David G. editor, Published by CRC Press, Ch 16.4.4 p 352.

- Swank, G., Jain, A.C., Morise, A.P. and Schmidt, S. (2004):** Carbon Monoxide poisonings: A case report of reversible cardiomyopathy. WV Med J., Nov-Dec; 100(6): 228-231.
- Takeuchi A, Vesely A, Rucker J, Sommer LZ, Tesler J, Lavine E, Slutsky AS, Maleck WH, Bolgyesi G, Fedorko L, Iscoe S and fisher JA. (2000):** A simple new method to accelerate clearance of carbon monoxide. Am J. Res Crit care Med; 161: 1816-1819.
- Tangui M, Phan V, Sandillon F and Urani A. (2000):** Differential effect of dehydroepiandrosterone and its steroid precursor pregnenolone against the behavioural deficits in Co exposed mice. Eur. J. Pharmacol; 390:145-155.
- Teksam M, Casey SO, Michel E, et al. (2002):** Diffusion-Weighted MR imaging finding in carbon monoxide poisoning. Neuroradiology; 44: 709-775.
- Telez J, Rodriquez A and Fajardo A. (2006):** Carbon monoxide Contamination an environmental health problems. Rev salud publica (Bogota); 8 (1): 108-17.
- Tengvar C, Johanssan B and Sorensen J. (2004):** Frontal Lobe and cingulated cortical metabolic dysfunction in acquired a kinetic mutism: a PET study of the interval from of carbon monoxide poisoning. Brain Inj; 18 (6): 615-25.
- Thiemermann C. (2001):** Inhaled CO: deadly gas or novel therapeutic? Nat Med; 7: 534-535.
- Thom SR, Bhopale VM, Fisher D, Zhang J, and Gimotty P. (2000):** Delayed neuropathology after carbon monoxide poisoning is immune mediated. Proc. Natl. Acad. Sci; USA; 101: 13660-13665.

- Thom SR, Bhopale VM, Fisher D, Zhang J, Gimotty P and Forster RE. (2004):** Delayed neuropathy after carbon monoxide poisoning is immune – mediated. *Proc. Natl Acad. Sci. USA*; 101: 13660-5.
- Thom SR, Bhopale VM., Han ST, Clark JM and Hardy KR. (2006):** Intravascular neutrophil activation due to carbon monoxide poisoning. *Am J. Respir. Crit. Care Med*; 774: 1239.
- Thom SR, Fisher D and Manevich Y. (2001):** Roles for platelet activating factor and No-derived oxidants causing neutrophil adherence after co poisoning. *Am. J. physiol*; 281: H 923- H930.
- Thom SR, Fisher D, Xu YA, Garner S and Ischiropoulos H. (1999):** Role of nitric oxide – derived oxidants in vascular injury from carbon monoxide in the rat. *Am. J. Physiol*; 276: H 984- H 992.
- Thom SR, Kang M, Fisher D and Ischiropoulos H. (1997):** Release of glutathione from erythrocytes and other markers of oxidative stress in carbon monoxide poisoning. *J Appl physiol*; 82: 1424-32.
- Thom SR, Taber R, Mendiguren I, Clark J, Hardy K and Fisher A. (1995):** Delayed Neuropsychologic sequelae after carbon monoxide poisoning: prevention by treatment with hyperbaric oxygen. *Ann Emerg Med*; 25: 535-537, 474-480.
- Thom SR. (2002):** Hyperbaric- oxygen therapy for acute carbon monoxide poisoning. *N Engl J Med*; 347: 1105-6.
- Thom SR. (2008):** Carbon monoxide pathophysiology and treatment. In: Neuman TS., Thom SR., eds. *Physiology and medicine of hyperbaric oxygen therapy* Philadelphia: Saunders Elsevier; 321-47.
- Thompson M. (2009):** Carbon monoxide. Molecule of the month. *J Forensic Ley Med*; 17 (7): 388 – 91.

- Thyagarajan MS, Gunawardena WJ, and Coutinho CMA. (2003):** Seizures and unilateral cystic lesion of the Basal Ganglia: an unusual clinical and radiological manifestation of chronic non-fatal carbon monoxide poisoning. *Clinical Radiology Extra*; 58: 38-41.
- Tibbles PM and Edelsberg TS. (1996):** Hyperbaric- Oxygen therapy. *N Engl J Med*; 334: 1642-8.
- Tomaszewski C. (1999):** Carbon monoxide poisoning – Early awareness and intervention can save lives. *Postgrad Medicine*; 105 (1): 39-40.
- Tomaszewski C. (2006):** Carbon monoxide poisoning. In: Goldfrank's toxicologic emergencies. 8th edition, Goldfrank LR, Flomenbaum NE, Lewin NA, Howland MA, Hoffman RS, Nelson LS, editors. New York: McGraw-Hill Ch120:1689.
- Torgosz, D. and Pach, D. (2002):** Effect of age on medical complications in acute carbon monoxide poisoning *przegl lek*; 59 (4-5): 314-317.
- Townsend CL and Maynard RL. (2002):** Effects on health of prolonged exposure to low concentrations of carbon monoxide. *Occup Environ Med*; 59: 708-11.
- Tvedt B and Kjuus H. (1997):** Chronic CO poisoning use of generator gas during the Second World War and recent research. *Tidsskr Nor Laegeforen*; 117(17):2454-7.
- Uasua, C.G., Jatakanon, A., James, A., Kharitonov, S.A., Wilson, N.M. and Batnes, P.J. (1999):** Exhaled carbon monoxide in childhood asthma. *J. Pediatr*; 135: 569-57.
- Us Environmental Protection Agency (1999):** Air Quality criteria for carbon monoxide (External Review Draft), EPA 600/ p-99/001.

- Vanzijl PCM and Barker PB. (1997):** Magnetic resonance spectroscopy and spectroscopic imaging for the study of brain metabolism. Ann NY Acad Sci; 820: 75-96.
- Varon J, Mari KPE, Fromm REJr and Gueler A. (1999):** Carbon monoxide poisoning: A review for clinicians. J Emerg Med; 17(1): 87- 93.
- Verman HJ, Wong RJ and Stevenson DK. (2000):** Carbon monoxide in breath, blood and other tissues. In carbon monoxide toxicity (D.G. penny, ed), pp. 17-60.
- Weaver LK, Howe S and Hopkins R. (2000):** Carbon hemoglobin half-life in carbon monoxide – poisoned patients treated with 100% oxygen at atmospheric pressure. Chest; 117: 801-808.
- Weaver LK, Valentine KJ and Hopkins RO. (2007):** Carbon monoxide poisoning: risk factors for cognitive sequelae and the role of hyperbaric oxygen .Am J Respir Crit Care Med; 176: 491-497.
- Weaver MD. (2009):** Carbon monoxide poisoning. New Eng J Med; 360: 1217 – 1225.
- Webber AP. (2003):** Recurrent cardiac failure of environmental origin. J.R. Soc. Med; 96: 458-459.
- Widdop B. (2002):** Analysis of carbon monoxide. Ann Clin Biochem; 39: 378-91.
- Wilson RC, Saunders PJ and Smith G. (1998):** An epidemiology study of acute carbon monoxide poisoning in the West Midlands. Occup Environ Med; 55 (11): 723-9.
- Wright J. (2002):** Chronic and occult carbon monoxide poisoning: we don't know what we're missing. Emerg Med J; 19: 386-390.