

References

- Avecillas JF, Falcone T, et al. (2004):** Ovarian hyperstimulation syndrome. *Crit Care Clin*; 20(4): 679-95.
- Azziz R, Carmina E, Dewailly D, et al. (2006):** Position statement: criteria for defining polycystic ovary syndrome as a predominantly hyperandrogenic syndrome: An Androgen Excess Society guideline. *J Clin Endocrinol Metab*; 91.
- Baerwald AR, Adams GP and Pierson RA (2005):** Form and function of the corpus luteum during the human menstrual cycle. *Ultrasound Obstet Gynecol*; 25(5): 498-507.
- Baerwald AR, Walker RA, and Pierson RA (2009):** Growth rates of ovarian follicles during natural menstrual cycles, oral contraception cycles, and ovarian stimulation cycles. *Fertil Steril*; 91(2): 440-9.
- Baerwald AR, Walker RA, et al. (2004):** Growth and regression rates of ovarian follicles during natural menstrual cycles and oral contraception cycles. *Proceedings of the International Federation of Fertility Societies, 18th World Congress on Fertility and Sterility*; 115.
- Bajo Arenas JM, Perez-Medina T and Troyano J (2005):** Sonography of pelvic infection. *Ultrasound Rev Obstetr Gynecol*; 5(1): 81-90.
- Balen AH, Laven JS, et al. (2003):** Ultrasound assessment of the polycystic ovary: international consensus definitions. *Hum Reprod Update*; 9(6): 505-14.

References

- Barbieri RL and Ryan KJ (1995):** The menstrual cycle. In: Kistners Gynecology, edited by Ryan KJ, Berkowitz RS and Barbieri RL, sixth ed., chapter 3; 1: 11.
- Barnett SB, Duck F and Ziskin M (2007):** WFUMB symposium on safety of ultrasound in medicine: Conclusions on recommendations on biological effects and safety of ultrasound contrast agents. *Ultrasound Med Biol*; 33(2): 233-4.
- Bhatt S (2006):** Doppler imaging of the uterus and adnexae. *Ultrasound Clin*; 1(1): 201-21.
- Bhatt S (2006):** Doppler imaging of the uterus and adnexae. *Ultrasound Clin*; 1(1): 201-21.
- Braun P, Grau FV and Pons RM (2005):** Is hysterosalpingography able to diagnose all uterine malformations correctly? A retrospective study. *Eur J Radiol*; 53: 274-9.
- Brown MA and Chang RJ (2007):** Polycystic ovary syndrome: clinical and imaging features. *Ultrasound Q*; 23: 233-8.
- Budev MM, Arroliga AC, et al. (2005):** Ovarian hyperstimulation syndrome. *Crit Care Med*; 33(10 Suppl): S301-6.
- Cohen BJ and Wood DL (2000):** Memmlers the structure and function of human body, 7th ed. Lippincott Williams and Wilkins; 20: 319-324.
- Costello M, Shrestha S, Sjoblom P, et al. (2005):** Power Doppler ultrasound assessment of ovarian perifollicular blood flow in women with polycystic ovaries and normal ovaries during in vitro fertilization treatment. *Fertil Steril*; 83(4): 945-54.

References

- de Silva KS, Kanumakala S, et al. (2004):** Ovarian lesions in children and adolescents: An 11-year review. *J Pediatr Endocrinol Metab*; 17(7): 951-7.
- Decherney AH and Nathan L (2003):** Current obstetric and gynecologic diagnosis and treatment, 9th ed. Lange Medical Books/McGraw-Hill; 53: 979-983.
- Delbaere A, Smits G, et al. (2004):** New insights into the pathophysiology of ovarian hyperstimulation syndrome. What makes the difference between spontaneous and iatrogenic syndrome? *Hum Reprod*; 19(3): 486-9.
- Delbaere A, Smits G, et al. (2005):** Understanding ovarian hyperstimulation syndrome. *Endocrine*; 26(3): 285-90.
- El-Shawarby S, Margara R, et al. (2004):** A review of complications following transvaginal oocyte retrieval for in-vitro fertilization. *Hum Fertil (Camb)*; 7(2): 127-33.
- Exacoustos C, Zupi E, Carusotti C, et al. (2003):** Hysterosalpingo-contrast sonography compared with hysterosalpingography and laparoscopic dye perturbation to evaluate tubal patency. *J Am Assoc Gynecol Laparosc*; 10(3): 367-72.
- Fedele L, Bianchi S, Marchini M, et al. (1996):** Ultrastructural aspects of endometrium in infertile women with septate uterus. *Fertil Steril*; 65: 750-52.
- Flisser E, Grifo JA and Krey LC (2006):** Transabdominal ultrasoundassisted embryo transfer and pregnancy outcome. *Fertil Steril*; 85(2): 353-7.

References

- Guerriero S, Ajossa S, Lai MP, et al. (2000):** Transvaginal ultrasonography associated with colour Doppler energy in the diagnosis of hydrosalpinx. *Hum Reprod*; 15: 1568-1572.
- Horrow MM (2004):** Ultrasound of pelvic inflammatory disease. *Ultrasound Q*; 20: 171-9.
- Jansen FW, de Kroon CD, van Dongen H, et al. (2006):** Diagnostic hysteroscopy and saline infusion sonography: Prediction of intrauterine polyps and myomas. *J Minim Invasive Gynecol*; 13(4): 320-4.
- Jayaprakasan K, Herbert M, et al. (2007):** Estimating the risks of Ovarian Hyperstimulation Syndrome (OHSS): Implications for egg donation for research. *Hum Fertil (Camb)*; 10(3): 183-7.
- Jonathan S and Berek A (2002):** *Novak's Gynecology*; 27: 975-1114.
- Khopkar U, Williams Rm, et al. (2006):** Morbid adhesion of the placenta after hysteroscopic lysis of intrauterine adhesions. *Fertil Steril*; 86(5): 1513 e1-3.
- Klatsky P, Tran D, Caughey A, et al. (2008):** Fibroids and reproductive outcomes: a systematic literature review from conception to delivery. *Am J Obstet Gynecol*; 198(4): 357-66.
- Kunz G, Beil D, Huppert P, et al. (2005):** Adenomyosis in endometriosis; prevalence and impact on fertility: Evidence from magnetic resonance imaging. *Hum Reprod*; 20: 2309-16.
- Kupesic S, Kurjak A, Skenderovic S, et al. (2002):** Screening for uterine abnormalities by three-dimensional ultrasound improves perinatal outcome. *J Perinat Med*; 30: 9-17.

References

- Kupesic S, Kurjak A, Vujisic S, et al. (1997):** Luteal phase defect: comparison between Doppler velocimetry, histological and hormonal markers. *Ultrasound Obstet Gynaecol*; 9: 1-8.
- Kurjak A and Chervenak FA (2008):** Donald School Textbook of Ultrasound in Obstetrics and Gynecology, 2nd ed. Jaypee Brothers Medical Publishers; 978-81.
- Kwee J, Elting ME, Schats R, et al. (2007):** Ovarian volume and antral follicle count for the prediction of low and hyper responders with in vitro fertilization. *Reprod Biol Endocrinol*; 5: 9.
- Lam PM, Johnson IR and Raine-Fenning NJ (2007):** Threedimensional ultrasound features of the polycystic ovary and the effect of different phenotypic expressions on these parameters. *Hum Reprod*; 22: 3116-23.
- Lass A (2003):** Monitoring of in vitro fertilization-embryo transfer cycles by ultrasound versus by ultrasound and hormonal levels: A prospective, multicenter, randomized study. *Fertil Steril*; 80(1): 80-5.
- Lindheim SR, Sprague C and Winter TC III (2006):** Hysterosalpingography and sonohysterography: Lessons in technique. *AJR Am J Roentgenol*; 186(1): 24-9.
- Lyon EA, Gratton D and Harring CH (1992):** Transvaginal sonography of normal pelvic anatomy. *RCNA*; 30: 663.
- Mansour RT and Aboulghar MA (2002):** Optimizing the embryo transfer technique. *Hum Reprod*; 17(5): 1149-53.

References

- Matorras R, Urquijo E, et al. (2002):** Ultrasound-guided embryo transfer improves pregnancy rates and increases the frequency of easy transfers. *Hum Reprod*; 17(7): 1762-6.
- Maugey-Laulom B, Commenges-Ducos M, et al. (2002):** Endometrial vascularity and ongoing pregnancy after IVF. *Eur J Obstet Gynecol Reprod Biol*; 104(2): 137-43.
- Mazouni C, Girard G and Deter R (2008):** Diagnosis of Mullerian anomalies in adults: evaluation of practice. *Fertil Steril*; 89(1): 219-22.
- McWilliams GD and Frattarelli JL (2007):** Changes in measured endometrial thickness predict in vitro fertilization success. *Fertil Steril*; 88: 74-8.
- Merce LT, Bau S, et al. (2006):** Assessment of the ovarian volume, number and volume of follicles and ovarian vascularity by three-dimensional ultrasonography and power Doppler angiography on the HCG day to predict the outcome in IVF/ICSI cycles. *Hum Reprod*; 21(5): 1218-26.
- Merce LT, Bau S, et al. (2006):** Assessment of the ovarian volume, number and volume of follicles and ovarian vascularity by three-dimensional ultrasonography and power Doppler angiography on the HCG day to predict the outcome in IVF/ICSI cycles. *Hum Reprod*; 21(5): 1218-26.
- Miller DL (2008):** Safety assurance in obstetrical ultrasound. *Semin Ultrasound CT MR*; 29(2): 156-64.

References

Mitchell DG, Schonholz L and Hilpert PL (1990): Zomer of the uterus: Discrepancy between US and MRI imaging. *Radiology*; 174: 827.

Nargund G (2006): Ovarian pathology. In: Nargund G, ed. *Avanced ultrasound in reproductive medicine: A theoretical and Practical workshop*. London; HER Trust; 10-14.

Orvieto R (2005): Can we eliminate severe ovarian hyperstimulation syndrome? *Hum Reprod*; 20(2): 320-2.

Ozkan S, Vural B, Caliskan E, et al. (2007): Color doppler sonographic analysis of uterine and ovarian artery blood flow in women with PCOS. *J Clin Ultrasound*; 35: 305-13.

Ragni G, Diaferia D, Vegetti W, et al. (2005): Effectiveness of sonohysterography in infertile patient work-up: A comparison with transvaginal ultrasonography and hysteroscopy. *Gynecol Obstet Invest*; 59(4): 184-8.

Ramsay PA and Jansen RPS (1999): Ultrasonography of the normal female pelvis. In: Anderson JC (Ed). *Gynecologic imaging*. Churchill Livingstone, London; 61-80.

Reddy N, Jain KA and Gerscovich EO (2003): A degenerating cystic uterine fibroid mimicking an endometrioma on sonography. *J Ultrasound Med*; 22(9): 973-6.

Rizk B and Aboulghar M (2010): Ovarian hyperstimulation syndrome. In: Rizk B, ed. *Ovarian hyperstimulation syndrome: Epidemiology, pathophysiology, prevention and management*. Cambridge University Press; 118-24.

References

Rizk BRMB (2010): Ultrasonography in reproductive medicine and infertility. Cambridge University Press.

Salim R, Woelfer B and Backost M (2003): Reproducibility of three-dimensional ultrasound diagnosis of congenital uterine anomalies. *Ultrasound Obstet Gynecol*; 21: 578-82.

Sallam HN and Sadek SS (2003): Ultrasound-guided embryo transfer: A meta-analysis of randomized controlled trials. *Fertil Steril*; 80(4): 1042-6.

Sallam, H N (2004): Should embryo transfer always be performed under ultrasound guidance? *Ultrasound Obstet Gynecol*; 24(4): 383-6.

Saravelos SH, Cocksedge KA and Li TC (2008): Prevalence and diagnosis of congenital uterine anomalies in women with reproductive failure: a critical appraisal. *Hum Reprod Update*; 14(5): 415-29.

Saravelos SH, Cocksedge KA and Li TC (2008): Prevalence and diagnosis of congenital uterine anomalies in women with reproductive failure: A critical appraisal. *Hum Reprod Update*; 14(5): 415-29.

Scheffer GJ, Broekmans FJM, Looman CWN, et al. (2003): The number of antral follicles in normal women with proven fertility is the best reflection of reproductive age. *Hum Reprod*; 18: 700-6.

Shokeir TA (2005): Hysteroscopic management in submucous fibroids to improve fertility. *Arch Gynecol Obstet*; 273(1): 50-4.

Shwayer JM (2008): Pelvic pain, adnexal masses, and ultrasound. *Sem Reprod Med*; 26: 252-65.

References

- Shwayer JM (2008):** Pelvic pain, adnexal masses, and ultrasound. *Sem Reprod Med*; 26: 252-65.
- Siassakos D, Syed A and Wardle P (2008):** Tubal disease and assisted reproduction. *Obstet Gynecol*; 10: 80-7.
- Sinnatamby CS (2000):** Last's Anatomy Regional and Applied, 10th ed. Churchill Livingstone; 5: 293-300.
- Sladkevicius R, Ojha K, Campbell S, et al. (2000):** Threedimensional power Doppler imaging in the assessment of Fallopian tube patency. *Ultrasound Obstet Gynecol*; 16(7): 644-47.
- Smits G, Olatunbosun O, et al. (2003):** Ovarian hyperstimulation syndrome due to a mutation in the follicle-stimulating hormone receptor. *N Engl J Med*; 349(8): 760-6.
- Steinkeler JA, Woodfield CA, Lazarus E, et al. (2009):** Female Infertility: A systematic approach to radiologic imaging and diagnosis. *The Journal of Continuing Medical Education in Radiology. RadioGraphics*; 29: 1353-1370.
- Taniguchi F and Suginami H (2008):** Pregnancy and delivery following sonohysterographic lysis to treat recurrence after hysteroscopic lysis of severe intrauterine adhesions: a case report. *Clin Exp Obstet Gynecol*; 35(3): 215-7.
- Taylor E and Gomel V (2008):** The uterus and fertility. *Fertil Steril*; 89(1): 1-16.
- Tummon I, Newton C, et al. (2004):** Lidocaine vaginal gel versus lidocaine paracervical block for analgesia during oocyte retrieval. *Hum Reprod*; 19(5): 1116-20.

References

- Tur-Kaspa I, Gal M, Hartman M, et al. (2006):** A prospective evaluation of uterine abnormalities by saline infusion sonohysterography in 1,009 women with infertility or abnormal uterine bleeding. *Fertil Steril*; 86: 1731-5.
- Valentin L (2006):** Imaging in gynecology. *Best Pract Res Clin Obstet Gynaecol*; 20: 881-906.
- Valentin L (2006):** Imaging in gynecology. *Best Pract Res Clin Obstet Gynaecol*; 20: 881-906.
- Van Blerkom J (2000):** Intrafollicular influences on human oocyte developmental competence: Perifollicular vascularity, oocyte metabolism and mitochondrial function. *Hum Reprod*; 15(Suppl 2): 173-88.
- van Gestel I, Ijland MM, et al. (2005):** Endometrial waves in in vitro fertilization cycles: A validation study. *Fertil Steril*; 83(2): 491-3.
- Weinraub Z, Herman A (1998):** Three-dimensional hysterosalpingography. In: Merz E (Ed). *3D ultrasonography in obstetrics and gynecology*. Lippincott Williams and Wilkins, Philadelphia; 57-64.
- Wongsawaeng W (2005):** Transvaginal ultrasonography, sonohysterography and hysteroscopy for intrauterine pathology in patients with abnormal uterine bleeding. *J Med Assoc Thai*; 88(Suppl.3): S77-81. Yildizhan R, Adali E, Kolusari A, et al. (2008): *Cases Journal*; 1: 323.

References

Zimmer EZ, Tritsch T and Rottem S (1991): The technique of transvaginal sonography. In: Trilch T and Rottem S. Transvaginal sonography. Elsevier, New York, 2nd Ed; 63-75.