

References

Amplatz K, Moller JH (1993) Cardiac anatomy. In: Amplatz K, Moller JH, Radiology of congenital heart disease. Mosby Year Book, St Louis, pp 13–48

Anderson RH (2000) The anatomic structure of the normal heart, and the structure of congenitally malformed hearts. A handbook prepared to support the foundation course in cardiac morphology held at the Institute of Child Health University College London on 10th and 11th February 2000, UK, pp 2–24

Angelini P, Villason S, Chan AV Jr, Diez JG (1999) Normal and anomalous coronary arteries in humans. In: Angelini P (ed) Coronary artery anomalies. A comprehensive approach. Lippincott Williams and Wilkins, Philadelphia, pp 27–79

Antunes M (1997): repair for acquired valvular heart disease. In Rahimtoola Sh ed, Atlas of heart diseases :Valvular heart disease. Vol XI Philadelphia : Current medicine 12:1-12:23.

Arrive L, Najmark D, Albert F, et al .; (1994) : Cine MRI of mitral regurgitation in planes angled along the intrinsic cardiac axes. Journal of computer associated Tomography 18(4)569-575.

Auerigemma G, Reicheck N, Achiebler M, et al (1990): Evaluation of mitral regurgitation by cine magnetic resonance imaging Am J Cardiology 66 , 621-625.

- Barkhausen J, Goyen M, Ruhm SG, et al (2002)** Assessment of ventricular function with single breath-hold real-time steady-state free precession cine MR imaging. *AJR Am J Roentgenol* 178:731–735
- Bluemke DA , Boxermann LJ , Atalar E and Mcveigh ER (1997) :** Segmented K- space cine breath hold cardiovascular MR imaging : part 1 , principles and technique . *Am J Radiology* 169:395-400.
- Bogaert J, Dymarkowski S , Taylor. A.M (2005) :** cardiac anatomy in clinical cardiac MRI.
- Bogaert J, Duerinckx AJ (1995)** Appearance of the normal pericardium on coronary MR angiograms. *J Magn Reson Imaging* 5:579–587
- Bogaert J, Rademakers FE (2001)** Regional nonuniformity of the normal adult human left ventricle. A 3D MR myocardial tagging study. *Am J Physiol Heart Circ Physiol* 280:610–620
- Bonow RO, Carabello B, De Leon AC ,et al .,(1998):** ACC/AHA guidelines for the management of patients with valvular heart disease : A report of the American collage of cardiology/ American heart association Task Force on practice guidelines. *J Am Coll Cardiol* 32:1486-1588.
- Bouchard A, Higgins CB, Byrd BF, Amparo EP, Osaki L, Axelrod R (1985)** Magnetic resonance imaging in pulmonary hypertension. *Am J Cardiol* 56:938–942

- Boxermann JL ,Mosher TJ , McVeigh ER, et al (1998)** : Advanced MR imaging techniques for evaluation of the heart and great vessels.,*Radiographics* 18: 543-564.
- Boxt LM (1996)** : Magnetic resonance imaging of acquired heart disease. *MRI clinics of north America* Vol 4 No 2: 253-268.
- Boxt LM (1999)** : radiology of the right ventricle, *radiology clinics of north America* VOL 37 No 2:388-390.
- Braunwald E and Awe W (1963)**: the syndrome of sever mitral regurgitation with normal left atrial pressure .*circulation* 27:29-35
- Burbank F, Parish D, Wexler L (1988)** Echocardiographiclike angled views of the heart by MR imaging. *J Comput Assist Tomogr* 12:181–195
- Burgstahler C, Kunze M, Loffl er C, Gawaz MP, Hombach V, Merkle N (2006)**: Assessment of left ventricular outflow tract geometry in non-stenotic and stenotic aortic valves by cardiovascular magnetic resonance. *J Cardiovasc Magn Reson* 8:825-9.
- Byrd FB, Schiller NB, Botvinick EH, Higgins CB (1985)** Normal cardiac dimensions by magnetic resonance imaging. *Am J Cardiol* 55:1440–1442
- Caputo GR, Kondo C, Masui T, et al (1991)**: right and left lung perfusion : invitro and invivio validation with oblique angle , velocity encoded cine MR imaging. *Radiology* 180: 693-698.

- Carr JC, Simonetti O, Bundy J et al (2001)** Cine MR angiography of the heart with segmented true fast imaging with steady-state precession. *Radiology* 219:828–834
- Casolo GC, Zampa V, Rega L, Berti L, Filice M, Picchione N, et al. (1992):**Evaluation of mitral stenosis by cine magnetic resonance imaging. *Am Heart J*;123:1252-60.
- Castillo E, Bluemke DA (2003)** Cardiac MR imaging. *Radiol Clin North Am* 41:17–28
- Cerqueira MD, Weissman NJ, Dilsizian V et al (2002)** Standardized myocardial segmentation and nomenclature for tomographic imaging of the heart. *Circulation* 105:539– 542
- Cheitin and MacGregor J (1997):** acquired tricuspid and pulmonic valve disease. In rahimtoola SH ed . *Atlas of heart disease : Valvular heart disease* St louis Mosby 11.2-1.
- Courtois M, ludbrook PA and Gutierrez PR (1992):** Intracardiac blood flow in the normal heart .In Guteirrez FR, Brown JJ and Mirowitz SA eds. *cardiovascular magnetic resonsnce imaging* Mosby -year book 26-29.
- Didier D,Ratib O , Lerch R and Friedli B (2000):** Detection and quatification of valvular heart disease with dynamic cardiac MRI . *Radiographics* 20:1279-1299
- De Roos A, Doornbos J, van der Wall EE, van Voorthuisen AE (1995)** Magnetic resonance of the heart and great vessels. *Nat Med* 1:711-713

- Dinsmore RE, Liberthson RR, Wismer GL et al (1986)** Magnetic resonance imaging of the thoracic aorta in long and short axis planes: comparison with other techniques in patients with aortic aneurysms. Am J Roentgenol 146:309–314
- Dinsmore RE, Wismer GL, Levine RA, Okada RD, Brady TJ (1984)** Magnetic resonance imaging of the heart: positioning and gradient angle selection for optimal imaging planes. Am J Roentgenol 143:1135–1142
- Dirksen MS, Lamb HJ, Doornbos J et al (2003):** Coronary magnetic resonance angiography: technical developments and clinical applications. J Cardiovasc Magn Reson 5:365-386.
- Djavidani B, Debl K, Lenhart M, Seitz J, Paetzel C, Schmid FX, et al. (2005):** Planimetry of mitral valve stenosis by magnetic resonance imaging. J Am Coll Cardiol 45:2048-53.
- Eichenberger AC, Jenni R, von Schulthess GK. (1993):** Aortic valve
- Enriquez- Sarano M, Seward J, Balley K and Tajik (1994):** effective regurgitant orifice area:A non invasive Doppler development of an old haemodynamic concept. J Am Coll cardiolog 23:44-451;
- Espino Vela J, Contrreras R and Rustrian Rosa P (1969) :** Rheumatic pulmonary valve disease.AmJ cardiol 32:12-18.
- Frahm J, Haase A, Matthei D (1986)** Rapid NMR imaging of dynamic processes using the FLASH technique. Magn Reson Med 3:321–327

- Friedmann BJ, Waters J, Kwan OL, de Maria AN (1985)** Comparison of magnetic resonance imaging and echocardiography in determination of cardiac dimensions in normal subjects. *J Am Coll Cardiol* 5:1369–1376
- Friedrich MG, Schulz-Menger J, Poetsch T, Pilz B, Uhlich F, Dietz R.(2002)** : Quantification of valvular aortic stenosis by magnetic Resonance imaging. *Am Heart J* 144:329-34.
- Fukuda n, Oki T, Lunchi A, et al; (1995)** : predisposing factors for severe mitral regurgitation in idiopathic mitral valve proplase .*Am J Cardiol* 76(7): 503-507.
- Galjee MA, van Rossum AC, van Eenige MJ et al (1995)** Magnetic resonance imaging of the pulmonary venous flow pattern in mitral regurgitation. Independence of the investigated vein. *Eur Heart J* 16:1675–1685
- Gelfand EV and Manning WJ (2007):** Assessment of valvular heart disease with CMR .*Indian j radiol imaging* 17-2.
- Globits S and Higgins CB (1995):** Assessment of valvular heart disease by magnetic resonance imaging . *Am Heart J* 129:369-381.
- Greenberg A and Sandhu F(1999)** :Ventricular function . *Radiolo Clinics of north America* Vol 37 No 2 : 348-351.
- Greenman RL, Shirosky JE, Mulkern RV, Rofsky NM (2003):** Double inversion black-blood fast spin-echo imaging of the human heart: a comparison between 1.5 T and 3.0 T.*J Magn Reson Imaging* 17:648-655 .

Groell R, Schaffler GJ, Rienmueller R (1999) Pericardial sinuses and recesses: findings at electrocardiographically triggered electron-beam CT. *Radiology* 212:69–73

Grothues F, Smith GC, Moon JC, Bellenger NG, Collins P, Klein

Gyroscan NT (1999) release 6 vol 3 : cardiac imaging .philips;

Haimerl J, Freitag-Krikovic A, Rauch A, Sauer E.(2005) : Quantification of aortic valve area and left ventricular muscle mass in healthy subjects and patients with symptomatic aortic valve stenosis by MRI. *Z cardiol* 94:173-81

Hendrick RE (1994): The AAPM/RSNA physics tutorial for residents. Basic physics of MR imaging: an introduction. *Radiographics* 14:829-846.

Heneghan MA, Biancaniello TM, Heidelberger E, Peterson SB, Marsh MJ, Lauterbur PC (1982) Nuclear magnetic resonance zeugmatographic imaging of the heart: application to the study of ventricular septal defect. *Radiology* 143:183–186

Herfkens RJ, Higgins CB, Hricak H et al (1983) Nuclear magnetic resonance imaging of the cardiovascular system: normal and pathologic findings. *Radiology* 147:749–759

Higgins CB (1992): angiography of congenital heart disease in essentials of cardiac radiology and imaging JB. Lippincott company

- Higgins CB, Holt W, Pfugfelder P, Sechtem U (1988)** Functional evaluation of the heart with magnetic resonance imaging. *Magn Reson Med* 6:121–139
- Higgins CB, Lanzer P, Stark D et al (1985)** Assessment of cardiac anatomy using nuclear magnetic resonance imaging. *J Am Coll Cardiol* 5:77S–81S
- Higgins CB, Stark D., McNamara M, et al, (1984):** Multiplane magnetic resonance imaging of the heart and major vessels: studies in normal volunteers. *Am J Radiology* 142:661-667
- Hori Y, Yamada N, Higashi M, Hirai N, Nakatani S (2003)** Rapid evaluation of right and left ventricular function and mass using real-time true-FISP cine MR imaging without breath-hold: comparison with segmented true- FISP cine MR imaging with breath-hold. *J Cardiovasc Magn Reson* 5:439–450
- HU, et al. (2002) :** Comparison of interstudy reproducibility of cardiovascular magnetic resonance with two-dimensional echocardiography in normal subjects and in patients with heart failure or left ventricular hypertrophy. *Am J Cardiol* 90:29-34
- Hundley WG, LI HF , Lange RA , et al (1995) :** Assessment of left to right intra cardiac shunting by velocity encoded , phase difference magnetic resonance imaging : a comparison with oximetric and indicator dilution techniques , *circulation* 91:2955-2960.

Kayser HV ,Stoel BC, Van der Wall EE, et al (1997) :MR velocity mapping of tricuspid flow . Correlation for through plane motion. J Magn Resonance imaging 7:669-673.

Kitchin A and turner R (1964): Diagnosis and treatment of tricuspid regurge : Br Heart J 25:354-379.

Kozerke S, schwitter J, pedersen EM (2001): Aortic and mitral regurgitation: quantification using moving slice velocity mapping . JMRI 14:106-112

Lanzer P, Barta C, Botvinick EH, Wiesendanger HUD, Modin G, Higgins CB (1984) ECG-synchronized cardiac MR imaging: method and evaluation. Radiology 155:681–686

Lanzer P, Botvinick EH, Schiller NB et al (1994): Cardiac imaging using gated magnetic resonance. Radiology 150:121-127.

Lee VS, Resnick D, Bundy JM, et al (2002) Cardiac function: MR evaluation in one breath hold with real-time true fast imaging with steady state precession. Radiology 222:835–842

Lin SJ, Brown PA, Watkins MP, Williams TA, Lehr KA, Liu W, et al (2004). Quantification of stenotic mitral valve area with magnetic resonance imaging and comparison with Doppler ultrasound.J Am Coll Cardiol 44:133-7.

Lipton MJ and Coulden R(1999): Valvular heart disease . Radiologic clinics of north America Vol 37 No 2:319-339.

Longmore DB, Underwood SR, Hounsfield GN et al (1985) Dimensional accuracy of magnetic resonance in studies of the heart. *Lancet* I:1360–1362

Longmore DB, Underwood SR, Hounsfield GN et al (1985) Dimensional accuracy of magnetic resonance in studies of the heart. *Lancet* I:1360–1362

Masci PG, Steven Dymarkowski and Jan Bogaert (2008): Valvular heart disease: what does cardiovascular MRI add? . *Eur Radiol j* 18:197–208.

Meier RA, Hartnell GG (1994) MRI of right atrial pseudo masses. Is it really a diagnostic problem? *J Comput Assist Tomogr* 18:398–402

Menegus MA, Greenberg MA, Spindola-Franco H et al (1992) Magnetic resonance imaging of suspected atrial tumors. *Am Heart J* 123:1260–1268

Mirowitz SA and McKnight RC (1992): Valvular heart disease and miscellaneous conditions. In Guteirrez FR, Brown JJ and Mirowitz SA eds. *Cardiovascular Magnetic Resonance imaging* Mosby. Year book 22-25.

Mirowitz SA, Eilenberg SS and White RD (1992) : Cardiac MR imaging techniques and strategies. In Guteirrez FR, Brown JJ and Mirrovitz SA eds : *Cardiovascular magnetic resonance imaging* Mosby – year book 124-142.

- Mirowitz SA, Gutierrez FR (1992)** Fibromuscular elements of the right atrium: pseudomass at MR imaging. *Radiology* 182:231–233
- Mohiaddin RH, Amanuma M, Kilner PJ, Pennell DJ, Manzara C, Longmore DB (1991)** MR phase-shift velocity mapping of mitral and pulmonary venous flow. *J Comput Assist Tomogr* 15:237–243
- Murray TI, Boxt LM, Katz J, Reagan K, Barst RJ (1994)** Estimation of pulmonary artery pressure in patients with primary pulmonary hypertension by quantitative analysis of magnetic resonance images. *J Thorac Imaging* 9:198–203
- Muthurangu V, Taylor AM, Andriantsimiavona R et al (2004)** A novel method of quantifying pulmonary vascular resistance utilizing simultaneous invasive pressure monitoring and phase contrast MR flow. *Circulation* .
- O Rourke (2001)** : mitral valve prolapse syndrome. In Fuster V, Alexander RW ,O Rourke RA eds .*HURST S the heart* . tenth edition Vol 2 MCGraw- Hill 1729-1740;
- O'Donovan PB, Ross JS, Sivak ED, O'Donnell JK, Meaney TF (1984)** Magnetic resonance imaging of the thorax: the advantages of coronal and sagittal planes. *Am J Roentgenol* 143:1183–1188
- Pantly G, Morton MJ and rahimotoola AH (1978)** : Effects of successful uncomplicated valves replacement on ventricular hypertrophy volume and performance in aortic stenosis and aortic incompetence. *J Thoracic cardiovasc surg* 75:383-391.

Park JH, Han MC, Oh BH, Im JG, Kim SH (1990);: Magnetic resonance evaluation of mitral stenosis. *Cardiovasc Intervent Radiol* 13:294-9.

Paz R, Mohiaddin RH, Longmore DB (1993) Magnetic resonance assessment of the pulmonary arterial trunk anatomy, flow, pulsatility and distensibility. *Eur Heart J* 14:1524–1530

Peshock RM, Willett DL , Sayad DE , et al (1996): Quantitative MR imaging of the heart ,MRI clinics of north America Vol 4 No 2 :287-305 .

Pfugfeider PQ , Landzberg JS , Cassidy MM, et al (1989): Comparison of cine MR imaging with Doppler echocardiography for the evaluation for the evaluation of the aortic regurgitation , *Am J Radiology* 152:729-735.

Post S, Berman D, Garcia E et al (1999) Imaging guidelines for nuclear cardiology procedures: part 2. *J Nucl Cardiol* 6:49–84

pressure gradients in patients with aortic valve stenosis: Quantification with velocity-encoded cine MR imaging. *AJR Am J Roentgenol* 160:971-7.

Prince (1996) Body MR angiography with gadolinium contrast agents. *Magn Reson Imaging Clin North Am* 4:11– 24

Rahimatoola SH (1997): Aortic regurgitation In Rahimatoola . *Atlas of heart disease; Valvular heart disease.Vol XI Philadelphia : Current medicine* 7.1-7,26;.

- Rajappan K, Bellenger NG, Melina G, Di Terlizzi M, Yacoub MH, Sheridan DJ, et al. (2003)** :Assessment of left ventricular mass regression after aortic valve replacement--cardiovascular magnetic resonance versus M-mode echocardiography. *Eur J Cardiothorac Surg* 24:59-65.
- Rebergen SA , Niezen RA, Helbing WA, et al ., (1996)** : cine gradient echo MR imaging and MR velocity mapping in the evaluation of congenital heart disease. *Radiographics* 16:467-481.
- respiratory suppression techniques. (1999)** *J Magn Reson Imaging* 9:786–793
- Roebuck EJ, Worthington BS (1981)** Nuclear magnetic resonance (NMR) tomography of the normal heart. *J Comp Assist Tomogr* 5:605– 612
- Schiller N, Shah P, Crawford M et al (1989)** A recommendation for quantification of the left ventricle by two dimensional echocardiography. *J Am Soc Echocardiogr* 5:358–367
- Schoen FJ and Sutton St.J (1991)** : contemporary pathologic considerations in valvular disease.In: Virmani B, Atkinson JB, Feuoglio JJ eds. *Cardiovascular pathology*. Philadelphia saunders 334-353
- Schwittler J (2000)**: Valvular heart disease: assessment of valve morphology and quantification using MR . *Herz* 25 Nr 4:342-354.
- Sechtem U, Tscholakoff D, Higgins CB (1986)** MRI of the abnormal pericardium. *Am J Roentgenol* 147:245–252

Sechtem U, Tscholakoff D, Higgins CB (1986) MRI of the normal pericardium. Am J Roentgenol 147:239–244

Simonetti OP, Finn JP, White RD, Laub G, Henry DA (1996) “Black blood” T2-weighted inversion-recovery MR imaging of the heart. Radiology 199:49–57

Smith RC, McCarthy S (1992): Physics of magnetic resonance. J Reprod Med 37:19-26.

Sondergaard L, Stahlberg F and Thomsen C (2003): Valvular heart disease In : Charles BH and albert DE ross eds. Cardiovascular MRI and MRA . Lippincott williams and wilkins, philadelphia 155-168.

Srichai MB, Grimm RA, Stillman AE, Gillinov AM, Rodriguez LL, Lieber ML, et al. (2005): Ischemic mitral regurgitation: Impact of the left ventricle and mitral valve in patients with left ventricular systolic dysfunction. Ann Thorac Surg ; 80:170-8.

Starling M, Kirsh M, montgomery D and Gross M (1993) : Impaired left ventricular contractile function in patients with long term mitral regurgitation and normal ejection fraction. J Am coll cardiol 22:239-250.

Stehling MK, Holzkecht NG, Laub G, Bohm D, von Smekal A, Reiser M (1996) Single-shot T1- and T2-weighted magnetic resonance imaging of the heart with black blood: preliminary experience. MAGMA 4:231–240

- Stuber M, Botnar RM, Danias PG et al (1999)** Double-oblique free-breathing high resolution three-dimensional coronary magnetic resonance angiography. *J Am Coll Cardiol* 34:524–531
- Szolar DH , Sakuma H and Higgins CB (1996)** : Cardiovascular applications of magnetic resonance flow and velocity measurements. *J Mag Reson Imaging* 1:78-89.
- Talreja DR, Edwards WD, Danielson GK et al (2003)** Constrictive pericarditis in 26 patients with histologically normal pericardial thickness. *Circulation* 108:1852–1857
- Taylor AM, Keegan J, Jhooti P, et al (1999)** Differences between normal subjects and patients with coronary artery disease for three different MR coronary angiography
- Tonnemacher D, Reid CL , Kawanishi DT , et al (1987):** Fregnancy of myxomatous degeneration of the aortic valve as a cause of isolated aortic regurgitation sever enough to warrant aortic valve replacement. *Am J Cardiol* 60: 1194-1196.
- Tscholakoff D, Higgins CB (1985)** Gated magnetic resonance imaging for assessment of cardiac function and myocardial infarction. *Radiol Clin North Am* 23:449–456
- Waller BF (1986)** : rheumatic and non rheumatic conditions producing valvular heart disease *cardiovasc clin* 16:3-104
- Waller BF , Howard J and Fess S (1995)** : pathology of tricuspid valve stenosis and pure tricuspid regurgitation. *Clin Cardiology I* 18:225-230.

- Winterer JT, Lehnhardt S, Schneider B et al (1999)** MRI of heart morphology. Comparison of nongradient echo sequences with single- and multislice acquisition. *Invest Radiol* 34:516–522
- Wood P (1954).** : An appreciation of mitral stenosis: part I clinical features. *BMJ* 1:1051-1063;
- Wytenbach R, Bremerich J , saeed M and Higgins CB (1998):** Integrated MR imaging approach to valvular heart disease. *Cardiol cli* 16:277-294.
- Yoshida K, yoshikawa J and shakudo M (1988)** : color Doppler evaluation of valvular regurgitation in normals. *Circulation* 78:840-847.