

References

- ❖ **Akwari OE, Dozois RR, Weiland LH, Bcahrs OH.** Leiomyosarcoma of the small and large bowel. *Cancer* **2000**;42:1375-1384.
- ❖ **Amin MB, Ma CK, Linden MD, Kuhns JJ, Zarbo RJ.** Prognostic value of proliferating cell nuclear antigen in gastric stromal tumors. *Am J din Pathol* **2000** ; 100:428-432.
- ❖ **Aogi K, Hirai T, Mukaida H, Toge T, Haruma K, Kajiyama G.** Laparoscopic resection of submucosal gastric tumors. *Jpn J Surg* **2009**,29:102-6.
- ❖ **Appelman .HD:** Mesenchymal tumors of the gut: Historical perspectives, new approaches, new results and **does** it make any difference? *Monogr Pathol* 31:220-246,**2000**.
- ❖ **Baak JP.** Mitosis counting in tumors. *Hum Pathol* **2000** ;21 .-683-685.
- ❖ **Bedikian AY, Khankhanian N, Valdivieso, et al.** Sarcoma of the stomach: clinicopathologic study of 43 cases. *JSurgOncol* **2005**;13:121-7.
- ❖ **Blanke DC, von Mehren M, Joensuu H, et al.** Evaluation of the safety and efficacy of an oral molecularly targeted therapy, STI571, in patients with unresectable or metastatic gastrointestinal stromal tumors expressing c-kit (CD 117). *Proc Annu Meet Am Soc ClinOncol.* **2004**;20. Abstract 1.
- ❖ **Bonavina L, Segalin A, Rosati R, Pavanello M, Peracchia A.** Surgical therapy of esophageal leiomyoma. *J Am Coll Surg* **2007**;181:257- 62.
- ❖ **Brainard JA, Goldblum JR.** Stromal tumors of the jejunum and ileum. *Am J Surg Pathol* **2004**,21:407-416.
- ❖ **Burns AJ, Lomax AEJ, Tonhashi S, Sanders KM, and Ward SM.** Interstitial cells of Cajal mediate inhibitory neurotransmission in the stomach. *Proc NatlAcadSci USA* 93:12008-12013,**2006**.
- ❖ **Cajal SR.** Histologic du systeme nerveux de l'homme et des verte'bre's. Pni-is: Maloine, **1911**, vol. 2, p. 891-942.

- ❖ **Carney JA.** The triad of gastric epithelioid leiomyosarcoma, pulmonary clondroina and functioning extra-adrenal paraganglioma: a five year review. *Medicine (Baltimore)* **1983**;62:159-169.
- ❖ **Carrillo R, Candia A, Rodriguez-Peralto JL, Caz V.** Prognostic significance of DNA ploidy and proliferative index (MIB-1 index) in gastrointestinal stromal tumors. *HumPathol* **2004**;28:160-165.
- ❖ **Carson W, Karakousis C, Douglass H, Rao U.** Results of aggressive treatment of gastric sarcoma. *Ann SurgOncol* **2006** :244 -51.
- ❖ **Catena F, Pasqualine E, Campione O.** Gastrointestinal stromal tumors: experience of an emergency surgery department. *Dig Surg* **2003**; 17: 503-07.)
- ❖ **Chak A, Canto MI, Rosch T, Dittler HJ.** Endosonographic differentiation of benign and malignant stromal cell tumors. *Gastrointest Endosc* **2005**;45:468-473.
- ❖ **Chan JKC.** Mesenchymal tumors of the gastrointestinal tract: a paradise for acronyms (STUMP,GIST,GANT, and now GIPACT). Implications of c-kit in genesis, and yet another of many emerging roles of the interstitial cell of Cajal in the pathogenesis of gastrointestinal disease. *Adv Anat Pathol* **2003**;6:19-40.
- ❖ **Chen H, Pmitt A, Nicol TL, Gorgulu S, Choti MA.** Complete hepatic resection of metastases from leiomyosarcoma prolongs survival. *J Gastrointest Surg* **2008**;2:151-5.
- ❖ **Cohen A, Geller SA, Horowitz I, Toth LS, Werther JL.** Experimental models for gastric leiomyosarcoma. *Cancer* **2000**;53:1088-92.
- ❖ **Conlon KC, Casper ES, Brcnnan MF.** Primary gastrointestinal sarcomas: analysis of prognostic variables. *Ann Surg Oncol* **2000**;2:26 -31.
- ❖ **Cooper Pi, Quirkc P, Hardy GJ, Dixon MF.** A flow cytometric, clinical, and histological study ofstromal neoplasms of the gastrointestinal tract. *Am JSurgPathol* **2005**; 16:16 3-170.
- ❖ **Crosby JA, Catton CN, Davis A, et al.**Malignant gastrointestinal stromal tumors of the small intestine: a review of 50 cases from a prospective database.*Ami Surg Oncol* **2006**; 8 : 50-59 .

- ❖ **Cuunningham RE, Federspiel BIT, McCarthy WF, et al.** predicting prognosis of gastrointestinal smooth muscle tumors. Role of clinical and histologic evaluation, flow cytometry, and image cytometry. *Am J Surg Pathol* **2004**; 17:588-594.
- ❖ **Daniel EE and Posey-Daniel V.** Neuromuscular structures in opossum esophagus: role of interstitial cells of Cajal. *Am J Physiol Gastrointest Liver Physiol* 26: G305-G315, **2000**.
- ❖ **De Saint Aubain Somerhausen_ N, Fletcher CDM:** Gastrointestinal stromal tumours: An update. *Sarcoma* 2:133 - 141, **2003**.
- ❖ **Dematteo RP, Heinrich MC, El-Rifai WM, Demetri G:** clinical management of gastrointestinal stromal tumors: before and after STI-571. *Human Pathol* 33:466-477, **2005**.
- ❖ **Dematteo RP, Lewsi JJ, Leung D, Mudan SS, Woodruff JM, Brennan** clinical management of gastrointestinal stromal tumors: before and after STI-571. *Human Pathol* 33:466-477, **2008**.
- ❖ **Dickens EJ, Hirst GD, and Tomita T.** Identification of rhythmically active cells in guinea-pig stomach. *J Physiol (Lond)* 514: 515-531, **2006**.
- ❖ **Dougherty MJ, Coington C, Talbert M, Wood WC.** Sarcoma of the gastrointestinal tract: separation into favorable and unfavorable prognostic groups by mitotic count. *Ann Surg* **2006**;214:569 -574.
- ❖ **Druker BJ, Sawyers CL, Kantarjian H, et al.** Activity of a specific inhibitor of the BCR-ABL tyrosine kinase in the blast crisis of chronic myeloid leukemia and acute lymphoblastic leukemia with the Philadelphia chromosome. *N Engl J Med.* **2005**;344:1038-1042.
- ❖ **Edmonson J, Marks R, Buckner J, et al.** Contrast of response to D-MAP plus sargramotin between patients with advanced malignant gastrointestinal stroma tumors and patients with other advanced leiomyosarcomas. *Proc Am Assoc Cancer Rws (abstr)* **2002**; 18: 541.
- ❖ **El-Rifai W, Sarlomo-Rikala M»Andersson LC, et al.** High-resolution deletion mapping of chromosome 14 in stromal tumors of me gastrointestinal tract suggests two distinct tumor suppressor loci. *Genes Chromosomes Cancer.* **2005**;27:387-391.

- ❖ **Emory TS, Sobin LH, Lukes L, et al.** Prognosis of gastrointestinal smooth- cell (stromal) tumors: dependence on anatomic site. *Am J Surg Pathol* **2003**;23:82-87.
- ❖ **Evans HL.** Smooth muscle tumors of the gastrointestiial tract. A study of 56 cases followed for a minimum of 10 years. *Cancer* **2000**; 56:2242-2250.
- ❖ **Fletcher CDM, Berman JJ, Corless C, et al.** Diagnosis of gastromtestinal stroma tumors: a consensus approach. *Hum Pathol* **2002**; 33: 459-65.
- ❖ **Fox KR, Moussa SM, Mitre RJ, Zidar BL, Raves JJ.** Clinical and -pathologic features of primary gastric rhabdomyosarcoma. *Cancer* **2000**;66:772-778.
- ❖ **Franquemont DW, Frierson HF.** Proliferating cell nuclear antigen immunoreactivity and prognosis of gastromtestinal stromal tumors. *Mod Pathol* **2004**;8:473-477.
- ❖ **Franquemont DW.** Differentiation and risk assessment of gastromtestinal stromal tumors. *Am J din Pathol* **2003**;103:41-47.
- ❖ **Goldblum JR, Appelman HD:** Stromal tumors of the duodenum: A histologic and Immunohistochemical study of 20 cases. *Am J Surg Pathol* 23:82 - 87, **2003**
- ❖ **Haqqani MT, Krasner N, Ashworth M.** Benign mesenchymoma of the stomach. *J din Palhol* **2000**;36:504-507.
- ❖ **Hasegawa T, Matsuno Y, Shimoda T, Hirohashi S:** Gastrointestinal stromal tumor: Consistent CD 117 immunostaining for diagnosis and prognostic classification based on tumor size and MIB-1 grade. *Hum Pathol* 33: 669-676, **2008**.
- ❖ **Heinrich MC, Blanke CD, Druker BJ, Corless CL:** Inhibition of KIT tyrosine kinase activity: a novel molecular approach to the treatment ofKIT-positive malignancies. *J din Oncol* 20:1692-1703,**2009**.
- ❖ **Herrera GA, Cerezo L, Jones JE, et al:** Malignant small bowel neoplasm of enteric plexus derivation (plexosarcoma). Light and electron microscopic study confirming the origin of the neoplasm. *Dig Dis Sci* 29:275 - 284,**2001**.

- ❖ **Hillemanns M, Pasold S, Bottcher K, et al.** Prognostic factors of gastrointestinal stromal tumors of the stomach. *Verh Dtsch Ges Pathol.* **2004**;82:261-266.
- ❖ **Hirata L, Schnitt FC.** Gastrointestinal stromal tumor (GIST): morphologic and in immunohistochemical study of 10 cases. *Arq Gastroenterol.* **2003**;28:55-58.
- ❖ **Hirota S, Isozaki K, Moriyama Y, et al.** Gain-of-function mutations of c-KIT in human gastrointestinal stromal tumors. *Science* **2005**; 279: 577-80.
- ❖ **Hjermstad BM, Sobin LH, Helwig EB.** Stromal tumors of the gastrointestinal tract: myogenic or neurogenic? *Am J Surg Pathol.* **2000**;11:383-386.
- ❖ **Horiguchi K, Semple GSA, Sanders KM, and Ward SM.** Distribution of pacemaker function through the tunica muscularis of the canine gastric antrum. *J Physiol (Lond)* 537: 237-250, **2008**.
- ❖ **Hornick JL, Fletcher CDM:** Immunohistochemical staining for K.RR (CD 117) in soft tissue sarcomas is very limited in distribution. *Am J Clin Pathol* 117:188 -193, **2005**.
- ❖ **Huizinga JD, Thuneberg L, Kluppel M, Malysz J, Mikkelsen HB, and Bernstein A.** W/kit gene required for interstitial cells of Cajal and for intestinal pacemaker activity. *Nature* 373: 347-349. **2002**.
- ❖ **Joensuu H, Roberts PJ, Sarlomo-Rikala M, et al.** Brief report: effect of the tyrosine kinase inhibitor STI571 in a patient with a metastatic gastrointestinal stromal tumor. *NEnglJMed.* **2004**; 344:1052-1056.
- ❖ **Karakousis CP, Kontzoglou K, Driscoll DL.** Intraperitoneal chemotherapy in disseminated abdominal sarcoma. *Ann SurgOncol* **2005**;4:496-8.
- ❖ **Khalifa AA, Bong WL, Rao VK, Willisuns MJ.** Leiomyosarcoma of the rectum: report of a case and review of the literature. *Dis Colon Rectum* **2002**;29:427-32.
- ❖ **Kindblom L-G, Remotti HE, Aldenborg F and Meis-Kindblom JM.** Gastrointestinal pacemaker cell tumor (GIPACT). Gastrointestinal stromal tumors show phenotypic characteristics of the interstitial cells of Cajal. *Am J Pathol* **2005**; 152:1259-1269.

- ❖ **Kirn MJ, Yun SH, Sohn SK, Min JS.** Comparative study of transrectal ultrasonography, pelvic computerized tomography, and magnetic resonance imaging in preoperative staging of rectal cancer. *Dis Colon Rectum* **2006**;42:770-5.
- ❖ **Kodet R, Snajdauf J, Smelhaus V, et al.** Gastrointestinal autonomic nerve tumor: a case report with electron microscopic and immunohistochemical analysis and review of the literature. *Pediatr Pathol.* ,**2005**;14:1005-1016.
- ❖ **Langton P, Ward SM, Carl A, Norell MA, and Sanders KM.** Spontaneous electrical activity of interstitial cells of Cajal isolated from canine proximal colon. *Proc NatlAcadSci USA* 86: 7280-7284,**2005**.
- ❖ **Lasotsa J, Micttincn M.** Gastrointestinal stroinal tumors: definition, clinical, histological, immunohistochemical, and molecular genetic features and differential diagnosis. *Virchows Arch.* **2008**; 438:1-12.
- ❖ **Lauwers GY, Eriandson RA, Casper ES, Brennan MF, Woodruff JM.** Gastrointestinal autonomic nerve tumors. A clinicopathological, immunohistochemical, and ultrastructural study of 12 cases. *Am J Surg Pathol* **2002**; 17:887-897.
- ❖ **Lavin P, Hajdu SI, Foote FWJ.** Gastric and extragastric leiomyoblastomas. *Cancer* **2000**;29:305-311.
- ❖ **Lecoin L, Gabella G, Le Douarin N.** Origin of the c-kit positive intestinal cells I the avian bowel. *Development* **2004**; 122: 725-33.
- ❖ **Lee JS, Nascimento AG, Farnell MB, et al.** Epithehoid gastric stromal tumors (leiomyoblastomas): a study of fifty-five cases. *Surgery* **2004**;118:653-660, discussion 660-661
- ❖ **Lehnert T.** Gastrointestinal sarcoma (GIST): a review of surgical management. *Ann ChirGynaecol* **2008**;87:297-305.
- ❖ **Lespi J, Drut R.** Gastromtestinal autonomic tumor associated with von Recklinghausen's disease. *Acta Gastroenterol LatinoanL.* **2006**;27:271-274.
- ❖ **Licht JD, Weissmann LB, Antman K.** Gastrointestinal sarcomas. *Semin Owco*/**2001**;15:181-8.

- ❖ **Ludwig DJ, Traverse LW.** Gut stromal tumors and their clinical behavior. *AmJSurg.* **2003**;173:390-394.
- ❖ **Lux ML, Rubin BP, Biase TL, et al:** KIT extracellular and Kinase domain mutations in gastromtestinal stromal tumors. *Am J Pathol* 156:791 - 795,**2006**.
- ❖ **Ma CK, Amin MB, Kintanar, ct al.** Immunohistologic characterization of gastrointestinal stroinal tumors: a study of 82 cases compared with 11 cases of leiomyomas *Mod Palhol* **2006**;6:139-144.
- ❖ **Maeyama H, Hidaka E, Ota H, et al.** Familial gastrointestinal stromal tumor with hyperpigmentation: association with a germline mutation of the c-kit gene. *Gastroenterology* **2005**; 120: 210-15.
- ❖ **Marci V, Casorzo L, Sarotto I, et al.** Gastrointestinal stromal tumor, uncommitted .type, with monosomies 14 and 22 as the only chromosomal abnormalities. *Cancer Genet Cytogenet.* **2006**; 102:135-138..
- ❖ **Mazur MT, Clark HB:** Gastric stromal tumors: Reappraisal of histogenesis. *Am J Surg Pathol* 7:507 - 519, **2000**.
- ❖ **Meittinen M, Virolainen M, Rikala MS.** Gastrointestinal stromal tumors: value of CD34 antigen and their identification and separation from true leiomyomas and true *schv/samovasis*. *Am J Surg Pathol* **2001**;19:207-216.
- ❖ **Miettinen M, Furlong M, Sarlomo-Rikala M, et al:** Gastromtestmal stromal tumors, intramural leiomyomas and leiomyosarcomas in the rectum and anus. A clinicopathologic, immunohistochemical and molecular genetic' study of 144 cases. *Am J Surg Pathol*25:1121-1133,**2005**.
- ❖ **Mikhael Al, Bacchi CE, Zarbo RJ, Ma CK, Gown AM.** CD 34 expression in stromal tumors of me gastrointestinal tract. *Appi Immunohistochem* **2005**;2:89-93.
- ❖ **Ming K-W:** Small intestinal stromal tumors with skeinoid fibers. Clinicopathological, immunohistochemical and ultrastructural investigations. *AmJSurgPathol* 16:145-155, **2003**.
- ❖ **Montgomery E, Torbenson MS, Kaushal M, et al:** -catenin immunohistochemistry separates mesenteric fibromatosis from gastrointestinal stromal tumor and sclerosing mesenteritis. *Am J Surg Pathol* 26:1296-1301,**2007**.

- ❖ **Morgan BK, Compton C, Talbert M, Gallagher WJ, Wood WE.** Benign smooth muscle tumors of the gastrointestinal tract. A 24-year experience. *Ann Surg* **2003**;211:63-66.
- ❖ **Mudan SS, Conlon KC, Woodruff JM, Lewis JJ, Brennan MF.** Salvage surgery for patients with recurrent gastrointestinal sarcoma: prognostic factors to guide patient selection. *Cancer* **2000**;88:66 -74.
- ❖ **Mudan SS, Conlon KC, Woodruff JM, Lewis JJ, Brennan MF.** Salvage surgery for patients with recurrent gastrointestinal sarcoma: prognostic factors to guide patient selection. *Cancer* **2009**;88:66 -74.
- ❖ **Newman PL, Wadden C, Fletcher CD, et al.** Gastrointestinal stromal tumours: correlation of immunophenotype with clinicopathological features. *PW*. **2004**;164:107-117.
- ❖ **Ng E-H, Pollack RE, Munsell MF, Atkinson EN, Romsdahl MM.** Prognostic factors influencing survival in gastrointestinal sarcomas: implications for surgical management and staging. *Ann Surg* **2007** ;215:68 - 77.
- ❖ **Nishida T, Hirota S, Taniguchi M, et al.** Familial gastrointestinal stromal tumour with germline mutation of the KIT gene. *Nat Genet* **2004**; 1: 323-24.
- ❖ **Nishida T, Hirota S.** Biological and clinical review of stromal tumors in the gastrointestinal tract. *Histol Histopathol* **2003**; 15 : 1293-301. 106
- ❖ **Ojanguren I, Ariza A, Navas-Palacios JJ.** Gastrointestinal autonomic nerve tumor: further observations regarding an ultrastructural and immunohistochemical analysis of six cases. *Hum Pathol.* **2004**;27:1311-1318.
- ❖ **Ordo T, Ward SM, and Sanders KM.** Interstitial cells of Cajal generate electrical slow waves in the murine stomach. *J Physiol (Lond)* 518: 257-269, **2004**.
- ❖ **Persson S, Kindblom LG, Angervall L, et al.** Metastasizing gastric epithelioid leiomyosarcomas (leiomyblastomas) in young individuals with long-term survival. *Cancer* **2005**;70:721-732.
- ❖ **Pfeffel F, Stiglbauer W, Depisch D, et al.** Coincidence of Crohn's disease and a high-risk gastrointestinal stromal tumor of the terminal ileum. *Digestion.* **2003**;60:363-366.

- ❖ **Rcith JD, Goldbluni JR, Lyics Ull, Wciss SW:** Extragastrointestinal (soft tissue) stromal tumors: an analysis of 48 cases with emphasis on histological predictors of outcome. *Mod Pathol* 13: 577-585, **2000**.
- ❖ **Ricci Z Jr, Ciccarelli O, Cartun RW, et al.** A clinicopathological and immunohistochemical study of 16 patients with small intestinal leiomyosarcoma. Limited utility of immunophenotyping. *Cancer* **2000**;60:1790-1799.
- ❖ **Rocco G, Trastek VF, Deschamps C, Alien MS, Miller DL, Pairolero PC.** Leiomyosarcoma of the esophagus: results of surgical treatment. *Ann Thorac Surg* **2008**,66:894-1
- ❖ **Rosai J, ed.** *Ackerman's Surgical Pathology*. 8th ed. St. Louis, Mo: Mosby; **2005**.
- ❖ **Rubin BP, Fletcher JA, Fletcher CDM:** Molecular insights into the J Surg Pathol 8:5 - 10,**2006**.
- ❖ **Rudolph P, Gloeckner, Parwaresch R, et al.** Immunophenotype, proliferation DNA ploidy, and biological behavior of gastrointestinal stromal tumors: a multivariate clinicopathologic study . *Hum Pathol* **2005**;29: 791-800.
- ❖ **Sanders KM, Torihashi S, Ordog T, Koh SD, and Ward SM.** Development and plasticity of interstitial cells of Cajal. *Neurogastroenterol Motil*1:311-338,**2005**.
- ❖ **Sanders KM.** A case for interstitial cells of Cajal as pacemakers and mediators of neurotransmission in me gastrointestinal tract. *Gastroenterology* 111: 492-515,**2003**.
- ❖ **Saul SH, Rast ML, Brooks JJ.** The iininunocytochemistry of gastromtestinal stromal tumors: evidence supporting an origin from smooth muscle. *Am J Surg Pathol* **2000**; 11:464^173.
- ❖ **Savage DG, Antman KH:** Imatinib mesylate-a new oral targeted therapy. *N Engi J Med* 346: 683-693, **2009**.
- ❖ **Sbasching RJ, Cunningham RE, Sobin LH, O'Leary TJ.** Proliferating-cell nuclear antigen immunocytochemistry in the evaluation of gastrointestinal smooth muscle tumors. *Mod Pathol* **2005**;7:780-783.
- ❖ **Shanks JH, Harris M, Banerjee SS, Eyden BP.** Gastrointestinal autonomic nerve tumors: a report of 9 cases. *Histopathology* **2006**; 29:111- 121.

- ❖ **Shiu MH, Farr GH, Papachristou DN, Hajdu SI.** Myosarcomas of the stomach: natural history, prognostic factors and management. *Cancer* **2005**;49:177-187.
- ❖ **Spiliotis J, Scopa CD, Kyriakopoulou D, Pitsis A.** Smooth muscle tumors of the gastrointestinal tract: a 10 year experience. *Eur J Surg Oncol* **2002**; 17:580.
- ❖ **Strickland L, Letson GD, Muro-Cacho CA.** Gastrointestinal stromal tumors. *Cancer Control* **2006**; 8: 52-61.
- ❖ **Suster S:** Gastrointestinal stromal tumors. *Semin Diagn Pathol* 13:297-313, **2005**.
- ❖ **Tirabosco R, Cavazzana A, Santeusano G, et al.** Gastrointestinal stromal tumor: evidence for a smooth-muscle origin. *Mod Pathol.* **2004**;8:193-196.
- ❖ **Torihashi S, Ward SM, Nishikawa SI, Nishi K, Kobayashi S, and Sanders KM.** c-kit-dependent development of interstitial cells and electrical activity in the murine gastrointestinal tract. *Cell Tissue Res* 280: 97-111, **2004**.
- ❖ **Tworek JA, Goldblum JR, Weiss SW, et al.** Stromal tumors of the large abdominal colon: A clinicopathologic study of 20 cases. *Am J Surg Pathol* 23:937-945, **2006**.
- ❖ **Ucyama T, Guo KJ, Ishiino T, et al.** A clinicopathologic and immunohistochemical study of gastrointestinal stromal tumors. *Cancer* **2003**;69:947-955
- ❖ **Van De Rijne M, Hendrickson MR, Rouse RV.** CD 34 expression by gastrointestinal tract stromal tumors. *Hum Pathol* **2004**;25:766-771.
- ❖ **Van Oosterom AT, Judson I, Verweij J, et al:** Safety and efficacy of imatinib (STI-571) in metastatic gastrointestinal stromal tumors: A phase 1- study. *Lancet* 358: 1421-1423, **2006**.
- ❖ **Van Oosterom AT, Judson J, Verweij J, et al.** STI571, an active drug in metastatic gastrointestinal stromal tumors (GIST): an EORTC phase I study. *Proc Ann Meet Am Soc Clin Oncol.* 2001;20. Abstract 2. *Ann Surg.* **2004**;231:51-58.
- ❖ **Vanderwinden JM.** Role of interstitial cells of Cajal and their relationship with the enteric nervous system. *Exp-J Morphol* 37:250-256, **2006**.