

REFERENCES

Abramson D.I. (1991): Vascular disorders of the extremities. 9th edit. Hagerstown, Maryland, Harper & Row, 102-137.

Abramson A. (1994): The surgical treatment of varicose veins:

A method practiced in Italy. Surgery and sclerotherapy. In Hobbs JT. Ed., The treatment of venous disorders. London, MTP press. 133- 137.

Agrifoli G. and Edwards EA. (1994): Surgical Treatment of varicose veins. J.A.M.A., 178 : 906.

Almgren B., Erikson I., Bylund H., Lorelius L.E. (1990): Phlebographic evaluation of non-thrombotic deep venous incompetence: New anatomic and function aspects. J Vasc Surg, 11:389.

Aremu MA, Mahendran B, Butcher W, et al, (2004) : Prospective randomized controlled trial: conventional versus powered phlebectomy. J Case Surg; 39: 88 - 94.

Barnes R.W., Russell H.E., Wilson. (1994): The rational treatment of varicose veins. London, Faber and Faber, 117-120. phlebographic evaluation of non-thrombotic deep venous incompetence: New anatomic and function aspects. J. Vas Surg, 11:389.

Barrett JM., Alien B, Ockelford A. and Goldman M.P.(2004): Microfoam. ultrasound-guided sclerotherapy of varicose veins in 100 legs. Dermatol Surg; 30:6-12.

Basmajian J. (1952) . The distribution of valves in the femoral ,external iliac and common iliac veins and their relationship to varicose vein . Surg ,Gynecol Obstet ; 95:537 .

Belcaro G., Nicolaides AN., Errichi BM. and Cesarone MR. (1999): Superficial Thrombophlebitis of the legs: a randomized, controlled, follow-up study. Angiology; 50-53.

Belcaro G., Cesarone MR., Di Renzo A., et al, (2003): Foamsclerotherapy, surgery, sclerotherapy, and combined treatment for varicose veins: a 20-year, prospective, randomized, controlled, trial (VEDICO trial). Angiology;54:307-315.

Beninson J. (1996): The support of venous circulation. Angiology.33:442.

Bergan JJ. and Yao JST. , (1991) : Surgery of veins, Orlando, Grune and Stratton.: 275-356.

Bergan JJ. (1992) : Surgical procedures for varicose veins: axial stripping and stab avulsion. In Bergan JJ and Kistner PL (eds): Atlas of Venous Surgery, Philadelphia, WB Saunders.

Bergan JJ.(1993) : New developments in the surgical treatment of venous disease. Cardiovascular surgery, 1: 624 - 631.

Bergan JJ . (2000) . varicose veins: treatment by surgery and sclerotherapy In: Rutherford RF (Ed): Vascular surgery. 5thed. Philadelphia W.B Saunders Company;.. 2007-2021 .

Bergan JJ and Pascarella L .(2003) : Varicose vein surgery. In: Wilmore DW, Souba WW, Fink MP, et al., editors. ACS surgery online, New York: WebMD Inc; .

Biegeleisen K. (2005). Venoscopy as an adjunct to the surgical and non-surgical treatment of varicose veins. *Phlébologie* 92, J. Libbey Eurotext, Paris ; 213.

Bjordal R (1972) : Ciculation patterns in incompetent perforating veins in the calf and in the saphenous system in primary varicose veins. *Acta Chir Scand*, 138:251-225.

Blanchemaison Ph , Chahine D , Mouren X , et al . (1992) . Atlas of anatomy of the superficial veins of the lower limb. *Phlébologie*. J. Libbey Eurotext, Paris ; 92.

Boisseau MR.(1997) : Venous valves in the legs: hemodynamic and biological problems and relationship to physiopathology *Journal Mal vascular*, 22 (2) : 122-127.

Bradbury AW., Stonebridge PA, Callam MJ., Walker AJ., Allan PL., Beggs I. and Ruckley CV. (1994) : Recurrent varicose veins: assessment of the saphenofemoral junction. *British Journal surgery*, 81:373-375.

Braveman IM. (1989) . Ultrastructure and organization of the cutaneous microvasculature in normal and pathologic state. *J Invest Dermatol*; 93:28.

Breu FX. and Guggenbichler S. (2004) : European consensus meeting on foam sclerotherapy, April, 4-6, 2003. Tegernsee, Germany Dermatol Surg; 30:709-717.

Broschberg E. (1996) : The prevalence of varicose veins in the lower extremities. London, Basel and Karger; 127 : 213.

Browse NL, Burnand KG, (1988) : Diseases of the veins. London, Edward Arnold, 603-625.

Browse N.L. (1992): The pathogenesis of venous ulceration. In Bergan J.J. and Yao J.S.T. (eds.): Surgery of veins. Orlando, Grune and Stratton, Inc, 25-31.

Browse NL., Burnand KG. and Thomas LM. , (1998) : In: Diseases of the veins, London: Arnold, Pp: 204-205.

Browse NL., Burnand KG., Irvine AT. and Willson NM.,(1999) : Recurrent varicose veins. In diseases of the veins.: 225-248.

Brunner F., Hoffman C. and Schuller-Petrovic S. (2001) : Responsiveness of human varicose saphenous vein to vasoactive agents. Br J Clin Pharmacol; 51; 219-224.

Burnand KG,(1977): Management of varicose veins of the legs. Nurs mirror,144(11): 45.

Burnand KG., Pattison M., Pourell S., Lea TM. and Browse NL. , (1985) : Can we diagnose long saphenous incompetence correctly? Philology: 101 -105.

Burnard K.G., O'Donnel T.F., Lea Thomas M., Browse N.L. (1992) :The relative importance of incompetent communicating veins in the production of varicose veins. *Surgery*, 82:9.

Bush RG., Shamma HN. and Hammond KA. ,(2005) : 940-nm laser for treatment of saphenous insufficiency: histological analysis and long-term follow-up. *Photomed Laser Surg*; 23: 15-19.

Callman MJ. Epidemiology of varicose veins. *Br J Surg* 1994;81(2):167-73.

Callman MJ. Prevalence of chronic veous leg ulceration and severe chronic venous disease in western countries. *Phlebology* 1992; 7(suppl 1): 6-12.

Callum S.G., Andress M.R. (1993): Detection of incompetent perforating veins by venography at operations. *Brit Met J*, 3:583.

Campbell WE., Ridlcr BMP., Halim AS., Thompson JF.,Aertssen A. and Niblett PG. (1996) : The place of duplex scanning for varicose veins and common venous problems. *Ann R Coll Surg Engl*;78:263-291.

Campell B. and Bickerton D. (1998) : Which treatment would patient prefer for their varicose veins? *Ann R Coll Surg Eng.*, 80 (3): 212 - 214.

Carnley JJ. (1990) : Peripheral venous disease. *Vascular surgery*. Hagerstown, Harper and Row. 1 1 : 263 - 291.

Carnley JJ. (1992) : Varicose veins; a comparison of surgery and compression sclerotherapy. *Lancet*, 2: 1188.

Carpenter J.P., Holland G.A., Owen R.S., Caroenter J.T., Cope C. (1993): Magnetic resonance venography for the detection of deep venous thrombosis: Comparison with contrast venography and duplex. Doppler ultrasonography. *J Vasc Surg*, 18:734.

Chang CJ., Chua JJ.,(2002) : Endovenous laser photocoagulation (EVLP) for varicose veins, *lasers Surg Med*; 3 1 : 257-262.

Cheryl, F. and Dann, R.N. (1995): Treatment of varicose veins and spider veins with injection sclerotherapy. *Dermatol. Surg.*, Jan., 22:191-201

Cheverier L. (1999) : L'examin aux reflux veinaux dans les verices superficielles. *Arch Genchir*, 2:44, 1908, quoted: *Diseases of the Veins* 2^{nu} edition.

Christopoulos DC, Belacro G. and Nicolaides AN.(1995) : The hemodynamic effect of venous hypotension in the microcirculation of the lower limb. *Journal cardiovascular surgery (Torino)*,. 36(4): 403 - 406.

Cockett F.B. (1953) : Diagnosis and surgery of high pressure venous leaks in the leg. A new overall concept in the surgery of varicose veins and venous ulcers. *British medical journal*, 2:1399 – 1403.

Cockett F.B . (1956) : The pathology and treatment of venous ulcers of the leg. *Br J Surg* ; 44:179:260-278.

Coleridge-Smith PD. and Scurr. JH. , (1995) : Duplex scanning for venous disease. Curr pract surgery, 7: 182- 188.

Coon WW., Fark WW. and Keller JB., (1973) : Venous thrombo-embolism and other venous diseases in the Teeumseh community health study Criculation, 158: 839 - 846.

Corcos L., De Anna P., Dini M. and Mackl C.(2000) : Proximal long saphenous vein valves in primary venous insufficiency. J Mal Vase: 25: 27 -36.

Cornu Thenard A., Bolvin P., Paund JM. and Vincenzi I.(1994) : Importance of the familial factor in varicose disease. Clinical study of 134 families., J Demat Surg; 20: 318 - 326.

Critchley G., Handa A., Harvey MR. and Corbett CR., (1997): Complications of varicose vein surgery. Ann R Coll Surg Engl; 79:105-110.

Dalen JE, Albert JS. Natural history of pulmonary embolism. Progr Cardiovasc Dis 1975; 17: 257-270.

Davy A , Ouvry P . (1986) . Recurrence of varicose veins. Phlebology ; 1:15-21.

De Metrios CA, Luccas GC. Comparison of endovenous treatment with an 810 nm laser versus conventional stripping of the great saphenous vein in patients with primary varicose veins. Dermatol Surg 2005;31(12):1685-94.

References

De Weese JA. (1984) : Venous insufficiency and venous ulcers in Schwartz "Principles of Surgery". McGraw Hill Book Company, New York.

De Weese JA. (1995) : Venous and lymphatic disease. In: Schwartz SI (ed): Principle of Surgery, New York, McGraw-Hill Book Co; 1182

De Rijcke PAR , Schenk T , van Gent WB , et al . (2003) . Surgical anatomy for subfascial endoscopic perforating vein surgery of laterally located perforating veins. J Vasc Surg ; 38:1349-1352.

Degoid LR. (1995) : A procedure for prevention of recurrent saphenofemoral incompetence. Aust Nz J Surg; 48: 322 - 326.

Dodd H . Cockett FB . (1976) . The surgical anatomy of the veins of the lower limb. In: The pathology and surgery of the lower limb (2nd Ed). Edinburgh: Churchill living stone ; 189-202

Dodd H. and Cockett FB. (1993) : The pathology and surgery of the veins of the lower limb, 19th ed, London and Livingstone: 18- 154.

Dodd H. and Cockett FB.(1995) : The management of recurrent varicose veins. Ann Royal Coll Surg; 63: 432.

Dodd H. and Cockett FB. (1996) : A clinical trial designed to discover if primary varicose veins should be treated by Fegan's method or by an operation. BritiJ Surg., 62: 72.

Edwards JE. and Edwards EA.(1940) : The saphenous valves in varicose veins. American Heart Journal, 119: 338 - 340.

Englehorn CA, Englehorn AL, Cassou MF, et al. Patterns of saphenous reflux in women with varicose veins. *J Vasc Surg* 2005;41(4):645-51.

Fassiadis N., Kianifard B., Holdstock JM. and Whiteley MS. , (2002): A novel endoluminal technique for varicose vein management: The VNUS Closure. *Phlebology*; 16: 145 -148.

Fegan WG .(1967) : Varicose veins: Compression sclerotherapy. Heinemann: London.

Fegan WG. (1995) : Continuous compression technique of injecting varicose veins. *Lancet*. 2: 109.

Fegan WG. and Pegum PG.(1995) : Varicose veins. *Brit J Surg*; 16:124.

Fischer R , Fullmann HJ , Alder W.(1992) . About a phlebological dogma of the localization of the cockett's perforators (in French). *Phlebolgie* ; 45:207-212.

Foote RR. , (1999) : Varicose veins. Butter worths: London, 1954. quoted: *Diseases of the Veins* 2nd ed.

Fronek A.(1989) : Non-invasive diagnosis in vascular disease New York, McGraw Hill, 53 - 59.

Furderer C, Marescaux I, Stemmer R (1986) : Junctions of the saphenous vein. *Anatomy and treatment concepts*.

Phlebologie 39(1) : 9-14.

Gabella G . (1995) . Anatomy of Cardiovascular system . In Williams PL, Bannister LH, Cllins P et al (eds): Gray's Anatomy, 38thed. NewYork, ELBS with Churchill Livingstone ; 1595-1604.

Gajraj H. and Browje NL.(1991) : Fibrinolytic activity of the arms and the legs of patients with lower limb venous disease., British Journal Surgery, 78: 853 - 856.

Gallagher PG.(1995) : Some thoughts on the etiology of varicose veins J Cardiovasc Surg; 27: 534-543.

Galland, RB, Magee, TR, Lewis, MH. A survey of recurrent attitudes of Brirish and Irish vascular surgeons to venous sclerotherapy. Eur J Vasc Surg 1998; 16:43.

Gandhi RH., Irizarry E. and Nackman GB., (1993) : Analysis of the connective tissue matrix and proteolytic activity of primary varicose veins. Journal vascular Surgery, 18: 338 - 340.

Garth K.E., Carroll B.A., Summer E.G. (1983): Duplex ultrasound scanning of the carotid arteries with velocity spectrum analysis. Radiology, 147:823.

Gattlob R , Shull KC , Nicolaides AN . (1986) . Venous valves. Wien Springer.

Gloviczki P. and Jeffrey MR.(2000): Management of perforator vein incompetence. In Rutherford RB., Vascular surgery, 148:2021-2036.

Goldman MP. Closure of the greater saphenous vein with endoluminal radiofrequency thermal heating of the vein wall in combination with ambulatory phlebectomy: preliminary 6 months follow up. *Dermatol Surg* 2000;26(5):452-6.

Golledge J. and Quigley FG.(2003) : Pathogenesis of varicose-veins *Eur Vase Surg*; 25: 319 -324.

Griton P., Vanet P. and Vloarec M.(1997): Anatomic and functional features of venous valves. *Journal Mal Vascular*, 22 (2): 97 - 100.

Haeger K (1962) : The surgical anatomy of the sapheno-femoral and the sapheno-popliteal junctions.*J Cardiovac Surg* 3:420-427.

Hamilton Bailey's (1984): Demounstraions of physical signs in clinical surgery in circulation in the extremities. Sixteenth edition :394-399.

Hanrahan LM., Kechejian GJ. and Cordts PR.(,1998) : Patterns of venous insufficiency in patient with varicose veins *Arch surgery*, 126:687-691.

Havor GE, Galloway JM (1997) : Collaterals of the deep venous ciculation of the lower limb. *Surg Gyn Obst* 125:561-566.

Helslop A.(1994) : Peripheral venous disease, *Vascular surgery* Hagerstown, Harper and Row; 11: 263 – 291.

Henry MM. and Thompson JN. , (2001) : Venous and lymphatic disorders. In *clinical surgery* 4th ed.: 461 - 468.

Herman R.J., Neiman H.L., Tao J.S.T., Egon T.J., Bergan J.J and malave S.R. (1980): Descending venography: A method of evaluation lower extremity venous valvular function. *Radiology*, 137:63.

Hiamovici and Suprayregen (1994): Exercitatio Anatomica De Montu Cordis et Sanguinis ion Animalibus, Frankfurt (1628). Cited in Dodd H and Cockett F.B. (eds.):The pathology and surgery of the veins of the lower limp. Second edit, London, Churchill Livingstone.

Hiari M., (1990) : Prevalence and risk factors of varicose veins in Japanese women. *Angiology*, 3: 228 - 232.

Hobbs JT.(1973): The problem of the post-thrombotic syndrome. *Post grad Med J* (Aug. supp): 4-8.

Hobbs J.(1974): Sugery and sclerotherapy in the treatment of varicose veins. A random trial. *Arch surgery*, 109: 793 - 796.

Hobbs JT., (1993) : Venous ulcers. In: Dudley H and Carter D (eds); Rob and smith's Operative Surgery. *Vascular Surgery*, 8th edition, London, Butterworth; 231.

Holme JB., Skajaa K. and Holme K.,(1990): Incidence of lesions of the saphenous nerve after partial or complete stripping of the long saphenous vein. *Acta Chir Scand*; 156: 145-148.

Ibrahim A. (1988): An approach to clinical diagnosis. 3rd Al-Sgaab Printing House, Cairo (160-169).

References

John W., Hallet JR. David C. and Todd E.(2002) : Varicose vein. In Handbook of patient care in vascular diseases, 4th ed., Lippincott Williams & Wilkins.: 251-258.

Kalra M , Gloviczki P . (2005) . Management of perforator vein incompetence. In : Rutherford RB(ed), (6th ed) ,Vascular surgery,W.B Sanders company ,Philadelphia ; 2268-2286.

Khaira US., Crowson MC. and Parnell A.(1996) : Colour flow duplex in assessment of recurrent varicose veins. Ann R Coll Surg Engl;78; 139-141.

Kistner R.L. (1989): Selected topic in venous disorders. New York, Future Publishing Co., 253-283.

Kistner R.L. (1990):Surgical technique of external venous valve repair. Straub Found Proc, 55:15.

Kistner RL., (2002) : Endovascular obliteration of the greater saphenous vein: the closure procedure. Jpn J Phlebol; 13: 325 - 33.

Kobak M , Lev M . (1956) . Anatomy of the deep venous system of the popliteal fossa and lower leg. Arch Surg ; 8:350.

Labropoulos N., Glannoukas AD., Nicolaides AN., Veller M., Lean M. and Volteas N.(1996) : The rule of venous reflux and calf muscle pump function in non thrombotic ch.v.I. correlation with severity of signs and symptoms. Arch Surgery, 131 (4): 403 -406.

Lavergne T., Sebag C., Olitrant J. et al.(1996): RadioFrequency avlation, pheysizail basis, and principles Arch MafCoeur vaiss; 89 Spec, No 1: 57-63 (Med Line).

Le Devehat C, (1997) : Evaluation of haemorhageological and microcirulatory disturbance in chronic venous insufficiency: Activity of Daflon 500 mg. Int J Microcirc Clin Exp., 1: 27 - 33.

Le Flem L., Mennen L. and Aubry ML.(2000) : Thrombomodulin promoter mutations, venous thrombosis and varicose veins. Aterioscler Thromb Vase Biol; 11: 445 - 451.

Le Gros Clark WB . (1993) . The tissue of the body .13th ed, Oxford University Press, London ; 199.

Lee Mc Gregor (Ed) . (1986) . Venous system of the leg. In: synopsis of surgical anatomy (12th ed).GAG Decker and D.J du plesis Wright Bristol; 254-262.

Lofgren EP, Myers TT, Lofgren KA .(1968). The venous valves of the foot and ankle. Surg, Gyncol, Obstet ; 127:289-290.

Lofgren KA.(1971) : Management of varicose veins. Mayo clinic experience. Venous problems. Year book Medical publisher: Chicago.

Lofgren EP.(1989) : Alternatives in the management of varicose veins. Geriatrics; 30: 111-113.

Lofgren EP.(1991) : The operative treatment of varicose veins In Rutherford RB (ed): Vascular Surgery, Philadelphia, WB Saunders.

Lofgren EP.(1992) : Treatment of long saphenous varicosities and their recurrence. In: Bergan JJ and Yao JST: Surgery of Veins. Orland, Grune and Stratton; 285.

Lofgren K.A. (1995): The management of recurrent varicose veins. Surgery, 35: 40-44.

Lofgren KA. (1995) : Applied physiology of veins. In the pathology and surgery of veins of the lower limb, 2nd ed., London, Churchill Livingstone.: 50 - 63.

Lowell RC., Gloviszkip and Millet VM.,(1992): Invitro evaluation of endothelial cells and smooth muscle function of primary varicose veins. Journal vascular surgery, 16: 679 - 686.

Lurie F., Cretan D., Eklof B., Kabnick LS., Kistner RL., Pichot O., et , al, (2003) : Prospective randomized study of endovenous radiofrequency obliteration (Closure) versus ligation and stripping in a selected patient population (EVOLVES study). J Vase Surg; 3 8 : 207 - 214.

May R . (1980) . Nomenclature of surgical most important connecting veins. In: May R, Partsch H, Staubesand J (Eds) Perforating veins. MÜnchen: Urban & Schwarzenberg ; 13-18.

May R . (1989) . Surgery of the leg and pelvis. George Theme Publishers ; Stuttgart: 1 -36.

Me Causland AM.,(2001): Varicose veins in pregnancy. West J surgery, 47: 81, 1939, quoted: Vein Diagnosis and Treatment, 2nd ed.

References

Merchant RF., DePalma RG. and Kabnick LS. (2002) : Endovascular obliteration of saphenous reflux: a multicenter study. *J Vasc Surg*; 35: 1190-1196.

Michael J. (2007): Endovenous laser therapy for varicose veins. *Recent advances in surgery* (29): 183-198.

Miller (1994): Surgery of the veins of the leg and pelvis. Philadelphia W.B. Saunders.

Min RJ, Khilnani N, Zimmet SE. Endovenous laser treatment of saphenous vein reflux: long term results. *J Vasc Interv Radiol* 2003;14:991-6.

Monfreux A. (1997) : Traitement sclerosant des troncs saphéniens et leurs collatéraux de gros calibre par la méthode mus . *Phlebologie*; 50:351-353

Moosman , Hartwell JR .(1994). The surgical significance of subfascial course of the lesser saphenous vein . *Surg Gynecol & Obst* ; 16:118:761.

Mozes G , Gloviczki P, Menawat SS , et al . (1996). Surgical anatomy for endoscopic subfascial division of perforating veins. *J Vasc Surg* ; 24:800-808.

Muller R.(1996) : Mise au point sur la phlébectomie ambulatoire selon Muller. *Phlebologie*; 49: 335 - 344.

Myers KA., Ziegentein RW., Zeny GH. and Matthews PG., (1995) : Duplex ultrasonography scanning for chronic venous diseases: patterns of venous reflux. *Journal vascular surgery*, 21 (4): 605 - 612.

Negus D (ed).(1995). Blood vessels of lower limb: applied anatomy. In leg ulcer . Great Britain by AC press, New York Cambridge (2nd Ed) ; 11-14.

Nicolaides AN., Kakkar W., Field ES. and Fish P.(1972) : Venous stasis and deep-vein thrombosis. *British journal surgery*, 59(9): 713-717.

O'Donnell TF.(1989):Clinical diagnosis and. classification of chronic venous insufficiency. *Vase Surg.*: 1504- 1512.

Ono T., Bergan JJ., Schonbein GW. and Takase S.(1998): Monocyte infiltration into venous valves. *J Vase Surg*; 27: 158 - 166.

Papachristou D., Former J.G. (1976): Prediction of intestinal viability by intra-arterial dye injection: A simple test. *Am J Surg*, 132:572.

Peden E, Lumsden A. Radiofrequency ablation of incompetent perforator veins.*Perspect Vasc Surg Endovasc Ther* 2007;19(1):73-7.

Perrin M. , Jerome Guex, C. Vaughan Ruckely, Ralph, G. de Palma, John, P. Royale, Bo Eklof, Phillipe Nicollini, Georges Janet and the REVAS group 2000: Recurrent varices after surgery (REVAS).

Perrin MR., Ruckley CV., Guex JJ., Vaughan C, De Palma RG., Royle P., Ekluf B. and the REVAS Group, (2000) : Recurrent varices after surgery (REVAS), A consensus document. Cardiovascular Surgery, 8(4); 233 -245.

Piachaut D. and Widdell JM.(1994) : The effect of elastic stocking OP superficial venous pressure in patients with venous insufficiency Birt J Surg., 16:979.

Proebstle TM, Gul D, Kargl A, et al. Endovenous laser treatment of the lesser saphenous vein with a 940 nm diode laser: Early results. Dermatol Surg 2003;29(4):357-61.

Proebstle TM., Sandhofer M, Kargi A. et al,(2002) : Thermal damage of the inner vein wall during endovenous laeer treatment; key role of energy absorption by intravascular blood. Dermatol Surg.; 28 596-600.

Puggioni A., Kalra M., Carmo M., Mozes G. and Gloviczki P. (2005) : Endovenous laser therapy and radiofrequency ablation of the great saphenous vein: Analysis of early efficacy and complications. J. Vase, Vol 42, (3): 488-493.

Quinlan DJ , Alikhan R , Gishen P , et al . (2003) . Variation in lower limb venous anatomy: Implications for us dignosis of deep vein thrmbosis. Radiology ; 228(2):443-8.

Raju S.(1994) : Venous insufficiency of the lower limb and stasis ulceration. Ann., Surg., 197: 688.

Ramelett AA.(2002) : Sclerotherapy Old- or new-fashioned. J Cosmet Dermatol; 1:13-9:113-4.

Randhawa et al., (1994): Activity of anionic surface- active compounds in producing vascular obliteration. Proc. Exp. Biol. Med, 62:42.

Ravi R, Rodriguez-Lopez JA, Traylor EA, et al. **endovenous ablation of incompetent saphenous veins:** A large single center experience. J Endovasc Ther 2006;13:244-8.

Reid RC., (1993) : Treatment of varicose veins by compression sclerotherapy. Brit J Surg; 55: 89.

Robert AW., Craig F. and Margaret AW.,(2001) : vein diagnosis and treatment; A comprehensive approach; 2nd ed.

Rose SS.,(1986) : The aetiology of varicose veins in: Negus D, Jantet G (eds). Phlebology 1985. London liboey; 6.

Royle JP , Eisner R . (1981) . The saphenofemoral junction.Surg Gynecol Obstet ; 152(3):282-284.

Royle JP., (1994) : Operative treatment of varicose veins. In Green R.M ed.: Vascular surgical techniques. London, Butterworth.: 225 -243.

Rutherford EE., Kjanifard B., Cooks J., Holdstocl JM. and Whiteley MS., (2001) : Incompetent perforating veins assoicated with recurrent varicose veins. Eur J Vase" Endovasc Surg; 21(5): 458 - 460.

Sadick NS. (1992) : Predisposing factors of varicose veins and telangectatic veins. Journal dermatol surgical oncol 18: 883 -886.

Sadick NS. (2005) : Advances in the treatment of varicose veins: Ambulatory phlebectomy, foam sclerotherapy, endovascular laser and radiofrequency closure. Dermatol Clin (23): 443-455.

Safar H., Al-Ali J., Shawa N., Al-Nassar M., Dashti H. and Asfar S., (2004) : Is there a need for Doppler vascular examination for the diagnosis of varicose veins? A prospective study. Med Princ Pract; 13(1): 43-46.

Schalin L,(1989) : Role of arteriovenous shunting in the development of varicose veins. In- controversies in the management of venous disorders. London, Buttlerworth: 182 - 192.

Scurr JH. (2004) : Venous disorders. In Daily and love's short practice of surgery. London, 24th ed.: 954 -943.

Shamiyeh A., Schrenk P., Huber E., et al.(2003) : Transilluminated powered phlebectomy: Advantages and disadvantages of a new technique. Dermatol Surg.; 29: 616 -619.

Sherman RS . (1949) . varicose vein: further finding based on anatomic and surgical dissections. Ann Surg ; 130:218-232.

Sidawy AN., Sumpio BE. and Depalma RG. (1997) : The basic science of vascular disease, Futura publishing comp. inc. Armonk, New fork. Pp: 396-398.

Sigg K., and Zelikovski A. (1995) : Reflex control of the venous system In Bergan JJ. And Yao JST. Eds., venous problems. Chicago year book medical publishers.: 62 - 78.

Sisto T, Reunanen A, Laurikka J, et al. prevalence and risk factors of varicose veins in lower extremities: mini-Finland health survey. Eur J Surg 1995;161(6):405-14.

Spitz GA., Broaxton JM. and Bergan JJ.(2000): Outpatient varicose vein surgery with transilluminated powered phlebectomy. Vase Surg; 234:547-555.

Stonebridge PA., Chalmers N., Begg JJ., Bradbury AW. and Ruckley CV.,(1995) : Recurrent varicose veins a varicographic analysis leading to a new practical classification. British Journal surgery, 82:60-62.

Strandness DE , Thiele BL . (1981) . Varicose vein. In: Prephral vascular disease. New York , Future publishing company; 10-26:781.

Strandness DE, Thiele BL . (1993) . Anatomy of the venous system of the lower limb . In Selected topics in venous disorder . New York, Future publishing company ; 10-26.

Theodore H. Teruya., Jeffery L. and Ballard. (2004) : New approaches for the treatment of varicose veins. Surg Clin N. Am.; 84: 1397 - 1417.

Thomson (1994): Detection of incompetent perforating veins by venography at operation. Brit. Med.J., 3:583.

Tisi, PV, Beverley, CA. Injection sclerotherapy for varicose veins. Cochrane Database Sys Review.2002; :CD001732.

Tolins (1992): Techniques of operations upon recurrent varicose veins. Surg. Gynecol Obstet, 43:463-467.

Tompsett DM. ,(1993) : In the pathology and surgery of veins of the lower limb, 9th edition, New York.

Trendeleburg F. (1999) : Uber die unterbildenny der vena saphena magna bei unerschenkel varicen. Beitr lelin chir, 7: 195-210, 1891, quoted: Diseases of the Veins 2nd, 1999

Tunge KT, Chan O Lea Thomas M . (1990) . The incidence and site of medial thigh communicating veins: A phlebologic study. Clin Radiol ; 41:339-40.

Uchino IJ. Endovenous laser cosure of the perforating vein of the leg Phlebology 2007;22(2):80-2.

Vanhoutte PM, Corcaud S, de montrion C. Venous diseases from pathophysiology to quality of life. Angiology 1997;48 559-567.

Van Limborgh J, Hage Rw . (1981) . Anatomical features of those perforating vein of leg which frequently or infrequently become incompetent. In: May R (Ed), Perforating veins Munich: urban and Schwazenberg ; 49-59.

Vowden P. (1998): The investigation and assessment of venous disease. *J Wound Care*, 7:143-147.

Weiss RA., Feied C. and Weiss MA.(2001) : Vein diagnosis and treatment, MC Graw-Hill (medical publishing division), New York, ST Louis, London Pp: 26 - 28.

Weiss RA. and Weiss MA. (2002) : Controlled radiofrequency endovenous occlusion using a unique radiofrequency catheter under duplex guidance to eliminate saphenous varicose vein reflux: a 2 - year follow-up, *Dermatol Surg*; 28: 38 - 42.

Welch H.J., Faliakou E.C., Meclcughlin R.L., Umphery S.E., Belkin M., O'Donnell T.F. (1992): Comparison of descending phlebography with quantitive photoplethysmography, air plethysmography, and duplex quantitative valve closure time. *J Vasc Surg*, 22 (3): 53-417.

Williams A . (2005) . Anatomy of pelvic girdle and lower limb. In : Standring S, Ellis H, Healy JC et al (eds) , *Gray's Anatomy*,(39thed). New York , Elsevier Churchill Livingstone ; 1339-1550.

Wong JK., Duncan JL. and Nicholas DM., (2003) : Whole-leg duplex mapping for varicose veins: Observation on patterns of reflux in recurrent and primary legs with clinical correlation. *Eur J Vase Endovasc Surg*; 25(3): 267 - 275.

Wright D, Gobin JP, Bradbury AW, et al. Varisolve polidocanol microfoam compared with surgery or sclerotherapy in the managment of varicose veins in the presence of trunk vein incompetence :European randomized controlled trial. *Phlebology* 2006;21(4):180-90.