References

- ACOG Committee on Obstetric Practice: ACOG committee opinion: Exercise during pregnancy and the postpartum period. No. 267, January 2002. American College of Obstetricians and Gynecologists. Int J Gynecology Obstetric 2002; 77: 79-81.
- **ACOG Committee on Practice Bulletins**. ACOoG Practice Bulletin. Chronic hypertension in pregnancy. Obstetric Gynecol. 2001; 98(1 suppl): 177-185.
- **Al Takroni AM, Parvathi CK, Mendis KB, et al.** Selective tracheal suctioning to prevent meconium aspiration syndrome. Int J Gynecology Obstet. 1998; 63: 259-263
- **American Academy of Pediatrics.** Committee on Fetus and Newborn. Use of inhaled nitric oxide. Pediatrics. Aug 2000; 106(2 Pt 1): 344-5.
- American Heart Association. 2005 American Heart Association (AHA) guidelines for cardiopulmonary resuscitation (CPR) and emergency cardiovascular care (ECC) of pediatric and neonatal patients: pediatric basic life support. Pediatrics 2006; 117: e989-1004.
- **American Journal of Clinical Nutrition, Vol.** 85, No. 3, 788-795, March 2007
- **Andersen A-MN, Wohlfahrt J, Christens P, et al:** Maternal age and fetal loss: Population-based register linkage study. Br Med J 2000; 320: 1708-1712.

Andrews WW, Goldenberg RL, Mercer B, et al. The preterm prediction study: association of second-trimester genitourinary Chlamydia infection with subsequent spontaneous preterm birth. Am J Obstetric Gynecology 2000; 183: 662-668.

Australasian Genetics Resource Book- © 2007

- **Babinszki a, Kerenyi T, Torok O, et al**: Prenatal outcome in grand and great-grand multiparty: Effects of parity on obstetric risk factors. Am J Obstetric Gynecology 1999; 181: 669-674.
- **Barker DJP, Eriksson JG, Forsén T, et al:** Fetal origins of adult disease: Strength of effects and biological basis. Int J Epidemiology 2002; 31: 1235-1239.
- Berkowitz ID, Chantarojanasiri T, Koehler RC, et al. Blood flow during cardiopulmonary resuscitation with simultaneous compression and ventilation in infant pigs. Pediatric Res. 1989; 26: 558-564.
- Braga MS, Dominguez TE, Pollock AN, et al. Estimation of optimal CPR chest compression depth in children by using computer tomography. Pediatrics 2009; 124: e69-e74
- **Bryce J, Boschi-Pinto C, Shibuya K, et** al. WHO estimates of the causes of death in children. Lancet 2005; 365(9465): 1147-52.
- Caritis S, Sibai B, Hauth J, et al. Low-dose aspirin to prevent preeclampsia in women at high risk. National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units. N Engl J Med 1998; 338(11): 701-705.

- Casey BM, Dashe JS, Wells CE, et al. Subclinical hypothyroidism and pregnancy outcomes. Obstetric Gynecology 2005; 105(2): 239-245.
- Catalano P & Editorial. Obesity and pregnancy—the propagation of a viscous cycle? J Clin Endocrinol Metab 2003; 88(8): 3505-3506.
- Centers for Disease Control and Prevention: 2006 sexually transmitted disease treatment guidelines. MMWR Morb Mortal Wkly Rep 2006; 55(RR-11): 1-94.
- **Cowan FM and de Vries LS**. The internal capsule in neonatal imaging. Semin Fetal Neonatal Med 2005; 10(5): 461-74.
- Cramer K, Wiebe N, Hartling L, et al. Heat loss prevention: a systematic review of occlusive skin wrap for premature neonates. J Perinatol. 2005; 25: 763-769.
- **Dawson JA, Kamlin CO, Wong C, et al.** Oxygen saturation and heart rate during delivery room resuscitation of infants _30 weeks' gestation with air or 100% oxygen. Arch Dis Child Fetal Neonatal Ed. 2009; 94: F87-F91.
- **Dennerstein L:** Paid work, Gender and Health. In: Kane P, ed. Women and Occupational Health: Issues and Policy Paper for the Global Commission of Women's Health; 2003: 50-54.
- **Dominic Marchiano,** Assistant Professor of Obstetrics and Gynecology, University of Pennsylvania School of Medicine, Philadelphia, PA., Healthline Pregnancy Guide, February 2006.

- Ellis M, Manandar N, Manandar DS, et al. Risk factors for neonatal encephalopathy in Kathmandu, Nepal, a developing country: unmatched case-control study. BMJ 2000; 320: 1229-1236.
- **Escrig R, Arruza L, Izquierdo I, et al.** Achievement of targeted saturation values in extremely low gestational age neonates resuscitated with low or high oxygen concentrations: a prospective, randomized trial. Pediatrics. 2008; 121: 875-881
- **Fairfield KM & Fletcher RH.** Vitamins for chronic disease prevention in adults: Scientific review. JAMA 2002; 287: 3116-3126.
- **Ferriero DM. Neonatal brain injury.** N Engl J Med. Nov 4 2004; 351(19): 1985-95.
- **Garey DM, Ward R, Rich W, et al.** Tidal volume threshold for colorimetric carbon dioxide detectors available for use in neonates. Pediatrics. 2008; 121: e1524-1527.
- **Garg V, et al.** Mutations in NOTCH1 Cause Aortic Valve Disease. Nature, volume 437, September 8, 2005, pages 270-274.
- Gluckman PD, Wyatt JS, Azzopardi D, et al. Selective head cooling with mild systemic hypothermia after neonatal encephalopathy: multicenter randomized trial. Lancet. 2005; 365: 663-70.
- **Grow J and Barks JD**. Pathogenesis of hypoxic-ischemic cerebral injury in the term infant: current concepts. Clin Perinatol 2002; 29(4): 585-602.
- Gungor S, Kurt E, Teksoz E, et al. Oronasopharyngeal suction versus no suction in normal and term infants delivered by elective cesarean section: a prospective randomized controlled trial. Gynecology Obstetric Invest. 2006; 61: 9-14.

- **Gunn AJ.** Cerebral hypothermia for prevention of brain injury following prenatal asphyxia. Curr Opin Pediatric. 2000; 12(2): 111-115.
- **Haddad B, Mercer BM, Livingston JC, et al.** Outcome after successful resuscitation of babies born with appar scores of 0 at both 1 and 5 minutes. Am J Obstetric Gynecology 2000; 182: 1210-4.
- Hillier SL, Marrazzo J, Holmes KK, et al. Bacterial vaginosis. In: Holmes K.K., Sparling F.P., Stamm W.E., ed. Sexually transmitted diseases, 4th edition McGraw-HillNY2008: 737.
- **Hillman NH, Moss TJ, Kallapur SG, et al.** Brief, large tidal volume ventilation initiates lung injury and a systemic response in fetal sheep. Am J Respir Crit Care Med. 2007; 176: 575-581.
- **Holmes GL.** Effects of seizures on brain development: lessons from the laboratory. Pediatric Neural 2005; 33(1): 1-11.
- **Hosono S, Inami I, Fujita H, et al.** A role of end-tidal CO monitoring for assessment of tracheal intubations in very low birth weight infants during neonatal resuscitation at birth. J Perinat Med. 2009; 37: 79-84.
- **Huang BY and Castillo M.** Hypoxic-ischemic brain injury: imaging findings from birth to adulthood. Radiographic 2008; 28(2): 417-39; quiz 617.
- **Jamieson DJ, Read JS, Kourtis AP, et al.** Cesarean delivery for HIV-infected women: recommendations and controversies. Am J Obstetric Gynecology 2007; 197(Suppl 3): S96-S100.

- Jones EF, Forrest JD, Henshaw SK, et al. Unintended pregnancy, contraceptive practice and family planning services in developed countries. Fam Plann Perspect 1988; 20(2): 53-67.
- **Jones G, Steketee RW, Black RE, et al.** How many child deaths can we prevent this year? Lancet 2003; 362: 65-71.
- **Kattwinkel J & editor.** Textbook of neonatal resuscitation 4th edition. American Academy of Pediatrics, American Heart Association 2000.
- **Kattwinkel J, editor**. Textbook of Neonatal Resuscitation, 5th ed. Chicago: American Academy of Pediatrics and American Heart Association; 2006.
- **Kecskes Z, Healy G, Jensen A**. Fluid restriction for term infants with hypoxic-ischemic encephalopathy following prenatal asphyxia. Cochrane Database Syst Rev 2005; CD004337.
- **Kent AL, Williams J.** Increasing ambient operating theatre temperature and wrapping in polyethylene improves admission temperature in premature infants. J Pediatric Child Health 2008; 44: 325-331
- **Klinger G, Beyene J, Shah P, et al.** Do hyperoxaemia and hypocapnia add to the risk of brain injury after intrapartum asphyxia? Arch Dis Child Fetal Neonatal Ed 2005; 90: F49-52.
- **Kramer MS, Seguin L, Lydon J, et al:** Socio-economic disparities in pregnancy outcome: Why do the poor fare so poorly? Pediatric Perinat Epidemiology 2000; 14: 194-210.

- **Laptook A, Tyson J, Shankaran S, et al.** Elevated temperature after hypoxic-ischemic encephalopathy: risk factor for adverse outcomes. Pediatrics 2008; 122(3): 491-9.
- **Lindsay JR, Jonklaas J, Oldfield EH, et al.** Cushing's syndrome during pregnancy: personal experience and review of the literature. J Clin Endocrinol Metab 2005; 90: 3077-3083.
- Magee LA, Duley L. Coral beta-blockers for mild to moderate hypertension during pregnancy. Cochrane Database Syst Rev. 2003; (3): CD002863.
- Martin JA, Hamilton BE, Sutton PD, et al. Births: final data for 2004. Natl Vital Stat Rep 2006; 55(1): 1-101.
- McGrady GA, Sung JFC, Rowley DL, et al. Preterm delivery and low birth weight among first-born infants of Black and White. 2000; 76: 1317-1321.
- **McLean C and Ferriero D.** Mechanisms of hypoxic-ischemic injury in the term infant. Semin Perinatol. Dec 2004; 28(6): 425-32.
- Mehta SH, Brancati FL, Strathdee SA, et al. Hepatitis C virus infection and incident type 2 diabetes. Hepatology 2003; 38: 50-56.
- Menegazzi JJ, Auble TE, Nicklas KA, et al. Two-thumb versus twofinger chest compression during CRP in a swine infant model of cardiac arrest. Ann Emerg Med. 1993; 22: 240-243
- Menegazzi JJ, Auble TE, Nicklas KA, et al. Two-thumb versus two-finger chest compression during CRP in a swine infant model of cardiac arrest. Ann Emerg Med. 1993; 22: 240-243.

- **Meyer MP, Bold GT**. Admission temperatures following radiant warmer or incubator transport for preterm infants _28 weeks: a randomized study. Arch Dis Child Fetal Neonatal Ed. 2007; 92: F295-F297
- **Money DM, Dobson S**. Canadian Pediatric Society Infectious Diseases Committee: The prevention of early-onset neonatal group B streptococcal disease. J Obstetric Gynecology Can 2004; 26(9): 826-840.
- Mugglestone MA, for the Guideline Development Group.

 Management of diabetes from preconception to the postnatal period: summary of NICE guidance. British Medical Journal 2008; 336: 714-7.
- **Norgard B, Fonager K, Sorensen HT, et al.** Birth outcomes of women with ulcerative colitis: a nationwide Danish cohort study. Am J Gastroenterology 2000; 95(11): 3165-3170. Nutr Health. 2001; 15(3-4): 237-43
- **O'Donnell C, Davis P, Morley C.** Positive end-expiratory pressure for resuscitation of newborn infants at birth. Cochrane Database Syst Rev 2004; 4: CD004341.
- **O'Donnell CP, Kamlin CO, Davis PG, et al.** Feasibility of and delay in obtaining pulse oximetry during neonatal resuscitation. J Pediatric. 2005; 147: 698-699.
- **Ornoy A, Tenenbaum A.** Pregnancy outcome following infections by coxsackie, echo, measles, mumps, hepatitis, polio and encephalitis viruses. Reprod Toxicol 21. (4): 446-457.2006.

- **Oswyn G, Vince JD, Friesen H**. Perinatal asphyxia at Port Moresby General Hospital: a study of incidence, risk factors and outcome. P N G Med J 2000; 43: 110-120.
- **Paris JJ**. What standards apply to resuscitation at the borderline of gestational age Perinatol. 2005; 25: 683-684.
- **Patterson MD, Boenning DA, Klein BL, et al.** The use of high-dose epinephrine for patients with out-of-hospital cardiopulmonary arrest refractory to prehospital interventions. Pediatric Emerg Care. 2005; 21: 227-237.
- **Perlman JM.**Brain injury in the term infant.Semin Perinatol.Dec2004;28(6):415-24.
- **Perlman JM, Risser R**. Cardiopulmonary resuscitation in the delivery room: associated clinical events. Arch Pediatric Adolescent Med. 1995; 149: 20-25.
- **Perlman JM, Volpe JJ**. Suctioning in the preterm infant: effects on cerebral blood flow velocity, intracranial pressure, and arterial blood pressure. Pediatrics. 1983; 72: 329-334.
- **Pierpont ME, et al.** Genetic Basis for Congenital Heart Defects: Current Knowledge: A Scientific Statement From the American Heart Association Congenital Cardiac Defects Committee, Council on Cardiovascular Disease in the Young. Circulation 2007; 115: 3015-3038.
- **Pin TW, Eldridge B, Galea MP.** A review of developmental outcomes of term infants with post-asphyxia neonatal encephalopathy. Eur J Pediatric Neural 2009; 13(3): 224-34.

- **Prendiville A, Thomson A, Silverman M**. Effect of tracheobronchial suction on respiratory resistance in intubated preterm babies. Arch Dis Child. 1986; 61: 1178-1183.
- **Puckett RM& Offringa M:** Prophylactic vitamin K for vitamin K deficiency bleeding in neonates: Cochrane review. Cochrane Library, issue 1, Oxford, UK, Update Software, 2003.
- **Raju TN.** History of Neonatal Resuscitation. Tales of heroism and desperation. Clinical Perinatology 1999; 26(3): 629-40, vi-vii.
- **Reprotox® database.** Reproductive Toxicology Center Bethesda (MD)2007.
- **Robertson CM, Perlman M**. Follow-up of the term infant after hypoxic-ischemic encephalopathy. Pediatric Child Health. May 2006; 11(5): 278-82.
- Salhab WA, Wyckoff MH, Laptook AR, et al. Initial hypoglycemia and neonatal brain injury in term infants with severe fetal acidemia. Pediatrics. 2004; 114: 361-366.
- **Sarnat HB and Sarnat MS.** Neonatal encephalopathy following fetal distress: A clinical and electroencephalographic study. Archives of Neur. 1976; 33: 696-705.
- **Semin Oncol.** Department of Radiation Oncology, Cleveland Clinic Foundation, OH, USA. **2000** Dec; 27(6): 633-45.
- **Sharma P & Thapa L.** Acute pyelonephritis in pregnancy: a retrospective study. Aust N Z J Obstetric Gynecology 2007; 47(4): 313-315.

- **Simbruner G, Coradello H, Fodor M, et al.** Effect of tracheal suction on oxygenation, circulation, and lung mechanics in newborn infants. Arch Dis Child 1981; 56: 326-330.
- **Sollid CP, Wisborg K, Hjort J, et al:** Eating disorder that was diagnosed before pregnancy and pregnancy outcome. Am J Obstetric Gynecology 2004; 190: 206.
- **Stagnaro-Green A, Chen X, Bogden JD, et al.** The thyroid and pregnancy: a novel risk factor for very preterm delivery. Thyroid 2005; 15: 351.
- **Steegers-Theunissen RPM**: Maternal nutrition and obstetric outcome. Baillieres Clin Obstetric Gynecology 1995; 9: 431-443.
- **Treffers PE**: Teenage pregnancy, a worldwide problem [Dutch]. Ned Tijdschr Geneeskd 2003; 147: 2320-2325.
- **U.S. Preventive Services Task Force**: Screening for gonorrhea: recommendation statement. Ann Fam Med 2005; 3: 263-267.
- **Usta IM, Mercer BM, and Sibai BM.** Risk factors for meconium aspiration syndrome. Obstetric Gynecol. 1995; 86: 230-234.
- Vain NE, Szyld EG, Prudent LM, et al. Oropharyngeal and nasopharyngeal suctioning of meconium-stained neonates before delivery of their shoulders: multicentre, randomized controlled trial. Lancet 2004; 364: 597-602.
- Van Bel F, Shadid M, Moison RM, et al. Effect of allopurinol on postasphyxial free radical formation, cerebral hemodynamics, and electrical brain activity. Pediatrics 1998; 101(2): 185-93.

- **Vohra S, Roberts RS, Zhang B, et al.** Heat Loss Prevention (HeLP) in the delivery room: A randomized controlled trial of polyethylene occlusive skin wrapping in very preterm infants. J Pediatric. 2004; 145: 750-753.
- **Volpe JJ.** Hypoxic-ischemic encephalopathy. In: Neurology of the newborn. 5th. Saunders Elsevier; 2008: 6-9.
- **Wendel KA, Workowski KA.** Trichomoniasis: challenges to appropriate management. Clin Infect Dis 2007; 44: S123-S129.
- **Wiswell TE, Gannon CM, Jacob J, et al.** Delivery room management of the apparently vigorous meconium-stained neonate: results of the multicenter, international collaborative trial. Pediatrics. 2000; 105(1 Pt 1): 1-723.
- **World Health Report.** Geneva, Switzerland: World Health Organization 2005.
- **Wyckoff MH, Perlman JM, Laptook AR**. Use of volume expansion during delivery room resuscitation in near-term and term infants. Pediatrics. 2005; 115: 950-955.