

REFERENCES

- Abdel-Megid, M.S.; A.H Mitwally; S.M. Abdel-Momen and A.A. Hilal (2001):** A preliminary field study on the possibility of controlling foliar diseases of onion using some Egyptian medicinal plant extracts in comparison with a fungicide. *Egypt. J. Phytopath.* Vol. 29 (1):21-31.
- Abdel-Sattar, M.A.; S. Awny; I. Massoud, Samia and I.N. Ali (1985).** Phytopathological studies on powdery mildew of cucurbit plants in Egypt. The 1st Nat. Con. of Pests and Dis. of Veg. and field crops in Egypt. Fac. of Agric. Suez Canal Univ., Ismailia, Egypt.
- Abdel-Sayed, M.H.F. (2000).** Studies on powdery mildew disease of cucurbits under protected cultivation. M.Sc. Thesis, Plant Path. Dept., Fac. of Agric., Cairo Univ., Egypt.
- Agrios, G.N. (1969).** *Plant Pathology*, Academic Press. New York and London.
- Ahmed, K.G.M. (1969).** Studies on powdery mildew of artichoke. M.Sc. Thesis. Dept. of Agric. Bot., Fac. of Agric., Ain Shams Univ.
- Ahmed, A.S.Y. (1995).** Studies on the powdery mildew disease of cucurbits. M.S. thesis. Fac. of Agric. Al- Azhar Univ. 96 pp.
- Alexandri, A.Y. and V. Lemeni (1969).** Powdery mildew (*L. taurica*) of tomato and the control. *Hortic. Vitic.*, 18 (7) 60-70 (c.f. *Rev. Appl. Mycol.* 49, 1487, 1970).

- Alexopoulos, C.J. (1952).** Introductory Mycology, pp. 244. 245. John Wiley and Sons, Inc., New York. Chapman and Hall, Ltd., London, 1925.
- Allam, A.I. and J.P. Hollis (1972).** Sulfide inhibition of oxidase in rice roots. *Phytopathology* 62. 634-639.
- Allen, P.J. (1942).** Changes in the metabolism of wheat leaves induced by infection with powdery mildew. *Am. Jour. Bot.* 29: 425-435.
- Aloi, C. and A. Garibaldi (1990).** Powdery mildew of tomato caused by *Erysiphe* sp. newly observed in Italy. *Informatore-Fitopatologico* (1990), 40: 11. 57-58.
- Amelung, D. (1990).** Tomato powdery mildew caused by a fungus of the genus *Leveillula*. *Nachrichtenblatt für den Pflanzenschutz in der DDR* (1990), 44: 1, 19-20.
- Ammar, M.; S.A. Mohamed, and A.I. Abo El-Ghar (1986).** Factors affecting pathogenesis of *L. taurica* (Lév) Salm. the causal organism of artichoke powdery mildew. *J. Agric. Sci. Mansoura Univ.*, 11 (4): 1708-1713.
- Aneja, K.R.; Kaur, Manpreet and M. Kaur (1995).** Fungal pathogens of terrestrial weeds of Haryana. *J. of Mycopathological Research* (1995), 33:1, 15-20.
- Angelov, D.; P. Georgiev and L. Stamova (1993).** Identification of the new powdery mildew agent on tomatoes in Bulgaria. *Proceedings of the XIIth Eucarpia meeting on tomato genetics and Breeding. Plovdiv, Bulgaria, 27-31 July 1993*, 51-54.

- Anon. (1990).** "Official Methods of Analysis", 15th ed. Association of Official Analytical Chemists, Published by the Association of Official Analytical Chemists, Inc. U.S.A. Vol. two. Suite 400. 2200 Wilson Boulevards Arlington, Virginia 22201 USA.
- Attia, M.F. (1976).** Occurrence of some unreported powdery mildew diseases in Egypt. Second Congress of Egyptian. Phytopathol. Society Abstracts. November, 75.
- Awad, N.G.H. (1990).** Studies on tomato wilt disease caused by *Fusarium oxysporum* f. sp. *Lycopersici*. Ph.D. Thesis. Dept. of Agric. Bot., Fac. of Agric., Zagazig Univ. A.R.E.
- Awad, N.G.H. (2000).** Reaction of some cucurbits against *S. fuliginea* in relation to their physiological and histopathological changes. Arab Univ. J. Agric. Sci., Ain Shams Univ., Cairo, 8 (3) 829-851, 2000.
- Ayesu-Offei, E.N. (1989).** Formae speciales of *L. taurica* (Lév). Arn. infecting peppers and eggplants in Ghana. Dept. of biological Science, Univ. of Science and Technology, Kumasi. 66 (4) 355-360.
- Bains, P.S.; H. Bennypanl and M. Mirza (1999).** First report of powdery mildew of greenhouse-grown tomatoes in Alberta, Canada. Plant Disease (1999), 83 (5) 488. (Rev. Plant Pathol.. 78 (8) 5535. 1999).
- Barakat, F.M.; I. Ahmed; M.M. Fahim and El-Hamalawi, Zeineb, A. (1979).** Changes in phenols, oxidative enzymes, chlorophyll and carotenoids in sugar beet leaves

- infected with *Erysiphe betae*. 3rd Egypt. Phytopathol. Con. 838-852.
- Barnes, W.G. (1961).** Multiple disease resistant cucumbers. Proc. Am. Soc. Hort. Sci., 71: 417-423.
- Barnett, H.L. (1959).** Plant disease resistance. Ann. Rev. Microbiol. 13: 191-210.
- Belanger, R.R. and W.R. Jarvis (1994).** Occurrence of powdery mildew (*Erysiphe* sp.) on greenhouse tomatoes in Canada. Plant Disease (1994), 78 (6): 640.
- Berger, G. (1939).** Contribution to the knowledge of *L. taurica* Arn. Ann. Epiphyt., N.S. IV, 1, pp. 21-25 (Rev. Appl. Mycol., 18, 830).
- Besri, M. (1991).** Integrated control of cryptogamic diseases of tomato in Morocco. Bulletin-SROP (1991), 14: (5), 187-191.
- Besri, M. and A. Hormattallah (1985).** Occurrence and survival of *L. taurica*. The cause of tomato powdery mildew in Morocco. Z. Phytopathol. 112 (4): 348-354.
- Bolay, A. (1998).** The powdery mildews of tomatoes and eggplants in Switerland. Rev. Plant Pathol. (1999), 78 (5) 3417.
- Bozarth, R.F. and T.O. Diener (1963).** Changes in concentration of free amino acids and -12-amids in tobacco plants by potato virus X and potato virus Y. Virology 21: 188-193.

- Brad Gabor and Wayne Wiebe (1997).** Tomato diseases-Fungal disease, P. 24. A practical guide for seedsmen, growers and agricultural advisors. Seminis Vegetable Seeds, Inc., Saticoy, California 93004 USA.
- Bremer, H. (1947).** Contributions to knowledge of the parasitic fungi of Turkey. Rev. Fac. Sci., Ser. B, xii, pp. 122-172 (Rev. Appl. Mycol., 26, 352).
- Briton-Jones, H.R. (1925).** Mycological work in Egypt during the period 1920/1922. Tech. And Sci. Servis, Bull. 49 (Bot. Sect.) 129 pp. (Rev. Appl. Mycol., 5 (20) 1926).
- Brooks, F.T. (1953).** Fungus diseases (continued): Endomycetales Taphrinales (Exoascales), Erysiphales, Eurotiales, Yriangilales. Plant Diseases 2nd Edit., p. 132-133 Oxford Univ. Press. Lond. New York, Toronto.
- Browning, J.A. (1954).** Breakdown of rust resistance in detached leaves of normally resistant oat varieties. Phytopathology 44: 483 (Abstr.).
- Caesar, J.C. and G.C. Clerk (1985a).** Germinability of *L. taurica* conidia obtained from water stressed pepper plants. Canadian J. of Botany 63 (10): 1681-1684. *
- Caesar, J.C. and G.C. Clerk (1985b).** Water stress induced changes in the morphology of the powdery mildew *L. taurica* (Lév) Arn. Phytopathol. Z. 112 (3): 217-221.
- Carrasco, A.; G. Marigo and A.M. Boudet (1977).** Induction of resistance to *Fusarium* disease by increasing the phenolic content of *Lycopersicon esculentum*. Comptes

Rendus Hebdomadaaires des Seances de Academiendes Science. D. (1977), 284 (18)): 1901-1804 (c.f. Rev. Plant Pathol., 57 (8): 334).

- Carrasco, A.; A.M. Boudet and G. Marigo (1978).** Enhanced resistance of tomato plants to *Fusarium* by controlled stimulation of their natural phenolic production. *Physiol. Plant Pathol.* (1978), 12 (2) 225-232.
- Cerkauskas, R. F.; J. Brown; G. Ferguson and S. Khosla (1999):** First Report of Powdery Mildew of Greenhouse Pepper Caused by *Leveillula taurica* in Canada. *Plant Dis.* D-1999-0524-01N.
- Cerkauskas, R.F.; L. Leopold and G. Ferguson (2000).** Control of powdery mildew in greenhouse cucumbers, Peppers and tomatoes. *Phytopathology* (2000), 90 (6) S12.
- Charles, O.; O.W.Mcanelly and J.R. Vaughn (1959).** Comparison of the amino acid content of beans produced from healthy and *Fusarium* root-rot infected plants. *Plant Dis. Rep.*, 43: 437-438.
- Chaudari, S.M. and L.D. Patel (1992).** Management of castor diseases. *Indian-Farming.* (1992), 41 (1) 5-6.
- Cherewick, W.T. (1944).** Studies on the biology of *Erysiphe graminis* DC. *Canad. J. Res. C.*, 22: 52-86.
- Chupp, C. and A.F. Sherf (1960).** Vegetable diseases and their control. The Ronold Press. Co. New York (563-564).

- Ciccarese, F.; M. Amenduni; O. Schiavone and M. Cirulli (1998).** Occurrence and inheritance of resistance to powdery mildew (*Oidium lycopersici*) in *Lycopersicon* species. *Plant Pathology* (1998) 47 (4) 417-419, (c.f. *Rev. Plant Pathol.* 1998, 77 (11) 9321).
- Ciccarone, A. (1951).** Powdery of globe artichoke (*Cynara scolymus*) and cordon (*Cynara cardunculus* L.). *Ball. Staz. Pat. Veg. Roma. Ser. 3.9*, pp. 163-204. (*Rev. Plant Pathol.* 32, 536, 1953).
- Ciccarone, A. (1956).** Proceeding of the phytopathology convention for Apulia and Lucania, Bari, 20-22 May (c.f. *Rev. Appl. Mycol.* Vol. XXXV, P. 658).
- Clerk, G.C. and E.N. Ayesu-Offei (1967).** Conidia and conidial germination in *L. taurica* (Lév) Arn. *Ann. Bot., N.S.*, 31 (124): 749-754. (c.f. *Rev. Appl. Mycol.* 47, 30, 1968).
- Cook, C.G. and J.L. Riggs (1995).** First report of powdery mildew on kenaf caused by *Leveillula taurica* in the lower Rio Grande Valley of Texas. *Plant Disease* (1995), 79: a 968.
- Corner, E.J.H. (1935).** Observations on resistance to powdery mildews. *New phytopathol.*, 34: 180-200.
- Correll, J.C.; T.R. Gordon and Y.J. Elliott (1987).** Host range specificity and biometrical measurements of *L. taurica* in California. *Plant Dis.* 71 (3) 248-251.

- Correll, J.C.; T.R. Gordon and Y.J. Elliott (1988a).** The epidemiology of powdery mildew on tomato. *California Agric.* 42 (2): 8-10.
- Correll, J. C.; T.R. Gordon and Y.J.Elliott (1988b).** Powdery mildew of tomato: the effect of planting date and triadimefon on disease onset, progress, incidence and severity. *Phytopathology* 78 (5): 512- 519.
- Coulomb, C.; C. Polian; Y. Liz and P.J. Coulomb (1996).** Ultra-structural changes concerning the photosynthetic apparatus during *Phytophthora capsici* infection of susceptible and induced pepper leaves. *Comptes Rendus de l'Academie des Sciences Serie III- Sciences de la Vie-life Science*, 319 (10) 893-899.
- Daayf, F.; A. Schmitt and R.R. Belanger (1995).** The effects of plant extracts of *Reynoutria sachalinensis* on powdery mildew development and leaf physiology of long English cucumber. *Plant Disease* (1995), 79 (6), 577-580.
- Daayf, F.; A. Schmitt and R.R. Belanger (1997).** Evidence of phytoalexins in cucumber leaves infected with powdery mildew following with leaf extracts of *Reynoutria sachalinensis*. *Plant Physiology*, 113 (3): 719-727.
- Daly, J.M. and B.J. Deverall (1963).** Metabolism of indole acetic acid in rust diseases. 1. Factors influencing rates of decarboxylation. *Plant Physiol.* 38: 741-750.
- Daly, J.M. and R.E. Inman (1958).** Changes in auxin levels in safflower hypocotyls infected with *Puccinia carthami*. *Phytopathology* 48: 91-97.

- Dekker, J. (1963).** Effect of kinetin on powdery mildew. *Nature* 197: 1027-1028.
- Duncan, D.B. (1955).** Multiple range and multiple. "F-test". *Biometrics* II: 1-42.
- Dyki, B. and M. Staniaszek (1997).** Infection of tomato by *Oidium lycopersicom* (Cooke & Masee, Emend. Noordeloos & Loerakker). *Phytopathologia-Polonica* (1997), No. 13, 13-17.
- Elad, Y. and D. Shtienberg (1994).** Effect of compost water extracts on grey mould (*Botrytis cinerea*). *Crop Protection* (1994), 13 (2) 109-114.
- El-Basyouni, S.Z.; M. Nazir and A.A. El-Shjehedi (1976).** Changes in carbohydrates in relation to resistance genes of wheat leaf rust. Proceeding of the 2nd Phytopathology Conference, Cairo, pp. 601-614.
- El-Fiki, A.I.I. and R.N.Fawzy (1987). Incidence of *Odiopsis taurica* on castor bean plant in Egypt. *Annals of Agric. Sc., Moshtohor*, 25(2):807-817.
- El-Kafrawy, A.A. (1997).** Studies on powdery mildew of pepper. Ph.D. Thesis, Fac. of Agric., Minufiya Univ., A.R.E.
- El-Khadem, M.; M.A. Abdel-Sattar; M.A. Barakat and L.N. Ali (1985).** Reaction of cucumber varieties to powdery mildew in relation to activities of oxidative enzymes. The 1st Nat. Con. of Pests and Dis. of Veg. And Field Crops in Egypt. Fac. of Agric., Suez Canal Univ., Ismailia, Egypt.

- El-Shanawani, M.; S.A. Mohamed; M. Awad and Sh. El-Desouky (1990).** Morphological and physiological resistance to powdery mildew in cucumber. 6th Con. of Phytopathol. Cairo, March (1990).
- El-Shehidi, A.; AM.A. bdel-Sattar; Massoud, Samia I. and I.N. Ali (1985).** Changes in carbohydrates in relation to the varietal reaction of cucumber to *Erysiphe cichoracearum* DC., during different stages of disease development. 1st. Nat. Con. Of Pest and Dis. of Veg. Field Crops in Egypt. Fac. of Agric., Suez Canal Univ., Ismailia, Egypt.
- El-Shennawy, Z.; S.A. Mohamed; M.M. Ammar and M.A. Awad (1987).** Response of cucumber to *Pseudoperonospora cubensis* and its virulence. Minufiya. J. of Agric. Res. 12 (2): 803-823.
- El-Zahaby, H.M.; G. Gullner and Z. Király (1995).** Effects of powdery mildew infection of barley on the ascorbate-glutathione cycle and other antioxidants in different host-pathogen interactions. *Phytopathology* 85 : 1225.
- Exner, A.; S. Vidal, (1996).** Interactions between plant pathogens, endophytes, whiteflies and *Encarsia formosa*. Proceedings of the German Society for General and Entomology Bayreuth, Germany, 18-22 March 1997. *Mitteilungen-der- Deutschen – Gesellschaft – für- Allgemeine – und – Angewandte – Entomologie*. 1996, 11: 1-6, 751-754.

- Fahim, M.M. (1966).** First report of the occurrence of powdery mildew disease on tomatoes in the United Arab Republic. Proceedings of the first congress of the Mediterranean Phytopathol., Union, Phytopathol. Mediterranea (1966).
- Farahat, A.A. (1980).** Studies on powdery mildew of some leguminous plants. Ph.D. Thesis, Agric., Ain Shams Univ., 190 pp.
- Farkas, G.L. and Z-Kiraly (1962).** Role of phenolic compounds in the physiology of plant diseases and disease resistance. *Phytopathology Z.*, 44, 105-150.
- Fiori, M.; V.A. Prota; C. Carta and R. Garau (1996).** Control trials against powdery mildew on artichoke in 1994-1995 in Sardinia. *Difesa-delle-Piante*. 1996, 19, 1, 23-26.
- Fiume, F. (1997).** Therapeutical or protective effects of two new fungicides against powdery mildew on sweet pepper and their physiological implications. Proceedings of the 49th International symposium on crop protection, Gent, Belgium, 6 May, 1997. Part IV. Mededelingen-Faculteit-Landbouwkundige-en- Toegepaste- Biologische- Wetenschappen. - Universiteit- Gent. 1997, 62: 3b, 1141-1150.
- Fletcher, J.T.; B.J. Smewin and R.T.A. Cook (1988).** Tomato powdery mildew. *Plant Pathology* (1988) 37 (4) 594-598.
- Forsberg, A.S. (1989).** Tomato powdery mildew, occurrence and control trials. *Vaxtskyddsnotiser*, 35 (6): 144-148.

- Forster, R.L. (1989).** Powdery mildew of greenhouse cucumbers and tomatoes caused by *L. taurica* in Idaho. *Plant Disease*, 73 (12): 1020.
- Franceschini, A.; C. Carta and M. Fiori (1983).** Control trials against powdery mildew of tomato and *Capsicum* in the glasshouse. *Studi-Sassaresi-III- 1983*, 30, 19-23.
- Fric, F. (1969).** Phenolic substances and oxidases from the point of view of resistance in barley to *Erysiphe graminis* f. sp. *Hordei*. *Biologia, Bratisl.* 24, 54-69. (c.f. *Rev. Appl. Mycol.*, 48, 2334).
- Fric, F. and O. Majernic (1964).** A study of terminal oxidases in barley leaves infected with the obligate parasite *Erysiphe graminis* f. sp. *hordei*. *Marchal Phytopathology* 50, 17-32.
- Frisullo, S.; U. de. Carato; F. Lops; N.M. Trombetta and U. De-Corato (1995).** Disease of kenaf in Basilicata. *Informatore. Fitopatologica* (1995), 45: 1, 37-41.
- Gabler, J.; Gerlach, W. and Braun, U. (1990).** Epidemic occurrence of a powdery mildew on tomatoes in the GDR. *Nachrichtenblatt des Deutschen Pflanzenschutzdienstes*. 1990, 42: 6, 94-95.
- Garcia-Estrada, R.S.; E. Cardenas-Soriano; V. Gonzalez-Hernandez and E. Zavaleta-Mejia (1993).** Infection and some physiological alterations produced by *Oidiopsis taurica* in tomato (*Lycopersicon esculentum* Mill). *Fitopatologia* (1993), 28: 1, 1-9. (c.f. *Rev. Plant Pathol.*, (1994), 73 (1) 427.

- Gelyuta, V.P. and S.A. Simonyan (1988).** Two new species of the genus *Leveillula* Arnaud of Armenia and Ukraine. *Biologicheskii-Zhurnal-Armenii* (1988), 41: 10, 816-821.
- Georgiev, P.; D. Angelov; L. Krasteva and L. Stamova (1993).** Reaction of different tomato varieties to powdery mildew causal agent *S. fuliginea* f. *lycopersicum*. Proceedings of the XIIth – Eucarpia meeting on tomato genetics and breeding, Plovdiv, Bulgaria, 27-31 July, 1993, 55-58.
- Gill, C.C. and K.S. Nandpuri (1978).** The downy mildew incidence as affected by a number of stomata in muskmelon cultivars. Punjab Agric. Univ. Lundhiana. *India Science and Culture* 44 (8): 372-373.
- Goodman, R.N.; Z. Király and M. Zitlin (1967).** The biochemistry and physiology of infectious plant diseases. D. Van. Nostrand Company. INC. Toronto, New York, London.
- Graf-Marin, A. (1934).** Studies on powdery mildew of cereals. *Cornell Agric. Exper. Stat. Memoir*, 157, pp. 48 (c.f. *Rev. Appl. Mycol.* 14, 25, 1935).
- Green, E.A.; U. Bernhard and L. Bacci (1998).** Control of powdery mildews with quinoxifen in horticultural crops. Brighton Crop Protection Conference: Pests & Diseases-1998: Volume 3: Proceedings of an International Conference, Brighton, UK, 16-19 November 1998, 857-862.

- Guillerm, J.L. and G. Remond (1958).** The effects of various fungicides on the germination of spores of *L. taurica*. (c.f. Rev. Appl. Mycool., 37, 638).
- Hafiz, A. (1952).** Basis of resistance in gram to *Mycosphaerella* blight. *Phytopathology* 42: 422-424.
- Han, J.S. (1990).** Use of antitranspirant epidermal coatings for plant protection in China. *Plant Dis.*, 74: 263-266.
- Haroun, S.H. (1978).** Physiological and pathological studies on the interaction between some viral diseases and powdery mildews in cucumber. M.Sc. Thesis, Fac. of Agric., Ain Shams Univ., Egypt.
- Havranek, P.; M. Navratil; V. Kudela; G. Vozdova; H. Vclkova; J. Chod; J. Polak; L.R. Crute; M. White (1986).** Methods of testing vegetable crops for resistance to plant pathogens. 256 pp. many ref.
- Helal, R.M.; M.S. Zaki and F.A. Fadi (1978).** Physiological studies on the nature of resistance to powdery mildew in cucumber. Res. Bull., 923, Ain Shams Univ., Cairo. 12 pp.
- Herger, G.; F. Klingauf; D. Manglod; E.H. Pommer and M. Scherer (1988).** Efficacy of extracts of *Reynoutria sachalinensis* (F Schmidt) Nakai against fungal diseases, especially powdery mildews. Inst. Biol. Schadlingsbekämpfung, Darmstadt, German Federal Republic. Nachrichtenblatt des Deutschen Pflanzenschutz Zdienstes, 40: (4): 56- 60.

- Hess, H. (1949).** Ein Beitrag zum problem der induzierten Abwehrreaktion in Pflanzenwach. Phytopathology Z. 16: 41-70.
- Hillocks, R.J. and R.J. Hillocks (1992).** Fungal diseases of the leaf. Cotton diseases (1992), 191-238, 7 pp.
- Holden, M. (1965).** Chlorophylls in chemistry and biochemistry of plant pigments (Edited by T.W. Goodwin), pp. 461-488. Academic Press Inc., New York.
- Homma, Y.; Y. Arimoto; H. Tokahashi; T. Ishikawa; I. Mustsuda and T. Miato (1980).** Studies on powdery mildew 1. Conidial germination, hyphal elongation and hyphal penetration on pepper leaf. Ann. Phytopathol. Soc. Japan 46: 40-49.
- Horsfall, J.G. and A.E. Dimond (1957).** The selective control of plant pathogens. World Review of Pest control, 2 Part 4.
- Horsfall, J.G. and R.W. Barratt (1945).** An improved grading system for measuring plant diseases. Phytopathology., 35: 655.
- HuangCaicheng; T. Groot; F. Meijer-Dekens; R.E. Niks and P. Lindhout (1998).** The resistance to powdery mildew (*Oidium lycopersicum*) in *Lycopersicon* species is mainly associated with hypersensitive response. European Journal of Plant Pathology 104 (4) 399-407. (c.f. Rev. Plant Pathol., (1998) 77 (11) 9315).
- Jindal, S.; Y.K. Arora and K.L. Bajaj (1979).** Effect of interaction by *Sphaerotheca fuliginea* on amino acids and

- sugars in leaves of muskmelon. *Plant Biochemical Journal* 6 (2): 115-123. (c.f. *Rev. Plant Pathol.*, 60: 5615).
- Jones, W.B. and S.V. Thomson (1987).** Source of inoculum, yield and quality of tomato as affected by *L. taurica*. *Plant Disease*, 71 (3): 266-268.
- Kamat, M.N. and M.K. Patel (1948).** Some of new hosts of *Oidiopsis taurica* (Lèv) Salmon, in Bombay- Indian Phytopathology 1,2, pp. 153-158. (c.f. *Rev. Appl. Mycol.*, 29, 154, 1950).
- KangSooWoong; Kwon Jinhyeuk; Shin Wonkyo and Kim Keekyu (1995).** Occurrence of powdery mildew on tomato caused by *Oidiopsis taurica* Arnaud= (*Leveillula taurica*) in Korea. *Korean Journal of Plant Pathology* (1995) 11 (4): 380-382. (c.f. *Rev. Plant Pathol.*, 74 (1) 445, 1995).
- Kannaiyan, J.; P. Vidhyasekaran and T. K. Kandaswamy (1973):** Amino acid contents in relation to ergot disease resistance. *Indian Phytopath.*, 26 (2): 358.
- Karasevicz, D.M. and T.A. Zitter (1996).** Powdery mildew occurrence on greenhouse tomato plants in New York. *Plant Disease* (1996) 80 (6) 709. (c.f. *Rev. Plant Pathol.*, 1995, 76 (1), 453).
- Kern, H.; B.D. Sanwal and D. Kluepfel (1957).** On the conversion of labelled glycine by *Fusarium lycopersici*. *Experientia*, 13 (7): 281-282. (c.f. *Rev. Appl. Mycol.*, 36 (12): 791).

- Keyworth, W.C. and A.F. Dimond (1952).** Root-injury as a factor in the assessment of chemotherapeutants. *Phytopathology*, 42: 311-315.
- Khan, S.A. and M. Kamal (1962).** Some additional hosts of *L. taurica* (Lèv) from Pakistan. *Pakist. J. Sci. Res.*, 5, 1, P. 41. (c.f. *Rev. Appl. Mycol.* 41, 768).
- Khare, M.N.; B. Bayaa; S.P.S. Beniwal; K.B. Singh and M.C. Saxena (1993).** Selection methods for disease resistance in lentil. Breeding for stress tolerance in cool season food legumes, 1993, 107-121.
- Király, Z.; B.I. Pozsár and M. El-Hammady (1966).** Cytokinin activity in rust infected plants. Juvenility and senescence in diseased leaf tissues. *Acta Phytopathol. Hung.* 1: 29-37.
- Klusak, H. (1970).** Changes in peroxidase activity in wheat and barley leaves after inoculation with obligate parasites. *Biologia Pl.*, 12, 224-230. (c.f. *Rev. Appl. Mycol.*, 59, 323).
- Koike, S.T.; S.A. Tjesvold and I.D. Greene (1995).** Powdery mildew of *Eustoma* caused by *Leveillula taurica* in California. *Plant Disease*. (1995), 79: 4, 426.
- Kowalewski, A. and G. Herger (1992).** Investigations about the occurrence and chemical nature of the resistance inducing factor in the extract of *Reynoutria sachalinensis*. *Mededelingen van de Faculteit Landbouwwetenschappen Universiteit-Gent* 1992, 57: 2b, 449-456. (The 44th

International Symposium on Crop Protection held in Ghent-Belgium on 5 May 1992).

- Kremer, W. and G. Unterstahofer (1967).** Computation of results of crop protection experiments by the methods of Townsend and Heuberger. Pflanzenschutz Nachrichten "Bayer" 20: 625-628.
- Kuc', J. (1963):** Perspectives of biochemical plant pathology. Conn. Agr. Exp. Sta. (New Haven) Bull., 663: 20-30.
- Kumar, J.; Dutta, M. and R. Rajendra-Prasad (1991).** Pigeon pea diseases at different altitudes in Garhwal Hills. India. International-Pigeonpea-Newsletter. 1991, No. 14, 16-17.
- Lashin, S.M.A. (1967).** Studies on the fungus *Erysiphe cichoracearum* DC. causing powdery mildew of squash. M.Sc. Thesis, Fac. of Agric., Ain Shams Univ., 81 pp.
- Lindhout, P.; Pet, G.; Beek, H. Van-der; Van-der-Beek, H. (1994).** Screening wild *Lycopersicon* species for resistance to powdery mildew (*Oidium lycopersicum*). Euphytica. 72: 1-2. 43-49 (1994).
- Lohrer, T. (1996).** Powdery mildew on tomatoes. Gemüse (München) 1996, 32 (6) 396-397. (c.f. Rev. Plant Path. (1997) 76 (5) 3887).
- Lyles, W.F.; N.C. Futrell and I.M. Atkine (1959).** Relation between reaction to race 15 B of stem rust and reducing sugar and sucrose in wheat. Phytopathology 49: 254-256.
- Mackie, J.R. (1928).** Localization of resistance to powdery mildew in the barley plant. Phytopathology, 18: 901-910.

- Mahajan, P.D.; P.K. Boramanikar and D.M. Sawant (1991).** Efficacy of triforine in the control of powdery mildew of tomato. Maharashtra-Journal of Horticulture (1991), 5 (2) 72-74.
- Majernik, O. (1965).** Can free amino acid serve as indicator or resistance or immunity. Sciencia Horticulturae. 24: 241-249.
- Mandhar, C.L. and I.D. Garg (1976).** Cytokinin activity of powdery mildew infected leaves of *Abelmoschus esculentus*. Phytopath. Z., 85 (1) 86-89., 1976. (c.f. Biol. Abst. 61: 16394).
- Manici, L.M. and F. Lops (1993).** Severe infection by *Leveillula taurica* (Lèv) Arn. on olive seedlings in the protected cultivation in Calabria. Informatore-Fitopatologico (1993), 43 (12) 53-55.
- Marois, J. J.; M. T. Momol; J. W. Kimbrough; R. C. Hochmuth and W. Dankers (2001):** First Report of Powdery Mildew on Greenhouse Tomatoes Caused by *Oidium neolycopersici* in Florida. Plant Dis. D-2001-1025-01N, 2001 (on-line).
- Maxwell, D.P. and D.F. Bateman (1967).** Changes in the activities of some oxidases in extracts of *Rhizoctonia* infected bean hypocotyls in relation to lesion maturation. Phytopathology 57: 132-136.
- McGrath M. T.; N. Shishkoff; C. Bornt and D. D. Moyer (2001):** First Occurrence of Powdery Mildew Caused by

Leveillula taurica on Pepper in New York. Plant Dis. D-2001-0816-01N, 2001 (on-line).

Mehrotra, R. S. (1980): Plant Pathology "Growth regulators in plant diseases". pp 136-144.

Mendoza Zamora, C. and Z.R. Meza (1990). Chemical control of powdery mildew(*Oidium* sp.) on husk tomato (*Physalis ixocarpa* Brot.) in the state of Morelos, Mexico. Revista-Mexicana-de- Fitopatologia (1990), 8 (2) 194-198. (c.f. Rev. Plant Pathol. (1993) 72 (9) 6107).

Merce, J. (1992). Plant pathogenic fungi of southern Spain (Uredinales, Ustilaginales, Erysiphaceae). Biogeographical aspects. Role of the genus *Leveillula*. Comptes- Rendus-de l' Academie-de- Sciences- Series-3, Sciences-de-la-Vie. 1992. 314: 3. 113-118. (c.f. Rev. Plant Pathol. (72): (5): 2551 (1993).

Mihail, J.D. and S.M. Alcorn (1984). Powdery mildew (*L. taurica*) on native and cultivated plants in Arizona. Plant Disease 68 (7) 625-626.

Mirza, M.; P.S. Bains and C.D.C. North Edmonton (1996). [Image] [Alberta Agriculture, Food and Rural development Home Page 1]. This information is maintained by Shelloy Barkley. Copyright 1996. Her Majesty the Queen in the Right of Alberta. All rights reserved. Last Revised Reviewed, May 15, 1996.

Mizubuti, E.S.G. and S.H. Brommonschenkel (1996). Diseases caused by fungi in tomato. Informe-Agropecuario-Belo-Horizonte (1996), 18: 184, 7-14.

- Mohamed, S.A. (1994).** Virulence of *L. taurica* (Lèv) Arn. on some pepper cultivars and its control. Minufiya J. Agric. Res., Vol. 19 No. 6 (1): 2883-2902.
- Mostafa, E.E. (1986).** Epidemiology and physiology of *Erysiphe graminis hordei* causing powdery mildew of barley in Egypt. Ph.D. Thesis, Agric., Zagazig Univ., 130 pp.
- Naik, R.G. and S.D. Rangaswamy (1994).** Effect of date of sowing and application of chemicals on the incidence and control of powdery mildew in horsegram (*Dolichos biflorus*) Roxb. Research (1994), 17: 3-4, 203-206.
- Natour, R.M.; A.H. El-Behadli and M.G. Majeed (1971).** Occurrence of *L. taurica* in Iraq. Plant Dis. Repr. 55 (2): 192. (Coll. Agric., Abu-Ghraib, Iraq).
- Nawazi, R.M.S. and D.P. Narayanasamy (1983).** Influence of host nutrition on powdery mildew disease development in black gram. Madras-Agricultural Journal 1983, 70 (1) 57-58. (c.f. Plant Pathology, 63: 397, 1984).
- Nene, Y.L.; M.V. Reddy; M.C. Saxena, M.C. and K.B. Singh, (1987).** Chickpea diseases and their control. The chickpea (1987), 233-270, 6 pp.
- Nilova, V.P. and P. Ksendzova (1966).** Action of Thiram and Zineb on biochemical processes of plant infected by the causal agent of powdery mildew. Khimiya V. Sel. Khoz. 4: 30-33.

- Nour, M.A. (1953).** Control of powdery mildew diseases in the Sudan with special reference to Broad Bean. *EMP. J. Exp. Agric.*, 25, 98 pp. 199-131.
- Nour, M.A. (1957).** A powdery mildew (*Leveillula taurica* (Lèv) Arn. on cotton in the Sudan. *Nature, London* 179, 4552, p. 218, 195.
- Nour, M.A. (1958).** Studies on *L. taurica* (Lèv) Arn. and other powdery mildews. *Trans. Brit. Mycol. Soc.*, 41, 1, pp. 17-38.
- Nour, M.A. (1959).** Studies on the specialization of *Sphaerotheca fuliginea* (Schecht.) Boll. and other powdery mildews. *Trans. Brit. Mycol. Soc.*, 42 (1) pp. 90-94.
- Omar, S.S. (1977).** Studies on powdery mildew of wheat in Egypt. M.Sc. Thesis. *Agric., Cairo Univ.*, 125 pp.
- Osman, H.A (1977).** Studies on *L. taurica* the incitant of powdery mildew in Solanaceous plants. M.Sc. Thesis, *Fac. of Agric., Minufiya Univ., A.R.E.*
- Osborne, D. J. (1965):** Interaction of hormonal substances in the growth and development of plants. *J. Food Sci. Agr.*, 16: 1-13.
- Palti, J. (1959).** *Oidiopsis* disease of vegetable and legume crops in Israel. *Plant Dis. Repr.* 43, 221-224.
- Papoyan, F.A.; A.Y. Kostanyan and S.M. Chobanyan (1986).** Some biological characteristics of the pathogen of powdery mildew of tomatoes in the north-eastern zone of

- the Armenian SSR. Mikolo-giya, i. Fitopat. 20 (6): 513-514.
- Paternotte, S.J. (1988).** Occurrence and chemical control of powdery mildew (*Oidium* sp.) in tomatoes. Mededelingen, Van de Fac. Landbouwweten., Rijksun. Gen, 53 (26): 657-661.
- Pawar, R.N.; P.G. Utikar and A.A. Shinde (1985).** A study of powdery mildew of chilli. J. of Mahara. Agric. Univ., 10 (2): 218.
- Person, C.; D.J. Samborski and F.R. Forsyth (1957).** Effect of benzimidazole on detached wheat leaves. Nature 180: 1294-1295.
- Petterson, M.L. and B. Ramert (1988).** Plant protection year 1987-horticulture-Vaxtsky 52 (3) 66-70.
- Pilet, P.E. (1960).** Auxin content and auxin catabolism of the stems of *Euphorbia cyparissias* L. infected by *Uromyces pisi* (Press). Phytopath. Z. 40: 75-90.
- Pozsár, B.I.; K. Kristev and Z. Kiraly (1966).** Mildew resistance induced by amino acids: a decrease of the enhanced protein synthesis in mildew infected bean leaves. Acta Phytopath. Acad. Sci. Hung, 1: 203-208. (c.f. Rev. Appl. Mycol. 46: 332).
- Raggi, V.; A. Zizzerini; B. Barberini; F. Ferranti; R. Draoli (1974).** Alterations in the composition of free and combined amino acids in susceptible and resistant tomato

- cultivars infected with *Fusarium oxysporum* f. sp. *lycopersici*. *Phytopath. Z.* 79 (3): 258-280.
- Raj-Kishore; D.S. Shukla and R. Kishore (1996).** Evaluation of some innovatives vis-a-vis powdery mildew of opium poppy incited by *Erysiphe polygoni* J. of living world 1996, 3: 1. 12-17.
- Rathore, B.S. and R.S. Rathore (1995).** Studies on varietal resistance and chemical control of powdery mildew of fenugreek (*Trigonella-foenum-graceum*). *Indian J. of Mycology and Plant Pathology* (1995) 25 (3) 260-262.
- Reichert, I. and J. Palti (1946).** Powdery mildew of tomatoes. *Hassadeh* xxvi. P. 547. (c.f. *Rev. Appl. Mycol.* 26, 174, 1947).
- Reuveni, R. and J. Rotem (1973).** Epidemics of *L. taurica* on tomatoes and peppers as affected by the conditions of humidity. *Phytopath. Z.* 76 (2) 153-157. Bar II an Univ., Ramat Gan. Israel.
- Reuveni, R.; M. Perl and J. Rotem (1974).** The effect of *L. taurica* on leaf abscissions in peppers. *Phytopathologische Zeitschrift*, 80 (1) 79-84. Bar Iian Univ., Ramat Gan, Israel.
- Rohringar, R.; M.A. Stahmann and J.C. Walker (1958).** Biochemistry changes in plant diseases. Effect of *Fusarium oxysporum* f. *lycopersici* and its metabolites on leaf constituents of susceptible and resistant tomatoes. *J. Agric. Fd. Chem.*, 6 (11) 838-843. (c.f. *Rev. Appl. Mycol.*, 38 (4) 228).

- Rubin, B.A. and Y.A. Artsikhovskya (1963).** Biochemistry and phy-physiology of plant immunity. Ann. Rev. Phytopathol. 4: 349-364.
- Sadasivan, Nair, K.R. and Ellingbae, A.H. (1962):** Studies on the germination of conidia spores of powdery mildew of wheat. Phytopath., 52: 745.
- Salmon, E.S. (1906).** On endophytic adaptation shown by *Erysiphe graminis* DC under cultural conditions. Ann. Bot. (London), 19: 444-446.
- Sanabria-de-Albarracin, N.; M. Albarracin and A. Mendoza (1994).** Powdery mildew of garlic (*Allium sativum* L.), tomato (*Lycopersicon esculentum* Mill.) and Brussels sprouts (*Brassica oleraceae* L. var. gemmifera Zenker). Ernstia (1994) 4 (3-4) 107-116. (c.f. Rev. Plant Path. (1995) 74 (9) 5549).
- Saroj-Singh and S. Lodha (1985).** Varietal reaction and evaluation of fungicides *in vitro* and *in vivo* against powdery mildew chilli. Indian Jour. Agric. Science 55 (2) 85-87.
- Scala, A.; Santford Overton; M. Zitka and D. Ryan (2000).** Antifungal activities of five essential oils in the prevention of mildew infection (*Blumeria graminis*) in wheat (*Triticum* spp.). Phytopathology (2000) 90 (6) S 69.
- Schickedanz, F. (1989).** Powdery mildew on tomatoes. Nachrichtenblatt-des-Deutschen-Pflanzenschutzdienstes 41: 12, 207-208.

- Schnathorst, W.C. (1959).** Growth of *Erysiphe cichoracearum* on isolated lower epidermis and spongy tissue of lettuce. *Phytopathology* 49: 304-308.
- Schweizer, J. (1928).** On the Erysiphaceae (mildew fungi) of Java. *Arch. Voor. Rubbercut. Nederl. Indee*, Xii. 5, pp. 328-342. (c.f. *Rev. Appl. Mycol.* 7, 674).
- Scott, K.; A. Millerd and N.H. White (1957).** Mechanism of resistance in barley varieties to powdery mildew disease. *Austr. Jour. Sci.*, 19: 207-208.
- Sequeira, M. (1992).** Notes on Erysiphaceae, powdery mildew on *Garcia papaya*. *Garcia-de-Serie-de-Estudios-Agronomicos* (1992), 18: 1-2.
- Sequeira, L. (1973):** Hormone metabolism in diseased plants. *Ann. Rev. Pl. Physiol.*, 24: 353-380.
- Sharan, G.S. and M.S. Sharan, M. (1994).** Studies on powdery mildew of linseed by *L. taurica* (Lév) Arnaud. *Indian J. of Mycology and Plant Pathology* (1994), 24 (2) 107-110.
- Shaw, M. and A.R. Hawkins (1958).** The physiology of host parasite relations. V: A preliminary examination of the level of free endogenous indoleacetic acid in rusted and mildewed cereal leaves and their ability to decarboxylate exogenously supplied radioactive indoleacetic acid. *Can. J. Bot.* 36: 1-16.
- Shindy, W.W. and O.F. Smith (1975).** Identification of plant hormones from cotton ovules. *Plant Physiol.*, 55: 550.

- Shtienberg, D. (1992).** Effect of foliar diseases on gas exchange processes = a comparative study. *Phytopathology* 82: 7, 760-765.
- Simay, E.L. (1991).** Fungi found on leucerne (*Medicago sativa* L.) during 1985-1990. *Novenyvedelem* (1991), 27 (3) 117-124.
- Simonyan, S.A. and V.P. Gelyuta (1989).** A new species of powdery mildew fungus from the genus *Leveillula* Arnaud on Cleome. *Bio-logicheskii- Zhurnal- Armenii* (1989) 52 (5) 480-482.
- Sinha, J.N. and A.P. Singh (1991).** New hosts of *Oidiopsis taurica* and *Whetzelinia (Sclerotinia) sclerotiorum*. *Indian Phytopathology* (1991), 44 (4) 558.
- Siviero, P. and M.S. Motton (1997).** Adversities of field grown table tomatoes. *Informatore- Agrario* (1997), 53: 47, 51-59.
- Smith, I. (1969).** Chromatographic and electrophoretic techniques. I. 250 William Heinemanon. Medical books. Ltd. 15616. Queen street, may faire, London, W.L. and Interscience Publishers. Inc. 250. Fifth Avenue, New York, I.V.S.A.
- Snell, F.D. and C.T. Snell (1953).** Colorimetric methods of analysis including some turbidimetric and nephelometric methods. Vol. III, 606 pp. D. Van Nostrad Co. Inc., Pirnceton, New Jersey, Toronte, New York, London.

- Sobolewski, J. and J. Robak (1994).** Control of powdery mildew on tomato in Poland. *Ochrona-Roslin* (1994), 38: 9, 4-7. (c.f. *Rev. Plant Pathol.*, 74 (1) 376, 1995).
- Sotirova, V.; Georgiev, C.; Achkova, Z.; Bogatsevskaja; Georgiev, Kh.; Cuartero, J. (ed.); Gomez, Guillamon, M.L. (ed.); Fernandez, Munoz, R. (ed.) (1990).** The three-genome hybrid (*Lycopersicon esculentum*, *L. chilense*, *L. peruvianum* var. *humifusum*), Source of resistance to some economically important tomato disease. Proceedings of the XIth Eucarpia meeting on tomato genetics and breeding, 1990, 9-14.
- Srivastava, K.J.; P.J, Srivastava and R.P. Gupta (1992).** Management of garlic disease in India. Newsletter Associated Agricultural Development Foundation 1992, 12: 4, 12-16.
- Stamova, L. and L. Stamova (1993).** Scope of the breeding tomatoes for disease resistance in Bulgaria. Proceeding of the XII th Eucarpia meeting on tomato genetics and breeding. Plovdiv, Bulgaria, 27-31. July 1993, 11-18.
- Steinhauer, B. and K. Besser (1997).** Curative effect of vegetable oil and sodium bicarbonate on *Sphaerotheca fuliginea* on cucumber. Proceedings of the 49th. International Symposium on crop protection, Gent, Belgium, 6 May, 1997, Part IV. Mededelingen. Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen, Univ. Gent. 62 (3): 1035-1040.

- Stolk, J.H. and M.M. Cools (1983).** Early hot house tomato cultivars. resistance to powdery mildew is definite. *Creenten-en-Fruit* 1983, 39, 11, 37, 39, 1 p.
- Stravato, V.M. (1993).** New fungal disease (*Erysiphe* spp.) on tomato in South Central Italy. *Informatore-Agrario*., 49: 47, 36-37.
- Subrahmanyam, P.; P. Subrahmanyam; S.N. Silim; S. Tuwafe; and L. Singh (1993).** Pigeon pea diseases in Eastern and Southern Africa. Annual Research Planning Meeting 1993, Bulawayo, Zimbabwe, 25-27 October 1993-1994, 32-36.
- Szczzech, M.; M. Brzeski; J. Sobolewski and M. Staniaszek (1997).** Possibilities of use of brewery refuse extract in biological control of powdery mildew in tomato. *Progress in Plant Protection* (1997), 37: 2, 383-386.
- Teubner, G. and W. Neuhaus (1993).** Model tests to control powdery mildews (*Oidium lycopersicum* Cooke et Masee) on tomatoes under glass. *Archives of Phytopathology and Plant Protection*. (1993), 28: 2, 133-138. (c.f. *Rev. Plant Path.* (1995), 74 (6) 3576).
- Thomas, W. and R.A. Dutcher (1924).** Picric acid methods for carbohydrate. *Jour. Amer. Chem. Soc.*, 46: 1662-1669.
- Trelease, S.E. and H. Trelease (1929).** Susceptibility of wheat to mildew as influenced by carbohydrate supply. *Bull. Torrey Bot. Club* 56:65 -92. (c.f. *Allem, P.J. Am. Jour. Bot.* 29: 425-435, 1942).

- Tyuterev, S.L.; G.I. Nebieridze; E.N. Ksendzova and T.B. Dorofeeva (1994).** Physiologico-biochemical specificity of cucumber resistance to powdery mildew as affected by biological inducers. Sel. Skokh-ozyaistvenneaya-Biologiye (1994) No. 1, 110-117.
- Uchida, J.Y.; M. Aragaki and D.Y. Ogato (1995).** First report of *L. taurica* in Hawaii. Plant Disease (1995) 79: 9, 996.
- Vasjagina, M.P.; M.N. Kuzentzova; N.F. Pisareva and C.P. Schwarzman (1961).** Flora cryptogamic Plants of Kazakhstan. Vol. III, Powdery mildew fungi. Published by Acad. of Sci. of Kazakh. S.S.R. Alma Ata. In Russian.
- Velásquez-Valle, R. and P. Valle-Garcia (1999).** First report of powdery mildew of pepper in North-Central Mexico. Plant Disease, 83 (3) 302. (c.f. Rev. Plant Pathol. (1999), 78 (7) 4803).
- Vizarova, G. (1975).** Effect of powdery mildew on the level of endogenous cytokinins in barley with regard to resistance. Phytopath. Z., 84 (2): 105-114. (c.f. Biol. Abst., 63: 62918. 1977).
- Wang, C.; C.K. Chin and A. Chen (1998).** Expression of the yeast Δ -9 desaturase gene in tomato enhances its resistance to powdery mildew. Physiological and Molecular Plant Pathology (1998) 52 (6) 371-383. (c.f. Rev. Plant Pathol. (1999) 78 (4) 2795).
- Wankhade, S.V. and N.L. Peshney (1992).** Conidial survey and cross infectivity of certain powdery mildew fungi

- prevalent in Vidarbha. Indian Journal of Mycology and Plant Pathology (1992). 22 (2) 195-196.
- Wettstein, D. (1957).** Chlorophyll-lethal under der submikroskopische Formwechsel der Plastiden. Expt. Cell. Res. 12: 427-433.
- Whipps, J.M. and N.L. Helyer (1994).** Occurrence of powdery mildew on aubergine in West Sussex. Plant Pathology. 1994. 43: 1. 230-233.
- Wood, R.K.S. (1967).** Physiological Plant Pathology. Blackwell Scientific Publications LTD 1967. First Published 1967.
- Wu-Ws and CH- Wu. (1992).** Effects of double layered plastic greenhouse on cultivation of tomatoes. Memoirs of the college of Agriculture. National Taiwan Univ., 1992. 32. 3. 179-193.
- Yarwood, C.E. (1949).** Effect of soil moisture and nutrient counteraction on the development of bean powdery mildews. Phytopathology. 39: 780-788.
- Yarwood, C.E. (1957).** Powdery mildews. Botany Review. 32: 235-301.
- Yarwood, C.E.; Sidky, S.; Cohen, M. and Satilli, V. (1954).** Temperature relation of powdery mildew. Hilgardia 22: 603-622.
- Zaher, E.A. (1970).** Studies on the powdery mildew incited by *Leveillula taurica* (Ièv) Arn. M.Sc. Thesis, Dept. Agric. Bot., Fac. Agric., Cairo Univ., Egypt.

- Zarins, I. And M. Daugavietis (1998).** Conifer foliage extractive substances in plant protection. *Baltic-Forestry* (1998), 4. 2. 31-39.
- Zazzerini, A. (1976).** Changes in protein and respiratory metabolism induced by *Fusarium oxysporum* f. sp. *dianthi* in tomato stems and leaves. *Phytopathol. Z.* 86 (4) 289-301.
- Ziv, O. (1983).** Control of powdery mildew of roses with antitreatment coating polymers. *Hassadeh*, 53: 1967-1969.
- Zwirn, H.E. (1943).** Studies on *Leveillula taurica* (Lév) Arn. *Palest. J. Bot., J. Ser. III.* 1, pp. 52-53. (c.f. *Rev. Appl. Mycol.* 24. 476. 1954).