

References

- Acker DB, Sachs BP, Friedman EA.** Risk factors for shoulder dystocia. *Obstet Gynecol.* 1985; 66(6):762-768.
- ADA.** (American Diabetes Association). Gestational diabetes mellitus: *Diabetes Care.* 2004; 27 Suppl 1: S88-90.
- Adesina OA, Olayemi O.** Fetal macrosomia at the University College Hospital, Ibadan: a 3-year review. *J Obstet Gynaecol* 2003; 23: 30-33.
- Aerts L, Pijnenborg R, Verhaeghe J, Holemans K, Van Assche FA.** Fetal growth and development. In: Dornhorst A, Hadden DR, eds. *Diabetes and Pregnancy: An International Approach to Diagnosis and Management.* Chichester: John Wiley; 1996; 11: 77–97.
- Ahlsson FSE, Diderholm B, Ewald U and Gustafsson J.** Lipolysis and insulin sensitivity at birth in infants who are large for gestational age. *Pediatrics* , 2007;120:958–965.
- Al-Inany H.** Accuracy of Prediction Of Macrosomia: A Critical Appraisal. *KAJOG; Kasr Al-Aini Journal of Obstetrics & Gynecology* Vol. 1. Issue 2, August 2010; Review Article 48-55.
- Alsulyman OM, Ouzounian JG, Kjos SL.** The accuracy of intrapartum ultrasonographic fetal weight estimation in diabetic pregnancies. *Am J Obstet Gynecol.* 1997; 177: 503–506.
- American College of Obstetricians and Gynecologists.** Fetal Macrosomia. ACOG Technical Bulletin no. 159. Washington, DC: ACOG; 1991.

American College of Obstetricians and Gynecologists. Clinical management guidelines for obstetrician-gynecologists. Fetal macrosomia. ACOG practice bulletin no. 22. American College of Obstetricians and Gynecologists; Washington, DC: 2000.

Anthony J. Piazza and Barbara J. Stoll: Jaundice and Hyperbilirubinemia in the Newborn; Digestive System Disorders: in Nelson Textbook of Pediatrics 18th ed., Kliegman et al., Saunders, An Imprint of Elsevier. 2007; 102(3):756-761.

Ashmead GG, Kalhan SC, Lazebnik N, Nuamah IF. Maternal-fetal substrate relationships in the third trimester in human pregnancy. *Gynecol Obstet Invest*, 1993; 35:18-22.

Association AD. Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*. 2008; 31: S55-S60.

Aviva Lee-Parritz and John P. Cloherty. Diabetes Mellitus :in Manual of Neonatal Care : John P. Cloherty, Eric C. Eichenwald and Ann R. Stirk. sixth ed. Lippincott, Williams &Wilkins.2004; 2A: 9-18.

Baker H, Hockstein S, DeAngelis S, Holland BK. Thiamin status of gravidas treated for gestational diabetes mellitus compared to their neonates at parturition. *Int J Vitam Nutr Res*. 2000; 70: 317– 320.

Banerjee S, Mimouni FB, Mehta R, Llanos A, Bainbridge R, Varada K, Sheffer G. Lower whole blood ionized magnesium concentrations in hypocalcemic infants of gestational diabetic mothers. *Magnes Res*. 2003; 16: 127– 130.

- Barbara J. Stoll.** The Newborn Infant : Nelson Textbook of Pediatrics 18th ed., Kliegman, Behrman and Jenson et al., Saunders, An Imprint of Elsevier 2007;94:675-683.
- Barbara J. Stoll:** Blood Disorders, Plethora in the Newborn Infant: Nelson Textbook of Pediatrics 18th ed., Kliegman, Behrman and Jenson et al., Saunders, An Imprint of Elsevier 2007; 103:766 -775 .
- Barbara J. Stoll:** Metabolic Disturbances: Nelson Textbook of Pediatrics 18th ed., Kliegman, Behrman and Jenson et al., Saunders, An Imprint of Elsevier. 2007;106: 777- 782.
- Barnhart SL, Czervinski MP.** Perinatal and Pediatric Respiratory Care W.B. Saunders Company, Philadelphia. 1995. 3:123-135.
- Ben-Haroush A, Yogev Y, Hod M.** Epidemiology of gestational diabetes mellitus and its association with Type 2 diabetes. Diabet Med. 2004; 21: 103-113.
- Bentley-Lewis R, Levkoff S, Stuebe A and Seely EW.** Gestational diabetes mellitus: postpartum opportunities for the diagnosis and prevention of type 2 diabetes mellitus. Nat Clin Pract Endocrinol Metab. 2008; 4:552-558.
- Bergman RL, Richter R, Bergman KE, Plagemann A, Brauer M, Dudenhausen JW.** Secular trends in neonatal macrosomia in Berlin. Influences of potential determinants. Paediatr Perinat Epidemiol. 2003;17: 244-249.
- Best G, Pressman EK.** Ultrasonographic prediction of birth weight in diabetic pregnancies. Obstet Gynecol 2002; 99: 740–744.

- Bland RD.** The newborn infant. In: Rudolph's pediatrics. Rudolph CD, Rudolph AM, Hostetter MK, et al, editors. 21st edition. New York: McGraw-Hill. 2003; 2: 55–222.
- Boulet SL, Alexander GR, Salihu HM, Pass M.** Macrosomic births in the United States: determinants, outcomes, and proposed grades of risk. *Am J Obstet Gynecol* 2003; 188: 1372–1378.
- Boulet SL, Salihu HM, Alexander GR.** Mode of delivery and birth outcomes of macrosomic infants. *J Obstet Gynaecol.* 2004; 24: 622-629.
- Bourbon JR and Farrell PM.** Fetal lung development in the diabetic pregnancy. *Pediatric Res.* 1985; 19: 253– 267.
- Bourbon JR, Doucet E, Rieutort M.** Role of myo-inositol in impairment of fetal lung phosphatidylglycerol biosynthesis in the diabetic pregnancy: physiological consequences of phosphatidylglycerol deficient surfactant in the newborn rat. *Exp Lung Res* 1986; 11: 195.
- British Institute of Radiology,** Fetal measurements working party of the British Medical Ultrasound Society. Clinical Applications of Ultrasonic Fetal Measurements. London: 1990.
- Burd LI, Jones MD Jr, Simmons MA, Makowski EL, Meschia G, Battaglia FC.** Placental production and foetal utilisation of lactate and pyruvate. *Nature*, 1975; 254:710-711.
- Carlson KS, Smith BT.** Insulin acts on the fibroblast to inhibit glucocorticoid stimulation of lung maturity. *J Appl Physiol.* 1984; 57: 1577-1579.

- Carrera JM, Mallafré J.** Macrosomia: obstetric management. In: Kurjak A, ed. Textbook of Perinatal Medicine. London: Parthenon Publishing Group; 1998, 97: 1294–1295.
- Casey B, McIntire DD, Leveno KJ.** The continuing value of the Apgar score for the assessment of newborn infants. *N Engl J Med* 2001; 344(7):467-471.
- Chauhan SP, Grobman WA, Gherman RA, Chauhan VB, Chang G, Magann EF, Hendrix NW.** Suspicion and treatment of the macrosomic fetus: a review. *Am J Obstet Gynecol* 2005; 193: 332– 346.
- Chauhan SP, Cowan BD, Magann EF, Bradford TH, Roberts WE, Morrison JC.** Intrapartum detection of a macrosomic fetus: clinical versus 8 sonographic models. *Aust N Z J Obstet Gynaecol* 1995; 35(3):266- 270.
- Cheng YW, Caughey AB.** Gestational diabetes: diagnosis and management. *J Perinatol.* 2008; 28: 657-664.
- Chu SY, Callaghan WM, Kim SY, Schmid CH, Lau J, England LJ, Dietz PM.** Maternal obesity and risk of gestational diabetes mellitus. *Diabetes Care.* 2007; 30: 2070-2076.
- Cordero L, Treuer SH, Landon M, Gabbe SG.** Management of infants of diabetic mothers. *Arch Pediatr Adolesc Med.* 1998; 152: 249– 254.
- Cornblath M, Ichord R.** Hypoglycemia in the neonate. *Semin Perinatol.* 2000; 24: 136–149.

- Cornblath M, Hawdon JM, Williams AF, Aynsley-Green A, Ward-Platt MP, Schwartz R, Kalhan SC.** Controversies regarding definition of neonatal hypoglycemia: Suggested operational thresholds Pediatrics. 2000; 105: 1141-1145.
- Coustan DR.** Diabetes in Pregnancy in Neonatal and Perinatal Medicine. St, Louis, Mosby. 1996; 24:132.
- Crowther CA, Hiller JE, Moss JR, McPhee AJ, Jeffries WS, Robinson JS.** Effect of treatment of gestational diabetes mellitus on pregnancy outcomes. N Engl J Med. 2005; 352: 2477-2486.
- Cunningham FG, Leveno KL, Bloom SL, Hauth JC, Gilstrap LC, enstrom KD.** Fetal growth disorders. In: Cunningham F, ed. Williams obstetrics. 21st ed. New York: Mc-Graw Hill; 2001; 43:758.
- Dabelea D, Snell-Bergeon JK, Hartsfield CL, Bischoff KJ, Hamman RF, McDuffie RS.** Increasing prevalence of gestational diabetes mellitus (GDM) over time and by birth cohort: Kaiser Permanente of Colorado GDM Screening Program. Diabetes Care. 2005; 28: 579-584.
- Dana Dabelea and David J. Pettitt.** Long-term implications: Child and adult; in Textbook of Diabetes and Pregnancy, Moshe Hod et al, Informa healthcare, Second Edition. 2008; 48: 362-370.
- Demarini S, Mimouni F, Tsang RC, Khoury J, Hertzberg V.** Impact of metabolic control of diabetes during pregnancy on neonatal hypocalcemia: a randomized study. Obstet Gynecol. 1994; 83: 918–922.

DeMyer W. Normal and abnormal development of the neuraxis. In: Rudolph's pediatrics. Rudolph CD, Rudolph AM, Hostetter MK, et al, editors. 21st edition. New York: McGraw-Hill; 2003; 236: 2174-2179.

Denne SC and Kalhan SC. Glucose carbon recycling and oxidation in human newborns. Am J Physiol. 1986; 251: E71.

Deshpande S & Ward Platt M: The investigation and management of neonatal hypoglycaemia. Sem Fetal Neonatal Med. 2005; 10: 351–361.

Deter RL, Rossavik IK, and Harrist, RB. Development of individual growth curve standards for estimated fetal weight. Weight estimation procedure. J Clin. Ultrasound. 1988; 16: 215-225.

Dietz PM, Callaghan WM, Sharma AJ. High pregnancy weight gain and risk of excessive fetal growth. Am J Obstet Gynecol. 2009; 201: 51.e1- 6.

Dudley NJ. Selection of appropriate ultrasound methods for the estimation of fetal weight. Br J Radiol 1995; 68: 385–388.

Ehrenberg HM, Mercer BM, Catalano PM. The influence of obesity and diabetes on the prevalence of macrosomia. Am J Obstet Gynecol. 2004;191:964-968.

Elizabeth H. Thilo and Adam Rosenberg: The Newborn Infant In: Current Diagnosis & Treatment: Pediatrics The 19th edition. William et al., by The McGraw-Hill. 2009; 1:1-5.

Engle M and Langan SM. The effects of insulin and hyperglycemia on surfactant phospholipid biosynthesis in organotypic cultures on type II pneumocytes. Biochem Biophys Acta. 1983; 753: 6–13.

- Esakoff TF, Cheng YW, Sparks TN, Caughey AB.** The association between birthweight 4000 g or greater and perinatal outcomes in patients with and without gestational diabetes mellitus. *Am J Obstet Gynecol.* 2009; 200(6):672.e1-4.
- Essel JK, Opai-Tetteh ET.** Macrosomia – maternal and fetal risk factors: Department of Obstetrics and Gynaecology, University of Transkei and Umtata General Hospital, Umtata, Eastern Cape *S Afr Med J* 1995; 85: 43-46.
- Fakhri M.** Studying the relationship between macrosomia and maternal infant complications. 25th Congress of Medical Women's International Association, Sydney, 2001.
- Farrell M.** Improving the care of women with gestational diabetes. *MCN Am J Matern Child Nurs.* 2003; 28: 301-305.
- Ferrara A, Kahn HS, Quesenberry CP, Riley C, Hedderson MM.** An increase in the incidence of gestational diabetes mellitus: Northern California, 1991-2000. *Obstet Gynecol.* 2004; 103 : 526-533.
- Foran AM, Donnelly V, Eligott MM, et al.:** Erb's palsy, prevalence, prediction and management. *J Matern Fetal Neonat Med* 2002; 11(suppl.1): 46.
- Gabbe SG, Graves CR.** Management of diabetes mellitus complicating pregnancy. *Obstet Gynecol.* 2003; 102: 857-868.
- Gavin NI, Adams EK, Manning WG, Raskind-Hood C, Urato M.** The impact of welfare reform on insurance coverage before pregnancy and the timing of prenatal care initiation. *Health Serv Res.* 2007; 42: 1564-1588.

- Gerard HA, Visser, Inge M. Evers and Giorgio Mello.** Management of the macrosomic fetus. In Textbook of Diabetes and Pregnancy, Moshe Hod et al, Informa healthcare , Second Edition.2008; 40: 304-307.
- Getahun D, Nath C, Ananth CV, Chavez MR and Smulian JC.** Gestational diabetes in the United States: temporal trends 1989 through 2004. Am J Obstet Gynecol. 2008; 198: 521-525.
- Gilby JR, Williams MC, Spellacy WN.** Fetal abdominal circumference measurements of 35 and 38 cm as predictors of macrosomia. A risk factor for shoulder dystocia. J Reprod Med 2000; 45(11):936-938.
- Giorgio Mello, Elena Parretti and Moshe Hod:** Prevention of fetal macrosomia In: Textbook of Diabetes and Pregnancy, Moshe Hod et al, Informa healthcare UK Ltd., Second Edition.2008; 38: 291-297.
- Giorgio Mello, Elena Parretti, Federico Mecacci, Roberto Lucchetti, Corrado Lagazio, Monica Pratesi and Gianfranco Scarselli:** Risk factors for fetal macrosomia: the importance of a positive oral glucose challenge test, European Journal of Endocrinology (1997) 137; 27–33.
- Golde G. Dudell and Barbara J. Stoll:** Respiratory Tract Disorders Respiratory Distress Syndrome: in Nelson Textbook of Pediatrics 18 th ed, Kliegman et al., Saunders, An Imprint of Elsevier. 2007; 101(4): 731-741.
- Hadlock FP, Deter RL and Harrist RB.** Sonographic detection of abnormal fetal growth patterns. Clin Obstet Gynecol. 1984; 27: 342-351.

- Hadlock FP, Harrist RB and Carpenter RJ:** Sonographic estimation of fetal weight: the value of femur length in addition to head and abdomen measurements. *Radiology* 1984; 150: 535.
- Hallman M, Teramo K, Kankaanpää K, Kulovich MV, Gluck L.** Prevention of respiratory distress syndrome: current view of fetal lung maturity studies. *Ann Clin Res.* 1980;12: 36–44.
- Hawdon JM,** Babies born after diabetes in pregnancy: what are the short- and long-term risks and how can we minimise them? In: *Best Practice & Research Clinical Obstetrics and Gynaecology*, Elsevier Ltd.2010; 8: 91–104.
- Healy AJ, Malone FD, Sullivan LM, Porter TF, Luthy DA, Comstock CH, Saade G, Berkowitz R, Klugman S, Dugoff L, Craigo SD, Timor-Tritsch I, Carr SR, Wolfe HM, Bianchi DW, D'Alton ME;** FASTER Trial Research Consortium. Early access to prenatal care: implications for racial disparity in perinatal mortality. *Obstet Gynecol.* 2006; 107: 625-631.
- Hedderson MM, Williams MA, Holt VL, Weiss NS, Ferrara A.** Body mass index and weight gain prior to pregnancy and risk of gestational diabetes mellitus. *Am J Obstet Gynecol.* 2008; 198: 409. e401-407.
- Henriksen T.** The macrosomic fetus: A challenge in current obstetrics. *Acta Obstet Gynecol Scand* 2008; 87: 134-145.
- Hill LM:** Evaluation of three methods for estimating fetal weight. *J. Clin. Ultrasound.* 1986; 14: 171.
- Hill DJ, Petrik J, Arany E.** Growth factors and the regulation of fetal growth. *Diabetes Care.* 1998; 21: B60-69.

- Hod M, Simeoni U.** Maternal, fetal and neonatal complications of diabetic pregnancy-delivering optimal care while waiting for cure. *Semin Fetal Neonatal Med.* 2009; 14 : 63-65.
- Holtrop PC.** The frequency of hypoglycemia in fullterm large and small for gestational age newborns. *Am J Perinatal* 1993; 10: 150-154.
- John Olsson.** The Newborn In: *Nelson Textbook of Pediatrics* 18th ed, Kliegman, Behrman and Jenson et al., Saunders, An Imprint of Elsevier. 2007; 7:41-43.
- Johnson KB, Oski FA.** Oski's Essential Pediatrics, Lippincott Publishers, Philadelphia. 1997. 11:362-369.
- Jolly MC, Sebire NJ, Harris JP, Regan L, Robinson S.** Risk factors for macrosomia and its clinical consequences: a study of 350,311 pregnancies. *Eur J Obstet Gynecol Reprod Biol.* 2003; 111: 9–14.
- Jones KL.** Smith's recognizable patterns of human malformation. Philadelphia: Saunders; 1997.15:436.
- Ju H, Chadha Y, Donovan T, O'Rourke P.** Fetal macrosomia and pregnancy outcomes. *Australian and New Zealand Journal of Obstetrics and Gynaecology* 2009; 49: 504–509.
- Kalhan S, Parimi P.** Gluconeogenesis in the fetus and neonate. *Semin Perinatol.* 2000; 24: 94.
- Kaufmann RC, McBride P, Amankwah KS & Huffman DG.** The effect of minor degrees of glucose intolerance on the incidence of neonatal macrosomia. *Obstetrics and Gynecology* 1992, 80:97–101.

- Kaufmann RC, Schleyhahn FT, Huffman DG, Amankwah KS.** Gestational diabetes diagnostic criteria: long-term maternal follow-up. *Am J Obstet Gynecol.* 1995; 172: 621-625.
- Keller JD, Metzger BE, Doodly SL.** Infants of diabetic mothers with accelerated fetal growth by ultrasonography: are they all alike? *Am J Obstet Gynecol.* 1990; 163: 893–897.
- Khashu M, Pelligra G, Bhargava S, Smyth JA.** Perinatal morbidity in macrosomic infants. *Pediatric Academy of Sciences.* 2005.
- Kieffer EC, Alexander GR, Kogan MD, Himes JH, Herman WH, Mor JM, Hayashi R.** Influence of diabetes during pregnancy on gestational age-specific newborn weight among US black and US white infants. *Am J Epidemiol.* 1998; 147:1053-1061.
- Kim C, McEwen LN, Piette JD, Goewey J, Ferrara A, Walker EA.** Risk perception for diabetes among women with histories of gestational diabetes mellitus. *Diabetes Care.* 2007; 30: 2281-2286.
- Knopp RH, Magee MS, Walden CE, Bonet B and Benedetti TJ.** Prediction of infant birth weight by GDM screening tests. Importance of plasma triglyceride. *Diabetes Care* 1992; 15: 1605–1613.
- Kwik M, Seeho SK, Smith C, McElduff A, Morris JM.** Outcomes of pregnancies affected by impaired glucose tolerance. *Diabetes Res Clin Pract* 2007;77:263-268.
- Landon MB, Gabbe SG:** Diabetes mellitus and pregnancy. *Obstet Gynecol Clin North Am.* 1992; 19: 633.

- Langer O, Yogev Y, Most O, Xenakis MJ.** Gestational diabetes: The consequences of not treating. *Am J Obstet Gynecol* 2005; 192: 989–997.
- Langer O, Berkus MD, Huff RW, Samueloff A.** Shoulder dystocia: Should the fetus weighing >4000 grams be delivered by cesarean section? *Am J Obstet Gynecol.* 1991; 165: 831-837.
- Langer O.** Management of obesity in GDM: old habits die hard. *J. Matern Fetal Neonatal Med.* 2008; 21: 165-171.
- Lapolla A, Dalfra MG, Fedele D.** Pregnancy complicated by type 2 diabetes: an emerging problem. *Diabetes Res Clin Pract.* 2008; 80: 2-7.
- Lindsay CA.** Pregnancy complicated by diabetes mellitus. In: Fanaroff and Martin's Neonatal-Perinatal Medicine. Diseases of the Fetus and Infant. Martin RJ, Fanaroff AA, Walsh MC (eds). (8th ed). Philadelphia: Mosby, Elsevier; 2006; 15: 326-327.
- Lipscomb KR, Gregory K, Shaw K.** The outcome of macrosomic infants weighing at least 4500 grams: Los Angeles + University of Southern California experience. *Obstet Gynecol.* 1995; 85: 558–564.
- Lori Luchtman-Jones, Alan L. Schwartz, and David B. Wilson.** The Blood and Hematopoietic System: In Fanaroff and Martin's Neonatal-Perinatal Medicine. Diseases of the Fetus and Infant. . Martin RJ, Fanaroff AA, Walsh MC (eds), (8th ed), Philadelphia: Mosby, Elsevier; 2006; 44 : 797-815.
- Lucas A, Morley R, Cole TJ.** Adverse neurodevelopmental outcome of moderate neonatal hypoglycaemia. *Br Med J.* 1988; 297:1304-1308.

- Macintosh MC, Fleming KM, Bailey JA, Doyle P, Modder J, Acolet D, Golightly S, Miller A.** Perinatal mortality and congenital anomalies in babies of women with type 1 or type 2 diabetes in England, Wales and Northern Ireland; population based study. *BMJ* 2006; 333:177.
- Major CA, deVeciana M, Weeks J, Morgan MA.** Recurrence of gestational diabetes: who is at risk? *Am J Obstet Gynecol.* 1998; 179: 1038 -1042.
- Maureen M. Glimore and Cherry C. Uy.** Hyperbilirubinemia :in neonatology Management, Procedures, On-Call Problems, Diseases and Drugs, Tricia Lacy Gumella, M. Douglas Cunningham, Fabien G. Eyal and Karin E. Zenk. , fifth edition, Mc Graw Hill.2004, 64: 381-395.
- McFarland MB, Trylovich CG, Langer O.** Anthropometric differences in macrosomic infants of diabetic and non-diabetic mothers. *J Matern Fetal Med* 1998; 7: 292–295.
- Mehta KC, Kalkwarf HJ, Mimouni F, Khoury J, Tsang RC.** Randomized trial of magnesium administration to prevent hypocalcemia in infants of diabetic mothers. *J Perinatol* 1998; 18: 352– 356.
- Merlob P and Reisner SH.** Fetal effects from maternal diabetes, In: Buyse ML, ed. *Birth Defects Encyclopedia*, 1st edn. Cambridge: Blackwell Scientific. 1990, 63: 700–702.
- Merlob P, Amir J.** Pathogenesis of hypocalcemia in neonatal polycythemia. *Med Hypothesis*, 1989; 30: 49– 50.
- Metzger BE, Freinkel N.** Diabetes and pregnancy: Metabolic changes and management. *Clinical Diabetes.* 1990; 8:24-26.

Metzger BE, Lowe LP, Dyer AR, Trimble ER, Chaovarindr U, Coustan DR, Hadden DR, McCance DR, Hod M, McIntyre HD, Oats JJ, Persson B, Rogers MS, Sacks DA. HAPO Study Cooperative Research Group, Hyperglycemia and adverse pregnancy outcomes. *N Engl J Med* 2008; 358: 1991-2002.

Meyer BA, Palmer SM. Pregestational diabetes. *Semin Perinatol.* 1990; 14: 12– 23.

Mimouni F, Miodovnik M, Tsang RC, Callahan J, Shaul P. Decreased amniotic fluid magnesium concentration in diabetic pregnancy. *Obstet Gynecol.* 1987; 69: 12– 14.

Nesbitt TS, Gilbert WM, Herrchen B. Shoulder dystocia and associated risk factors with macrosomic infants born in California. *American Journal of Obstetrics and Gynecology*, 1998. 179: 476-480.

Nold JL, Georgieff MK. Infants of diabetic mothers. *Pediatr Clin North Am* 2004; 51: 619–637.

Oded Langer: Gestational diabetes: the consequences of not-treating in *Textbook of Diabetes and Pregnancy*, Moshe Hod et al, Informa healthcare, Second Edition. 2008; 14: 107-117.

Ojomo EO and Coustan DR. Absence of evidence of pulmonary maturity at amniocentesis in term infants of diabetic mothers. *Am J Obstet Gynecol.* 1990; 163: 954–957.

Oral E, Cağdas A, Gezer A, Kaleli S, Aydınli K, Ocer F. Perinatal and maternal outcomes of fetal macrosomia. *Eur J Obstet Gynecol Reprod Biol* 2001; 99: 167- 171.

Pappas A, Delaney-Black V: Differential diagnosis and management of polycythemia. *Pediatr Clin North Am.* 2004; 51: 1063.

- Paul Merlob and Moshe Hod:** Short-term implications: The neonate: in Textbook of Diabetes and Pregnancy, Moshe Hod et al, Informa healthcare, Second Edition. 2008; 47: 352- 361.
- Perkins JD, JP. Jagasia, SM.** Perspectives in Gestational Diabetes Mellitus: A Review of Screening, Diagnosis, and Treatment. Clinical Diabetes. 2008;25: 57-62.
- Persson B, Hanson U.** Neonatal morbidities in gestational diabetes mellitus. Diabetes 1998; 21(suppl. 2): 79–84.
- Petrikovsky BM, Oleschuk C, Lesser M, Gelertner N and Gross B.** Prediction of fetal macrosomia using sonographically measured abdominal subcutaneous tissue thickness. J Clin Ultrasound 1997; 25: 378-382.
- Plauche WC, Morrison JC, O`Sullivan MJ:** Obstetric Genital Trauma in Surgical Obstetrics. 1992; 23:387.
- Raio L, Ghezzi F, Di Naro E, Buttarelli M, Franchi M, Dürig P.** Perinatal outcome of fetuses with a birth weight greater than 4500 g: an analysis of 3356 cases. Eur J Obstet Gynecol Reprod Biol. 2003; 109: 160- 165.
- Reece EA, Homko CJ:** Infant of diabetic mother. Semin Perinatol. 1994; 18: 459–469.
- Reece EA, Hagay Z:** Prenatal diagnosis of deviant fetal growth. In Medicine of the fetus and mother, second edition, edited by E. Albert Reece and John C. Hobbins. 1999; 41: 709.
- Reece EA, Leguizamon G, Wiznitzer A.** Gestational diabetes: the need for a common ground. Lancet. 2009; 373: 1789-1797.
- Rhodes JC, Kenneth C.** Contribution of excess weight gain during pregnancy and macrosomia to the caesarean delivery rate. Br J Obstet Gynecol. 2003;111: 1181 – 1185

- Robert M. Kliegman**, Pregnancy Disorders and Their Impact on the Fetus: In Fanaroff and Martin's Neonatal-Perinatal Medicine, Diseases of the Fetus and Infant, Martin RJ., Fanaroff AA., Walsh MC. (eds). (8th ed). Philadelphia: Mosby, Elsevier, 2006;13: 296-306.
- Robert MF, Neff RK, Hubbell JP, Taeusch HW, Avery ME.** Association between maternal diabetes and the respiratory distress syndrome in the newborn. N Engl J Med.1976; 294: 357–360.
- Rodrigues S, Robinson EJ, Kramer MS, Gray-Donald K.** High rates of infant macrosomia: a comparison of a Canadian native and a non-native population. J Nutr. 2000;130: 806-812.
- Rosenn B.** Obesity and diabetes: A recipe for obstetric complications. J Matern Fetal Neonatal Med. 2008; 21: 159-164.
- Ruyle M, Connor WE, Anderson GJ, Lowensohn RI.** Placental transfer of essential fatty acids in humans: Venous-arterial difference for docosahexaenoic acid in fetal umbilical erythrocytes. Proc Natl Acad Sci U S A, 1990; 87:7902-7906.
- Sacks DA, Chen W.** Estimating fetal weight in the management of macrosomia. Obstet Gynecol Surv 2000; 55(4):229-239.
- Sadeh-Mestechkin D, Walfisch A, Shachar R, Shoham-Vardi I, Vardi H, Hallak M.** Suspected macrosomia? Better not tell. Arch Gynecol Obstet.2008; 278: 1225–1230.
- Saldana TM, Siega-Riz AM, Adair LS, Savitz DA, Thorp JM, Jr.** The association between impaired glucose tolerance and birth weight among black and white women in central North Carolina. Diabetes Care. 2003; 26: 656-661.