

References

- **Acornley A., Banerjee R. & Kerry R.:** Reconstruction and revision of femoral failure in revision hip arthroplasty in Mini-Symposium: Revision Hip Surgery; Orthopaedics and Trauma 23:5, 327-334, 2009.
- **Adolph V. Lombardi Jr. and Keith R. Berend:** Surgical Approach to the Hip: Direct Lateral in Hozack W., Parvizi J., and Bender B.: Surgical Treatment of Hip Arthritis: Reconstruction, Replacement, and Revision, 272-277, Elsevier 2009.
- **Agarwal S, Freiberg AA. & Rubash HE.:** chapter 89; Preoperative Planning for Revision Hip Arthroplasty in **Callaghan et al:** The Adult Hip, 2nd ed., 1313-1342, Lippincott Williams & Wilkins 2007.
- **Alberton GM, High WA, Morrey BF:** Dislocation after revision total hip arthroplasty: An analysis of risk factors and treatment options. JBJS Am 84:1788-1792, 2002.
- **Alonso J, Lamarca R, and Marti-Valls J:** The pain and function of the hip (PFH) scale: A patient-based instrument for measuring outcome after total hip replacement. Orthopedics 23:1273-1277; 2000.
- **Amstutz HC, Smith RK:** Total hip replacement following failed femoral hemiarthroplasty, JBJS 61A:1161, 1979.
- **Anderson MJ, Murray WR, and Skinner HB.:** Constrained acetabular components. J Arthroplasty; 9:17-23, 1994.
- **Atkins GJ, Haynes DR, Howie DW, Findlay DM:** Role of polyethylene particles in periprosthetic osteolysis: A review; *World J Orthop*: 18:93-101, 2011.
- **Babis GC, Sakellariou VI, O'Connor MI, Hanssen AD, Sim FH.:** Proximal femoral allograft-prosthesis composites in revision hip replacement: a 12-year follow-up study. JBJS Br; 92:349-55, 2010.
- **Bal S.:** Femoral Component Removal in Hozack W., Parvizi J., and Bender B.: Surgical Treatment of Hip Arthritis: Reconstruction, Replacement, and Revision, 296-306, Elsevier 2009.

- **Barbosa JK, Khan AM, Andrew JG.:** Treatment of recurrent dislocation of total hip arthroplasty using ligament prosthesis. *J Arthroplasty*; 19: 318-21, 2004.
- **Barrack RL, Burke DW, Cook SD, Skinner HB, Harris WH.:** Complications related to modularity of total hip components. *JBJS Br.*; 75:688-92, 1993.
- **Barrack RL, Harris WH:** The value of aspiration of the hip joint before revision total hip arthroplasty. *JBJS Am* 75:66-76, 1993.
- **Barrack RL, Tanzer M, Kattapuram SV, and Harris WH:** The value of contrast arthrography in assessing loosening of symptomatic uncemented total hip components. *Skeletal Radiol* 23:37-41, 1994.
- **Barrack RL. and Burnett RS.:** Preoperative Planning for Revision Total Hip Arthroplasty: *J Bone Joint Surg Am.*;87:2800-2811, 2005.
- **Bayley KB, London MR, Grunkemeier GL, et al.:** Measuring the success of treatment in patient terms. *Med Care*; 33:AS226-235, 1995.
- **Beals RK, Tower SS:** Periprosthetic fractures of the femur: An analysis of 93 fractures. *Clin Orthop* 327:238-246, 1996.
- **Beaul' e PE, Schmalzried TP, Udomkiat P, Amstutz HC.:** Jumbo femoral head for the treatment of recurrent dislocation following total hip replacement. *J Bone Joint Surg Am.*; 84:256-63, 2002.
- **Berend KR, Lombardi A, Mallory T et al.:** The long-term outcome of 755 consecutive constrained acetabular components in total hip arthroplasty, examining the successes and the failures. *J Bone Joint Surg Am*; 20: 93, 2005.
- **Berry DJ, Harmsen SW, Cabanela ME, Morrey BF:** Twenty-five year survivorship of two thousand consecutive primary Charnley total hip replacements: Factors affecting survivorship of acetabular and femoral components. *J Bone Joint Surg Am* 84:171-177, 2002.
- **Berry DJ, Harmsen WS, Ilstrup D, Lewallen DG, Cabanela ME.:** Survivorship of uncemented proximally porous-coated femoral components. *Clin Orthop Relat Res.*; 319:168-77, 1995.

- **Berry DJ, Harmsen WS, Ilstrup DM:** The natural history of debonding of the femoral component from the cement and its effect on long-term survival of Charnley total hip replacements. *JBJS Am* 80:715-721, 1998.
- **Berry DJ, Sutherland CJ, and Trousdale RT:** Bilobed oblong porous coated acetabular components in revision total hip arthroplasty. *Clin Orthop Relat Res* 371:154–160, 2000.
- **Berry DJ, von Knoch M, Schleck CD, Harmsen WS.:** The cumulative long-term risk of dislocation after primary Charnley total hip arthroplasty. *J Bone Joint Surg Am.*; 86:9-14, 2004.
- **Berry DJ:** Evaluation of the painful THA. In Morrey BF (ed): *Joint Replacement Arthroplasty*, 3rd ed. New York, Churchill Livingstone, 1991.
- **Berry DJ:** Femoral revision: distal fixation with fluted, tapered grit-blasted stems. *J Arthroplasty*; 17(4 Suppl 1):142-6, 2002.
- **Blom AW, Rogers M, Taylor AH, Pattison G, Whitehouse S, Bannister GC.:** Dislocation following total hip replacement: the Avon Orthopaedic Centre experience. *Ann R Coll Surg Engl*; 90: 658–62, 2008.
- **Bobyn JD, Poggie RA, Krygier JJ, et al:** Clinical validation of a structural porous tantalum biomaterial for adult reconstruction. *JBJS Am* 86-A(Suppl 2):123–2129, 2004.
- **Böhm P, Bischel O.:** Femoral revision with the Wagner SL revision stem: evaluation of one hundred and twenty-nine revisions followed for a mean of 4.8 years. *J Bone Joint Surg Am.*; 83:1023-31, 2001.
- **Bojescul JA, Xenos JS, Callaghan JJ, and Savory CG:** Results of porous-coated anatomic total hip arthroplasty without cement at fifteen years: a concise follow-up of a previous report. *JBJS Am* 85A(6):1079–1083, 2003.
- **Brander VA, Stulberg SD, Chang RW.:** Rehabilitation following hip and knee arthroplasty. *Phys Med Rehabil Clin North Am.*; 5:815-836, 1994.

- **Brooks AT, Nelson CL, Hofmann OE:** Minimal femoral cortical thickness necessary to prevent perforation by ultrasonic tools in joint revision surgery. *J Arthroplasty* 10:359-362, 1995.
- **Brown TE, Larson B, Shen F, Moskal JT:** Thigh pain after cementless total hip arthroplasty: Evaluation and management. *J AAOS* 10:385-392, 2002.
- **Byren I, Bejon P, Atkins BL, Angus B, Masters S, McLardy-Smith P, Gundle R, Berendt A:** One hundred and twelve infected arthroplasties treated with ‘DAIR’ (debridement, antibiotics and implant retention): antibiotic duration and outcome. *J Antimicrob. Chemother* 63:1264–1271, 2009.
- **Cabanela ME:** Reconstruction rings and bone graft in total hip revision surgery. *Orthop Clin North Am* 29(2):255–262, 1998.
- **Cabrita H, Camargo O, Lucia LA & Croci A:** Prospective study of the treatment of infected hip arthroplasties with or without the use of an antibiotic loaded cement spacer. *J Bone Joint Surg Br* 92-B (Supp II):314, 2010.
- **Canner GC, Steinberg ME, Heppenstall RB, Balderston R:** The infected hip after total hip arthroplasty. *JBJS Am* 66:1393-1399, 1984.
- **Chakravarthy J, Bansal R, Cooper J:** Locking plate osteosynthesis for Vancouver type B1 and type C periprosthetic fractures of femur: A report on 12 patients. *Injury* 38:725-733, 2007.
- **Chandler HP, Reineck FT, Wixson RL, et al.:** Total hip replacement in patients younger than thirty years old. *J Bone Joint Surg.*; 63A:1426-1444, 1981.
- **Chik KK, Magee MA, Bruce WJ, et al.:** Tc-99m stannous colloid-labeled leukocyte scintigraphy in the evaluation of the painful arthroplasty. *Clin Nucl Med.*; 21(11):838-843, 1996.
- **Christie MJ, DeBoer DK, Tingstad EM, Capps M, Brinson MF, Trick LW.:** Clinical experience with a modular noncemented femoral component in revision total hip arthroplasty: 4- to 7-year results. *J Arthroplasty*; 15:840-8, 2000.

- **Civinini R, Capone A, Carulli C, Villano M, Gusso MI:** Acetabular revisions using a cementless oblong cup: five to ten year results. *Int Orthop* 32(2):189–193, 2008.
- **Claus AM, Totterman SM, Sychterz CJ, et al:** Computed tomography to assess pelvic lysis after total hip replacement. *Clin Orthop Relat Res* 422:167-174, 2004.
- **Clauss M, Luem M, Ochsner PE, Ilchmann T:** Fixation and loosening of the cemented Muller straight stem: a long-term clinical and radiological review. *JBJS Br* 91(9):1158-1163, 2009.
- **Clohisey JC, Calvert G, Tull F, et al:** Reasons for revision hip surgery: A retrospective review. *Clin Orthop Relat Res* 429:188-192, 2004.
- **Cluett J.:** Revision Hip Replacement; Repeat surgery for worn out hip replacements on <http://orthopedics.about.com>; 2009.
- **Cobden RH, Thrasher EL, and Harris WH:** Topical hemostatic agents to reduce bleeding from cancellous bone: A comparison of microcrystalline collagen, thrombin, and thrombin-soaked gelatin foam. *JBJS Am*; 58:70-73, 1976.
- **Dall D:** Exposure of the hip by anterior osteotomy of the greater trochanter. A modified anterolateral approach. *J Bone Joint Surg Br* 68:382-386, 1986.
- **Davidson D, Pike J, Garbuz D, et al:** Intraoperative periprosthetic fractures during total hip arthroplasty. Evaluation and management (review). *J Bone Joint Surg Am* 90:2000-2012, 2008.
- **Deathe AB, Hayes KC, Winter DA.:** The biomechanics of canes, crutches, and walkers. *Crit Rev Phys Rehabil Med.*; 5:15-29, 1993.
- **DeBoer DK, Christie MJ, Brinson MF, Morrison JC:** Revision total hip arthroplasty for pelvic discontinuity. *J Bone Joint Surg Am* 89(4):835–840, 2002.
- **DeWal H, Maurer SL, Tsai P, et al:** Efficacy of abduction bracing in the management of total hip arthroplasty dislocation. *J Arthroplasty* 19:733-738, 2004.

- **Di Cesare PE, Chang E, Preston CF, Liu CJ.:** Serum interleukin-6 as a marker of periprosthetic infection following total hip and knee arthroplasty. *J Bone Joint Surg Am.*; 87(9):1921-1927, 2005.
- **Difazio FA, Incavo SJ:** Periprosthetic Fracture after Total Hip Arthroplasty. *Seminars in Arthroplasty*, 16:119-126, 2005.
- **Dorr LD, Lewonowski K, Lucero M, Harris M, Wan Z.:** Failure mechanisms of the anatomic porous replacement—I. Cementless total hip replacement. *Clin Orthop Rel Res* 334:157–167, 1997.
- **Dowd JE, Cha CW, Trakru S, Kim SY, Yang IH, Rubash HE:** Failure of total hip arthroplasty with a precoated prosthesis. *Clin Orthop Rel Res* 355:123-136, 1998.
- **Duffy PJ, Masri BA, Garbuz DS, Duncan CP:** Evaluation of patients with pain following total hip replacement. *J Bone Joint Surg Am* 87:2566-2575, 2005.
- **Dumont GD., Zide JR., Huo MH:** Periprosthetic Femur Fractures: Current Concepts and Management. *Seminars in Arthroplasty*, 21: 9-13, 2010.
- **Durbhakula SM, Czajka J, Fuchs MD, Uhl RL.** Spacer endoprosthesis for the treatment of infected total hip arthroplasty. *J Arthroplasty*; 19:760-7, 2004.
- **Ekelund A.:** Trochanteric osteotomy for recurrent dislocation of total hip arthroplasty. *J Arthroplasty*; 8:629-32, 1993.
- **Emerson Jr, Muncie M, Tarbox TR, Higgins LL.:** Comparison of a static with a mobile spacer in total knee infection. *Clin Orthop Relat Res.*; 404: 132-8, 2002.
- **Engh CA Jr, Culpepper WJ II:** Long-term results of use of the anatomic medullary locking prosthesis in total joint arthroplasty: *J Bone Joint Surg Am* 79:177,184, 1997.
- **Engh CA Jr, Ellis TJ, Koralewicz LM, McAuley JP, Engh CA Sr.:** Extensively porous-coated femoral revision for severe femoral bone loss: minimum 10-year follow-up. *J Arthroplasty*; 17:955-60, 2002.

- **Engh CA Jr, Hopper RH Jr, Engh CA Sr.:** Distal ingrowth components. Clin Orthop Relat Res.; 420:135-41, 2004.
- **Engh CA, Bobyn JD:** The influence of stem size and extent of porous coating on femoral bone resorption after primary cementless hip arthroplasty. Clin Orthop 231:7-28, 1988.
- **Engh CA, Massin P, Suthers KE:** Roentgenographic assessment of the biologic fixation of porous-surfaced femoral components. Clin Orthop Relat Res 284:107-128, 1990.
- **Enloe LJ, Shields RK, Smith K et al.:** Total hip and knee replacement treatment programs: a report using consensus. J Orthop Sports Phys Ther.; 23:3-11, 1996.
- **Estes CS, Beauchamp CP, Clarke HD, Spangehl MJ:** A two-stage retention débridement protocol for acute Periprosthetic joint infections. Clin Orthop Relat Res 468:2029–2038, 2010.
- **Estok DM 2nd, Harris WH.** Long-term results of cemented femoral revision surgery using second generation techniques. An average 11.7-year followup evaluation. Clin Orthop Relat Res.; 299:190-202, 1994.
- **Evans BG and Cuckler JM:** Evaluation of the painful total hip arthroplasty. Orthop Clin North Am; 23: 303-9, 1992.
- **Fernandez-FM, Murcia A, Blanco A, Merono A, Murcia Jr, Ballester J:** Revision of failed total hip arthroplasty acetabular cups to porous tantalum components: a 5-year follow-up study. J Arthroplasty 25(6):865–872, 2010.
- **Fink B, Grossmann A, Fuerst M, Schäfer P, Frommelt L:** Two-stage cementless revision of infected hip endoprostheses. Clin Orthop Relat Res 467:1848–1858, 2009.
- **Flecher X, Sporer S, Paprosky WG:** Management of severe bone loss in acetabular revision using a trabecular metal shell. J Arthroplasty 23:949-955, 2008.
- **Forster IW, Crawford R:** Sedimentation rate in infected and uninfected total hip arthroplasty. Clin Orthop Relat Res: 48-52, 1982.

- **Ganse B, Behrens P, Benthien JP** Two-stage hip revision arthroplasty: the role of the excision arthroplasty. *Eur J Orthop Surg Traumatol* 18(3):223–228, 2008.
- **Garvin KL, Hanssen AD**: Infection after total hip arthroplasty. Past, present, and future. *J Bone Joint Surg Am* 77:1576–1588, 1995.
- **Gaunt ME, Tan SG, Dias J**: Strangulated obturator hernia masquerading as pain from a total hip replacement. *J Bone Joint Surg Br* 74:782-783, 1992.
- **Gie GA, Fowler JL, Lee AJC, et al**: The long term behavior of a totally collarless, polished femoral component in cemented THA. *JBJS Br* 72-B: 935, 1990.
- **Gill PS. & Paprosky WG.**: Chapter 106 - Failed Hip Arthroplasty: Revision And Arthrodesis in **Chapman MW, et al**: *Chapman's Orthopaedic Surgery*, 3rd Edition 2796-2858, Lippincott Williams & Wilkins 2001.
- **Goetz DD, Bremner BRB, Callaghan JJ, Capello WN, and Johnston RC.**: Salvage of a recurrently dislocating total hip prosthesis with use of a constrained acetabular component. A concise follow-up of a previous report. *J Bone Joint Surg Am.*; 86:2419-23, 2004.
- **Gogia PP, Christensen CM, and Schmidt C.**: Total hip replacement in patients with osteoarthritis of the hip: improvement in pain and functional status. *Orthopedics*; 17:145-150, 1994.
- **Gross AE, Duncan CP, Garbuz D, et al.**: Revision arthroplasty of the acetabulum in association with loss of bone stock. *Instr Course Lect*; 48:57–66, 1999.
- **Guerra E, Corona P, Carles Amat, and Flores X.**: Periprosthetic Hip Fractures in Treatment of Hip Arthritis: Reconstruction, Replacement, and Revision; 417-426, 2009.
- **Hallab NJ, Jacobs JJ**: Biologic effects of implant debris. *Bull NYU Hosp Jt Dis* 67(2):182-188, 2009.
- **Hannssen AD.**: Anatomy of the hip joint. Anatomy and surgical approach in joint replacement arthroplasty. *Bern and F. Morrey*: 26, 1991.

- **Hardinge K.:** The direct lateral approach to the hip. *J Bone Joint Surg Br* 64B:17-19, 1982.
- **Harkess JW., Crockarell JR.:** Chapter 7–Arthroplasty of the Hip in **Canale T, Beaty J H:** *Campbell's Operative Orthopaedics*, 11th ed, 314-482, Mosby 2007.
- **Harris W, Barrack R:** Development in diagnosis of the painful total hip replacement. *Orthop Rev*; 22:439-447, 1993.
- **Hartman CW and Garvin KL:** Femoral Fixation in Revision Total Hip Arthroplasty; *Instr Course Lect, JBJS Am* 92:2310-2322, 2011.
- **Harty M.:** Anatomic consideration. *Orthop Clin of North America*; 13, 667-707, 1982.
- **Heekin RD, Callaghan JJ, Hopkinson WJ, et al:** The porous-coated anatomic total hip prosthesis, inserted without cement: Results after five to seven years in a prospective study. *JBJS Am* 75:77-91, 1993.
- **Helfet DL, Ali A:** Periprosthetic fractures of the acetabulum. *Instr Course Lect* 53:93-98, 2004.
- **Hernigou P., Lachianette F, R. Jalil, Batista SU, I. Guissou and A. Poignard:** Treatment of Infected Hip Arthroplasty; *the Open Orthopaedics Journal*, 4, 126-131, 2010.
- **Hodgkinson J, Shelley P, Wroblewski B:** The correlation between the roentgenographic appearance and operative findings at the bone cement junction of the socket in charnley low friction arthroplasties. *Clin Orthop*, 288: 105-109, 1988.
- **Hoppenfeld, Stanley; deBoer, Piet; Buckley, Richard:** *Surgical Exposures in Orthopaedics: The Anatomic Approach*, 4th Edition, 2009.
- **Hsieh PH, Shih CH, Chang YH, Lee MS, Shih HN, Yang WE:** Two-stage revision hip arthroplasty for infection: comparison between the interim use of antibiotic-loaded cement beads and a spacer prosthesis. *J Bone Joint Surg Am* 86:1989–1997, 2004.

- **Hsieh PH, Shih CH, Chang YH, Lee MS, Yang WE, and Shih HN:** Treatment of deep infection of the hip associated with massive bone loss: two-stage revision with an antibiotic-loaded interim cement prosthesis followed by reconstruction with allograft. *J Bone Joint Surg Br* 87:770–775, 2005.
- **Iorio R, Healy WL, Presutti AH.:** A prospective outcomes analysis of femoral component fixation in revision total hip arthroplasty. *J Arthroplasty*; 23:662-669, 2008.
- **Jackson WO, Schmalzried TP:** Limited role of direct exchange arthroplasty in the treatment of infected total hip replacements. *Clin Orthop Relat Res* 381:101–105, 2000.
- **Jasani V, Richards P, Wynn-Jones C:** Pain related to the psoas muscle after total hip replacement. *J Bone Joint Surg Br* 84:991-993, 2002.
- **Jasty M, Harris WH:** Salvage total hip reconstruction in patients with major acetabular bone deficiency using structural femoral head allografts. *J Bone Joint Surg Br* 72(1):63–67, 1990.
- **Jung J, Schmid NV, Kelm J, Schmitt E, Anagnostakos K :** Complications after spacer implantation in the treatment of hip joint infections. *Int J Med Sci* 6(5):265–273, 2009.
- **Kattapuram S, Lodwick G, Chandler H, Khurana J, Ehara S, Rosenthal D:** Porous-coated anatomic total hip prostheses: Radiographic analysis and clinical correlation. *Radiology*, 174: 861-864, 1990.
- **Katz RP, Callaghan JJ, Sullivan PM, and Johnston RC:** Long term results of revision total hip arthroplasty with improved cementing technique. *J Bone Joint Surg Br* 79(2):322–326, 1997.
- **Kavanagh BF, Ilstrup DM, Fitzgerald RH Jr:** Revision total hip arthroplasty. *J Bone Joint Surg Am* 67(4):517–526, 1985.
- **Kearns SR. & MacDonald SJ:** Preoperative Radiographic Evaluation and Classification of Defects in Hozack W., Parvizi J., and Bender B.: Surgical

Treatment of Hip Arthritis: Reconstruction, Replacement, and Revision, Elsevier 2009.

- **Kenneth A.:** Component Removal: Acetabulum in Hozack W., Parvizi J., and Bender B.: Surgical Treatment of Hip Arthritis: Reconstruction, Replacement, and Revision, Elsevier 2009.
- **Kishida Y, Sugano N, Sakai T, et al.:** Full weight bearing after cementless total hip arthroplasty. *Int Orthop.*; 25:25-28, 2001.
- **Kiss J, Murray DW, Turner-Smith RA, Bulstrode CJ:** Roentegen Stereophogrammetric analysis for assessing migration of total hip replacement femoral components. *Proc Inst Mech eng (H)*, 209: 169-175, 1995.
- **Kitamura N, Naudie DD, Leung SB, et al:** Diagnostic features of pelvic osteolysis on computed tomography: The importance of communication pathways. *J Bone Joint Surg Am* 87:1542-1550, 2005.
- **Koo KH, Yang JW, Cho SH, Song HR, Park HB, Ha YC, Chang JD, Kim SY, and Kim YH:** Impregnation of vancomycin, gentamicin, and cefotaxime in a cement spacer for two-stage cementless reconstruction in infected total hip arthroplasty. *J Arthroplasty* 16:882–892, 2001.
- **Kosashvili Y, Backstein D, Safir O, Lakstein D, Gross AE:** Acetabular revision using an anti-protrusion (ilio-ischial) cage and trabecular metal acetabular component for severe acetabular bone loss associated with pelvic discontinuity. *J Bone Joint Surg Br* 91(7):870–876, 2009.
- **Kraemer WJ, Saplys R, Waddell JP, Morton J.:** Bone scan, gallium scan, and hip aspiration in the diagnosis of infected total hip arthroplasty. *J Arthroplasty*; 8(6):611-615, 1993.
- **Kurtz S, Ong K, Lau E, Mowat F, Halpern M:** Projections of primary and revision hip and knee arthroplasty in the United States from 2005 to 2030. *J Bone Joint Surg Am* 89(4):780–785, 2007.

- **Lachiewicz PF:** Dislocation in Hozack W., Parvizi J., and Bender B.: Surgical Treatment of Hip Arthritis: Reconstruction, Replacement, and Revision, Elsevier 2009.
- **Lachiewicz PF:** Management of the unstable total hip arthroplasty. In Lieberman JR, Berry DJ (eds): Advanced Reconstruction Hip, Rosemont, IL, American Academy of Orthopedic Surgeons, pp 223-231, 2005.
- **Lakstein D, Backstein D, Safir O, Kosashvili Y, Gross AE:** Trabecular Metal cups for acetabular defects with 50% or less host bone contact. Clin Orthop Relat Res 467(9):2318–2324, 2009.
- **Lattanzi R, Viceconti M, Zannoni C, et al.:** Hip-Op: an innovative software to plan total hip surgery. Med Inform Internet Med. 27:71-83, 2002.
- **Lee PT, Raz G, Safir OA, Backstein DJ, and Gross AE:** Longterm results for minor column allografts in revision hip arthroplasty. Clin Orthop Relat Res 468(12):3295–3303, 2010.
- **Lee SH, Ahn YJ, Chung SJ, Kim BK, and Hwang JH.:** The use of allograft prosthesis composite for extensive proximal femoral bone deficiencies: a 2- to 9.8-year follow-up study. J Arthroplasty; 24:1241-8, 2009.
- **Leone JM, Hanssen AD.:** Management of infection at the site of a total knee arthroplasty. J Bone Joint Surg Am.; 87(10):2335-2348, 2005.
- **Leopold SS, Rosenberg AG, Bhatt RD, et al.:** Cementless acetabular revision. Evaluation at an average of 10.5 years. Clin Orthop Relat Res.; 369:179-86, 1999.
- **Letournal E, Judet R.** Management of acetabular fractures. Fracture acetabulum, First edition, Springer Verlag, Berlin: 101-7, 1981.
- **Levitsky KA, Hozack WJ, Balderston RA, et al:** Evaluation of the painful prosthetic joint. Relative value of bone scan, sedimentation rate, and joint aspiration. J Arthroplasty 6:237-244, 1991.
- **Lewallen DG:** Neurovascular injury associated with hip arthroplasty. Instr Course Lect 47:275-283, 1998.

- **Lewinnek GE, Lewis JL, Tarr R, Compere CL, Zimmerman JR.:** Dislocations after total hip replacement arthroplasties. *J Bone Joint Surg Am*; 60: 217–20, 1978.
- **Lie SA, Havelin LI, Furnes ON, Engesaeter LB, Vollset SE:** Failure rates for 4762 revision total hip arthroplasties in the Norwegian Arthroplasty Register. *J Bone Joint Surg Br* 86(4):504–509, 2004.
- **Lieberman JR, Huo MH, Schneider R, et al.:** Evaluation of painful hip arthroplasties. Are technetium bone scans necessary? *J Bone Joint Surg Br.*; 75(3):475-478, 1993.
- **Liebermann JR, Berry DJ:** Advance Reconstruction Hip. AAOS, Washington, 2005.
- **Lima D, Magnus R, Paprosky WG.:** Team management of hip revision patients using a post-op hip orthosis. *J Prosthet Orthop.*; 6:20-24, 1994.
- **Lindahl H, Malchau H, Herberts P, Garellick G:** Periprosthetic femoral fractures classification and demographics of 1049 periprosthetic femoral fractures from the Swedish National Hip Arthroplasty Register. *J Arthroplasty* 20:857-865, 2005.
- **Lindahl H, Malchau H, Odén A, Garellick G:** Risk factors for failure after treatment of a periprosthetic fracture of the femur. *J Bone Joint Surg Br* 88:26-30, 2006
- **Lindsay DT.:** The hip joint. Functional human anatomy. 1st edition, Mosby year book: 229-30, 1996.
- **Loizeau J, Allard P, Duhaime M, et al.:** Bilateral gait patterns in subjects fitted with a total hip prosthesis. *Arch Phys Med Rehabil*; 76:552-557, 1995.
- **Lyons CW, Berquist TH, Lyons JC, et al:** Evaluation of radiographic findings in painful hip arthroplasties. *Clin Orthop Relat Res* 195:239-251, 1985.
- **Macdonald W, Owen JW.** The effect of total hip replacement on driving reactions. *J Bone Joint Surg.*; 70B:202-205, 1988.

- **Mahomed NN, Barrett JA, Katz JN, et al:** Fates and outcomes of primary and revision total hip replacement in the United States Medicare population. *J Bone Joint Surg Am* 85:27-32, 2003.
- **Mallory TH, Halley D.:** Posterior buttock pain following total hip replacement. A case report. *Clin. Orthop.* 90:104-106, 1973.
- **Masri BA, Panagiotopoulos KP, Greidanus NV, Garbuz DS, Duncan CP:** Cementless two-stage exchange arthroplasty for infection after total hip arthroplasty. *J Arthroplasty* 22:72–78, 2007.
- **Massin P, Schmidt L, Engh CA:** Evaluation of cementless acetabular component migration: An Experimental study. *J of Arthroplasty*; 4 (3): 245-51, 1989.
- **Masterson EL, Masri BA, Duncan CP.:** The cement mantle in the Exeter impaction allografting technique. A cause for concern. *J Arthroplasty*; 12:759-64, 1997.
- **Maury AC, Pressman A, Cayen B, et al:** Proximal femoral allograft treatment of vancouver type-B3 periprosthetic femoral fractures after total hip arthroplasty. *J Bone Joint Surg Am* 88:953-958, 2006.
- **McCarthy JC, Lee JA.:** Complex revision total hip arthroplasty with modular stems at a mean of 14 years. *Clin Orthop Relat Res.*; 465:166-9, 2007.
- **McGrorey BJ, Stuart MJ, Sim FH.:** Participation in sports after hip and knee arthroplasty: review of literature and survey of surgeon preferences. *Mayo Clin Proc.*; 70:342-348, 1995.
- **McGrory B., B. Sonny Bal, and William H.:** Trochanteric Osteotomy for Total Hip Arthroplasty: Six Variations and Indications for Their Use; *J Am Acad Orthop Surg*; 4:258-267, 1996.
- **McLaughlin JR, Harris WH:** A composite plug for occluding the femoral canal prior to cementing a total hip femoral component. *Orthop Rev*; 23:344-346, 1994.
- **McMinn RMH:** Last's Anatomy. Regional and Applied. Eighth edition, Churchill Livingstone, 166 – 169, 1990.

- **Meneghini RM, Meyer C, Buckley CA, Hanssen AD, Lewallen DG:** Mechanical stability of novel highly porous metal acetabular components in revision total hip arthroplasty. *J Arthroplasty* 25(3):337–341, 2010.
- **Merkel KD, Brown ML, Dewanjee MK, et al.:** Comparison of indium-labeled-leukocyte imaging with sequential technetium-gallium scanning in the diagnosis of low-grade musculoskeletal sepsis. A prospective study. *J Bone Joint Surg Am.*; 67(3): 465-476, 1985.
- **Miniaci A, Bailey WH, Bourne RB, et al:** Analysis of radionuclide arthrograms, radiographic arthrograms, and sequential plain radiographs in the assessment of painful hip arthroplasty. *J Arthroplasty* 5:143-149, 1990.
- **Minns RJ, Crawford RJ, Porter ML et al.:** Muscle strength following total hip arthroplasty: a comparison of trochanteric osteotomy and the direct lateral approach. *J Arthroplasty.*; 8:625-627, 1993.
- **Mitchell PA, Greidanus NV, Masri BA, et al:** The prevention of periprosthetic fractures of the femur during and after total hip arthroplasty (review). *Instr Course Lect* 52:301-308, 2003.
- **Mitchell PA, Masri BA, Garbuz DS, et al:** Removal of well fixed, cementless, acetabular components in revision hip arthroplasty. *JBJS Br* 85:949-952, 2003.
- **Mittal R, Khetarpal R, Malhotra R, Kumar R:** The role of Tc-99m bone imaging in the management of pain after complicated total hip replacement. *Clin Nucl Med* 22:593-595, 1997.
- **Mohler CG, Callaghan JJ, Collis DK, and Johnston RC:** Early loosening of the femoral component at the cement-prosthesis interface after total hip replacement. *J Bone Joint Surg Am* 77:1315-1322, 1995.
- **Momberger NG, Paprosky WG, Miner TM:** The use of cell counts in revision total hip arthroplasty. American Association of Hip and Knee Surgeons. Dallas, TX; 2000.

- **Mont MA, Hungerford DS:** When not to revise a hip. In Steinberg ME, Garino JP (eds): Revision Total Hip Arthroplasty, Philadelphia, Lippincott Williams & Wilkins, pp 142-147, 1999.
- **Mont MA, Waldman BJ, Hungerford DS.:** Evaluation of preoperative cultures before second-stage reimplantation of a total knee prosthesis complicated by infection. A comparison- group study. *JBJS Am.*; 82(11):1552-1557, 2000.
- **Moyad TF, Thornhill T, Estok D:** Evaluation and Management of the Infected Total Hip and Knee. *ORTHOPEDICS*; 31:581-589, 2008.
- **Munin MC, Majerske CW.:** Rehabilitation in **Callaghan et al:** The Adult Hip, 2nd ed; 1533-1540, Lippincott Williams & Wilkins 2007.
- **Munin MC, Rudy TE, Glynn NW, et al.:** Early inpatient rehabilitation after elective hip and knee arthroplasty. *JAMA*; 279:847-852, 1998.
- **Nikolaou VS. & Antoniou J.:** Revision Total Hip Arthroplasty in **Giannoudis PV:** Practical Procedures in Elective Orthopaedic Surgery, Pelvis and Lower Extremity; 67-87, Springer 2012.
- **Nogler M.:** Surgical Approach: Direct Anterior Revision in Hozack W., Parvizi J., and Bender B.: Surgical Treatment of Hip Arthritis: Reconstruction, Replacement, and Revision; 267-271, Elsevier 2009.
- **O'Neill DA, Harris WH:** Failed total hip replacement: Assessment by plain radiographs, arthrograms, and aspiration of the hip joint. *JBJS Am* 66:540-546, 1984.
- **Oakes DA, Cabanela ME.:** Impaction bone grafting for revision hip arthroplasty: biology and clinical applications. *J Am Acad Orthop Surg.*; 14:620-8, 2006.
- **Ogilvie CM, Wunder JS, Ferguson PC, Griffin AM, Bell RS.:** Functional outcome of endoprosthetic proximal femoral replacement. *Clin Orthop Relat Res.*; 426:44-8, 2004.
- **Older J:** Charnley low-friction arthroplasty: A worldwide retrospective review at 15 to 20 years. *J Arthroplasty* 17:675-680, 2002.

- **Ong A, Wong KL, Lai M, et al:** Early failure of pre-coated femoral components in primary total hip arthroplasty. *J Bone Joint Surg Am* 84:786-792, 2002.
- **Ornstein E, Linder L, Ranstam J, Lewold S, Eisler T, Torper M.:** Femoral impaction bone grafting with the Exeter stem - the Swedish experience: survivorship analysis of 1305 revisions performed between 1989 and 2002. *J Bone Joint Surg Br.*; 91:441-6, 2009.
- **O'Sullivan SB, Schmitz TJ:** *Physical Rehabilitation: Assessment and Treatment.* 2nd ed. Philadelphia: FA Davis;;293-300, 1988.
- **Ottenbacher KJ, Smith PM, Illig SB, et al.:** Prediction of follow-up living setting in patients with lower limb joint replacement. *Am J Phys Med Rehab*; 81:471-477, 2002.
- **Ovesen O, Emmeluth C, Hofbauer C, Overgaard S.:** Revision total hip arthroplasty using a modular tapered stem with distal fixation: good short-term results in 125 revisions. *J Arthroplasty*; 25:348-54, 2010.
- **Palestro CJ, Kim CK, Swyer AJ, et al.:** Total-hip arthroplasty: periprosthetic indium-111-labeled leukocyte activity and complementary technetium-99m-sulfur colloid imaging in suspected infection. *J Nucl Med.*; 31(12):1950-1955, 1990.
- **Palmer ML, Toms JE:** *Manual for Functional Training.* 3rd ed. Philadelphia: FA Davis;;119-128, 1992.
- **Paprosky WG, Burnett RS, & Martin E.L.:** Current Topics in Revision Total Hip Replacement: Acetabular Deficiency and its Management; Techniques in Orthopaedics, 16(3):227–236, 2001.
- **Paprosky WG, Perona PG, Lawrence JM:** Acetabular defect classification and surgical reconstruction in revision arthroplasty. A 6-year follow-up evaluation. *J Arthroplasty* 9:33-44, 1994.
- **Paprosky WG, Sekundiak TD:** Total acetabular allografts. *Instr Course Lect*; 48:67–76, 1999.

- **Parvizi J, Kim KI, Goldberg G, Mallo G, Hozack WJ.:** Recurrent instability after total hip arthroplasty: beware of subtle component malpositioning. *Clin Orthop Relat Res.*; 447:60-5, 2006.
- **Parvizi J, Morrey BF.:** Bipolar hip arthroplasty as a salvage treatment for instability of the hip. *J Bone Joint Surg Am.*; 82:1132-9, 2000.
- **Parvizi J, Picinic E, Sharkey PF.** Revision total hip arthroplasty for instability: surgical techniques and principles. *JBJS Am*; 90: 1134–42, 2008.
- **Parvizi J, Rapuri VR, Purtill JJ, et al:** Treatment protocol for proximal femoral periprosthetic fractures. *J Bone Joint Surg Am* 86:8-16, 2004.
- **Parvizi J, Sharkey PF, Bissett GA, Rothman RH, Hozack WJ.:** Surgical treatment of limb-length discrepancy following total hip arthroplasty. *J Bone Joint Surg Am.*; 85:2310-7, 2003.
- **Parvizi J, Sim FH.:** Proximal femoral replacements with megaprotheses. *Clin Orthop Relat Res*; 420:169-75, 2004.
- **Paterno SA, Lachiewicz PF, and Kelley SS:** The influence of patient related factors and the position of the acetabular component on the rate of dislocation after total hip replacement. *J Bone Joint Surg Am* 79:1202-1210, 1997.
- **Phillips CB, Barrett J, Losina E, et al:** Incidence rates of dislocation, pulmonary embolism, and deep infection during the first six months after elective total hip replacement. *J Bone Joint Surg Am* 85:20-26, 2003.
- **Potter HG, Nestor BJ, Sofka CM, et al:** Magnetic resonance imaging after total hip arthroplasty: Evaluation of periprosthetic soft tissue. *JBJS Am* 86:1947-1954, 2004.
- **Pulido L., Sridhar R. Rachala & Miguel E. Cabanela:** Cementless acetabular revision: past, present, and future; *International Orthopaedics (SICOT)* 35:289–298, 2011.

- **Puri L, Lapinski B, Wixson RL, Lynch J, Hendrix R, Stulberg SD.:** Computed tomographic follow-up evaluation of operative intervention for periacetabular lysis. *J Arthroplasty*; 21(6 Suppl 2): 78-82, 2006.
- **Puri L, Wixson RL, Stern SH, et al:** Use of helical computed tomography for the assessment of acetabular osteolysis after total hip arthroplasty. *JBJS Am* 84:609-614, 2002.
- **Purtill JJ, Rothman RH, Hozack WJ, and Sharkey PF:** Total hip arthroplasty using two different tapered cementless stems. *Clin Orthop Rel Res* 393:121-127, 2001.
- **Rao JP, Bronstein R.:** Dislocations following arthroplasties of the hip: incidence, prevention, and treatment. *Orthop Rev.*; 20:261-264, 1991.
- **Reardon K, Galla M, Dennett X et al.:** Quadriceps muscle wasting persists 5 months after total hip arthroplasty for osteoarthritis of hip: a pilot study. *Int Med J.*; 41:7-14, 2001.
- **Richards CJ, Duncan CP, Masri BA, Garbuz DS.:** Femoral revision hip arthroplasty: a comparison of two stem designs. *Clin Orthop Relat Res.*; 468:491-6, 2010.
- **Robbins GM, Masri BA, Garbuz DS, and Duncan CP:** Evaluation of pain in patients with apparently solidly fixed total hip arthroplasty components. *J Am Acad Orthop Surg* 10:86-94, 2002.
- **Roberts P, Walters AJ, and McMinn DJ:** Diagnosing infection in hip replacements: The use of fine-needle aspiration and radiometric culture. *JBJS Br* 74:265-269, 1992.
- **Romanò CL, Romanò D, Logoluso N, Meani E:** Long-stem versus short-stem preformed antibiotic-loaded cement spacers for two-stage revision of infected total hip arthroplasty. *Hip Int* 20 (1):26–33, 2010.
- **Rubash HE, Sinha RK, Maloney WJ, and Paprosky WG: Osteolysis:** Surgical treatment. In: Cannon, WD, ed. *Instructional Course Lectures*. Vol 47, 1997.

- **Rudelli S, Uip D, Honda E, Lima ALLM:** One-stage revision of infected total hip arthroplasty with bone graft. *J Arthroplasty* 23:1165–1177, 2008.
- **Safir O, Kellett CF, Flint M, Backstein D, Gross AE.** Revision of the deficient proximal femur with a proximal femoral allograft. *Clin Orthop Relat Res.*; 467:206-12, 2009.
- **Salcido R, Moore RW.:** Acute and subacute rehabilitation [letter]. *Arch Phys Med Rehabil*; 77:100-101, 1996.
- **Sanzen L, Carlsson AS:** The diagnostic value of C-reactive protein in infected total hip arthroplasties. *JBJS Br* 71:638-641, 1989.
- **Schaubel HJ:** Modification of the anterior iliofemoral approach to the hip. *Int Surg*; 65:347, 1980.
- **Senthi S., Munro JT. & Pitto RP.:** Infection in total hip replacement: meta-analysis; *International Orthopaedics (SICOT)* 35:253–260, 2011.
- **Sharkey PF, Hozack WJ, Callaghan JJ, et al:** Acetabular fracture associated with cementless acetabular component insertion: A report of 13 cases. *J Arthroplasty* 14:426-431, 1999.
- **Shih CH, Du YK, Lin YH, et al.:** Muscular recovery around the hip joint after total hip arthroplasty. *Clin Orthop.*; 302:115-120, 1994.
- **Siliski JM, Scott RD.:** Obturator-nerve palsy resulting from intrapelvic extrusion of cement during total hip replacement. Report of four cases. *JBJS Am.* 67(8): 1225-1228, 1985.
- **Sinha RK:** Revision of the Femoral Component in **Sinha RK** Hip Replacement Current Trends and Controversies; 233-260, 2002.
- **Sledge JB 3rd, Abiri A:** An algorithm for the treatment of Vancouver type B2 periprosthetic proximal femoral fractures. *J Arthroplasty* 17:887-892, 2002.
- **Smith PN, Rorabeck CH:** Clinical evaluation of the symptomatic total hip arthroplasty. In Steinberg ME, Garino JP (eds): *Revision Total Hip Arthroplasty*. Philadelphia, Lippincott Williams & Wilkins, p 109, 1999.

- **Smith TM, Berend KR, Lombardi AV Jr, et al:** Isolated liner exchange using the anterolateral approach is associated with a low risk of dislocation. *Clin Orthop Relat Res* 441:221-226, 2005.
- **Southwell DG, Bechtold JE, Lew WD, and Schmidt AH:** Improving the detection of acetabular osteolysis using oblique radiographs. *JBJS Br* 81:289-295, 1999.
- **Spangehl MJ, Masri BA, O'Connell JX, Duncan CP:** Prospective analysis of preoperative and intraoperative investigations for the diagnosis of infection at the sites of two hundred and two revision total hip arthroplasties. *JBJS Am* 81:672-683, 1999.
- **Spaulding NJ:** A comparative study of the effectiveness of a preoperative education program for total hip arthroplasty patients. *Br J Occup Ther.*; 58:526-531, 1995.
- **Sporer SM, O'Rourke M, Chong P, Paprosky WG:** The use of structural distal femoral allografts for acetabular reconstruction. Average ten-year follow-up. *J Bone Jt Surg* 87(4):760–765, 2005.
- **Sporer SM, Paprosky WG, O'Rourke MR:** Managing bone loss in acetabular revision. *Instr Course Lect* 55:287–297, 2006.
- **Sporer SM, Paprosky WG.** Revision total hip arthroplasty: the limits of fully coated stems. *Clin Orthop Relat Res.*; 417:203-9, 2003.
- **Sporer SM, Paprosky WG.:** The use of a trabecular metal acetabular component and trabecular metal augment for severe acetabular defects. *J Arthroplasty*;21(6 Suppl 2):83-6, 2006.
- **Sporer SM. and Paprosky WG:** Extended Trochanteric Osteotomy: Posterior Approach in Hozack W., Parvizi J., and Bender B.: *Surgical Treatment of Hip Arthritis: Reconstruction, Replacement, and Revision*, Elsevier 2009.
- **Sporer SM.:** How to Do a Revision Total Hip Arthroplasty: Revision of the Acetabulum; *JBJS Am* 93:1359-66, 2011.

- **Springer BD, Berry DJ, Cabanela ME, Hanssen AD, Lewallen DG:** Early postoperative transverse pelvic fracture: a new complication related to revision arthroplasty with an uncemented cup. *JBJS Am* 87(12):2626–2631, 2005.
- **Springer BD., Fehring TK., Griffin WL, Odum SM & Masonis JL:** Why Revision Total Hip Arthroplasty Fails. *Clin Orthop Relat Res* 467:166–173, 2009.
- **Stilling M, Rahbek O, Soballe K:** Inferior survival of hydroxyapatite versus titanium-coated cups at 15 years. *Clin Orthop Relat Res* 467(11):2872-2879, 2009.
- **Strickland EM, Fares M, Krebs DE, et al.:** In vivo acetabular contact pressures during rehabilitation, I: acute phase. *Phys Ther.*; 72:691-699, 1992.
- **Sundfeldt M, Carlsson LV, Johansson CB, Thomsen P, Gretzer C:** Aseptic loosening, not only a question of wear: a review of different theories. *Acta Orthop* 77(2):177-197, 2006.
- **Tanzer M.:** Role and results of the high hip centre. *Orthop Clin North Am*; 2:241–7, 1998.
- **Tehranzadeh J, Gubernick I, Blaha D:** Prospective study of sequential technetium-99m phosphate and gallium imaging in painful hip prostheses (comparison of diagnostic modalities). *Clin Nucl Med* 13:229-236, 1988.
- **Teller RE, Christine MJ, Martin W, Nance P, Haas DW.:** Sequential indium-labeled leukocyte and bone scans to diagnose prosthetic joint infection. *Clin Orthop Relat Res.*; 373:241-247, 2000.
- **Toms AD, Davidson D, Masri BA, Duncan CP:** The management of peri-prosthetic infection in total joint replacement. *J Bone Joint Surg Br* 88:149–155, 2006.
- **Toomey SD, Hopper RH Jr, McAuley JP, Engh CA.:** Modular component exchange for treatment of recurrent dislocation of a total hip replacement in selected patients. *J Bone Joint Surg Am.*; 83:1529-33, 2001.

- **Trebse R, Pisot V, Trampuz A.:** Treatment of infected retained implants. *J Bone Joint Surg Br* 87(2):249–256, 2005.
- **Trudelle-JE, Emerson R, Smith S.:** Outcomes of total hip arthroplasty: a study of patients one year post surgery. *J Orthop Sports Phys Ther.*; 32:260-267, 2002.
- **Tsiridis E, Krikler S, Giannoudis PV:** Periprosthetic femoral fractures; Current aspects of management. *Injury* 38:649-650, 2007.
- **Tsiridis E, Narvani AA, Haddad FS, et al:** Impaction femoral allografting and cemented revision for periprosthetic femoral fractures. *J Bone Joint Surg Br* 86:1124-1132, 2004.
- **Tsukayama DT, Estrada R, Gustilo RB:** Infection after total hip arthroplasty. A study of the treatment of one hundred and six infections. *J Bone Joint Surg Am* 78:512–523, 1996.
- **Utz J, Lull, Galvin E:** Asymptomatic total hip prostheses. Natural history determined using Tc99m MDP bone scans. *Radiology*, 161: 509-512, 1986.
- **Vail T.:** Revision Total Hip Replacement: Posterior Approach in Hozack W., Parvizi J., and Bender B.: *Surgical Treatment of Hip Arthritis: Reconstruction, Replacement, and Revision*, Elsevier 2009.
- **Veitch SW., Jones SA.:** (v) Prevention of dislocation in hip arthroplasty *Orthopaedics and Trauma*; 23:35-39, 2009.
- **Von Knoch M, Berry DJ, Harmsen WS, Morrey BF.:** Late dislocation after total hip arthroplasty. *J Bone Joint Surg Am.*; 84:1949-53, 2002.
- **Walde TA, Weiland DE, Leung SB, et al:** Comparison of CT, MRI, and radiographs in assessing pelvic osteolysis: A cadaveric study. *Clin Orthop Relat Res* 437:138-144, 2005
- **Weeden SH, Paprosky WG.:** Minimal 11-year follow-up of extensively porous-coated stems in femoral revision total hip arthroplasty. *J Arthroplasty.*; 17:134-7,2002.

- **Weingarten S, Riedinger M, Conner L, et al.:** Hip replacement and hip hemiarthroplasty surgery: potential opportunities to shorten lengths of hospital stay. *Am J Med.*; 97:208-213, 1994.
- **Whaley AL, Berry DJ, Harmsen WS:** Extra-large uncemented hemispherical acetabular components for revision total hip arthroplasty. *J Bone Joint Surg Am* 83-A (9):1352–1357, 2001.
- **White RE. & Archibek MJ:** chapter 90; Evaluation of the Painful Total Hip Replacement in **Callaghan et al:** *The Adult Hip*, 2nd ed., 1343-1351, Lippincott Williams & Wilkins 2007.
- **Whitney JA, Parkman S.:** Preoperative physical activity, anesthesia and analgesia: effects on early postoperative walking after total hip replacement. *Appl Nurs Res.*; 15:19-27, 2002.
- **Whittaker JP, Warren RE, Jones RS, Gregson PA:** Is prolonged systemic antibiotic treatment essential in two-stage revision hip replacement for chronic Gram-positive infection? *J Bone Joint Surg Br* 91:44–51, 2009.
- **Wilkinson JM, Hamer AJ, Stockley I, Eastell R:** Polyethylene wear rate and osteolysis: critical threshold versus continuous dose-responserelationship. *J Orthop Res* 23(3):520-525, 2005.
- **William PL, Warwick P, Dyson M.:** Anatomy of acetabulum. *Gray's anatomy*, 9th edition, Churchill Livingstone; 422-430, 1992.
- **Woolson ST, Adler NS.:** The effect of partial or full weight bearing ambulation after cementless total hip arthroplasty. *J Arthroplasty*; 17:820-825, 2002.
- **Woolson ST, Delaney TJ.:** Failure of a proximally porous-coated femoral prosthesis in revision total hip arthroplasty. *J Arthroplasty*; 10 Suppl:S22-8, 1995.
- **Wraight PJ, Howard PW.:** Femoral impaction bone allografting with an Exeter cemented collarless, polished, tapered stem in revision hip replacement: a mean follow-up of 10.5 years. *J Bone Joint Surg Br.*; 90:1000-4, 2008.