

Reference

- **Adamkin DH (2006):** Feeding problems in the late preterm infant. Clin Perinatol, Dec; 33(4):831-7.
- **Althuisius SM, Dekker GA, van Geijn HP, Bekedam DJ and Hummel P.(2000):** Cervical incompetence prevention randomized cerclage trial (CIPRACT): study design and preliminary results.Am J Obstet Gynecol. ;183:823-9.
- **Amsel R, Totten PA, Spiegel CA, Chen K. Holmes KK et al. (1983):** Diagnostic criteria and microbial and epidemiologic association. Am. J. Med. 74: 14.
- **Anukam KC, Osazuwa E, Osemene GI, Ehigiagbe F, Bruce AW et al. (2006):** Clinical study comparing probiotic *Lactobacillus GR-1* and *RC-14* with metronidazole vaginal gel to treat symptomatic bacterial vaginosis. Microbes Infect; 8:2772-2776.
- **Anzueto A and Guntapalli K. (2006):** Adjunctive therapy to mechanical ventilation: surfactant therapy, liquid ventilation, and prone position.Clin Chest Med.;27:637-54
- **Arias F. (1993):** Post-partum complications in: Practical guide to high risk pregnancy and delivery, Arias F (ed), 2nd ed, Missouri: Mosby Company; 442-4.
- **Azargoon A and Darvishzadeh S. (2006):** Association of bacterial vaginosis, trichomonas vaginalis, and vaginal acidity with outcome of pregnancy. Arch Iran Med.;9:213-7.

- **Bakketeig LS and Hoffman HJ. (1981):** Epidemiology of preterm birth: result from a longitudinal study of births in Norway. In: Elder MG, Hendricks CH, eds. Preterm labor. (Obstetrics and gynecology, vol 1). London, United Kingdom: Butterworth and Company Ltd,:17-46.
- **Barrington JW, Linton D, O'Leary A, Blackwell A, Brick J et al. (1997):** Anaerobic (bacterial) vaginosis and premalignant disease of the cervix. J Obstet Gynecol.; 17: 383-5.
- **Baylson FA, Nyirjesy P and Weitz MV.(2004):** Treatment of recurrent bacterial vaginosis with Tinidazole Obstet Gynecol; 104:931-932.
- **Beck S, Wojdyla D, Say L, Betran AP, Merialdi M et al. (2010):** The worldwide incidence of preterm birth: a systematic review of maternal mortality and morbidity. Bull World Health Organ.;88: 31-8.
- **Benjamin DK Jr and Stoll BJ. (2006):** Infection in late preterm infants. Clin Perinatol.;33:871-82.
- **Berghella V, Odibo AO, To MS, Rust OA and Althuisius SM. (2005):** Cerclage for short cervix on ultrasonography: meta-analysis of trials using individual patient-level data. Obstet Gynecol. 2005;106:181-9.
- **Berghella V, Rust OA and Althuisius SM. (2006):** Short cervix on ultrasound: does indomethacin prevent preterm birth? Am J Obstet Gynecol.;195:809-13.
- **Beverly E, Sha Hua Y, Chen Qiong J, Wang M, Zariffard R, et al. (2005):** Utility of Amsel criteria, Nugent score, and quantitative PCR for Gardnerella vaginalis, Mycoplasma hominis, and

Lactobacillus spp. for diagnosis of bacterial vaginosis in human immunodeficiency virus-infected. J Clin Microbiol.; 43:4607-12.

- **Bodnar LM, Krohn MA and Simhan HN. (2009):** Maternal vitamin D deficiency is associated with bacterial vaginosis in the first trimester of pregnancy. J Nutr.;139:1157-61.
- **Boggess KA, Trevett TN, Madianos PN, Rabe L, Hillier SL et al. (2005):** Use of DNA hybridization to detect vaginal pathogens associated with bacterial vaginosis among asymptomatic pregnant women. Am J Obstet Gynecol.; 193: 752-6.
- **Brocklehurst P, Hannah M and McDonald H. (2000):** Interventions for treating bacterial vaginosis in pregnancy. Cochrane Database Syst Rev.;2:CD000262.
- **Brotman RM, Ghanem KG, Klebanoff MA, Taha TE, Scharfstein DO et al. (2008):** The effect of vaginal douching cessation on bacterial vaginosis: a pilot study. Am J Obstet Gynecol.;198:628.e1-7.
- **Brunk D. (2000):** Smoking increases risk of genital prolapse and bacterial vaginosis. Obs News.; 35 : 5-7.
- **Burguet A, Kaminski M, Abraham-Lerat L, Schaal JP, Cambonie G et al. (2004):** The complex relationship between smoking in pregnancy and very preterm delivery. Results of the Epipage study. BJOG.;111:258-65.
- **Callahan DB, Weinberg M and Gunn RA.(2003):** Bacterial vaginosis in pregnancy: diagnosis and treatment practices of physicians in San Diego, California, 1999. Sex Transm Dis.; 30: 645-9.

- **Camargo RP, Simões JA, Cecatti JG, Alves VM and Faro S. (2005):** Impact of treatment for bacterial vaginosis on prematurity among Brazilian pregnant women: a retrospective cohort study. Sao Paulo Med J.;123:108-12.
- **Caoperstock M, and Campbell J, (1996):** Excess males in preterm birth: interactions with gestational age, race and multiple births. Obstet Gynecol 1.88:189.
- **Cararach V, Palacio M, Martínez S, Deulofeu P, Sánchez M et al. (2006):** Nifedipine versus ritodrine for suppression of preterm labor. Comparison of their efficacy and secondary effects. Eur J Obstet Gynecol Reprod Biol ;127:204-8.
- **Carey JC, Klebanoff MA, Hauth JC, Hillier SL, Thom EA et al. (2000):** Metronidazole to prevent preterm delivery in pregnant women with asymptomatic bacterial vaginosis. National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units. N Engl J Med.;342:534-40.
- **Caritis S.(2005):** Adverse effects of tocolytic therapy. BJOG.;112 Suppl 1:74-8.
- **Casanueva E, Ripoll C, Meza-Camacho C, Coutiño B, Ramírez-Peredo J et al. (2005):** Possible interplay between vitamin C deficiency and prolactin in pregnant women with premature rupture of membranes: facts and hypothesis. Med Hypotheses.;64:241-7.
- **Cauci S and Culhane JF.(2011):** High sialidase levels increase preterm birth risk among women who are bacterial vaginosis-positive in early gestation. Am J Obstet Gynecol.;204:142.e1-9.

- **Cauci S, Driussi S, De Santo D, Penacchioni P, Iannicelli T et al. (2002):** Prevalence of bacterial vaginosis and vaginal flora changes in peri- and postmenopausal women. *J Clin Microbiol.*;40:2147-52.
- **Cauci S, Guaschino S, Aloysio D, Driussi S, De Santo D et al. (2003):** Interrelationships of interleukin-8 with interleukin-1 β and neutrophils in vaginal fluid of healthy and bacterial vaginosis positive women. *Molecul Hum Reprod.*; 9 : 53-8.
- **Cauci S, Hitti J, Noonan C, Agnew K, Quadrifoglio F et al. (2002):** Vaginal hydrolytic enzymes, immunoglobulin A against *Gardnerella vaginalis* toxin, and risk of early preterm birth among women in preterm labor with bacterial vaginosis or intermediate flora. *Am J Obstet Gynecol*; 187:877.
- **Caughey AB and Parer JT.(2001):** Tocolysis with beta-adrenergic receptor agonists. *Semin Perinatol.*;25:248-55.
- **Cella M, Farina MG, Dominguez Rubio AP, Di Girolamo G, Ribeiro ML et al. (2010):** Dual effect of nitric oxide on uterine prostaglandin synthesis in a murine model of preterm labour. *Br J Pharmacol.*;161:844-55.
- **Chatterjee J, Gullam J, Vatish M and Thornton S.(2007):** The management of preterm labour. *Arch Dis Child Fetal Neonatal Ed.*;92:F88-93.
- **Cooke C, Anion E and Leet T. (2007):** Recurrence risk for preterm delivery. *Am J Obstet Gynecol*;196:576.e1-576.e7. Reprints not available from the authors.
- **Cordero L, Nankervis CA, Delooze D and Giannone PJ. (2007):** Indomethacin prophylaxis or expectant treatment of patent ductus

arteriosus in extremely low birth weight infants?J Perinatol.;27:158-63.

- **Cottrell BH and Close FT. (2008):** Vaginal douching among university women in the southeastern United States.J Am Coll Health.;56:415-21.
- **Crowther CA and Harding J. (2003):** Repeat doses of prenatal corticosteroids for women at risk of preterm birth for preventing neonatal respiratory disease.Cochrane Database Syst Rev.;3:CD003935.
- **Crowther CA and Henderson-Smart DJ, (2003):** Phenobarbital prior to preterm birth for preventing neonatal periventricular hemorrhage. Cochrane Database Syst Rev.;(3)CD000164.
- **Crowther CA, Crosby DD and Henderson-Smart DJ.(2010) :** Phenobarbital prior to preterm birth for preventing neonatal periventricular haemorrhage.Cochrane Database Syst Rev. 20:CD000164.
- **Cunningham FG, Gant NF, Leveno KJ, Gilstrap LC, Hauth JC et al. (2005):** Williams obstetrics 22nd edition. New York : McGraw Hill,.
- **Darwish A, Elnshar EM, Hamadeh SM and Makarem MH.(2007):** Treatment options for bacterial vaginosis in patients at high risk of preterm labor and premature rupture of membranes. J Obstet Gynaecol Res.;33:781-7.
- **DeFranco EA, Stamilio DM, Boslaugh SE, Gross GA and Muglia LJ. (2007):** A short interpregnancy interval is a risk factor for preterm birth and its recurrence.Am J Obstet Gynecol.;197:264. e1-6.

- **Demirezen S Aysegul Kucuk, M and Sinan Beksac (2006):** The association between copper containing iucd and bacterial vaginosis; Cent Eur J Publ Health; 14 (3): 138-140.
- **Donders GG, Bosmans E, Dekeermaecker A, Vereecken, A, Van Bulck B et al. (2000):** Pathogenesis of abnormal vaginal bacterial flora. Am J Obstet Gynecol.; 182: 872-8.
- **Dudell GG and Jain L. (2006):** Hypoxic respiratory failure in the late preterm infant. Clin Perinatol.;33:803-30.
- **Economy KE and Abuhamad AZ.(2001):** Calcium channel blockers as tocolytics. Semin Perinatol.;25:264-71.
- **Facco FL, Nash K and Grobman WA.(2007):** Are women who have had a preterm twin delivery at greater risk of preterm birth in a subsequent singleton pregnancy? Am J Obstet Gynecol.; 197: 253. e1-3.
- **Fiscell K and Kiebanoff MA. (2004):** Racial differences in vaginal pH expained by vaginal flora? Am J Obstet Gynecol.; 191: 747-50.
- **Fiscell K and Kiebanoff MA. (2004):** Racial differences in vaginal pH expained by vaginal flora? Am J Obstet Gynecol; 191: 747-50.
- **Fredricks DN, Fiedler TL, Thomas KK, Mitchell CM and Marrazzo JM. (2009):** Changes in vaginal bacterial concentrations with intravaginal metronidazole therapy for bacterial vaginosis as assessed by quantitative PCR. J Clin Microbiol.;47:721-6.
- **Gazi H, Degerli K, Kurt O, Teker A and Caglar H (2006):** Use of DNA hybridization test for diagnosing bacterial vaginosis in

women with symptoms suggestive of infection. *APMIS.*; 114: 784-7.

- **Ghodrat M. (2006):** Lung surfactants.*Am J Health Syst Pharm.* 15;63:1504-21.
- **Goldenberg RL, Andrews WW, Faye-Petersen O, Cliver S and Goepfert AR. (2006):** The Alabama Preterm Birth Project: placental histology in recurrent spontaneous and indicated preterm birth.*Am J Obstet Gynecol.*;195:792-6.
- **Goldenberg RL, Klebanoff M, Carey JC, Macpherson C, Leveno KJ et al. (2000):** Vaginal fetal fibronectin measurements from 8 to 22 weeks' gestation and subsequent spontaneous preterm birth.*Am J Obstet Gynecol.*;183:469-75.
- **Goldenberg RL. (2002):** The management of preterm labor.*Obstet Gynecol.*;100:1020-37.
- **Goodwin TM.(1999):** A role for estriol in human labor, term and preterm. *Am J Obstet Gynecol.*;180:S208-13.
- **Gray RH, Kigozi G, Serwadda D, Makumbi F, Nalugoda F et al. (2009):** The effects of male circumcision on female partners' genital tract symptoms and vaginal infections in a randomized trial in Rakai, Uganda.*Am J Obstet Gynecol.*;200:42.e1-7 .
- **Hack M, Flannery DJ, Schluchter M, Cartar L and Borawski E. (2002):** Outcomes in young adulthood for very-low-birth-weight infants.*N Engl J Med.* 17;346:149-57.
- **Hagan R, Benninger H, Chiffings D, Evans S and French N. (1996):** Very preterm birth--a regional study. Part 1: Maternal and obstetric factors.*Br J Obstet Gynaecol.*;103:230-8.

- **Haram K, Mortensen JH and Wollen AL.(2003):** Preterm delivery: an overview. *Acta Obstet Gynecol Scand.*;82:687-704.
- **Harmanli OH, Cheng GY, Nyirjesy P, Chatwani A, and Gaughan JP. (2000):** Urinary tract infections in women with bacterial vaginosis. *Obstet Gynecol*; 95(5):p710-712.
- **Hartmann K, Thorp JM Jr, McDonald TL, Savitz DA and Granados JL. (1999):** Cervical dimensions and risk of preterm birth: a prospective cohort study. *Obstet Gynecol.*;93:504-9.
- **Hautzager BA, Hogendoorn SM, Papatsoni DN, Samson JF, Van Geijn HP et al. (2006):** Long-term follow up of children exposed in utero to nifedipine or ritodrine for the management of preterm labour. *BJO.Gl* 13(3):324.
- **Hay PE, Taylor-Robinson D and Lamont RF.(1992):** Diagnosis of bacterial vaginosis in a gynaecology clinic. *Br J Obstet Gynaecol.*;99:63-6.
- **Heine RP, McGregor JA and Dullien VK.(1999):** Accuracy of salivary estriol testing compared to traditional risk factor assessment in predicting preterm birth. *Am J Obstet Gynecol.*;180:S214-8.
- **Heine RP, McGregor JA, Goodwin TM, Artal R, Hayashi RH, et al. (2000):** Serial salivary estriol to detect an increased risk of preterm birth. *Obstet Gynecol.*;96:490-7.
- **Henriksen TB, Hedegaard M, Secher NJ and Wilcox AJ.(1995):** Standing at work and preterm delivery. *Br J Obstet Gynaecol.*; 102:198-206.

- **Higgins SP, Kornman LH, Bell RJ and Brennecke SP.(2004):** Cervical surveillance as an alternative to elective cervical cerclage for pregnancy management of suspected cervical incompetence.Aust N Z J Obstet Gynaecol.;44:228-32.
- **Hill WC, Fleming AD, Martin RW, Hamer C, Knuppel RA et al. (1990):** Home uterine activity monitoring is associated with a reduction in preterm birth.Obstet Gynecol.;76:13S-18S.
- **Hiller and Holmes. (1990):** Bacterial vaginosis in Homles KK, Mardh PA (eds), sexually transmitted diseases 2nd edition New York McGrowhitt.; p547-559.
- **Hillier S, Krohn, MA, Watts, H, Wolner-Hanssen, P and Eschenbach, D. (1990):** Microbiological efficacy of intravaginal clindamycin cream for the treatment of bacterial vaginosis, Obstet. Gynecol, 76: 407.
- **Hillier SL, Nugent RP, Eschenbach DA, Krohn MA, Gibbs RS et al.(1995):** Association between bacterial vaginosis and preterm delivery of a low-birth-weight infant. The Vaginal Infections and Prematurity Study Group. N Engl J Med.;333:1737-42.
- **Hillier SL. (2000):** Examining the vaginal ecosystem. Proceedings of the National Planned Parenthood Conference Philadelphia,
- **Hilmarsdóttir I, Hauksdóttir GS, Jóhannesdóttir JD, Daníelsdóttir T, Thorsteinsdóttir H et al. (2006):** Evaluation of a rapid Gram stain interpretation method for diagnosis of bacterial vaginosis.J Clin Microbiol.;44:1139-40.
- **Hobel CJ, Dunkel-Schetter C, Roesch SC, Castro LC and Arora CP. (1999):** Maternal plasma corticotropin-releasing hormone associated with stress at 20 weeks' gestation in

pregnancies ending in preterm delivery. Am J Obstet Gynecol.;180:S257-63.

- **Hogan VK, Culhane JF, Hitti J, Rauh VA, McCollum KF et al. (2007):** Relative performance of three methods for diagnosing bacterial vaginosis during pregnancy. Matern Child Health J.;11:532-9.
- **Hoyert DL, Mathews T and Maenacker F. (2006):** Annual Summary of Vital Statistics. Pediatrics.; 117 : 168-83.
- **Hutton EK and Hofmeyr GJ. (2006):** External cephalic version for breech presentation before term. Cochrane Database Syst Rev.;(1):CD000084.
- **Iams JD, Johnson FF and Parker M. (1994):** A prospective evaluation of the signs and symptoms of preterm labor. Obstet Gynecol.;84:227-30.
- **Ingemarsson I and Lamont RF.(2003):** An update on the controversies of tocolytic therapy for the prevention of preterm birth. Acta Obstet Gynecol Scand.;82:1-9.
- **Jean-Pierre Menard (2011):** Antibacterial treatment of bacterial vaginosis: current and emerging therapies Int J Womens Health; 3: 295–305.
- **Jenifer E. Allsworth, Jeffrey F and Peipert. (2007):** Prevalence of Bacterial Vaginosis National Health and Nutrition Examination Survey Data. ACOG; 109:p14-20.
- **Jignesh J Kansaria, Alka Gupta, SV and Parulekar (2009):** Cervical Sonography to Assess Risk of Preterm Labour. Bombay Hospital Journal;51:174-184.

- **Jobe AH. (2004):** Postnatal corticosteroids for preterm infants--do what we say, not what we do. *N Engl J Med.*;350:1349-51.
- **Joeoef MR and Schmid GP. (1995):** Bacterial vaginosis: review of treatment options and potential clinical indications of therapy. *Clin. Infect. Dis*,20(suppl I); S 72.
- **Joseph KS, Kramer MS, Marcoux S, Ohlsson A, Wen SW et al. (1998) :** Determinants of preterm birth rates in Canada from 1981 through 1983 and from 1992 through 1994. *N Engl J Med.* 12;339(20):1434-9.
- **Kalinka J, Laudański T, Hanke W, Krzemiński Z and Wasiela M. (2003):** The evaluation of prevalence and the impact of pathological microflora of the lower genital tract among women at early pregnancy on the risk of preterm delivery. *Med Dosw Mikrobiol.*;55:277-84.
- **Keane F, Ison CA, Noble H and Estcourt C. (2006):** Bacterial vaginosis. *Sex Transm Infect.*;82 Suppl 4:iv16-8.
- **Kekki M, Kurki T, Pelkonen J, Kurkinen-Räty M, Cacciatore B et al. (2001):** Vaginal clindamycin in preventing preterm birth and peripartal infections in asymptomatic women with bacterial vaginosis: a randomized, controlled trial. *Obstet Gynecol.*;97: 643-8.
- **Kenyon S, Boulvain M and Neilson J.(2004):** Antibiotics for preterm rupture of the membranes: a systematic review. *Obstet Gynecol.*;104:1051-7.
- **King J and Fenady V. (2002):** Prophylactic antibiotics for inhibiting preterm labour with intact membranes. *Cochrane Database Syst Rev.* 2002:CD000246.

- **Kiss H, Petricevic L and Husslein P. (2004):** Prospective randomised controlled trial of an infection screening programme to reduce the rate of preterm delivery. *BMJ*.;329:371.
- **Klebanoff MA, Schwebke JR, Zhang J, Yu KF and Andrews WW. (2004):** Vulvovaginal symptoms in women with bacterial vaginosis. *Am J Obstet Gynecol.*; 104: 267-72.
- **Knight DB, Liggins GC and Wealthall SR.(1994):** A randomized, controlled trial of antepartum thyrotropin-releasing hormone and betamethasone in the prevention of respiratory disease in preterm infants. *Am J Obstet Gynecol.*;171:11-6.
- **Kovacevich GJ, Gaich SA, Lavin JP, Hopkins MP, Crane SS et al. (2000):** The prevalence of thromboembolic events among women with extended bed rest prescribed as part of the treatment for premature labor or preterm premature rupture of membranes. *Am J Obstet Gynecol.*;182:1089-92.
- **Krauss-Silva L, Moreira ME, Alves MB, Braga A, Camacho KG et al. (2011):** A randomised controlled trial of probiotics for the prevention of spontaneous preterm delivery associated with bacterial vaginosis: preliminary results. *Trials.*;12:239.
- **Kristensen J, Langhoff-Roos J and Kristensen FB. (1995):** Implications of idiopathic preterm delivery for previous and subsequent pregnancies. *Obstet Gynecol.*;86:800-4.
- **Krupa FG, Faltin D, Cecatti JG, Surita FG and Souza JP. (2006):** Predictors of preterm birth. *Int J Gynaecol Obstet.*;94:5-11.
- **Lams JD. (2002):** Preterm: birth. In: Gabbe SG, Niebyl JR, Simpson JL, editors. *Obstetrics: normal and problem pregnancies*. 4th edition. Philadelphia: Churchill Livingstone; p.755-826

- **Landon Myer, Louise Kuhn, Zena A Stein, T and Lynette Denny (2005):** Intravaginal practices, bacterial vaginosis, and women' susceptibility to HIV infection: epidemiological evidence and biological mechanisms. *The Lancet Infectious Diseases*; 5:p786-794.
- **Lang JM, Lieberman E, Ryan KJ and Monson RR. (1990):** Interpregnancy interval and risk of preterm labor.*Am J Epidemiol.*;132:304-9.
- **Larsson PG, Bergstrom M, Forsum U, Jakobsson B and Wolner-Hanssen P. (2005):** Bacterial vaginosis. Transmission, role in genital tract infection and pregnancy outcome: an enigma. *APMIS.*; 113: 233-45.
- **Larsson PG, Fåhraeus L, Carlsson B, Jakobsson T and Forsum U. (2007):** Predisposing factors for bacterial vaginosis, treatment efficacy and pregnancy outcome among term deliveries; results from a preterm delivery study.*BMC Womens Health.*;7:20.
- **Larsson PG, Fåhraeus L, Carlsson B, Jakobsson T and Forsum U. (2006):** Late miscarriage and preterm birth after treatment with clindamycin: a randomised consent design study according to Zelen.*BJOG.*;113:629-37.
- **Lata I, Pradeep Y, Sujata and Jain A.(2010):** Estimation of the Incidence of Bacterial Vaginosis and other Vaginal Infections and its Consequences on Maternal/Fetal Outcome in Pregnant Women Attending an Antenatal Clinic in a Tertiary Care Hospital in North India.*Indian J Community Med.*;35:285-9.

- **Laudanski P, Pierzynski P and Laudanski T. (2007):** Reductionist and system approaches to study the role of infection in preterm labor and delivery.BMC Pregnancy Childbirth.;7 :S9.
- **Lee HC and Gould JB.(2006):** Survival rates and mode of delivery for vertex preterm neonates according to small- or appropriate-for-gestational-age status.Pediatrics.;118:e1836-44.
- **Leitich H and Kaider A. (2003):** Fetal fibronectin--how useful is it in the prediction of preterm birth?BJOG.;110:66-70.
- **Leitich H, Bodner-Adler B, Brunbauer M, Kaider A and Egarter C. (2003):** Bacterial vaginosis as a risk factor for preterm delivery: a meta-analysis.Am J Obstet Gynecol.;189:139-47.
- **Lembet A, Eroglu D, Ergin T, Kuscu E, Zeyneloglu H et al. (2002):** New rapid bed-side test to predict preterm delivery: phosphorylated insulin-like growth factor binding protein-1 in cervical secretions. Acta Obstet Gynecol Scand.;81:706-12.
- **Lieman JM, Brumfield CG, Carlo W and Ramsey PS.(2005):** Preterm premature rupture of membranes: is there an optimal gestational age for delivery?Obstet Gynecol.;105:12-7.
- **Lieman JM, Brumfield CG, Carlo W and Ramsey PS.(2005):** Preterm premature rupture of membranes: is there an optimal gestational age for delivery?Obstet Gynecol.;105:12-7.
- **Livengood CH III, McGregor JA, Soper DE, Newton E and Thomason JL (1994):** Bacterial vaginosis: efficacy and safety of intravaginal metronidazole treatment. Am J Obstet Gynecol, 170: 7591.

- **Livengood CH, Ferris DG and Wiesenfeld HC. (2007):** Effectiveness of two tinidazole regimens in treatment of bacterial vaginosis: a randomized controlled trial. *Obstet Gynecol.*; 110 : 302-9.
- **Livengood CH. (2009):** Bacterial vaginosis: an overview for 2009. *Rev Obstet Gynecol.*;2:28-37.
- **Liversedge NH, Turner A, Horner PJ, Keay SD, Jenkins JM et al. (1999):** The influence of bacterial vaginosis on in-vitro fertilization and embryo implantation during assisted reproduction treatment. *Hum Reprod.*;14:2411-5.
- **López Bernal A.(2007):** Overview. Preterm labour: mechanisms and management. *BMC Pregnancy Childbirth.* 1;:S2.
- **Lopez RL, Francis JA, Garite TJ, Dubyak and Wilkinson JM.(2007):** Fetal fibronectin detection as a predictor of preterm birth in actual clinical practice. *Am J Obstet Gynecol*; 182:1103-1106.
- **Loudon JA, Groom KM and Bennett PR.(2003):** Prostaglandin inhibitors in preterm labour. *Best Pract Res Clin Obstet Gynaecol.*;17:731-44.
- **Lumley J. (1993):** The epidemiology of preterm birth. *Baillieres Clin Obstet Gynaecol.*;7:477-98.
- **Macones GA, Parry S, Elkousy M, Clothier B, Ural SH. (2004):** A polymorphism in the promoter region of TNF and bacterial vaginosis: preliminary evidence of gene-environment interaction in the etiology of spontaneous preterm birth. *Am J Obstet Gynecol.*;190:1504-8.

- **Marrazzo JM. (2003):** Bacterial Vaginosis . Current treatment options in infectious diseases, 5: 63.
- **Mattern D, Straube B and Hagen H.(1998):** Effect of mode of delivery on early morbidity and mortality of premature infants (< or = 34th week of pregnancy). Z Geburtshilfe Neonatol.;202:19-24.
- **Mazor M, Ghezzi F, Maymon E, Shoham-Vardi I, Vardi H et al. (1996):** Polyhydramnios is an independent risk factor for perinatal mortality and intrapartum morbidity in preterm delivery.Eur J Obstet Gynecol Reprod Biol.;70:41-7.
- **McDonald HM, Brocklehurst P and Gordon A.(2007):** Antibiotics for treating bacterial vaginosis in pregnancy.Cochrane Database Syst Rev.:(1):CD000262.
- **McManemy J, Cooke E, Amon E and Leet T.(2007):** Recurrence risk for preterm delivery. Am J Obstet Gynecol.;196:576.e1-6.
- **Medcompare. (2006):** Etiology, Diagnosis, and Management of Vaginitis: Trichomoniasis. JMWH. 51 (6): 423-30.
- **Meis PJ, Golden berg RL and Mercer BM. (2000):** Preterm prediction study: is socioeconomic status a risk factor for bacterial vaginosis in black or in white women. Am J Perinatol.; 17 : 41-5.
- **Meis PJ, Goldenberg RL, Mercer B, Moawad A, Das A et al. (1995):** The preterm prediction study: significance of vaginal infections. National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network.Am J Obstet Gynecol.;173:1231-5.

- **Meis PJ, Klebanoff M, Thom E, Dombrowski MP, Sibai B et al. (2003):** Prevention of recurrent preterm delivery by 17 alpha-hydroxyprogesterone caproate. *N Engl J Med.*; 348:2379-85.
- **Mercer BM. (2003):** Preterm premature rupture of the membranes. *Obstet Gynecol.*;101:178-93.
- **Mercer BM. (2003):** Preterm premature rupture of the membranes. *Obstet Gynecol.*;101:178-93.
- **Minkoff H, Grunebaum AN, Schwarz RH, Feldman J, Cummings M, Crombleholme W et al. (1984) :** Risk factors for prematurity and premature rupture of membranes: a prospective study of the vaginal flora in pregnancy. *Am J Obstet Gynecol.*;150:965-72.
- **Mitchell CM, Hitti JE, Agnew KJ and Fredricks DN.(2009):** Comparison of oral and vaginal metronidazole for treatment of bacterial vaginosis in pregnancy: impact on fastidious bacteria. *BMC Infect Dis.*;9:89.
- **Modak T, Arora P, Agnes C, Ray R, Goswami S et al. (2011):** Diagnosis of bacterial vaginosis in cases of abnormal vaginal discharge: comparison of clinical and microbiological criteria.*J Infect Dev Ctries.*;5:353-60.
- **Moi H. (1990):** Prevalence of bacterial vaginosis and its association with genital infections, inflammation, and contraceptive methods in women attending sexually transmitted disease and primary health clinics. *Int J STD&AIDS.*; 1: 86-94.
- **Morken NH, Källen K, Hagberg H and Jacobsson B.(2005):** Preterm birth in Sweden 1973-2001: rate, subgroups, and effect of

changing patterns in multiple births, maternal age, and smoking. *Acta Obstet Gynecol Scand.*;84:558-65.

- **Moutquin JM.(2003):** Socio-economic and psychosocial factors in the management and prevention of preterm labour.*BJOG.*;110:56-60.
- **Mugford, M and Henderson, J. (1995):** Resource implications of multiple births. In Ward, H.R., Whittle, M. (eds) *Multiple Births*, RCOG, London UK, pp. 334–345.
- **Murray JL and Bernfield M.(1988):** The differential effect of prenatal care on the incidence of low birth weight among blacks and whites in a prepaid health care plan.*N Engl J Med.*;319: 1385-91.
- **Mwansa-Kambafwile J, Cousens S, Hansen T and Lawn JE. (2010):** Antenatal steroids in preterm labour for the prevention of neonatal deaths due to complications of preterm birth.*Int J Epidemiol.*;39 :i122-33.
- **Neggers Y and Goldenberg RL.(2003):** Some thoughts on body mass index, micronutrient intakes and pregnancy outcome.*J Nutr.*;133:1737S-1740S.
- **Nelson DB, Bellamy S, Odibo A, Nachamkin I and Ness RB. (2007):** Vaginal symptoms and bacterial vaginosis (BV): how useful is self-report? Development of a screening tool for predicting BV status.*Epidemiol Infect.*;135:1369-75.
- **Ness RB, Hillier SL, Kip KE, Soper DE, Stamm CA and McGregor JA.(2004):** Bacterial vaginosis and risk of pelvic inflammatory disease. *Obstet Gynecol.*; 104: 761-9.

- **Ness RB, Kip KE, Hillier SL, Soper DE, Stamm CA et al. (2005):** A cluster analysis of bacterial vaginosis-associated microflora and pelvic inflammatory disease. *Am J Epidemiol.*; 162:585-90.
- **Nugent RP, Krohn MA and Hillier SL. (1991):** Reliability of diagnosing bacterial vaginosis is improved by a standardized method of gram stain interpretation. *J Clin Microbiol.*;29:297-301.
- **Nygren P, Fu R, Freeman M, Bougatsos C, Klebanoff M, Guise JM et al. (2008):** Evidence on the benefits and harms of screening and treating pregnant women who are asymptomatic for bacterial vaginosis: an update review for the U.S. Preventive Services Task Force.*Ann Intern Med.*;148:220-33.
- **Oakeshott P, Hay P, Hay S, Steinke F, Rink E et al. (2002):** Association between bacterial vaginosis or chlamydial infection and miscarriage before 16 weeks' gestation: prospective community based cohort study.*BMJ.* ;325:1334.
- **Odibo AO, Elkousy M, Ural SH and Macones GA.(2003):** Prevention of preterm birth by cervical cerclage compared with expectant management: a systematic review.*Obstet Gynecol Surv.*;58:130-6.
- **Okun N, Gronau KA and Hanna ME.(2005):** Antibiotics for bacterial vaginosis or *Trichomonas vaginalis* in pregnancy: a systematic review. *Obstet Gynecol.*; 105 : 857-68.
- **Osman I, Young A, Ledingham MA, Thomson AJ, Jordan F et al. (2003):** Leukocyte density and pro-inflammatory cytokine expression in human fetal membranes, decidua, cervix and

myometrium before and during labour at term. Mol Hum Reprod;9:41-5.

- **Owen MK and Clenney TL. (2004):** Management of vaginitis. Am Fam Physician. ; 70: 2125-32.
- **Parilla BV, Grobman WA, Holtzman RB, Thomas HA and Dooley SL. (2000):** Indomethacin tocolysis and risk of necrotizing enterocolitis.Obstet Gynecol.;96:120-3.
- **Paul C and Lin MD. (2004):** Reproductive Outcomes in Women With Uterine Anomalies. J Womens Health 13 (1): 33-39.
- **Peacock JL, Bland JM and Anderson HR.(1995):** Preterm delivery: effects of socioeconomic factors, psychological stress, smoking, alcohol, and caffeine.BMJ.;311:531-5.
- **Perry IJ, Gosling P, Sanghera K, Churchill D and Luesley DM. (1993):** Urinary microalbumin excretion in early pregnancy and gestational age at delivery.BMJ.;307:420-1.
- **Povlsen K, Thorsen P and Lind I.(2001):** Relationship of Ureaplasma urealyticum biovars to the presence or absence of bacterial vaginosis in pregnant women and to the time of delivery. Eur J Clin Microbiol Infect Dis.;20:65-7.
- **Pryde PG, Besinger RE, Gianopoulos JG and Mittendorf (2001):** Adverse and beneficial effects of tocolytic therapy. Semin perinatol 25:316-40.
- **Pryde PG, Besinger RE, Gianopoulos JG and Mittendorf R. (2001):** Adverse and beneficial effects of tocolytic therapy.Semin Perinatol.;25:316-40.

- **Quan IW. (2000):** Vaginitis: meeting the clinical challenge. Clin Cornerstone.; 3 (1): 36.
- **Ramsey PS and Andrews WW.(2003):** Biochemical predictors of preterm labor: fetal fibronectin and salivary estriol.Clin Perinatol.;30:701-33.
- **Rao PS, Devi S, Shriyan A, Rajaram M and Jagdishchandra K.(2004):** Diagnosis of bacterial vaginosis in a rural setup: comparison of clinical algorithm, smear scoring and culture by semiquantitative technique.Indian J Med Microbiol.;22:47-50.
- **Rebecca M. Brotman, Emily J. Erbelding, Roxanne M. et al. (2007):** Findings Associated with Recurrence of Bacterial Vaginosis among Adolescents Attending Sexually Transmitted Disease Clinics. Journal of Pediatric and Adolescent Gynecology; 20(4):p225-231.
- **Reid G and Bruce AW. (2003):** Urogenital infections in women: can probiotics help? Postgraduate Medical Journal; 79:p428-p430.
- **Reid G and Bruce AW.(2006):** Probiotics to prevent urinary tract infections: the rationale and evidence. Worl J Urol.; 24 (1): 28-32.
- **Reid G and Kirjaivanen P.(2002):** Taking probiotics during pregnancy. Are they useful therapy for mothers and newborns?Can Fam Physician.;51:1477-9.
- **Robert L and Goldenberg MD. (2002):** The Management of Preterm Labor. The Americam College of Obstericians and Gynecogists Obstet and Gynecol:100:1020-1037.

- **Robertson JD.(2006):** Prevention of intraventricular haemorrhage: a role for recombinant activated factor VII? *J Paediatr Child Health.*;42:325-31.
- **Roel de Heus, Ben Willem Mol, Erwich, Herman P et al., (2009):** Adverse drug reactions to tocolytic treatment for preterm labour: prospective cohort study *journal list BMJ.* 338: b744.
- **Romero R, Chaiworapongsa T and Espinoza J. (2003):** Micronutrients and intrauterine infection, preterm birth and the fetal inflammatory response syndrome. *J Nutr.*;133:1668S-1673S.
- **Romero R, Espinoza J, Gonçalves LF, Kusanovic JP, Friel L et al. (2007):** The role of inflammation and infection in preterm birth. *Semin Reprod Med.*;25:21-39.
- **Romero R, Gómez R, Chaiworapongsa T, Conoscenti G and Kim YM.(2001):** The role of infection in preterm labour and delivery. *Ped Perinat Epidemiol.*;15: 41-56.
- **Rosenstein IJ, Morgan DJ, Lamont RF, Sheehan M, Doré CJ, et al. (2000):** Effect of intravaginal clindamycin cream on pregnancy outcome and on abnormal vaginal microbial flora of pregnant women. *Infect Dis Obstet Gynecol.*;8:158-65.
- **Rush, D. (1989) :** Effect of changes in protein and calorie intake during pregnancy on the growth of the human fetus. Chalmers, I. Enkin, M. Kierse, M. J. eds. *Effective Care in Pregnancy and Childbirth* :255-280 Oxford University Press Oxford, UK.
- **Rust OA, Atlas RO, Reed J, van Gaalen Jand Balducci J.(2001):** Revisiting the short cervix detected by transvaginal ultrasound in the second trimester: why cerclage therapy may not help. *Am J Obstet Gynecol.*;185:1098-105.

- **Santiago PC, Yost NP, Bloom SL, Andujo OR, McIntire DD et al. (2005):** Occupational factors and risk for recurrent preterm birth. Presented at the Society for Maternal-Fetal Medicine, Reno, NV.
- **Savitz DA, Blackmore CA and Thop JM (1991):** Epidemiologic characteristics of preterm delivery: Etiologic heterogeneity. Am. J. Obstet Gynecol., 164:467.
- **Schieve LA and Handler A.(1996):** Preterm delivery and perinatal death among black and white infants in a Chicago-area perinatal registry.Obstet Gynecol.;88:356-63.
- **Schmidt B, Asztalos EV, Roberts RS, Robertson CM, Sauve RS et al. (2003):** Trial of Indomethacin Prophylaxis in Preterms (TIPP) Investigators.Impact of bronchopulmonary dysplasia, brain injury, and severe retinopathy on the outcome of extremely low-birth-weight infants at 18 months: results from the trial of indomethacin prophylaxis in preterms.JAMA.;289:1124-9.
- **Schmidt H and Hansen JG. (2000):** Diagnosis of bacterial vaginosis by wet mount identification of bacterial morphotypes in vaginal fluid. J STD&ADIS.; 11 : 150-5.
- **Schwarz MK and Page P.(2003):** Preterm labour: an overview of current and emerging therapeutics.Curr Med Chem.;10:1441-68.
- **Schwebke JR, Desmond RA and Oh MK. (2004):** Predictors of bacterial vaginosis in adolescent women who douche.Sex Trans Dis.; 31: 433-6.
- **Schwebke JR. (2003):** Gynecologic consequences of bacterial vaginosis. Obstet Gynecol Clin North Am.; 30: 685-94.

- **Schwebke JR. (2005):** Abnormal vaginal flora as a biological risk factor for acquisition of HIV infection and sexually transmitted diseases J Infect Dis; 192: p1315–1317.
- **Secor RM. (2001):** Bacterial vaginosis common, subtle, and more serious than ever. Clinician Review; 11: 59-68.
- **Shahgeibi S, Al-Shohadaie FS, Al-Shohadaie AS and Ghaderi E. (2009):** Complications of bacterial vaginosis in pregnancy . Pak J Med Sci.;25:953-956.
- **Shahin AY, Hassanin IM, Ismail AM, Kruessel JS and Hirchenhain J. (2009):** Effect of oral N-acetyl cysteine on recurrent preterm labor following treatment for bacterial vaginosis.Int J Gynaecol Obstet.;104:44-8.
- **Simbar M, Azarbad Z, Mojab F and Majd HA. (2008):** A comparative study of the therapeutic effects of the Zataria multiflora vaginal cream and metronidazole vaginal gel on bacterial vaginosis. Phytomedicine.;15:1025-31.
- **Slattery MM and Morrison JJ (2002) :** Preterm delivery. Lancet; 360 (9344): 1489-97.
- **Slūncheva B, Vakrilova L, Emilova Z, Doicheva E and Topov A. (2002):** Retinopathy of prematurity--frequency and risk factors. Akush Ginekol (Sofia).;42:10-4.
- **Sobel JD. (2000):** Bacterial vaginosis. Ann Rev Med; 51: 349-56.
- **Sobel, JD, Ferris S, Schwebke J, Nyirjesy Pand Wiesenfeld HC. (2006):** Suppressive antibacterial therapy with 0.75% metronidazole vaginal gel to prevent recurrent bacterial vaginosis . Am. J. Obstet Gynecol; 194:1283-1289.

- **Soper DE. (2005):** Taking the guesswork out of diagnosing and managing vaginitis. *Contemp Obstet Gynecol.*; 50: 32-9.
- **Spong CY. (2003):** Recent developments in preventing recurrent preterm birth. *Obstet Gynecol.*;101:1153-4.
- **Stanley FJ and Blair E. (1991):** Why have we failed to reduce the frequency of cerebral palsy? *Med J Aust.*;154:623-6.
- **Stearp. (2005):** The epidimilogy of preterm labour B JoG 112 Suppl : 1-3.
- **Sweetman SC and Martindale (2005):** The Complete Drug Reference. 34th ed. London, England: Pharmaceutical Press.
- **Taha TE, Hoover DR, Dallabetta GA, Kumwenda NI and Mtimavalye LA (1998) :** Bacterial vaginosis and disturbances of vaginal flora: association with increased acquisition of HIV, Bacterial vaginosis and disturbances of vaginal flora: association with increased acquisition of HIV. *AIDS.*; 12: 1699-706.
- **Tan TC, Devendra K, Tan LK and Tan HK. (2006):** Tocolytic treatment for the management of preterm labour: a systematic review. *Singapore Med J.*;47:361-6.
- **Taylor-Robinson D, Morgan DJ, Sheehan M, Rosenstein IJ and Lamont RF. (2003):** Relation between Gram-stain and clinical criteria for diagnosing bacterial vaginosis with special reference to Gram grade II evaluation. *Int J STD AIDS.*;14:6-10.
- **Terzidou V and Bonnett P.R. (2002):** Preterm labour, curropin obstet. *Gynecol*; 14(2):105-130.
- **Thorsen P, Vogel I, Molsted K, Jacobsson B, Arpi M, et al., (2006):** Risk factors for bacterial vaginosis in pregnancy: a

population-based study on Danish women. *Acta Obstet Gynecol Scand.*;85:906-11.

- **Trabert B and Misra DP. (2007):** Risk factors for bacterial vaginosis during pregnancy among African American women. *Am J Obstet Gynecol.*;197:477.e1-8.
- **Tucker J and McGuire W. (2004):** Epidemiology of preterm birth. *BMJ.*;329:675-8.
- **Ugwumadu A, Reid F, Hay P, Manyonda I and Jeffrey I. (2006):** Oral clindamycin and histologic chorioamnionitis in women with abnormal vaginal flora. *Obstet Gynecol.*;107:863-8.
- **Van De Wijgert JH, Mason PR, Gwanzura L, Mbizvo MT et al., (2000):** Intravaginal practices, vaginal flora disturbances, M and acquisition of sexually transmitted diseases in Zimbabwean women. *J Infect Dis.*; 181: 587-94.
- **Vermillion ST and Robinson CJ.(2005):** Antiprostaglandin drugs. *Obstet Gynecol Clin North Am.*;32:501-17.
- **Verstraelen H, Verhelst R, Vanechoutte M and Temmerman M. (2010):** The epidemiology of bacterial vaginosis in relation to sexual behaviour. *BMC Infect Dis.* 30;10:81.
- **Vogel I, Glavind-Kristensen M, Thorsen P, Armbruster FP et al. (2002):** S-relaxin as a predictor of preterm delivery in women with symptoms of preterm labour. *BJOG.*;109:977-82.
- **Vogel I, Thorsen P, Hogan VK, Schieve LA, Jacobsson B et al. (2006):** The joint effect of vaginal *Ureaplasma urealyticum* and bacterial vaginosis on adverse pregnancy outcomes. *Acta Obstet Gynecol Scand.*;85:778-85.

- **Wadhwa PD, Culhane JF, Rauh V and Barve SS.(2001):** Stress and preterm birth: neuroendocrine, immune/inflammatory, and vascular mechanisms.Matern Child Health J.;5:119-25.
- **Warren WB, Patrick SL and Goland RS.(1992):** Elevated maternal plasma corticotropin-releasing hormone levels in pregnancies complicated by preterm labor.Am J Obstet Gynecol.;166:1198-204.
- **Watchko JF. (2006):** Hyperbilirubinemia and bilirubin toxicity in the late preterm infant.Clin Perinatol.;33:839-52.
- **Weir E. (2004):** Bacterial vaginosis: more questions than answers. Can Med Assoc J.; 171: 448-501.
- **Weiss JL, Malone FD and Vidaver J (2004):** Threatened abortion: A risk factor for poor pregnancy outcome, a population-based screening study. Am J Obstet Gynecol 190:745
- **Wen SW, Goldenberg RL, Cutter GR, Hoffman HJ and Cliver SP. (1990):** Intrauterine growth retardation and preterm delivery: prenatal risk factors in an indigent population.Am J Obstet Gynecol.;162:213-8.
- **Wex J, Connolly M and Rath W.(2009):** Atosiban versus betamimetics in the treatment of preterm labour in Germany: an economic evaluation.BMC Pregnancy Childbirth.;9:23.
- **Whitehead N, Hill HA, Brogan DJ and Blackmore-Prince C. (2002):** Exploration of threshold analysis in the relation between stressful life events and preterm delivery. Am J Epidemiol.; 155:117-24.

- **Williams MA, Mittendorf R, Stubblefield PG, Lieberman E, Schoenbaum SC et al. (1992):** Cigarettes, coffee and preterm premature rupture of membrane. *Am. J. Epidemiol.*, 55:895-903.
- **Wilson JD, Ralph SG and Rutherford, AJ. (2002):** Rates of bacterial vaginosis in women under going in vitro fertilization for different types of infertility. *Br J Obstet Gynecol*; 109:p714-717.
- **Withiam-Leitch M, Shelton J and Fleming E.(2006):** Central fetal monitoring: effect on perinatal outcomes and cesarean section rate.*Birth.*;33:284-8.
- **Wolrath H, Bore H, Hallen A and Forsum U. (2002):** Trimethylamine content in vaginal secretion and its relation to bacterial vaginosis. *APMIS.*; 110 : 819-24.
- **Wood NS, Marlow N, Costeloe K, Gibson AT and Wilkinson AR. (2000):** Neurologic and developmental disability after extremely preterm birth. EPICure Study Group.*N Engl J Med.*;343:378-84.
- **Wood NS, Marlow N, Costeloe K, Gibson AT and Wilkinson AR.(2000):** Neurologic and developmental disability after extremely preterm birth. EPICure Study Group.*N Engl J Med.*;343:378-84.
- **Yeast J.D., Hickok D and Williams C.(2004):** A positive fetal fibronectin test is associated with a reduced risk of failed induction. *Obstet Gynecol* 103. 70S.
- **Yeh TF, Lin YJ, Lin HC, Huang CC, Hsieh WS et al. (2004):** Outcomes at school age after postnatal dexamethasone therapy for lung disease of prematurity.*N Engl J Med.*;350:1304-13.

- **Yoon BH, Romero R, Park JS, Kim CJ and Man TR, (2000):** Fetal exposure to intra-amniotic infection and the development of cerebral palsy at the age of three years. *Am. J. Obstet Gynecol* 132:675.
- **Yost NP, Owen J, Berghella V, MacPherson C, Swain M et al. (2004):** Second-trimester cervical sonography: features other than cervical length to predict spontaneous preterm birth. *Obstet Gynecol.*;103:457-62.
- **Younis N, Khattab H, Zurayk H, el-Mouelhy M and Farag AM. (1993):** Community study of gynecological and related morbidities in rural Egypt. *Studies in Family Planning*; 24:p175-186.
- **Yuan M, Jordan F, McInnes IB, Harnett MM and Norman JE. (2009):** Leukocytes are primed in peripheral blood for activation during term and preterm labour. *Mol Hum Reprod.*;15:713-24.
- **Zeitlin J, Ancel PY, Saurel-Cubizolles MJ and Papiernik E.(2000):** The relationship between intrauterine growth restriction and preterm delivery: an empirical approach using data from a European case-control study. *BJOG.*;107:750-8.
- **Zhu BP, Rolfs RT, Nangle BE and Horan JM.(1999):** Effect of the interval between pregnancies on perinatal outcomes. *N Engl J Med.*;340:589-94.
- **Zhang J, Hatch M, Zhang D, Shulman I and Thomas AG. (2004):** Frequency of douching and risk of bacterial vaginosis in African American women. *Obstet Gynecol.*; 104: 756-60.