

REFERENCES

1. **Afzal Suhail, Akbar Saleem (2009):** Magnetic resonance imaging of lumbar intervertebral discs in elderly patients with minor trauma. *European Journal of Radiology* 2009; 70:352–356.
2. **Alva NS (2000):** Traumatic spinal epidural hematoma of a 10-month-old male: a clinical note. *Pediatr Neurol* 2000; 23:88–89.
3. **Anderson LD, D’Alonzo RT. (1974):** Fractures of Odontoid process of the axis. *J Bone Joint Surg (Am)* 1974; 56:1663-1674.
4. **Anderson PA, Montesano PX. (1988):** Morphology and treatment of occipital condyle fractures. *Spine* 1988; 13:731–736.
5. **Atlas W. Scott. Regenbogen Victor. Rogers F. Lee. Kwang S. kim (1986):** The radiographic characterization of burst fracture, *AJR* 1986;147:575-582.
6. **Benedetti Philip F., Linda M. Fahr , Lawrence R. Kuhns , L. Anne Hayman(2000):** MR Imaging Findings in Spinal Ligamentous Injury. *AJR* 2000;175:661–665 0361.
7. **Bennett D. Lee, Michael J. George, Kenjirou Ohashi, Georges Y. El-Khoury, Joshua J. Lucas, Matthew C. Peterson (2005):** Acute

- traumatic spinal epidural hematoma: imaging and neurologic outcome .Emergency Radiology (2005); 11: 136–144.
8. **Bensch FV, Kiuru MJ, Koivikko MP, Koskinen SK (2004):** Spine fractures in falling accidents: analysis of multidetector CT findings. Eur Radiol 2004; 14(4):618–624.
 9. **Bensch V. Frank, Mika P. Koivikko , Kiuru MJ. , Seppo K. Koskinen (2006):**The incidence and distribution of burst fractures. Emerg Radiol 2006; 12: 124–129.
 - 10.**Bernstein P., Stuart E. Mirvis, K. Shanmuganathan.(2006):** Chance-Type Fractures of the Thoracolumbar Spine: Imaging Analysis in 53 Patients Mark. AJR 2006; 187:859–868.
 - 11.**Bogduk N, Yoganandan N (2001):** Biomechanics of the cervical spine. Part 3: minor injuries. Clin Biomech 16 (4):267–275
 - 12.**Burke DA, Linden RD, Zhang YP (2001):** Incidence rates and populations at risk for spinal cord injury: a regional study. Spinal Cord 2001;39(5):274–278.
 - 13.**Butler P and Adam W.H Mitchell (2000):** Applied radiological anatomy. The vertebral column and spinal cord.2000;Chapter 15, 301-321.

14. **Cassar-Pullicino VN (2002):** Spinal injury: optimising the imaging options. *Eur J Radiol* 2002;42:85–91.

15. **Chance GQ. (1984):** Note on a type of flexion fracture of the spine. *Br J Radiol* 1948;21:452–453.

16. **Chiu WC, Haan JM, Cushing BM, Kramer ME, Scalea TM. (2001):** Ligamentous injuries of the cervical spine in unreliable blunt trauma patients: incidence, evaluation, and outcome. *J Trauma* 2001;50:457–63.

17. **Court-Brown Charles, Christopher M. Bono and Marie Rinaldi (2006):** Orthopedic surgery essentials, Trauma (cervical and thoracolumbar spine fractures and dislocation) 2006; 208-212,226-228. Text book. Lippincot Williams &Wilkins.

18. **Daffner RH (2001):** Helical CT of the cervical spine for trauma patients: a time study. *Am J Roengenol* 2001; 177 (3):677–679.

19. **Daffner RH, Daffner SD (2002):** Vertebral injuries: detection and implications. *Eur J Radiol* 2002;42:100–116.

20. **Dai L. (2001):** Acute central cervical cord injury: the effect of age upon prognosis. *Injury* 2001; 32:195–199.

21. **Dai Li-Yang, Wen-Ge Ding, Xiang-Yang Wang, Lei-Sheng Jiang, Sheng-Dan Jiang, and Hua-Zi Xu.(2009).** Assessment of

- Ligamentous Injury in Patients With Thoracolumbar Burst Fractures Using MRI. *J Trauma*. 2009; 66:1610–1615.
22. **Davis Joel M., Douglas P. Beall, Craig Lastine, Clifford Sweet, James Wolff, Dee Wu. (2004):** Chance Fracture of the Upper Thoracic Spine .*AJR* 2004;183:1475–1478
23. **Deliganis Anastasia V., Alexander B. Baxter, Julian A. Hanson, David J. Fisher, Wendy A. Cohen, Anthony J. Wilson, Frederick A. Mann (2000):** Radiologic Spectrum of Craniocervical Distraction Injuries *RadioGraphics* 2000; 20:S237–S250 Cheryl
24. **Demaerel Philippe (2006):** Magnetic resonance imaging of spinal cord trauma: a pictorial essay.. *Neuroradiology* 2006; 48: 223–232.
25. **Demetriades D, Charalambides K, Chahwan S, et al. (2000):** Non-skeletal cervical spine injuries: epidemiology and diagnostic pitfalls. *J Trauma*. 2000;48:724–727.
26. **Denis F (1983):** The three column spine and its significance in the classification of acute thoracolumbar spinal injuries. *Spine* 1983;8:817–831.
27. **Effendi B, Roy D, Cornish B et al. (1981):** Fractures of the ring of the axis: a classification based on the analysis of 131 cases. *J Bone Joint Surg [Br]* 63:319–327.

28. **Emery SE, Pathria MN, Wilber RG, Masaryk T, Bohlman HH.(1989):**Magnetic resonance imaging of posttraumatic spinal ligament injury. *J Spinal Disord* 1989; 2:229–233.

29. **Fehlings MG, Sekhon LH, Tator C (2001):** The role and timing of decompression in acute spinal cord injury: what do we know? What should we do?. *Spine* 2001; 26(24 Suppl):S101–S110

30. **Gharib Ahmad , Gregory Postel , Sohail Mirza , F. A. Mann (2002):** A Thoracic Spine Translation Injury with Lateral Facet Dislocation. *AJR* 2002;178:1450.

31. **Goethem W. M. Van Johan, Menno Maes, Özkan Özsarlak, Luc van den Hauwe, Paul M. Parizel (2005):** Imaging in spinal trauma.. *Eur Radiol* (2005) 15: 582–590.

32. **Goradia K.F. Linnau W.A. Cohen S. Mirza D.K. Hallam C.C. Blackmore (2007):** Correlation of MR Imaging Findings with Intraoperative Findings after Cervical Spine Trauma D. *AJNR Am J Neuroradiol* 2007;28:209 –15 _ Feb 2007.

33. **Green R. A. R., A. Saifuddin (2004):** Whole spine MRI in the assessment of acute vertebral body trauma.. *Skeletal Radiol* (2004); 33:129–135.

34. **Groves Clare M J., Victor N. Cassar-Pullicino, Bernhard J. Tins, Prudencia N. M. Tyrrell,Iain W. McCall, (2005):** Chance-Type

- Flexion-Distracton Injuries in the Thoracolumbar Spine: MR Imaging Characteristics1. *Radiology* 2005; 236:601–608.
35. **Gundry CR, Fritts HM. (1997):** Magnetic resonance imaging of the musculoskeletal system. Part 8. The spine, section 1. 1997; May;(338):275-87. *Clinical Orthop*.
36. **Gunzburg R, Szpalski M, Van Goethem J (2003):** Initial assessment of whiplash patients. *Pain Res Manag* 8(1):24–27.
37. **Harris John H., Jr, (2001):** The Cervicocranium: Its Radiographic Assessment. *Radiology* 2001; 218:337–351.
38. **Harrison J L, BA (Hons) and S J Ostlere (2004):** Diagnosing purely ligamentous injuries of the cervical spine in the unconscious trauma patient. *The British Journal of Radiology*. 2004; 77,276–278
39. **Hendey GW, Wolfson AB, Mower WR, Hoffman JR (2002):** Spinal cord injury without radiographic abnormality: results of the National Emergency X- Radiography Utilization Study in blunt cervical trauma. *J Trauma* 2002;53 (1):1–4.
40. **Herzog C. Ahle H .M. G. Mack B. Maier W. Schwarz S. et al., (2004):** Traumatic injuries of the pelvis and thoracic and lumbar spine: does thin-slice multidetector-row CT increase diagnostic accuracy?. *Eur Radiol* 2004; 14:1751–1760.
41. **Hitchon PW, From AM, Brenton MD, et al. (2002):** Fractures of the thoracolumbar spine complicating ankylosing spondylitis. *J Neurosurg* 2002; 97(2 suppl):218–222.

- 42.**Hogan GJ, Mirvis SE, Shanmuganathan K, Scalea TM (2005):**
Exclusion of unstable cervical spine injury in obtunded patients with blunt trauma: is MR imaging needed when multi-detector row CT findings are normal? *Radiology* 2005; 237:106–113.

- 43.**Holdsworth FW (1963):** Fractures, dislocations and fracture dislocations of the spine. *J Bone Joint Surg Br* 1963; 45:6–20.

- 44.**Holmes JF, Mirvis SE, Panacek EA, Hoffman JR, Mower WR, Velmahos GC, (2002):**Variability in computed tomography and magnetic resonance imaging in patients with cervical spine injuries. *J Trauma* 2002;53:524–529.

- 45.**Imhof H., Fuchsjäger M. (2002):** Traumatic injuries: imaging of spinal injuries. *Eur Radiol* 2002; 12:1262–1272.

- 46.**Insko EK, Gracias VH, Gupta R, Goettler CE, Gaieski DF, Dalinka MK (2002):** Utility of flexion and extension radiographs of the cervical spine in the acute evaluation of blunt trauma .*J Trauma* 53(3):426–429.

- 47.**İPLİKÇİOĞLU Ahmet Celal and, ÖZEK Erdinç (2008):**
Hangman Fracture Treated By Posterior C2-3-4 Screw-Rod Construction: A Case Report *J Nervous Sys Surgery* 2008; 1(4):247-250

48. **Ishida Y, Tominaga T. (2002):** Predictors of neurologic recovery in acute central cervical cord injury with only upper extremity impairment. *Spine* 2002; 27(15):1652–1658.

49. **Jelly LME, Evans DR, Easty MJ et al (2000):** Radiography versus spiral CT in the evaluation of cervicothoracic junction injuries in polytrauma patients who have undergone intubation. *Radiographics* 2000; 20:251–259.

50. **Kasimatis Georgios B., Elias Panagiotopoulos, Panagiotis Megas et al. (2008):** The Adult Spinal Cord Injury Without Radiographic Abnormalities Syndrome: Magnetic Resonance Imaging and Clinical Findings in Adults with Spinal Cord Injuries Having Normal Radiographs and Computed Tomography Studies. *J Trauma*. 2008;65:86–93.

51. **Katzberg RW, Bendetti PF, Drake CM, et al. (1999):** Acute cervical spine injuries: prospective MR imaging assessment at a level one trauma center. *Radiology* 1999;213:203–212.

52. **Kerslake RW, Jaspan T, Worthington BS (1991):** Magnetic resonance imaging of spinal trauma. *Br J Radiol* 1999; 64:386–402.

53. **Khanna Geetika & El-Khoury Georges Y. (2007):** Imaging of cervical spine injuries of childhood *Skeletal Radiol* 2007 ;(36:477–494. .

54. **Klein GR, Vaccaro AR, Albert TJ, et al. (1999):** Efficacy of magnetic resonance imaging in the evaluation of posterior cervical spine fractures. *Spine* 1999; 24:771–74.
55. **Kliewer MA, Gray L, Paver J, et al. (1993):** Acute spinal ligament disruption: MR imaging with anatomic correlation *Magn Reson Imaging* 1993;3:855–861.
56. **Krakenes J., B. R. Kaale, H. Nordli, G. Moen, J. Rorvik and N. E. Gilhus (2003):** MR ANALYSIS OF THE TRANSVERSE LIGAMENT IN THE LATE STAGE OF WHIPLASH INJURY. *Acta Radiologica* 2003; 44 637–644.
57. **Labattaglia Matthew P, Peter A Cameron, Mark Santamaria et al. (2007):** Clinical outcomes of magnetic resonance imaging in blunt cervical trauma. *Emergency Medicine Australasia* 2007;19, 253–261.
58. **La Rosa G, d’Avella D, Conti A, et al.(1999):** Magnetic resonance imaging-monitored conservative management of traumatic spinal epidural hematomas:report of four cases. *J Neurosurg* 1999; 91(Suppl):128–132.
59. **Lee Joon Y., Alexander R. Vaccaro, Kar M. Schweitzer Jr.(2007):** Assessment of injury to the thoracolumbar posterior ligamentous complex in the setting of normal- appearing plain radiography. *The Spine Journal* Volume 7, Issue 4, July-August 2007, Pages 422-427.

- 60.**Leone Antonio,Alfonso Cerase, Cesare Colosimo, Luigi Lauro, Alfredo Puca Pasquale Marano(2000):** Occipital Condylar Fractures: A Review. Radiology 2000; 216:635–644.

- 61.**Levine AM, Edwards CC. (1991):** Fractures of the atlas. J Bone Joint Surg Am 1991;73(5):680–691.

- 62.**Magerl F, Aebi M, Gertzbein SD, Harms J, Nazarian S (1994):** A comprehensive classification of thoracic and lumbar injuries. Eur Spine J 1994;3(4):184–201

- 63.**McAfee PC,Yuan HA,Fredrickson BE.(1981):** The value of computed tomography in thoracolumbar fractures: an analysis of one hundred consecutive cases and a new classification. J Bone Joint Surg (Am) 1981; 65:461-473.

- 64.**Meves R, Avanzi O (2005):** Correlation between neurological deficit and spinal canal compromise in 198 patients with thoracolumbar and lumbar fractures. Spine 2005; 30(7):787–791.

- 65.**Moore Ernest, David V. Feliciano, Kenneth L. Mattox (2004):** Trauma; Injury to the vertebrae and spinal cord.Text book. 5th edition, Publisher McGraw –Hill Professional publishing .Pages 451-472.2004.

66. **Muchow Ryan D., Daniel K. Resnick, Matthew P. Abdel, Alejandro Munoz, and Paul A. Anderson, (2008):** Magnetic Resonance Imaging (MRI) in the Clearance of the Cervical Spine in Blunt Trauma: A Meta-Analysis. *J Trauma*. 2008;64:179 –189.
67. **Noguchi T, Oguri S, Yamaguchi T, et al., (2003):** Spinal epidural hematoma: relationship between imaging findings and neurological outcomes.(in Japanese). *Nippon Igaku Hoshasen Gakkai Zasshi* 2003;63:385–389.
68. **Oner FC, van Gils APG, Dhert WJ, Verbout AJ. (1999):** MRI findings of thoracolumbar spine fractures: a categorization based on MRI examinations of 100 fractures. *Skeletal Radiol* 1999; 28:433–443.
69. **Potter K. and Saifuddin A. (2003):** MRI of chronic spinal cord injury. *The British Journal of Radiology* 2003; 76 , 347–352.
70. **Provenzale James (2007):** MR imaging of spinal trauma .*Emerg Radiol* 2007; 13:289–297 .
71. **Rao Sameet K. Christopher Wasyliw, Diego B. Nunez, Jr, MPH. (2005):** Spectrum of Imaging Findings in Hyperextension Injuries of the Neck1. *RadioGraphics* 2005; 25:1239–1254.

- 72.**Rizzolo SJ, Piazza MR, Cotler JM, Balderston RA, Schaefer D, Flanders A.(1991):** Intervertebral disc injury complicating cervical spine trauma. *Spine* 1991;16 (Suppl):187–189.
- 73.**Roche Claire and Carty Helen (2001):** Spinal trauma in children. *Pediatric Radiol.* (2001): 31:677-700.
- 74.**Saifuddin Asif (2001):** MRI of acute spinal trauma. *Skeletal Radiol.* 2001; 30:237–246.
- 75.**Saifuddin Asif, Noordeen H, Taylor BA et al. (1996):** The role of imaging in the diagnosis and management of thoracolumbar burst fractures: current concepts and a review of the literature. *Skeletal Radiol* 1996, 25:603–613.
- 76.**Saltzherr a, P.H.P. Fung Kon Jin ,L.F.M. Beenen b, W.P. Vandertop c,d, J.C. Goslings (2009):**Diagnostic imaging of cervical spine injuries following blunt trauma: A review of the literature and practical guideline. *Injury, Int. J. Care* 40 2009; 795–800.
- 77.**Schuster R, Waxman K, Sanchez B et al. (2005):** Magnetic resonance imaging is not needed to clear cervical spines in blunt trauma patients with normal computed tomographic results and no motor deficits. *Arch. Surg.* 2005; 140: 762–6.

78. **Schwartz D. Eric, Flanders Adam E. (2006):** Spinal trauma: Imaging, Diagnosis and Management. Text Book. Publisher Lippincot Williams and Wilkins. 2006 1st edition.

79. **Shamoun JM, Riddick L, Powell R. (1999):** Atlanto-occipital subluxation/dislocation: a “survivable” injury in children. *Am Surg* 1999; 65:317–320.

80. **Sherman JL, Barkovich AJ, Citrin CM (1987):** The MR appearance of syringomyelia: New observations. *AJR Am J Roentgenol* 148:381–391

81. **Shibata T, Nakamura H, Yamano Y (2001):** Intradural arachnoid cyst associated with thoracic spinal compression fracture: 7 year follow-up after surgery. *Spinal Cord* 2001;39:599–601

82. **Sim K-B, Park J K (2006):** A nodular calcification of the alar ligament simulating a fracture in the craniovertebral junction . *American Journal of Neuroradiology*. 2006; 27(9):1962-3.

83. **Sklar EML, Post JMD, Falcone S (1999):** MRI of acute spinal epidural hematomas. *J Comput Assist Tomogr* 1999; 23:238–243.

84. **Sliker Clint W., Stuart E. Mirvis, Kathirkamanathan Shanmuganathan, (2005):** Assessing Cervical Spine Stability in Obtunded Blunt Trauma Patients: Review of Medical Literature1. *Radiology* 2005; 234:733–739.

85. **Standring Susan, Harold Ellis et al., (2005):** Anatomical basis of clinical practice. Grays anatomy 2005; Chapter 45.735- Text book. Theme editors.

86. **Terk MR, Hume-Neal M, Fraipont M, Ahmadi J, Colletti PM.(1997):** Injury of the posterior ligament complex in patients with acute spinal trauma: evaluation by MR imaging. AJR 1997; 168:1481–1486.

87. **Tins B.J., Cassar-Pullicino VN, (2004):** Imaging of acute cervical spine injuries: review and outlook. Clinical Radiology 2004; 59, 865–880.

88. **Uflacker, Renan (2007):** Atlas of vascular anatomy: an angiographic approach/Renan Uflacker; with contribution by Bayne Selby. 2nd edition. Chapter 5; Arteries of the spinal cord and the spine P. 116/Chapter 6; Veins of the spinal cord and Spine P.126.2007 Lippincott Williams & Wilkins.

89. **Uhlenbrock Detlev (2004):** MR Imaging of the Spine and Spinal Cord. Spinal cord injuries. Thieme medical publishers: Stuttgart, NY 1st edition; 2004. 518 pages.

90. **Vaccaro AR, Falatyn SP, Flanders AE, Balderston RA, Northrup BE, Cotler JM. (1999):** Magnetic resonance evaluation of the intervertebral disc, spinal ligaments, and spinal cord before and after

- closed traction reduction of cervical spine dislocations. *Spine* 1999;24:1210–1217.
91. **Vordemvenne T, Hartensuer R, Löhrer L, Vieth V, Fuchs T, Raschke MJ (2009):** Is there a way to diagnose spinal instability in acute burst fractures by performing ultrasound?. *Eur. Spine Journal*. 2009; Jul;18(7):964-71.
 92. **Wang Yi-Fen, Michael Mu-Huo Teng, Cheng-Yen Chang, Hung-Ta Wu, and Shih-Tien Wang (2005):** Imaging Manifestations of Spinal Fractures in Ankylosing Spondylitis. *AJNR Am J Neuroradiol* 2005;26:2067–2076.
 93. **Warner J, Shanmuganathan K, Mirvis SE, Cerva D.(1996) :** Magnetic resonance imaging of ligamentous injury of the cervical spine. *Emerg Radiol* 1996; 3:9–15.
 94. **Weyerther Martin, Christophe Heyde, Michael Westphal, Jan Zierski (2007):** MRI Atlas, Orthopedics and Neurosurgery .The spine. Springer publisher Verlag Berlin 2007. Editor: Dr Yte Heilmann Hidelberg, Pages 63.
 95. **White P, Seymour R, Powell N (1999):** MRI assessment of the pre-vertebral soft tissues in acute cervical spine trauma. *Br J Radiol* 1999;72:818–823.
 96. **Wilcox RK, Boerger TO, Hall RM et al (2002):** Measurement of canal occlusion during the thoracolumbar burst fracture process. *J Biomech* 2002; 35:381–384.

97. **Yue JJ, Lawrence BD, Sutton KM, Strugar JJ, Haims AH (2004):**
Complete cervical intervertebral disc extrusion with spinal cord injury
in the absence of facet dislocation: a case report. *Spine* 2004;
29(9):E181–E184.