

REFERENCES

6. REFERENCES

- Abass, T.M. Monib, M.; Ghanem, E.H.; Eid, M.A.A.; Emar, M.F.Z. and Hegazi, N.A. (1994).
Response of wheat grown in sandy soils of Ismailia and Sinai to inoculation with associative diazotrophs.
Egyptian French Seminar on Biological Nitrogen Fixation Associated with Cereal Crops, Giza, Sept., 26-28 (1994).
- Abbott, L.K.; Robson, A.D. and DeBoer, G. (1984).
The effect of phosphorus on the formation of hyphae in soil by the vesicular *Arbuscular Mycorrhizal* fungus *Glomus fasciculatum*.
New Phytol. 97, 437-446.
- Abd El-Aleem, I.M.M. (1992).
Chemical Studies on Soybean Protein.
Ph.D. Thesis, Faculty of Agric. at Moshtohor, Zagazig University.
- Abdel-Aziz, N.M. (1985).
Study on soybean oil.
M.Sc. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ.
- Abd El-Fattah, M.S.A. (1995).
Chemical studies on wheat grain and its products under high nitrogen fertilization.
M.Sc. Thesis, Fac. of Agric. at Moshtohor, Zagazig University.
- Abd El-Maksoud, H.K.; Boutros, B.N. and Lotfy, A.A. (1988).
Growth response of sour-orange *Citrus aurantium* L. to *Mycorrhizal* inoculation and super phosphate fertilization in sandy and calcareous soils.
Egypt. J. Soil Sci., 28: 385.

- Abd El-Nasser, M.; Ali, F.S.; Abdel-Moneim, A.A. and Abdel-Latif, O. (1986).
Studies on nodulation of beans III. Inoculation and application of fertilizers.
Abstract of the Second African Conf. for B.N.F., Cairo, Egypt, 15-19 December.
- Abd El-Rahman A.A.A. (1991).
Biochemical Studies on Steroids.
Ph.D. Thesis, Fac. of Agric., Moshtohor, Zagazig University.
- Abo-Serie, I. (1992).
Effect of Biofertilizers on the availability of nutrients to plant.
Ph.D. Thesis, Fac. of Agric., Ain Shams Univ.
- American Oil Chemists Society T. "Official and Tentative Methods of the American Oil Chemists Society". 2rd Ed Published by American Oil Chemist's Society, 35 East Wacker Drive Chicago, Illinois D.C. (1960).
- Amijee, Stribley, F.D.P. and Tinker, P.B. (1990).
Soluble carbohydrates in roots of leek (*Allium porrum*) plants in relation to phosphorus supply and VA-*Mycorrhizas*.
Plant and Soil, 124: 195-198.
- Anon (1966).
Preparation of methyl esters of long chain fatty acids.
J. American Oil Chemist's Society, 43(1): 12A.
- A.O.A.C. (1970).
Official Methods of Analysis.
Association of Official Analysis Chemists "eleventh edition"
Washington, D.C.
- A.O.A.C. (1975).
Official Methods of Analysis.
Association of Official Analysis Chemists 12th ed, Washington, D.C.
- Applewhite, T.T. (1981).
Nutritional effects of hydrogenated soya oil.
J. American Oil Chemist's Society, 58: 260-680.

- Armanios, R.R. (1987). Studies on interaction between microorganisms isolated from Egyptian soils in relation to soil fertility. Ph.D. Thesis, Fac. Agric., Cairo Univ.
- Armanios, R.R.; Ghabour, S.L. and Besada, Y.B. (1991). Interaction of yeasts and asymbiotic N₂-fixing bacteria on growth and yield of barley under two levels of nitrogen. *Zagazig J. Agric. Res.*, Vol.18(5): 1493-1501.
- Arnon. (1975). *Physiological aspects of dry and forming.* Ed.U.S. Gupta. Oxford and IBH publishing Co. New Delhi Bomby cacuta P. 3-145.
- Azcon, R.; Barea, J.M. and Hayman, D.S. (1976). Utilization of Rock phosphate in alkaline soils by plants inoculated with *Mycorrhizal* fungi, and phosphate solubilizing bacteria. *Soil Biol. Biocehm.*, 8: 135-138.
- Baas, R. (1990). Effects of *Glomus fasciculatum* and isolated rhizosphere microorganisms on growth and phosphate uptake of *Pantago major sp pleiosperma*. *Plant and Soil*, 124: 187-193.
- Bab'Eva, I.P. and Chernov, I.YU (1982). Yeasts in tundra soils of ther Taymyr peninsula Soviet. *Soil Sci.*, 14(5): 39-44.
- Bacigalupo, A. (1968). Chemical composition of some soybean products in proceedings western Hemisphere. Nutrition Congress II. San Jaun.
- Badawy, F.H. and Amer, S.B. (1974). The effect of inoculation with *Azotobacter* on the growth of wheat and tomato plants. *Lipyan J. Agric.*, 3: 141-143., *Biol. Abst.*, 63(12): 72090 (177).

- Bagdasaryan, E.G. (1965).
Formation of vitamin B₁₂ by soil bacteria.
Mikrobiologiya, 34(3): 502-505. (C.F. Armanios, R.R. (1987).
- Baz, I.O.; Abdallah, A.R. and Safwat, M.S.A. (1984).
Effect of nitrogenous and phosphorus fertilizers on growth, yield, nodulation and chemical components of soybean .
Proceeding of the First Conf. of the Africal Association for B.N.F., Nairobi, Kenya.
- Besado, Y.B.; S.L. Ghabour and R.R. Armanios (1991).
Effect of barley inoculation with *VA Mycorrhizal* , Asymbiotic N₂-fixers and yeats on growth and yield under field conditions in Egypt.
Zagazig J. Agric. Res., Vol. (5): 1471-1481.
- Black, C.A. (1965).
Methods of Soil Analysis. Part 2.
American Soc. of Agronomy, Madison, Wisconsin, USA.
- Boddey, R.M. and Dobereiner, J. (1988).
Nitrogen fixation associated with grasses and cereals recent result and perspectives for future research.
Plant and Soil, 108: 53-65.
- Boyacioglu, M.H. and D'Appolonia, B.L. (1994).
Characterization and utilization of durum wheat for bread making. 1. Comaprison of chemical, Rheological and baking properties between bread wheat flours and durum wheat flours.
Ameri. Association of Cereal Chemists, Vol.71, No.1: 21-28.
- Boquet, D.J. and C.C. Johnson (1987).
Fertilizer effects on yield, grain composition and foliar disease of double crop soft-red winter wheat.
Agron. J., 79:1, 135-141, 25.
- Brignoli, C.A.; Kinsella, J.E.; Weihrauch, J.L. (1976).
V. unhydrogenated fats and oils. Comprehensive evaluation of fatty acids in foods.
J. American Dietic Association, 68: 224-229.

- Briggs, D.R. and Mann, R.L. (1950).
Electrophoresis for Analysis of Soybean Protein.
Cereal Chem., 27: 243.
- Campbell, C.A.; Seles, R.P., Zentner, A.B. and Mcconkey, B.G. (1993).
Available water and nitrogen effects on yield component and
grain nitrogen of zero-Till spring wheat.
Agron. J., 85: 114-120.
- Carling, D.E.; Riehle, W.G.; Brown, M.F. and Johnson, D.R. (1978).
Effects of vesicular-arbuscular-mycorrhizal fungus on nitrate
reductase and nitrogenase activities in nodulating and non-
nodulating soybean phytophology, 68: 1590-1596.
- Carol, L.L. and Munir, C. (1980).
Protein solubility characteristics on an ultrafiltered full-fat
soybean product.
J. Agric. Food Chem., 28: 911-916.
- Chang, S.S. (1979).
Flavor and flavor stability of foods.
J. Amer. Oil Chem. Soc., 56: 908 A-911 A (1979).
- Chapman, H.D. and Parker, E.P. (1961).
Methods of Analysis of Soils, Plant and Water.
Univ. California, August, 1961, 2nd printing.
- Collins, F.I. and Sedgwick, V.E. (1959).
Fatty acid composition of several varieties of soybeans.
J. Amer. Oil Chem. Soc., 36: 641-644.
- Cooper, R. (1959).
Bacterial fertilizers in the Soviet Union.
Soils and Fert., 22(5): 327-333.
- Cummins, D.G.; Marion, J.E.; Craigmiles, I.P. and Burns, R.E. (1967).
Oil content, fatty acid composition and other agronomic
characteristics of sunflower introductions.
J. Am. Oil Chem. Soc., 44: 581.

- Darmwal, N.S. and Gaour, A.C. (1988).
Associative effect of cellulolytic fungi and *Azospirillum lipoforum* on yield and nitrogen uptake by wheat.
Plant and Soil, 107: 211-218.
- Di-Menna, M.E. (1965).
Yeasts in New Zealand Soils.
N.Z.J. Bot., 3: 194-203.
Soils and Fert., 29: 2565 (1966).
- Di-Menna, M.E. (1966).
Yeasts in antarctic soils Antonie Van Leeuwenhoek.
J. Microbiol. Seral, 32: 29-38.
- El-Abyad, M.S.; Sayed, M.A.E.; El-Shanshourg, A.; Tharwat, E.E. Radwan (1994).
The production of plant growth regulators by certain true bacteria.
Egyptian French Seminar on Biological, Nitrogen Fixation Associated with Cereal Crops., Giza, Sept., 26-28.
- El-Borollosy, M.; Ishac, Y.Z.; El-Haddad, M.E.; Saleh, E.A. and El-Demerdash, M. (1986).
Response of maize plants to inoculation with asymbiotic N₂-fixers in the presence of different nitrogen levels and organic amendment with maize stalks.
Proc. 2nd AABNF Xonf, Cairo, Egypt, Dec. 15-19.
- El-Demerdash, M.E.; Ramadan, E.A.; Ishac, Y.Z.; Daft, M.J. and Fares-Clair, N. (1986).
Residual effects of seed inoculation and organic amendment on wheat and onion growth.
In: The second conference of the African Association for BNF, 15-19 December, Cairo, Egypt.
- Eledrige, A.C.; Anderson, R.L. and Wolf, W.J. (1966).
Polyacrylamide gel electrophoresis of soybean whey protein and trypsin inhibitors.
Arch, Biochem. Biophys., 115(3): 495-504.

- El-Hadded, M.E.; Ishac, Y.Z.; Saleh, E.A.; El-Borollosy, M.A. ; Refaat, A.A. and El-Demerdash, M.E. (1986).
Comparison of different methods of inoculation with asymbiotic N₂-fixers on the yield of wheat plants.
Proc. 2nd AABNE Conf., Cairo, Egypt, Dec. 15-19.
- El-Khawas, H.M.; Ibrahim, I.A.; Rabie Kawthar, A. and Hegazi, N.A. (1994).
Use of plant growth regulators produced by associative Diazotrophs in plant tissue culture.
Egyptian French Seminar on Biological, Nitrogen Fixation Associated with Cereal Crops, Giza, Sept., 26-28 (1994).
- El-Mokadem-Mehreshan, T.; Abou Bakr Z., Y.M. and Helmish F., A. (1986).
Effect of *Azospirillum* inoculation on nitrogen content and growth parameters of sorghum and maize in sterilized and non-sterilized soil.
In: The second Conference of the African Association for B.N.F: 15-19, December (1986), Cairo, Egypt.
- El-Sawy, M.; Saleh, E.A.; Abdel-Fattah, M.K.; El-Borollosy, M.A. and Sharaf, M.S. (1986).
Hyoscyamine content of *Hyoscyamus muticus* L. as affected by inoculation with *Azotobacter* and/or *Azospirillum* strains.
In: The second Conference of the African Association for B.N.F: 15-19, December, Cairo, Egypt.
- Faparusi, S.I. (1978).
The bacteria and yeast in soil of oil palm (*Eloeis guineensis*) plantations.
Soil Sci., 125 (1): 23-27.
- Fayez, M. (1981).
Studies on the associative symbiosis between N₂-fixing bacteria and wheat, *Triticum aestivum* under semi-arid and temperature conditions.
Ph.D. Thesis, Fac. Agric., K.U.L., Leuven, Belgium.

- Fayez, M.; Ghanem-Enayat, H.; Emam-Nadia, F.; Khalafalla, G. and El-Sayed, F.F. (1986).
Biofertilization with non-symbiotic N₂-fixers for economizing N-fertilization in wheat cropping.
In: The second Conference of the African Association for B.N.F: 15-19, December (1986), Cairo, Egypt.
- Filip'Ev, I.D. (1969).
Effect of nitrogen on yields and grain quality of winter wheat plants and their progeny.
Agrokimiya, 22-70., Field Crop Abst., 21:16 (1968).
- Foda, Y.H.; Magda, H.A.; Mahmoud, R.M. and El-Shatanovi, G.A. (1984).
Functional properties of low fat soy flour and protein isolates of flour soybean varieties.
Annals Agric. Sci., Fac. Agric., Ain Shams Univ., Cairo, Egypt, 29: 311-326,
- Freudenrich, E. (1903).
Ueber stickstoffbindende, Bajterien.
Centbl. Bakt. (etc), Abt, 11., 10: 514-522.
- Gabr, S.A.; Sharobeem, S.F.; Ghozlan, M.S. and Ghanem, A.M. (1994).
In-Vitro biological value and molecular weight sub-units of wheat protein.
Zagazig J. Agric. Res., Vol. 21, No. (4): 1125-1140.
- Gaydou E. M. and Jacques A. (1983).
Effects of phosphorus, potassium, Dolomite and nitrogen fertilization on the quality of soybean. Yields, proteins, and lipids.
J. Agric. Food Chem., Vol. 31, No.(4): 765-769.
- Gerdman, J. W. and Nicolson, T.H. (1963).
Spores of *Mycorrhizal* endogene extracted from soil by wet sieving and decanting trans.
Brit. Mycot. Soc., 46: 235.
- Gianinazzi, P. V. (1986).
Mycorrhizal, A potential for better use of phosphate fertilizer. Fertilizers and agriculture, 92, 3-12. Cited from Gianinazzi, P. V and Gianinassi, S. Nitrogen phosphorus and sulphur utilization

by fungi: ed by Lynne Boddy, R. Marchant and D.J. Read, 1989, Cambridge Univ. Press, Cambridge, New York.

Gianinazzi, P. V. and Gianinazzi, S. (1989).

Phosphorus metabolism in *mycorrhizal*. In: Nitrogen, phosphorus and sulphur utilization by fungi. Ed, Lynne Boddy, R. Marchant & D. J. Reed, Cambridge Univ. Press, Cambridge, New-York, pp. 227-241.

Glukhovskii, A.B.; Belous, L.G. and N.P. Kononov (1968).

Effect of fertilizers on the quality of winter wheat grain. *Agrokhimiya*, 39-47. (Field Crop Abstr., 22: 842, (1969).

Gohar, M.R.; Khalil, O.S.; Hegazy, A.; Gouda, M.H. and El-Hadidy, M.M. (1986).

Locally-isolated asymbiotic diazotrophs as inoculant for wheat under field conditions. In : The second conference of the African Association for BNF, 15-19 December, Cairo, Egypt.

Gracheva, I.N.S.; Vag Anova and Salovarova, V.P. (1978).

Production of celluloses by soil yeasts of the genus *Trichosporon* and microscopic fungi. *Mikrobiologiya*, 47 (2): 226-229, *Biol. Abst.*, 67(3): 15045 (1979).

Gvamichava, N.E. (1962).

Micro-organisms as one of the sources of vitamin accumulation in the soil.

Soob, C.A.M. Gruz SSR, 28(2): 223-226. (C.F. by Shawky (1976).

Gunzel, G. (1968).

The effect of very high and late nitrogen application on the qualitative characteristics of selected winter and spring varieties of wheat.

Z. Acker-U PFL. Bau, 128; 93-116. (Field Crop Abstr., 22: 843).

Hallabo, S.A.S. (1977).

Chemical studies of naturally occurring unsaponifiable matter in some vegetable oils.

Ph.D. Thesis, Fac. of Agric., Cairo Univ. (1977).

- Hanaa, A. Doss. Laila F. Rizk; R.A. Metkis and A.S. El-Sakr (1993).
Chemical composition of some Egyptian cereal grain varieties.
Menofiya J. Agric. Res., Vol. 18, No. 3: 1533-1557.
- Harley, J.R. and Smith, S.E. (1983).
Mycorrhizal Symbiosis Academic Press, London.
- Hayman, D.S. and Mosse, B. (1971).
Plant growth responses to vesicular *Arbuscular Mycorrhizal* I,
Growth of endogene-inoculated plants in phosphate deficient
soils.
New Phytol., 70: 19-27.
- Hecht, H. (1964).
The effect of late N application on the protein content of ripening
and ripe wheat.
Ger. Bayer Landw. J. b., 41.721-723.
- Heggo, A.M. (1984).
Microbial association in relation to soil fertility.
Ph.D. Thesis, Fac. Agric., Cairo Univ.
- Hilal, M.M.; Anter, F. and El-Damaty, A.H. (1973).
A chemical and biological approach towards the deffinition of
calcareous soil. I. Movement and retention of P in soil as affected
by percentage and particle size of calcium carbonate fraction.
Plant and Soil, 39:469.
- Hu, B. and Esen, A. (1982).
Heterogeneity of soybean seed proteins: Two-dimensional
electrophoretic maps three solubility fractions.
Ibid 30: 21-25.
- Hucklesby, D.P.; Rown, C.M.B.; Howell, S. and Hageman, R.H. (1971).
Late spring applications of nitrogen for efficient utilization and
enhanced grain and grain protein of wheat.
Agr. J., Vol. 23, 23: 342-347.
- Inbal, E. and Feldman, M. (1982).
The response of a hormonal mutant of common wheat to bacteria
of the genus *Azospirillum*.
Israel. J. Bot. 31: 257-263. (Cited by Armanios, R.R. (1987)).

- Ioselev, L.G. (1967).
Effect of N fertilizers on the quality of grain of winter wheat.
PPG 186, Agrokhimiya 8-11. (Field Crop Abstr., 21: 19 (1968).
- Ishac, Y.Z.; Mahmoud, S.A.Z.; Alaa El-Din, M.N.; Mashhoor, W.A. and Omar, M.N.A. (1981).
Nitrogen fixation in boddy soils in Egypt. In: BNF Technology for tropical agriculture based on papers presented at a workshop held at the Centro Interacional de Agriculture Tropical March, 9-13 (1981).
Edited by Peter, H. Graham and Susan Harris, Centro Internacional de Agriculture Tropical A.A. 67-13 Cali, Colombia, pp. 385-390.
- Ishac, Y.Z.; El-Hadded, M.E.; El-Kherbawy , M.I.; Saleh, E.A.; El-Borollosy, M.A. and El-Demerdash, M.E. (1986).
Effect of seed bacteriation and phosphate supplementation on wheat yield and micorrhizal development.
In: The second conference of the African Association for BNF, 15-19 Deccember, Cairo, Egypt.
- Ishac, Y.Z. (1994).
Role of rhizobacteria in Egyptian agriculture.
Egyptian-French Seminar on Biological Nitrogen Fixation (BNF) Association with Cereal crops.
Giza, Sep 26-28 (1994).
- Jackson, M.L. (1962).
Soil Chemical Analysis Constable and Company L/d, England.
- Jackson, M.L. (1973).
Soil Chemical Analysis, Pretic-Hall of Indian Private Limited, New-Delhi.
- Jain, D.K. and Patriquin, D.G. (1985).
Characterization of substance produced by *Azispirillum* which causes branching of wheat root hairs.
Can. J. Microbial, 31: 206-210.

Jamieson, G.S. (1943).

Vegetable Fats and Oils.

2nd ed . Reinhold Publishing Corporation, N.Y. and USA.

Jelenic, D. (1966).

1. The effect of nitrogen on the protein fraction content of winter wheat.

2. Effect of phosphorus on protein fractions content in wheat.

3. Effect of nitrogen on amino acid content in individual protein fraction and in wheat grain.

Zemlj Bilika, 15: 141-151, 255-264 and 325-337. (Field Crop Abstr., 21: 1543 (1968).

Jenson, V. (1964).

On the occurrence of yeasts in forest soils.

VIII, International Congress of Soil Science, Bucharest, Romania.

Kaldy, M.S.; G.R. Kereliuk and G.C. Kozub (1993).

Influence of gluten components and flour lipids on soft white wheat quality.

Cereal Chemistry, Vol. 70, No.1: 77-80.

Kapulnik, Y.; Gafny, R. and Okon, Y. (1985).

Effect of *Azospirillum spp* inoculation on root development and NO₃-uptake in wheat *Triticum activum* cv Mirian in hydroponic systems.

Can. J. Bot., 63: 627-631.

Karunakar, P.O. and Rajgopalan T. (1936).

Azotobacter inoculation of seeds of cereals experiments with sorghum.

Proc. Assoc. Econ. Biologists, 1-10 (Cited by Armanios, R.R. (1987).

Kalil, A.B.; H.A. Abou El-Fittouh; H.T. Eweida and F.M. El-Rayes (1973).

Relationship between nitrogen level and gluten content and quality in wheat.

Agric. Res. Rev., Vol.51: 87-98.

- Kalil, O.H.S.; R.A. Mitkees; G.S. Youssef; M.M. El-Hadidi and M.G. Mosaad (1986).
Response of the newly released varieties of wheat to N, P and K fertilizers.
Assiut J. Agric. Sci., 17(2): 203-218.
- Kliwer, W.M. (1964).
Influence of environment on metabolism of organic acid and carbohydrates in *Vitis vinifera*.
Plant physiology, 39: 869-879.
- Kondo, K.; Mori, S and Kajima, M. (1953).
Fractionation of globulin extract from soybean meal.
Res. Inst. Food Sci., Kyoto Univ., No.II, I (C.F. Ph.D. Thesis, Fac of Agric., Ain Shams Univ. (1972).
- Koshigmana, I.; Kikuch, M.; Harada, K. and Fukushima, D. (1981).
2.S globulins of soybean seeds.
J. Agric. Food Chem., 29: 336-340.
- Krainskii, A.V. (1910).
Ueber stickstoffsareicherung des Bodens Centbl. Bakt (etc.), Abt. II. 26: 231-235. (Cited by Shawky , 1976).
- Krasilnikov, N.A.; Chailakhyan, M.Kh.; Aseeva, I.V. and Klopenkova, L.P. (1958).
Dan S.S.S.R., 123: 1124. (Cited by Shawky, 1976).
- Krishan, C.S.; Akhilesh, K.G.; Renjeet, S and Deba, P.G. (1978).
Comparative value of amino acid content chemical composition and digestability in-Vitro of vegetable and grain-type soybeans.
Ibid. 26: 312-316.
- Laemmli, U.K. (1970).
Cleavage of structural protein during the assembly of the head of bacteriophage T₄.
Nature, 227: 680-685.
- Lago, R.C.A.; Castro, A.T.B. de; Magalhaes, M.O. de (1978).
Composition of Brazillian soybean oils. I. Varieties from Goias.
Pesquisa Agropeuaria Brasileira, 13(2): 1-5 (1978). (C.F. FSTA, 12, 10N 461 (1980).

- La'nky, T. (1987).
Influence of N-fertilizer on changes in the amino acid contents in winter wheat grain.
Agrochemia, Vol.3, No.3: 328-332.
- Lasztity, R. (1984).
The chemistry of cereal proteins.
C.R.C. Florida, pp. 131-155.
- Lasztity, B. (1986).
Az Mv 8-as oszi buza szemtermésének és néhány minőségi tulajdonságának változása a műtrágyázás függvényében.
Novenytermeles, 35(1): 45-50.
- Laurance, J.M. and Grant, D.R. (1964).
Incorporation of lysine-C-¹⁴ into the developing grain of wheat.
Arch. Biochem. Biophys. (C.F. Sander, *et al*, 1987).
- Leonard, W.H. and Martein (1963).
Cereal Crops. The Macmillan Co., N.Y.
- Madkour, M.A. (1972).
A study on the effect of available nitrogen in the soil on the reaction of certain non-parasitic diseases of field crop under A.R.E conditions.
M.Sc. Thesis, Fac. Agric., Alexandria Univ., Egypt.
- Mahmoud, M.H.; Abdel-Aziz, M.I.; El-Sherbiny, A.M. and Ashoub, M.A. (1981).
Wheat production as influenced by some nitrogenous sources on some soils.
Zagazig Univ., Fac. Agric., Res. Bull., No. 354.
- McNeal, F.H. and Davis, D.J. (1954).
Effect of nitrogen fertilization on yield, clum number and protein content of certain spring wheat varieties.
Agro. J., 46: 375-378.
- Mercedes, M.A.; Hons, F.M. and Haby, V.A. (1993).
Nitrogen fertilization timing effect on wheat production, N uptake efficiency and residual soil nitrogen.
Agro. J., 85: 1198-1203 (1993).

- Mischustin, E.N. and Shilnikova, V.K. (1969).
The biological fixation of atmospheric nitrogen by free-living bacteria.
Unesco Reviews of Research, Soil Biology, IX: 65-124. (Cited by Armanious, R.R., 1987).
- Mishustin, E.N. (1970).
The importance of non-symbiotic nitrogen fixing microorganisms in agriculture.
Plant and Soil, 32: 545-554.
- Monib, M.; Zahera, M.K. and Armanious, R.R. (1982).
Occurrence of yeasts in Egyptian and Nigerian soils.
Zbl. Mikrobiol., 137: 369-373.
- Mosse, B. and D.S. Hyman (1970).
Effect to endogene *Mycorrhizal* on plant growth Rothamsted Exp. Sta. Rep. on 1969, part I: 95-97. (C. F. Nelroy Jackson, R.E. Franklin and R.H. Miller-Soil Soc. Amer. Proc., Vol.36(1972).
- Mosse, B.; Powell, C.L.L. and Hayman, D.S. (1976).
Plant growth responses to vesicular *Arbuscular Mycorrhiza*.
IX. Interactions between *VA. Mycorrhiza* rock phosphate and symbiotic nitrogen fixation.
New Phytol, 76: 331-342.
- Naumova, A.N.; Mishustin, E.N. and Marenko, V.M. (1962).
Nature of the action of bacterial fertilizers (*Azotobacterian*, *Phosphobacterinal*) on agricultural plants.
IZV. Akad. Nauk Ser. Biol., 5: 709-717. , Soils and Fert. 26: 244 (1963). (Cited by Armanious, R.R. 1987).
- Nelson, J.P.; Millum, A.J. and Fister, H.D. (1969).
Gas chromatographic determination of tocopherols and sterols in soy sludges and residues, an improved method.
J. Amer. Oil Chem. Soc., 47: 259-261.

Nemeth (1983).

Abuza es kukorica nyersteheje es aminosaytartain ianaalakulasa a nitrogen.

Foszfor es Kaliuntragyazas fuggvenyeben.

Novenytermeles, 32(1): 37-47. (C.T. Tanacs *et al* , 1992, Cer. Res, Com., Vol. 20, No. 3-4.

Nielsen, J.D. and Jensen, A. (1983).

Influence of vesicular *Arbuscular Mycorrhiza* fungi on growth and uptake of various nutrients as well as uptake ratio of fertilizer P for Iuerne (*Medicago sativa*).

Plant and Soil, 70: 165-172.

Nielsen, D.C. and Halvorson, A.D. (1991).

Nitrogen fertilizer influence on water stress and yield of winter wheat.

Agron. J., 83: 1065-1070 (1991).

Omar, M.N.A.; M.H. Hegazy; R.A. Abd El-Aziz; M.S.M. Abo Soliman and M.M. Sobh (1991).

Effect on inoculation with rhizobacteria on yield of wheat under graded level of nitrogen fertilization.

Annals Agric. Sci., Ain Shams Univ., Cairo, Egypt, 36(1): 99-104.

O'sborne, T.B. (1907).

The proteins of the wheat kernel.

Carnegie Institution of Washington Pub. No.84. (C.F. Salunkhe *et al* , 1986), New Delhi First Ed.

Pathak, A.N. and Shrikhand, J.G. (1953).

Optimum temperature for nitrification and nitrogen fixation.

J. Indian Soc. Soil. Sci., I: 131-136., Chem. Abstr., 48(4): 7828 (1954).

Peck, S.S. (1911).

Some biochemical investigations of Hawaiian soils with special reference to fertilization with molases. Hawaiian sugar planters.

Sta., Agr. and Chem. Bull., 34. (Cited by Shawky, 1976).

Rennie, R.J. and Larson, R.I. (1979).

Dinitrogen fixation associated with disomic chromosome substitution lines of spring wheat in the hytotron and in the field. Int. Workshop on Associative N₂-fixation, CENA, Piracicaba, Brazil (Cited by Armanious, R.R. , 1987).

Rovira, A.D. (1963).

Microbial inoculation of plants. I. Establishment of free-living nitrogen fixing bacteria in the rhizosphere and their effects on bacteria in the rhizosphere and their effects on maize, tomato and wheat.

Plant and Soil, 19(3): 304-314.

Rusakova, O.S. (1965).

Accumulation of vitamins in the soil under the influence of different strains of *Azotobacter*.

In: Utilization of irrigated land., Kiev, Urozoj, P. 139-142. (Cited by Shawky, 1970).

Salah El-Din, M.S. and Aslam, M. (1971).

Studies on the enrichment of soil with *A. Vinelandii*.

Rak. J. Sci. Ind. Res., 14(4-5): 393-394., Microbiol. Abstr (A): 8 (2) (1973).

Salama, A.D. (1988).

Proteinsous evaluation of some leguminous seed.

Ph.D. Thesis, Fac. of Agric., Ain Shams Univ.

Saleh, E.A.; El-Sawy, M.; Reffaaf, A.A.; Abdel-Fattah, M.K. and Sharaf, M.S. (1986).

Effect of seed inoculation with some asymbiotic N₂-fixers on the growth of Egyptian Henbane plant (*Hyoscyamus muticus* L.).

Abstract of the Second African Conf. for BNF, Cairo, Egypt 15-19 December (1986).

Saleh, E.A.; Zaki, M.M. and Selim, S.M. (1987).

Preparation of *Azotobacter* inoculants.

Ann. Agric. Sci., Fac. Agric., Ain Shams Univ., Cairo, Egypt, 32.987.1003.

- Sarig, S.; Kapulnik, Y. and Okon, Y. (1986).
Effect of *Azispirillum* inoculation on nitrogen fixation and growth of several winter legumes.
Plant and Soil, 90: 335-342.
- Schinner, F. (1976).
Production of amino acid by rhizosphere microorganisms of *Pinus cembro* L.
Forstwissenschaft Liches.
- Sherif A.M.; Moharram, T.M.M.; Farghaly, M.M. and Safwat, M.S. (1993).
Estimating biological nitrogen fixation of soybean cultivars as affected by phosphorus fertilization under field conditions using N¹⁵ method.
Minia J. Agric. Res. & Rev., Vol. 15, No.2, 381-396.
- Sineh, R.; Sharma, S.P. and Bhatia, I.S. (1972).
Effect of phosphate and molybdenum on the utilization and uptake of nitrogen at the flowering and maturity of soybean (*Glycine max*).
J. Res. Punjab Agric. Univ., 9(4): 631-637.
- Skinner, F.A.; Boddy, R.M. and Fendrick, I. (1989).
Nitrogen fixation with non-legumes.
Kluwer Academic Publishers, Dordrecht, Netherlands, P. 241-246.
- Smith, A.K.; Schubert, E.N. and Eelter, P.A. (1955).
Fractionation of soybean whey protein.
J. Am. Oil Chem. Soc., 23: 274.
- Smith, E.S.; A.D. Robson and L.K. Abbott (1992).
The involvement of *Mycorrhizal* in assessment of genetically dependent efficiency of nutrient uptake and use.
Plant and Soil, 146: 169-179.
- Snedecor, G.W. and W.G. Cochran (1972).
Statistical methods 6th ed, Iowa State Univ., Press Ames. Iowa State, USA, pp. 339-377.

- Soliman, S.; M. Abu-Seeda; S.S.M. Aly and A.M. Gadalla (1994).
Nitrogen fixed by wheat plants as affected by nitrogen fertilizer levels and non-symbiotic bacteria.
Egyptian-French Seminar on Biological Nitrogen Fixation Associated with Cereal Crops, Giza, Sep, 26-28 (1994).
- Steyn, W.J.A. (1959).
Leaf Analysis: Errors involved in the preparative phase.
J. Agr. Food Chem., 7: 344-348.
- Stodola, F.H.O.; Shotwell, L. and Lockwood, L.B. (1952).
Zymonic acid, a new metabolic product of some yeasts grown in aerated culture. I. Structure studies.
J. Am. Chem. Soc., 74: 5415-5418.
- Swarup, A. and Singh, K.N. (1989).
Effect of 12 years rice/wheat cropping sequence and fertilizer on soil properties and crop yields in a Sodic.
Soil Field Crops Res., 21: 3-4, 277-287.
- Swern, D. (1979).
Bailey's Industrial Oils and Fats Products.
(Vol.1, Fourth edition). p.430., John Wiley and Sons Inc.
- Subba, Rao, N.S.; Tilak, K.V.B.R.; Lakshmikumari, M. and Singh, C.S. (1980).
Azospirillum a new bacterial fertilizer.
Indian Farming August, 102-106. (Cited by Armanious, R.R., 1987).
- Sykora & Apltauer, J. (1983).
The influence of the time of application of nitrogen and nitrification inhibitor on the amino acid composition of winter wheat grain.
Rostlinna Vyroba, 29: 1193-1201. (C.F. Tanacs *et al* (1992), Cer. Res. Com., Vol: 20; No. 3-4.

- Tien, T.M.; Dien, H.G.; Gaskins, M.H. and Hubbell, D.H. (1981).
Polygalacturonic acid transeliminase production by *Azospirillum*
species.
Can. J. Microbiol. 27: 426-431.
- Tinker, P.B. (1978).
Effects of Vesicular-arbuscular *Mycorrhizas* on plant nutrition
and plant growth.
Physiol. Veg., 16: 743-752.
- Tisdal, S.L. and Nelson, W.L. (1975).
Soil Fertility and Fertilizers, Publishing.
Co., Inc. New-York, p.224-225.
- Tsen, C.C. (1985).
Amino acid composition and biological value of cereal germs. In:
Amino acid composition and biological value of cereal proteins,
R. Lasztity and M. Hidvegi eds. D. Reidel Pub. Co., Dordrecht
Holland, pp. 453-466.
- Umali-Garcia, M.; Hubbell, D.H.; Gaskins, M.H. and Dazzo, F.B. (1980).
Association of *Azospirillum* with grass roots.
Appl. Environ. Microbiol., 39: 219-226.
- Vinze and Szuts G. (1978).
Abuza es Kukorica Amniosav Tartalom Alapjan Szamitott
Biologiai ertekenek Alakulasa a nitrogen mutragya adag
Valtozasanak Fuggvenyeben.
Georgikon Napok Keszthely, 380-397. (C.F. Tanacs *et al*
(1992) Cer. Res. Com., Vol.20, No.3-4.
- Vlasyuk, P.A. and G.S. Rudenko (1969).
Baking-Technological properties of winter wheat grain as
dependent on various levels of Agro-Ichimiya, 73-77.
Field Crop Abstr., 23: 112, (1970).
- Ward, R.C.; D.A. Whitney and D.G. Westfall (1975).
Plant Analysis as an Aid in Fertilizing small grains.
Agr. Res. & Extcenter, Redfield South Dakota, Part 20: 329-347.