

REFERENCES

References

Al-Mazrou KA, Al-Qahtani A and Al-Fayez AI (2009): Transnasal endoscopic powered adenoidectomy. *Pediatric Otolaryngology*, 132(2):153–156.

Becker SP, Roberts N and Coglianese D. (1992): Endoscopic adenoidectomy for relief of serous otitis media. *Laryngoscope*, 102(12):1379–1384.

Beebe DW. (2006): Neurobehavioral morbidity associated with disordered breathing during sleep in children: a comprehensive review. *Sleep*, 29:1115–1134.

Belenky G, Wesensten NJ and Thorne DR et al. (2003): Patterns of performance degradation and restoration during sleep restriction and subsequent recovery: a sleep dose-response study. *J Sleep Res*, Mar; 12(1):1-12.

Berlucchi M and Sessa M (2010): Can adenoidal hypertrophy be treated with intranasal steroids?. *Rev Recent Clin Trials*, May; 5(2):123-7.

Bernard H. Coleman. (1987): Adenoids. Part 3.2 Throat & Neck. In: *Diseases of the nose, throat and ear*. Edited by Bernard H. Coleman. 13th edition. Pub. Churchill Livingstone (Edinburgh & New York). English. p. 350-367.

Bernstein JM, Hard R and Cui ZD et al. (1990): Human adenoidal organ culture: a model to study nontypable *Haemophilus influenzae* (NTHI) and other bacterial interactions with nasopharyngeal mucosa--implications in otitis media. *Otolaryngol Head Neck Surg*, Nov; 103(5) (Pt 1):784-91.

Birrell J.F., Cowan D.L. and Kerr A.I.G. (2008): Part I Diseases of the nasopharynx. In: Textbook of pediatric Otolaryngology. Edited by Cowan D.L. and Kerr A.I.G. 5th edition. English. Pub. Wright Bristol. p. 26-31.

Brandtzaeg P. (1996): The B-cell development in tonsillar lymphoid follicles. Acta Otolaryngol Suppl, 523:55-59.

Brietzke SE and Gallagher D. (2006): The effectiveness of tonsillectomy and adenoidectomy in the treatment of pediatric obstructive sleep apnea/hypopnea syndrome: a meta-analysis. Otolaryngol Head Neck Surg, 134:979–984.

Camilleri A.E., Mackenzie K. and Gate house S. (1995): The effect of recurrent tonsillitis and tonsillectomy on growth in childhood. Clin. Otolaryngol, 20: 153-7.

Cannon CR, Replogle WH and Schenk MP. (1999): Endoscopic-assisted adenoidectomy. Otolaryngol Head Neck Surg, Dec; 121(6):740-744. Quoted by Costantini F et al., 2008.

Capitanio, M. A. and Kirkpatrick J. A. (1997): Lymphoid hyperplasia of the adenoid in children. Head Neck Surg. Radiology, 94, 323-26.

Caylakli F, Hizal E and Yilmaz I et al. (2009): Correlation between adenoid nasopharynx ratio and endoscopic examination of adenoid hypertrophy: a blind, prospective clinical study. Int J Pediatr Otorhinolaryngol, 73: 1532-5.

Chervin RD, Ruzicka DL and Giordani BJ et al. (2006): Sleep-disordered breathing, behavior, and cognition in children before and after adenotonsillectomy. Pediatrics, 117:769–778.

Chu KC and Chang BC (1999): Diagnosis and treatment of pediatric adenotonsillar disease. J Clin Otolaryngol, 10:134–146.

Clemens J, McMurray JS and Willging JP (1998): Electrocautery versus curette adenoidectomy: comparison of postoperative results. *Int J Pediatric Otolaryngology*, Mar 1; 43(2):115-22.

Cohen D and Konak S. (1985): The evaluation of radiographs of the nasopharynx. *Clin Otolaryngol*, 10: 73-8. Quoted by Lourenço EA et al., 2005.

Costantini F, Salamanca F and Amaina T et al. (2008): Videoendoscopic adenoidectomy with microdebrider. *Acta Otorhinolaryngol Ital*, Feb; 28(1):26-9.

Dell'Aringa AR, Juares AJ and Melo C et al. (2005): Histological analysis of tonsillectomy and adenoidectomy specimens--January 2001 to May 2003. *Braz J Otorhinolaryngol*, Jan-Feb; 71(1):18-22.

Deutsch E.S. (1996): Tonsillectomy and adenoidectomy. *Pediatric clinics of North America*, 43 (6). 1319-1338.

Di Martino E, Mlynski G and Mlynski B (1998): Effect of adenoid hyperplasia on nasal airflow. *Laryngorhinootologie*, May; 77(5):272-4. Trans. German. Quoted by Havas T and Lowinger D, 2002.

Donnelly M.J., Quraishi M.S. and McShane D.P. (1994): Indications for pediatric tonsillectomy G.P. Versus consultant prospective. *Journal of Laryngology and Otology*, 108: 131-134.

El-Badrawy A and Abdel-Aziz M (2009): Transoral Endoscopic Adenoidectomy. *Int J Otolaryngol*. June, 10: 1155-60.

El-Guindy A (2010): Extended endoscopic endonasal approach to skull base from crista galli to foramen magnum. *Int J Otolaryngol*. 17, Pt 4. P. 24-34.

Elluru RG, Johnson L and Myer CM (2002): Electrocautery adenoidectomy compared with curettage and power-assisted methods. *Laryngoscope*, 112(8):23–5.

Emerick KS and Cunningham MJ (2006): Tubal tonsil hypertrophy a cause of recurrent symptoms after adenoidectomy. *Archives of Otolaryngology — Head and Neck Surgery*, 132(2):153–156.

Ezzat WF. (2011): Role of endoscopic nasal examination in reduction of nasopharyngeal adenoid recurrence rates. *J. Otolaryngology*, Jan; 125(1):53-8.

Finkelstein Y, Wexler DB, Nachmani A and Ophir D. (2002): Endoscopic partial adenoidectomy for children with submucous cleft palate. *Cleft Palate Craniofac J*, Sep; 39(5):479-86.

Fujioka M, Young LW and Girdany BR. (1979): Radiographic Evaluation of Adenoidal Size in Children: Adenoidal-Nasopharyngeal Ratio. *AJR Am J*, Sep; 133(3):401-4.

Garetz SL (2008): Behavior, cognition, and quality of life after adenotonsillectomy for pediatric sleep-disordered breathing: summary of the literature. *Otolaryngol Head Neck Surg*, 138:19–26.

Gates A.G. (1996): Sizing up the adenoid. *Arch. Otolaryngol. Head Neck Surg.*, 122: 239-240.

Gray and Hawthorn (1992): Part III The mouth and pharynx. In: *Synopsis of otolaryngology*. Edited by Roger F. Gray and Maurice Hawthorn. 5th edition. English. Pub. Library of Congress, Cambridge, Great Britain. P. 285-391.

Havas T and Lowinger D. (2002): Obstructive adenoid tissue: an indication for powered-shaver adenoidectomy. *Arch Otolaryngol Head Neck Surg.*, 128:789-91.

Haydon M. Baillie. (1984): Nasal obstruction in healthy neonates. British medical journal, 289: 1659-1660.

Hibbert J. (1987): Tonsils and adenoids. In: Scot-Brown's textbook otolaryngology. Edited by Kerr A.G. and Evans J.N.G. 5th edition. Pub. Butter Worths, London, Vo. 6, p. 368-383.

Hodges S. and Wailoo M.P. (1987): Tonsillar enlargement and failure to thrive. British Medical Journal, 295: 541-45.

Huang HM, Chao MC and Chen YL et al. (1998): A combined method of conventional and endoscopic adenoidectomy. Laryngoscope, 108:1104-1106.

Inancli HM and Enoz M. (2009): Odds and evens for endoscopic adenoidectomy. Act. Otorhinolaryngology. Ital., February; 29(1): 51–52.

Ishizuka Y and Kakuta H (1996): Treatment of apnea and snoring in children. Acta Otolaryngol. (Stockh); Suppl., 523: 234-235.

James M.Coticchia, RomyD and Yan BS et al. (2006): Temperature-controlled Radiofrequency treatment of tonsillar hypertrophy for Reduction of Upper Airway Obstruction in pediatric patients. Arch Otolaryngol Head Neck Surg., Apr; 132(4):425-30.

Jong YH and Gendeh BS (2008): Transoral endoscopic adenoidectomy: initial experience. Med J Malaysia, Mar; 63(1):81-3.

Kamel RH and Ishak ES (1990): Enlarged adenoid and adenoidectomy in adults: endoscopic approach and histopathological study. Journal of Laryngology and Otology, 104(12):965–967. Quoted by El-Badrawy A and Abdel-Aziz M 2009.

- Kaygusuz I, Gödekmerdan A and Karlida T (2003):** Early stage impacts of tonsillectomy on immune functions of children. *Int J Pediatr Otorhinolaryngol*, 67(12):1311-1315
- Koltai PJ, Chan J and Younes A (2002):** Power-assisted adenoidectomy: total and partial resection. *Laryngoscope*, 112(8):29–31.
- Koltai PJ, Kalathia AS and Stanislaw P et al. (1997):** Power-assisted adenoidectomy. *Archives of Otolaryngology — Head and Neck Surgery*, 123(7):685–688.
- Krajewski M, Samoliaski B and Schmidt J (2007):** Endoscopic Adenoidectomy Jurasz forceps. *J. Laryngology*, 129:182-185.
- Lourenço EA, Lopes Kde C and Pontes A Jr et al. (2005):** Comparison between radiological and nasopharyngolaryngoscopic assessment of adenoid tissue volume in mouth breathing children. *Braz J Otorhinolaryngol*. Jan-Feb; 71(1):23-7.
- Lumeng JC and Chervin RD. (2008):** Epidemiology of pediatric obstructive sleep apnea. *Proc Am Thorac Soc.*, Feb 15; 5(2):242–252.
- Mahboubi S, Marsh RR and Potsic WP et al. (1985):** The lateral neck radiograph in adenotonsillar hyperplasia. *Int J Pediatr Otorhinolaryngol*, Oct; 10(1):67-73.
- McNab Jones R.F (1997):** Anatomy for the mouth, pharynx and oesophagus. In: *Scot-Brown's diseases of the Ear, Nose and Throat*. Edited by J. Balatyne and J. Groves. 6th edition. Pub. Butter warths London. P. 263-319.

Metin T. Önerci (2009) : Adenoids. Part 3.2 Throat & Neck. In: Diagnosis in Otorhinolaryngology. Edited by Prof. T. Metin Önerci. 1st edition. English. Pub. Springer-Verlag Berlin Heidelberg. P.126-28

Monteiro ECM, Pilon RR and Dall'Oglio GP (2000): adenoid hypertrophy. Endoscopic X- Radiography of nasopharynx. RBORL, 66(1): 1-4. Quoted by Lourenço EA et al., 2005.

Murray N, Fitzpatrick P and Guarisco JL (2002): Powered partial adenoidectomy. Arch Otolaryngol Head Neck Surg., 128(7): 792–796.

Pagella F, Matti E and Colombo A et al., (2008): How we do it: a combined method of traditional curette and power-assisted endoscopic adenoidectomy. Acta Otolaryngol, 8:1-4.

Paparella and Shumrick (1991): Vol. III Head & Neck. In: Otolaryngology. Edited by Michael M. Paparella, Donald A. Shumrick. 3rd edition. English. Pub. Philadelphia: W.B. Saunders Company. p. 610-618.

Parsons DS (1996): Rhinologic uses of powered instrumentation in children beyond sinus surgery. Otolaryngol Clin North Am., 29:105-114.

Perry M and Whyte A (1998): Immunology of the tonsils. Immunol Today, 19:414–421.

Qiu J, Chen F and Qiao L et al. (2005): Comparison among the three different approaches in the management of adenoid hypertrophy. Lin Chuang Er Bi Yan Hou Ke Za Zhi., Apr; 19(8):355-7. Trans. Chinese.

Rasmussen N. (1999): Complications of tonsillectomy and adenoidectomy. Otolaryngologic Clinics of North America, 20(2):383–390.

Regmi D, Mathur NN and Bhattarai M (2010): Rigid endoscopic evaluation of conventional curettage adenoidectomy. *Pediatric Otorhinolaryngology*, Apr; 74(4):404-8.

ROBBINS, S. L. (2008): Nasopharynx. Chapter 4. Head & Neck. In: *Pathological Basis of Disease*. Edited by Steve L. Robbins. 8th edition. English. Pub. Washington: Arlington Press. J.B. Lippincott Company, Philadelphia. P.1278-82

Rodriguez K, Murray N and Guarisco JL (2002): Power-assisted partial adenoidectomy. *Laryngoscop*, 112:26-8.

Rubin and Farber (1999): Nasopharynx. Chapter 5. The Head and Neck, In: *Pathology*. Edited by Rubin, Emanuel & Farber, John L. 3rd edition. English. Pub. J.B. Lippincott Company, Philadelphia, Pennsylvania. P.1290-1292

Saito H., Asakura K and Hata M et al. (1996): Does tonsillectomy affect the cause of bronchial asthma and nasal allergy?. *Acta Otolaryngol. (Stockh); Suppl.*, 523: 212-215.

Schaffer SR and Wong GH (2007): Endoscopic visualization facilitates adenoidectomy. *Otolaryngology—Head and Neck Surgery*, 136(3):p. 510.

Setliff RC III (1996): The hummer: a remedy for apprehension in functional endoscopic sinus surgery. *Otolaryngol Clin N Am*, 29:95–104.

Simson Hall, B.H. Coleman and B.Colman (1987): Part II The mouth and pharynx. In: *Diseases of the Ear, Nose and Throat: Handbook for Students and Practitioners*. Edited by I.Simson Hall, B.H. Coleman and B.Colman. 13th edition. English. Pub. Churchill Livingstone. p. 95–104

Somani S. S, Naik C. S and Bangad S.V (2010): Endoscopic Adenoidectomy with Microdebrider. Indian J Otolaryngol Head Neck Surg., 62(4):427–431.

Songu M, Mackenzie K and Gate house S (2010): Endoscopic-assisted adenoidectomy versus curettage adenoidectomy. Clin. Otolaryngology, 20: 153-7.

Stanislaw P Jr, Koltai PJ and Feustel PJ (2000): Comparison of power-assisted adenoidectomy vs adenoid curette adenoidectomy. Archives of Otolaryngology — Head and Neck Surgery, 126(7):845–849.

Stern Y, Segal K and Yaniv E. (2006): Endoscopic adenoidectomy in children with submucosal cleft palate. Int J Pediatr Otorhinolaryngol. 70(11):1871–1874.

Stuart R. Mawson (1979): Middle ear. Part III. In: Diseases of the ear: Textbook of otology. Edited by Mawson, Stuart Radcliffe. 4th edition. English. Pub. Year Book Medical Publishers. p. 261-6.

Sullivan S, Li K and Guilleminault C. (2008): Adenotonsillectomy for treatment of obstructive sleep apnea in children. Arch. Otolaryngol. Head Neck Surg., (12): 525-530.

Surow JB, Handler SD and Telian SA (1989): Bacteriology of tonsil surface and core in children. Laryngoscope. 99:261-6.

Tankel JW and Cheesman AD (1986): Symptom relief by adenoidectomy and relationship to adenoid and post-nasal airway size. Journal of Laryngology and Otology, 100(6):637–640.

Tarantino V, D’Agostino R and Melagrana A et al. (2004): Safety of electronic molecular resonance adenoidectomy. Int J Pediatric Otolaryngology, 68(12):1519–1523

Uçar C (2008): Endoscopic adenoidectomy. Kulak Burun Bogaz Ihtis Derg. Mar-Apr; 18(2):66-8. Trans. Turkish.

Wan YM, Wong KC and Ma KH (2005): Endoscopic-guided adenoidectomy using a classic adenoid curette: a simple way to improve adenoidectomy. Hong Kong Medical Journal, 11(1):42–44.

Wang DY, Clement PA and Kaufman L et al. (1995): Chronic nasal obstruction in children: a fiberoptic study. Rhinology. Mar; 33(1):4-6.

William PL and Warwick (1996): Head & Neck. Chapter I. In: Gray's anatomy. 38th edition. Pub. Edinburg, London, Malbourn and New York. Churchill, Living Stone. P. 198.

Winther B and Innes DJ (1994): The human adenoid: a morphologic study. Arch Otolaryngol Head Neck Surg., 120(2):144-149.

Wynn R and Rosenfeld RM (2003): Outcomes in suction coagulator adenoidectomy. Arch Otolaryngol Head Neck Surg. Feb; 129(2):182-5.

Yanagisawa E and Weaver EM (1997): Endoscopic adenoidectomy with the microdebrider. Ear, Nose and Throat J. 76(2):72–74. Quoted by Costantini F et al., 2008.

Younes A. (2002): Power-assisted adenoidectomy: total and partial resection. Laryngoscope, 112(8):29–31.

Zhang S, Liu Y and Tan Y et al. (2008): Complication and prevention of transnasal endoscopic adenoidectomy in children. Zhong Nan Da Xue Xue Bao Yi Xue Ban. Aug; 34(8):834-6. Trans. Chinese.