

REFERENCES

AAP American Academy of Pediatrics, Committee on Infectious diseases: Red book 26th edition AAP E/K Grove village III 2003, 578 – 580.

Aboul Dahab OM, Darhous MS and Abdel Rahman R (1993): The incidence of streptococcus pyogenes in throat and plaque cultures in cases with acute throat infection. Egypt Dent J, 39 (4) : 527 – 532.

Alesna ET, Vilma M, Baello B, Cardona R and Tuposi TE (2000): Usefulness of rapid streptococcal antigen test in determining which patients with acute pharyngitis require throat culture and treatment. Phil J Microbial Infect Dis, 29 (3) : 115 – 118.

Alho OP, Koivunen P, Penna T, Teppo H, Koskela M, Luotonen J (2007): Tonsillectomy versus watchful waiting in recurrent streptococcal pharyngitis in adults; randomized control trial. BMJ, 334 : 939 – 941.

Altamini S, Khalil A, Khalaiwi KA, Milner R, Pusic MV and Al Othman MA (2009): short versus standard duration antibiotic therapy for acute streptococcal pharyngitis in children. Cochrane Database sys Rev, Jan 21 (1) : CD 00 4872.

American Academy of Pediatrics (AAP) (2006): Group A streptococcal infection. In : Pickering LK (ed). Red book : Report of the committee of infectious disease 27th ed. E/K Groove Village IV. 610 – 620.

- Ardati KO and Dajani AS (1980):** Adherence of group A streptococcal to buccal epithelial cells from children of various ages. *J Pediatr*, 97 (5) : 781 – 784.
- Armengol CE, Schlager TA, and Hendley JO (2004):** Sensitivity of a rapid antigen detection test for group A streptococci in a private pediatric office setting. *Pediatrics*, 113 (4) : 923 – 927.
- Armstrong C (2010):** AHA guidelines on prevention of rheumatic fever and diagnosis and treatment of acute streptococcal pharyngitis. *AFP*, 81 (3) : 346 – 347.
- Attia MW, Zaoutis T, Klein JD and Meier FA (2001):** Performance of a predictive model for streptococcal pharyngitis in children. *Arch Pediatr Adolesc Med*, 155 (6) : 687 – 691.
- Baltimore RS (2010):** Reevaluation of antibiotic treatment of streptococcal pharyngitis. *Current opinion in pediatrics*, 22 (1) : 77 – 82.
- Barash J, Mashiach E, Navon – Elkan P, Berkum Y, Harel L, Tauber T et al. (2008):** Differentiation of post streptococcal reactive arthritis from acute rheumatic fever. *J Pediatr*, 153 (5) : 696 – 699.
- Bassili A, Barakat S, Swaf G, El Zaher S, Zaki A, Saleh El Din EE (2002):** Identification of clinical criteria for group A beta hemolytic streptococcal pharyngitis in children living in a rheumatic fever endemic area. *J Trop Pediatr*, 48 (5): 285 – 293.
- Bedair GMA, Arafa MA, Zaher SR and Hashish MH (2008):** Study of group A beta hemolytic streptococci among school children

with symptomatic pharyngotonsillitis in Alexandria. Master Degree Thesis in Public Health Science. Institute of Public Health, Alexandria University.

Bella – Pianta JM, Liungquist K, Tobin E and Uhi R (2009): Necrotising fascitis. J Am Acad Orthop Surg, 17 (3) : 174 – 182.

Berko – vitch M, Vaida A, Zhovtis D, Bar-Yo-hai A, Earon Y and Bololur I (1999): Group A streptococcal pharyngitis in children less than 2 years of age more common than is thought. Clin Pediatr, 38 (6): 361 – 363.

Bisno AL, Brito MO and Collins CM (2003): Molecular basis of group A streptococcal virulence. Lancet Infect Dis, 3 (4) : 191 – 200.

Bisno AL, Gerber MA, Gwaltney JM, Kaplan EL and Schwartz RH (2002): Practice guidelines for the diagnosis and management of group A streptococcal Pharyngitis. Clin Infect Dis, 35 (2): 113 – 125.

Bisno AL, Gerber MA, Gwaltney JM, Kaplan EL, Schwartz RH (1997): Diagnosis and management of group A streptococcal pharyngitis : a practice guidelines. Infectious Diseases Society of America. Clin Infect Dis, 25 : 574 – 583.

Brahmadathan RN and Cladstone P (2006): Microbiological diagnosis of streptococcal pharyngitis. Indian J Med Microbial, 24 (2) : 92 – 96.

Breese BB (1977): A simple score card for the tentative diagnosis of streptococcal pharyngitis. Am J Dis. Child, 101 : 514 – 517.

Brook I (2001): The role of beta lactamase producing bacteria and bacterial interference in streptococcal tonsillitis Int J Antimicrob Agents, 17 : 439 – 442.

Brook I and Gober AE (1998): Persistence of group A beta hemolytic streptococci in tooth brushes and removable orthodontic appliances following treatment of pharyngotonsillitis. Arch Otolaryngol Head Neck Surg, 124 : 993 – 995.

Brook I and Gober AE (2000): In vitro bacterial interference in the nasopharynx of otitis media – prone and non otitis media prone children. Arch Otolaryngol Head Neck Surg 126 : 1011 – 1013.

Brooks GF, Carroll KC, Butel JS and Marse SA (2007): The streptococci in : Jawetz, Melnick and Adelberg's Medical Microbiology. 24th edition chapter 15. P: 233 – 248. McGraw Hill.

Brunton S and Pichichero M (2006): Consideration in the use of antibiotics for streptococcal pharyngitis. J Fam Practice Supplement : S9 – S16.

Buchanan J, Simpson A, Aziz R, Liug G, Kristians Kotb M, Feramisco J and Nizet V (2006): DNA expression allows the pathogen group A strptococcus to escape killing in neutrophils extracellular traps. Curr Biol., 16 (4) : 396 – 400.

Carapetis JR, Currie BJ and Kaplan EL (1999): Epidemiology and prevention of group A streptococcal infection : acute respiratory tract infection, skin infections, and their sequelae at the close of the twentieth century. Clin Infect Dis., 28 (2) : 205 – 210.

- Carapetis JR, Steer AC, Mulholland EK and Weber M (2005):** The global burden of group A streptococcal diseases. *Lancet Inf Dis* 5 (11) : 685 – 694.
- Casey JR (2007):** Selecting the optimal antibiotic in the treatment of group A beta hemolytic streptococcal pharyngitis. *Clin Pediatr*, 46 (4) : 25S – 35S.
- Casey JR and Pichichero AE (2004):** Metaanalysis of cephalosporins versus penicillin treatment of group A beta hemolytic streptococcal pharyngitis in children. *Pediatrics*, 113 (4) : 866 – 882.
- Catanzaro FJ, Stetson CA, Marris AJ, Chamovitz R, Rammelkamp CH, Stolzer BL et al. (1954):** The role of streptococcus in the pathogenesis of rheumatic fever. *Am J Med.*, 17 (6) : 749 – 756.
- Centor RM, Witherspoon JM, Dalton HP, Brody CE and Link K (1981):** The diagnosis of strept throat in adults in the emergency room. *Medical Decision Making*, 1 (3) : 239 – 246
- Chan TV (2010):** The patient with sore throat. *Med Clin North America*, 94 (5): 923 – 943.
- Cherpillod J (2011):** Acute otitis media in children. *International Journal of General medicine*, 2011 : 421 – 423.
- Chiappini E, Regoli M, Bon Signori F, Sollari S, Parretti A, Galli L and Martino MD (2011):** Analysis of different recommendations from international guidelines for the management of acute pharyngitis in adult and children. *Clinical Therapeutics*, 33 (1) : 48 – 58.

- Chiou CS, Liao TL, Wang TH, Chang HL and Liao JC (2004):** Epidemiological and molecular characterization of streptococcus pyogenes recovered from scarlet fever patients in central Taiwan from 1996 to 1999. *J Clin Microbiol*, 42 (9) : 3998 – 4006.
- Choby BA (2009):** Diagnosis and treatment of streptococcal pharyngitis. *Am Fam Physicians*, 79 (5) : 383 – 390.
- Chuang YY, Huang YC and Lin TY (2005):** Toxic shock syndrome in children : epidemiology, pathogenesis and management. *Pediatr Drugs*, 7 (1) : 11 – 25.
- Cleg HW, Ryan AG, Dallas SD, Kaplan EL, Johnson DR, Norton HG et al. (2006):** Treatment of streptococcal pharyngitis with once daily compared with twice daily amoxicillin : a non inferiority trial. *Ped Inf Dis J*, 25 (9): 761 – 767.
- Cohen J, Cohen R, Bidet P, Levy S, Deberdt P, d'Humieres C et al. (2012):** False positive results of rapid antigen detection tests (RADT) for group A streptococcal pharyngitis : A case control study. WWW. Kenes. Com / espid 2012 / abstracts / pdf/ 53. pdf.
- Comuradan AD, Comuradan OM, OK I, Sahin E, Ithan MN and Beyazovo U (2008):** Diagnostic value of rapid antigen detection test for streptococcal pharyngitis in a pediatric population. *Int J Pediatr Otorhino Laryngol*, 72 (8) : 1203 – 1206.
- Cooper RJ, Hoffman JR, Bartlett JG, Besser RE, Gonzales R, Hickner JM et al. (2001):** Principles of appropriate antibiotic use for

acute pharyngitis in adults. *Ann Intern Med*, 134 (6) : 509 – 517.

Courtney HS and Pownal HJ (2010): The structure and function of serum opacity factor, a unique streptococcal virulence determinant that targets high density lipoproteins *J Biomed Biotechnol*, Vol 2010, Article ID 956071.

Dajani A, Taubert K, Ferrieri P, Peter G and Shulman S (1995): Treatment of acute streptococcal pharyngitis and prevention of rheumatic fever, a statement for health professionals. *Pediatrics*, 96 (4): 785 – 764.

Danchin MA, Carlin JB, Devenish W, Nolan TM and Carapetis JR (2005): New normal ranges of antistreptolysin O and antiDNase B titres for Australian Children *J Pediatr Child Health*, 41 : 583 – 586.

Daniel R (2009): Antihyaluronidase test in : *Guide to laboratory and diagnostic tests*. P: 86 Cengage learning Inc USA.

Davis ID and Avner ED (2007): Glomerulonephritis associated with infection: acute post streptococcal glomerulonephritis In: Kliegman RM Jensen HB, Behrman RE and Stanton BF (eds). *Nelson text book of pediatrics* 18th ed, chapter 511,P:2173– 2175. Saunders.

Delmar CB, Glasziou PP and Spinks AB (2006): Antibiotics for sore throat. *Cochrane Database syst Rev*, 4 : CD000023.

Ebell MH, Smith MA, Barry HC, Ives K and Carey M (2000): The rational clinical examination. Does this patient have strep throat? *JAMA*; 284:291-8.

Edmonson MB and Farwell KR (2005): Relation between the clinical likelihood of group A streptococcal pharyngitis and the

sensitivity of a rapid antigen detection test in a pediatric practice. *Pediatrics*, 115 : 280 – 285.

El Daher NT, Hijazi SS and Rawashdeh NM (1991): Immediate versus delayed treatment of group A beta hemolytic streptococcal pharyngitis with penicillin V. *Pediatr. Infect. Dis J*, 10 (2) : 126 – 130.

El Kholy A, Sorour AH, Houser HB, and Wannamaker LW (1973): A three year prospective study of streptococcal infections in a population of rural Egyptian school children. *J Med Microbial*, 6 : 101 – 110.

El-Kholy AM and Sourour AH (1973): An epidemiological out break on streptococcal infection and their sequelae in Egypt. WHO Course epidemiology and control of communicable diseases 1973.

Falags ME, Voulaumonou EK, Matthaiau DK, Kapaskelis AM and Karageorgopoulos DE (2008): Effectiveness and safety of short course versus long course antibiotic therapy for group A beta hemolytic streptococcal tonsillopharyngitis : A meta analysis of randomized trials. *Mayo Clin Proc*, 83 : 880 – 889.

Feder HM, Gerber MA, Randolph MF, Stelmach PS, Kaplan EL et al. (1999): One daily therapy for streptococcal pharyngitis with amoxicillin. *Pediatrics*, 103 (1) : 47 – 51.

Fox JW, Cohen DM, Marcon MJ, Cotton WH and Bonsu BK (2006): Performance of rapid streptococcal antigen testing varies by personnel. *J Clin Microbiol*, 44 : 3918 – 3922.

- Fretzayas A, Moustaki M, Kitsiou S, Nychtari G and Nicolaidou P (2009):** The clinical pattern of group C streptococcal pharyngitis in children. *J Infect Chemother*, 15 : 228 – 232.
- Fujikawa S, Kawakita S, Kasakai N, Oda T, Ohkuni M, Shiokawa Y, et al. (1982):** Significance of antideoxy ribonuclease – B determination in clinical practice. *Jpn Circ J*, 46 (11) : 1180 – 1183.
- Fustes – Morales A, Gutierrez – Costrellon P and Duran – McKinster C (2002):** Necrotising fascitis : report on 39 pediatric cases. *Arch Dermatol*. 138 : 893 – 899.
- Garvey MA, Perimutter SJ, Allen AJ, Hamburger S, Lougee L, Leonard HL et al. (1999):** A pilot study of penicillin prophylaxis for neuropsychiatric exacerbations triggered by streptococcal infection. *Biol psychiatry*, 45 : 1564 – 1571.
- Gerber MA (1989):** Comparison of throat cultures and rapid antigen detection tests for diagnosis of streptococcal pharyngitis. *Pediatr Infect Dis J*, 8 : 820 – 824.
- Gerber MA (1994):** Treatment failures and carriers: perception or problems ? *Pediatr Infect Dis J*, 13 : 576 – 579.
- Gerber MA (1996):** Antimicrobial resistance : Relation to persistence of group A streptococci in the upper respiratory tract. *Pediatrics*, 97 : 971 – 975.
- Gerber MA (2005):** Diagnosis and treatment of pharyngitis in children. *Pediatrics Clinics North America*, 52 : 729 – 747.

- Gerber MA (2007):** Group A streptococcus. In : Kliegman RM, Jenson HB, Behrman RE and Stanton BF. Nelson Textbook of Pediatrics 8th edition. Chapter 182, P: 1135 – 1145. Saunders.
- Gerber MA (2009):** Streptococcus pyogenes (group A streptococci). In: long SS (ed). Long principles and practice of pediatric infectious diseases. 3rd ed. Chapter 118. Churchill Livingstone.
- Gerber MA and Shulman ST (2004):** Rapid diagnosis of pharyngitis caused by group A streptococci. Clin Microbiol Rev, 17 (3): 571 – 580.
- Gerber MA, Baltimore R, Eaton CB, Gewitz M, Rowley AH, Shulman ST et al. (2009):** Prevention of rheumatic fever and diagnosis and treatment of acute streptococcal pharyngitis. Circulation, 119 (11) : 1541 – 1551.
- Giraldez – Garcia C, Rubio B, Gallegos – Braun JF, Inaki – Imaz B, Gonzalez – Enriquez J and Sarria – Santamera A (2011):** Diagnosis and management of acute pharyngitis in a pediatric population : a cost effective analysis. European J pediatr, 170 : 1059 – 1067.
- Gleich – Theurer U, Aymanns S, Haas G, Maurerer S, Vogt J and Spellerberg B (2009):** Human serum induces streptococcal C5a peptidase expression. Infect Immun, 77 (9) : 3817 – 3825.
- Glezen WP, Glyde WA, Senior RJ, Sheaffer CI and Denny FW (1967):** Group A streptococci, mycoplasma and viruses associated with acute pharyngitis. JAMA, 202 : 455 – 460.

Grimprel E, Anjak I, Vu-Thien H, Moissenet D, Quinet B and Begue P (1996): Epidemiology of group A streptococcal Pharyngitis in children : A 12 month study performed at the out patient clinic of Trousseau Children's Hospital Paris, France. *Med Mal Infect*, 26 : 469 – 474.

Guitherne L, Kalil J and Cunningham M (2006): Molecular mimicry in the autoimmune pathogenesis of rheumatic heart disease. *Autoimmunity*, 39 (1) : 31 – 39.

Guitherne L, Ramasawmy R, and Kalil J (2007): Rheumatic fever and rheumatic heart disease : genetics and pathogenesis. *Scand J Immunol*, 66 : 199 – 207.

Gur E, Akkus S, Arvas A, Guzeloz S, Can G, Diren S et al. (2002): Prevalence of positive throat cultures for group A beta hemolytic streptococci among school children in Istanbul. *Indian Pediatrics*, 39 : 569 – 573.

Gurol Y, Akan H, Izbirak G, Tekkanat ZT, Gunduz TS, Hyrano et al. (2010): The sensitivity and specificity of rapid antigen test in streptococcal upper respiratory. *Int J Pediatr Otorhinolaryngol*, 74 (6): 591 – 593.

Hall MC, Kieke B, Gonzales R and Belongia EA (2004): Spectrum bias of a rapid antigen detection test for group A beta hemolytic streptococcal pharyngitis in a pediatric population. *Pediatrics*, 114 : 182 – 186.

Halsey E (2009): Bacterial pharyngitis. *emedicine.Medscape.Com* / article / 228936. overview.

- Hayes CS and Williamson HJr (2001):** Management of group A beta hemolytic streptococcal pharyngitis. *Am Fam Physicians*, 63 : 1557 – 1564.
- Huang BH, Wu CH, Hsia CP and Yinchen C (2007):** Azithromycin induced Torsade de pointes pacing and clinical electrophysiology, 30 (12) : 1579 – 1582.
- Johnson DR and Kaplan EL (2001):** False positive rapid antigen detection test results, reduced specificity in the absence of group A streptococci in the upper respiratory tract. *J Infect Dis*, 183 (7) : 1135 – 1137.
- Johnson DR, Kaplan EL, Sramek J, Bicova R, Havlicek J, Havlickova H et al. (1996):** Laboratory diagnosis of group A streptococcal infections. World Health Organization, Geneva, Switzerland, P: 111, ISBN-13 9789241544955.
- Kaplan E (1973):** The throat culture : its techniques pitfalls, limitations and meaning. *Conn Med*, 37 : 45 – 48.
- Kaplan EL (1988):** How and how not to treat group A streptococcal pharyngitis. *Clinical Therapeutics*, 10 (8) : 28 – 32.
- Kaplan EL (1997):** Recent evaluation of antimicrobial resistance in beta hemolytic streptococci. *Clin Infect Dis*, 24 (1) : 89 – 92.
- Karacan M, Karakelleoglu C and Orbak Z (2007) :** Diagnosis of group A beta hemolytic streptococcus using the Breese clinical scoring system. *South Med J*, 100 : 1192 – 1197.

- Kellogg JA (1990):** Suitability of throat culture procedures for detection of group A streptococci as reference standards for evaluation of streptococcal antigen detection. J Clin Microbiol, 28 (2) : 165 - 169.
- Khan ZZ, Salvaggio MR, Sharma S and Harding G (2009):** Streptococcus group A infections available at: <http://emedicine.Medscape.Com/article/228936> overview.
- Kihiezak GC, Schwartz RA and Kapila R (2006):** Necrotising fascitis : a deadly infection. JEADV, 20 (4): 365 – 369.
- Krober MS, Bass TW and Michels GN (1985):** Streptococcal pharyngitis : Placebo controlled double blind evaluation of clinical response to penicillin therapy. JAMA, 253 : 1271 – 1274.
- Kumar R, Vohra H, Chakraborty A, Sharma YP, Bandhopadhy S, Dhandav et al. (2009):** Epidemiology of group A streptococcal pharyngitis and impetigo. A cross sectional and follow up study in a rural community of Northern India. Indian J Med. Res, 130 : 765 – 771.
- La Fontanie ER, Wall D, Vanlerberg SL, Donabedian H, and Sledjeski DD (2004):** Moraxella catarrhalis coaggregates with streptococcus pyogenes and modulate interactions of streptococcus pyogenes with human epithelial cells. Infect Immunit, 72 : 6689 – 6693.
- Lamden KH (2011):** An outbreak of scarlet fever in a primary school. Arch Dis Child, 96 (4): 394 – 397.

- Lander L, Lu S, and Shan RK (2008):** Pediatric retropharyngeal abscess: a national perspective study. *Int J Pediatr otorhinolaryngol*, 72 (12) : 1837 – 1843.
- Lappin E and Ferguson AJ (2009):** Gram positive toxic shock syndrome. *Lancet Infect Dis*, 9 (5) : 281 – 290.
- Lennon DR, Farrell E, Martin DR and Stewart JM (2008):** Once daily amoxicillin versus twice daily penicillin V in group A beta hemolytic streptococcal pharyngitis. *Arch Dis Child*, 93 (6): 474 – 478.
- Leon O and Panos C (1990):** Streptococcus pyogenes clinical isolates and lipotechoic acid. *Infect Immun*, 58 (11) : 3779 – 3787.
- Levi M, Van Der Poll T and Buller HR (2004):** Bidirectional relation between inflammation and coagulation. *Circulation*, 109 : 2698 – 2704.
- Levin RM, Grossman M, Jordan C, Ticknor W, Barnett P ad Pascoe D (1988):** Group A streptococcal infection in children younger than 3 years of age. *Pediatr Infect Dis J*, 7 (8) : 581 – 587.
- Limbergen JV, Kalima P, Taheri S and Beattie TF (2006):** Streptococcus A in pediatric accident and emergency : are rapid streptococcal tests and clinical examination of any help ? *Emergency Med J*, 23 (1) : 32 – 34.
- Lin MH, Chang PF, Fong WK, Yen CW, Hung KL and Lin SJ (2003):** Epidemiological and clinical features of group A streptococcal pharyngitis in children. *Acta Paediatrica Taiwanica*, 44 : 274 – 278.

- Lloyd CA, Jacob SE and Menon T (2007):** Antibiotic resistant beta hemolytic streptococci. Ind J Ped, 74 (12) : 1077 – 1080.
- Maltezou HC, Tsagris V, Antoniadou A, Galani L, Douros C, Katsarolis I et al. (2008):** Evaluation of rapid antigen detection test in the diagnosis of streptococcal pharyngitis in children and its impact on antibiotic prescription. J Antimicrob Chemother, 62 (6): 1407 – 1412.
- Marshall CS, Cheng AC, Markey PG, Towers RJ, Richardson LJ, Fagan PK et al. (2011):** Acute post streptococcal glomerulonephritis in the northern territory of Australia : a review of 16 years data and comparison with the literature. Am J Trop Med hyg., 85 (4): 703 – 710.
- Martin MJ, Green M, Barbadora KA and Wald ER (2004):** Group A streptococcus among school aged children : clinical characterization and the carrier state. Pediatrics, 114 (5) : 1212 – 1219.
- McDonald MI, Towers RJ, Andrews RM, Bengner N, Currie BJ and Carapetis JR (2006):** Low rates of streptococcal pharyngitis and high rates of pyoderma in Australian Aboriginal communities where acute rheumatic fever is hyperendemic. Clin Infect Dis, 43 (6) : 683 – 689.
- McIssac WJ, Kellner JD, Aufricht P, Vanjaka A, and Low DE (2004):** Empirical validation of guidelines for the management of pharyngitis in children and adults. J Am Med Assoc, 291 (13) : 1587 – 1595.

- Nandi S, Kumar R, Ray P, Vohra H and Ganguly NK (2001):** Group A streptococcal sore throat in a population of Northern India : a one year prospective study. Bulletin of the WHO, 79 : 528 – 533.
- Nobbs AH, Lamont RJ and Jenkinson HF (2009):** Streptococcus adherence and colonization Microbiol Mol Biol Rev, 73 (3) : 407 – 450.
- Nussinavitch M, Finkelstein Y, Amir J, and Varsano I (1999):** Group A beta hemolytic streptococcal pharyngitis in preschool children aged 3 months to 5 years. Clin Pediatr, 38 : 357 – 360.
- Oehmcke S, Shannan O, Morgelin M and Herwald H (2010):** Streptococcal M proteins and their role as virulent determinant. Clin Chim Acta, 411 : 1172 – 1180.
- Ogle JW and Anderson MS (2009):** Infections Bacterial and Spirochetal. Group A streptococcal infection. In : Hay WW, Levin MJ, Sondheimer JM and Deterding RR (eds). Current diagnosis and treatment pediatrics. 9th ed. Chapter 40, P : 1123 – 1127. McGraw Hill.
- Orvidas LJ, StSauver JL and Weaver AL (2006):** Efficiency of tonsillectomy in treatment of recurrent group A beta hemolytic streptococcal pharyngitis. Laryngoscope, 116 (11) : 1946 – 1950.
- Osler RJ (2010):** Molecular pathogenesis of necrotizing fascitis. Ann Rev Pathol, 5 : 1 -13.

- Ozturk CE, Yavuz T, Kaya D and Yucel M (2004):*** The rate of asymptomatic throat carriage of group A streptococcus in school children and associated ASO titres in Duzce Turkey. *Jpn J Inf Dis.*, 57 : 271 – 272.
- Paradise JL, Bluestone CD, Bachman RZ (1984):*** Efficacy of tonsillectomy for recurrent throat infections in severely affected children. Results of parallel randomized and non randomized clinical trials. *N Engl. J Med.*, 310 (11) : 674 - 683.
- Paradise JL, Bluestone CD, Cloborn DK, Bernard BS, Rockette HE and Kurlasky M (2002):*** Tonsillectomy and adenoidectomy for recurrent throat infection in moderately affected children. *Pediatrics*, 110 : 7 – 15.
- Pavone P, Bianchini R, Parano E, Incorpora G, Rizza R, Mazzone L and Trifiletti RR (2004):*** Antibrain antibodies in PANDAS versus uncomplicated streptococcal infection. *Pediatr Neurol*, 30 (2) : 107 – 110.
- Pavone P, Parano E and Rizzo R (2006):*** Autoimmune neuropsychiatric disorders associated with streptococcal infection : sydenham chorea, PANDAS and PANDAS variants. *J Child Neurol*. 21 (9) : 727 – 736.
- Pichichero ME (1991):*** The rising incidence of penicillin treatment failure in group A streptococcal tonsilitopharyngitis an emerging role for the cephalosporins. *Pediatr Inf Dis. J*, 10 (S10) : S50 – S55.

Pichichero ME (1996): Streptococcal pharyngitis : is penicillin still the right choice ? compr ther., 22 : 782 – 787.

Pichichero ME (1998): Group A beta hemolytic streptococcal infection. Pediatr Rev, 19 : 291 – 302.

Pichichero ME (2005): A review of evidence supporting the American Academy of Pediatrics recommendations for prescribing cephalosporin antibiotics for penicillin allergic patients pediatrics, 115 : 1048 – 1057.

Pichichero ME (2012): Treatment and prevention of streptococcal tonsillopharyngitis. Wolters Kluwer Health up to Date 2012.

Pichichero ME and Stutman HR (2000): Pharyngotonsillitis. In : Brook I, and Mandell GL (eds): Atlas of upper respiratory and head and neck infections. Chapter 6, pp 126 – 147. Paramount printing Group Limited, Hong Kong.

Pichichero ME, Disney FA, Talpey WB, Green JL, Francis AB, Roghmann KJ et al. (1987): Adverse and benefacial effects of immediate treatment of group A beta hemolytic streptococcal pharyngitis with penicillin. Pediatr Infect Dis J, 6 : 635 – 643.

Pokarski SJ, Vetter EA, Wollen PC and Cockeril FR (1994): Comparison of gene probe group A streptococcus direct test with culture for diagnosing streptococcal pharyngitis. J Clin Microbiol, 32 : 1440 – 1443.

Principi N, Marchisio P, Calanchi A, Onorato J, Pelbani A, Reali E et al. (1990): Streptococcal pharyngitis in Italian children :

epidemiology and treatment with miocamycin. *Drugs Exp Clin Res*, 16 : 639 – 47.

Randolph MF, Gerber MA, DeMeok K and Wright L (1985): Effect of antibiotic therapy on the clinical course of streptococcal pharyngitis. *J ped*, 106 : 870 – 875.

Ray WA, Murray KT, Meredith S, Narasimhulu SS, Hall K and Stein CM (2004): Oral erythromycin and the risk of sudden death from cardiac causes. *N Engl J med*, 351 : 1082 – 1096.

Riise OR, Lee A, Cvancarava M, Handleand KS, Wathnek O, Nakstad B et al. (2008): Recent onset childhood arthritis associated with streptococcus pyogenes in a population based study. *Rheumatology*, 47 : 1006 – 1011.

Rimoin AW, Walker CLF, Hamza HS, Elminawi N, Abdel Ghafar H, and Vince A et al. (2010): The utility of rapid antigen detection testing for the diagnosis of streptococcal pharyngitis in low – resource settings. *Int J Infect Dis*, 14 : 1048 – 1053.

Rimon AW, Hamza HS and Vince A, Kuman R, Walker CF, Chitale RA et al. (2005): Evaluation of the WHO clinical decision rules for streptococcal pharyngitis. *Arch Dis Child*, 90 (10) : 1066 – 1070.

Robertson KA, Volmink JA and Mayosi BM (2005): Antibiotics for the primary prevention of acute rheumatic fever : a meta analysis. *BMC Cardiovasc Disord*, 5 : 11 – 19.

Rubin LG, Kahn RA, Vellozzi EM, Isenberg HD (1996): False positive detection of group A streptococcus antigen resulting from cross

reacting streptococcus intermedius (streptococcus milleri group). *Pediatr Infect Dis J*, 5 : 715 – 717.

Rushing J (2007): Clinical do's and don'ts : obtaining a throat culture
Nursing 37 (3) : 20 – 21.

Ryan KJ (2004): Steptococci and Enterococci. In : Ryan KJ and Ray CG.
Sherris Medical Microbiology. Chapter 17,P: 273–296.
McGraw Hill

Sadek MM (1999): Comparative study of in – vitro and in vivo
antibiotics used for treating acute attacks of recurrent tonsillitis
in children. *Alex J of pediatr*, 13 (2) : 429 – 438.

Sahin F, Ulukol B, Aysev D and Suskan E (2003): The validity of
diagnostic criteria for streptococcal pharyngitis in integerated
management of childhood illness (IMCI) guidelines. *J Trop
Pediatr*, 49 : 327 – 329.

Scherger JE (2010): What is the proper medication for patients with strept
throat ? Letters to the editor. *Am Fam Physicions* 81 (11) : 1318.

***Seppala H, Nissinen A, Jarvinen H, Huavinsen H, Henriksson T,
Herva E et al. (1992):*** Resistance to erythromycin in group A
streptococci. *NEJM*, 326 : 292 – 297.

Shah D (2009): Can we shorten the duration of treatment for acute
streptococcal pharyngitis ? *Ind Pediatr*, 46 : 235 – 237.

Shaikh N, Swaminathan N and Hooper EG (2012): Accuracy and
Precision of the signs and symptoms of streptococcal
pharyngitis in children: A systematic Review. *J. Pediatr*,
160:487-93.

Sheeler RD, Houston MS, Radke S, Dale JC and Adamson SC (2002):
Accuracy of rapid strept testing in patients who have had recent

streptococcal pharyngitis. J Am Board Fam Med, 15 (4) : 261 – 265.

Shehabi AA, Sammerrai SF and Nazer H (1988): Diagnostic value of a single streptozyme test for screening streptococcal sore throat infection. Serodiagnosis and Immunotherapy. Infectious Diseases 2; 411 – 414.

Shet A and Kaplan EL (2002): Review clinical use and interpretation of group A streptococcal antibody tests: a practical approach for the pediatrician or primary care physician. Pediatr Infect Dis, 21 (5) : 420 – 426.

Shulman ST and Gerber MA (2004): So what is wrong with penicillin for strept throat. Pediatrics, 113, 1816 – 1818.

Simon AH (2010): Pediatric pharyngitis. www.emedicine.medscape.com.

Simonini G, Taddio A and Gimaz R (2009): No evidence yet to change American Heart association recommendations for post streptococcal reactive arthritis. Arthritis Rheum, 60 (11) : 3516 – 3518.

Skiri N and Bardia A (2007): A history of streptokinase use in acute myocardial infarction. Tex heart Inst J, 34 (3) : 318 – 327.

Snellman LW, Stang HJ, Stang JM, Johnson DR and Kaplan EL (1993): Duration of positive throat culture for group A streptococci after initiation of antibiotic therapy. Pediatrics, 91 (6) : 1166 – 1170.

- Snider LA (2005):*** Antibiotic prophylaxis with azithromycin or penicillin for childhood onset neuropsychiatric disorders. *Biol psychiatry*, 57 (7) : 788 – 792.
- Starr CR and Engleberg NC (2006):*** Role of hyaluronidase in subcutaneous spread and growth of group A streptococci. *Infect Immun.*, 74 (1) : 40 – 48.
- Steele RW, Thomas MP and Begue RE (2001):*** Compliance issues related to the selection of antibiotic suspension for children. *Pediatr Infect Dis J*, 20 : 1 – 5.
- Steinhoff MC, Abdel Khalek MK, Khallaf N, Hamaza HS, El Ayadi A, Orabi A et al. (1997):*** Effectiveness of clinical guidelines for the presumptive treatment of streptococcal pharyngitis in Egyptian children. *Lancet*, 350 : 18 – 21.
- Steinhoff MC, Abdel Khalek MK, Khallaf N, Hamza HS, El ayadi A, Orabi A et al. (1997):*** Effectiveness of clinical guidelines for the presumptive treatment of streptococcal pharyngitis in Egyptian Children. *Lancet*, 350 : 18 – 21.
- Stewart AD and Maghadam H (1971):*** Diagnosis and treatment of throat infections in children. *Can Med Assoc J.*, 105 : 69 – 71.
- Steyer T (2002):*** Peritonsillar abscess : diagnosis and treatment. *Am Fam Phycisians*, 65 (1) : 93 – 97.
- Stillerman M, and Bernstein SH (1961):*** Streptococcal pharyngitis, evaluation of clinical syndromes in diagnosis. *Am J Dis.*, 101 : 476 – 489.

- Stollerman GH and Dale JB (2008):** The importance of group A streptococcal capsule in the pathogenesis of human infections : A historical perspective. Clin Inf Dis, 46 (7) : 1038 – 1045.
- Stulberg DL, Penrod MA and Blatny RA (2002):** Common bacterial skin infections. Am Fam Physicians, 66 (1) : 119 – 125.
- Swedo SE (2002):** Pediatric autoimmune neuropsychiatric disorders associated with streptococcal infection (PANDAS). Mol Psychiatry, 7 : S 24 – S 24.
- Tack KJ, Hedrick JA, Rothstein E, Nemeth MA, Keyserling C and Pichichero ME (1997):** Cefidinin Pediatric pharyngitis study group. A study of 5 days cefidinin treatment for streptococcal pharyngitis in children. Arch Pediatr Adolesc med, 151 : 45 – 49.
- Tanz PR, Shulman ST, Shortridge VD, Katat W, Kabat K, Cederlund E et al. (2004):** Community based surveillance in the United States of macrolide resistance pediatric pharyngeal group A streptococci during 3 respiratory disease seasons. Clin Infect Dis, 39 : 1794 – 1801.
- Tanz RR, Gerber MA, Kabat W, Rippe J, Seshadri R and Shulman ST (2009):** Performance of a rapid antigen detection test and throat culture in community pediatric offices : Implications for management of pharyngitis. Pediatrics, 123 : 437 – 447.
- Todar K (2011):** Streptococcus pyogenes and streptococcal diseases. In : Todar's on line textbook of microbiology.

- Uhl JR, Adamson SC, Vetter EA, Schleck CD, Harmsen WS, Inverson LK et al. (2003):** Comparison of light cyclers PCR, rapid antigen immunoassay, and culture for detection of group A streptococci from throat swabs. *J Clin Microbiol*, 41 : 242 – 249.
- Uziel Y, Per L, Barash J and Hashkes PJ (2011):** Post streptococcal reactive arthritis in children : a distinct entity from acute rheumatic fever. *Pediatr Rheumat*, 9 : 32 – 37.
- Van Bommel JM, Delgado V, Holman ER, Allaart CF, Huizinga TW, Bax JJ et al. (2009):** No increased risk of vascular heart disease in adult post streptococcal reactive arthritis. *Arthritis Rheum* 60 (4) : 987 – 993.
- Walker MJ, McArthur JD, McKay F and Ranson M (2005):** Is plasminogen deployed as streptococcus pyogenes virulence factor? *Trends Microbiol*, 13 : 308 – 313.
- Wessels MR (2011):** Streptococcal pharyngitis *NEJM*, 364 : 648 – 655.
- WHO (1986):** Evaluation of the streptozyme test for streptococcal antibodies. *WHO*, 64 : 504.
- WHO (2004):** Rheumatic fever and rheumatic heart disease. *WHO technical report series* 923.
- WHO (2005):** Group A streptococcal vaccine development : current status and issues of relevance to less developed countries Geneva *WHO /FCH/CAH/0509*.
- Wickman PA, Black JA, Moland ES and Thomson KS (2006):** In vitro activity of DX -619 and other comparison quinolones against gram positive cocci. *Antimicrob Agents Chemother*, 50 : 2255 – 2257.