

References

- **Agarwal R. (2007):** Relationship between circadian blood pressure variation and circadian protein excretion in CKD. *Am J Physiol Renal Physiol*; 293: 655–659.
- **Agarwal R and Light RP. (2008):** Physical activity and hemodynamic reactivity in chronic kidney disease. *Clin J Am Soc Nephrol*; 3: 1660 –1668.
- **Agarwal R and Light RP. (2009):** GFR, proteinuria and circadian blood pressure. *Nephrol Dial Transplant*; 24: 2400–2406.
- **Agarwal R, Light RP, Bills JA and Lindsey A. (2009):** Nocturia, Nocturnal Activity, and Nondipping. *Hypertension*; 54: 646-651.
- **Aizman L, Rabinowitz C and Mayer-Harnisch. (1994):** Circadian rhythms and time course of adaptive sodium and potassium excretion in rats after uninephrectomy. *American Journal of Physiology*; 266: 1454–1462.
- **Albertus J Voogel, Marion G Koopman, Augustinus A M Hart, Gert A Van Montfrans and Lambertus Arisz. (2000):** Circadian rhythms in systemic hemodynamics and renal function in healthy subjects and patients with nephrotic syndrome. *Ann NY Acad Sci*; 140: 150–162.
- **Albrecht U and Eichele G. (2003):** The mammalian circadian clock. *Curr Opin Genet Develop*; 13: 271–277.

- **American Academy of sleep Medicine. international classification of sleep disorders, Diagnostic and coding manual 2nd edn (American Academy of sleep Medicine, westchester, iL, 2005).**
- **Andersen MJ and Agarwal R. (2005):** Etiology and management of hypertension in chronic kidney disease. *Med Clin North Am*; 89: 525–547.
- **Anwar YA and White WB. (1998):** Chronotherapeutics for cardiovascular disease, *Drugs*;55: 631–643.
- **Asplund R. (1999):** Mortality in the elderly in relation to nocturnal micturition. *BJU Int*; 84: 297–301.
- **Auvil-Novak SE. (1999):** The chronobiology, chronopharmacology, and chronotherapeutics of pain. *Annu Rev Nurs Res*; 17: 133–153.
- **Bankir L, Bochud M, Maillard M, Bovet P, Gabriel A and Burnier M. (2008):** Nighttime blood pressure and nocturnal dipping are associated with daytime urinary sodium excretion in African subjects. *Hypertension*; 51: 891–898.
- **Bargiello TA, Jackson FR and Young MW. (1984):** "Restoration of circadian behavioural rhythms by gene transfer in *Drosophila*". *Nature*; 312 (5996): 752–4.
- **Barrett BJ, Vavasour HM, Major A and Parfrey PS. (1990):** Clinical and psychological correlates of somatic symptoms in patients on dialysis. *Nephron*; 55: 10–15.

- **Biswas K and Mulkerrin EC. (1997):** Potassium homoeostasis in the elderly. *Quar J Med*; 90:487–492.
- **Bliwise DL, Kutner NG, Zhang R and Parker KP. (2001):** Survival by time of day of hemodialysis in an elderly cohort. *JAMA*; 286: 2690–2694.
- **Bonny O and Firsov D. (2009):** Circadian clock and the concept of homeostasis. *Cell Cycle*; 8: 4015–4016.
- **Brenner BM, Garcia DL and Anderson S. (1988):** Glomeruli and blood pressure. Less of one, more the other. *Am J Hypertens*; 1:335–347.
- **Bretzl H. (1903):** Botanische Forschungen des Alexanderzuges. Leipzig: Teubner.
- **Bro S et al. (1999):** A prospective, randomized multicenter study comparing APD and CAPD treatment. *Perit Dial Int*; 19: 526–533.
- **Brox AG, Zhang F, Guyda H, et al. (2002):** Subtherapeutic erythropoietin and insulin-like growth factor-1 correct the anemia of chronic renal failure in the mouse. *Kidney Int*; 50: 937-943.
- **Buemi M, Allegra A, Aloisi C et al. (1992):** The circadian rhythm of erythropoietin in subjects with pre-terminal uremia. *Clin Nephrol*; 37: 159-160.
- **Buemi M, Allegra A, Lagana A et al. (2003):** Effects of the evening i.v. administration of erythropoietin in haemodialyzed patients. *Riv Eur Sci Med Farmacol*; 15: 195-197.

- **Buijsen JGM, Van Acker BAC and Koomen GCM et al. (1994):** Circadian rhythm of glomerular filtration rate in patients after kidney transplantation. *Nephrol Dial Transplant*; 9: 1330–1333.
- **Burnier M, Coltamai L, Maillard M and Bochud M. (2007):** Renal sodium handling and nighttime blood pressure. *Seminars in Nephrology*; 27: 565–571.
- **Campese VM, Mitra N and Sandee D. (2006):** Hypertension in renal parenchymal disease: why is it so resistant to treatment? *Kidney Int*; 69: 967– 973.
- **Carskadon MA and Dement WC. (2005):** Normal human sleep: an overview. in *Principles and Practice of Sleep Medicine* (eds Kryger MH, Roth T & Dement WC.) 13–23 (Elsevier saunders, Philadelphia, 2005).
- **Challet E and Pévet P. (2003):** Interactions between photic and nonphotic stimuli to synchronize the master circadian clock in mammals. *Front Biosci*; 8: 246–57.
- **Claustrat B, Brun J and Chazot G. (2005):** The basic physiology and pathophysiology of melatonin. *Sleep Med Rev*; 9: 11–24.
- **Cuninkova L and Brown SA. (2008):** Peripheral circadian oscillators: interesting mechanisms and powerful tools. *Ann N Y Acad Sci*; 1129: 358-70.

- **Cuspidi C, Vaccarella A, Leonetti G and Sala C. (2010):** Ambulatory blood pressure and diabetes: targeting nondipping. *Curr Diabet Rev*; 6: 111–115.
- **Czeisler CA, Buxton OM and Singh Khalsa SB. (2005):** The human circadian timing system and sleep-wake regulation. in *Principles and Practice of Sleep Medicine* (eds Kryger MH, Roth T & Dement WC.) 388 (elsevier saunders, Philadelphia, 2005).
- **Davidson MB, Hix JK, Vidt DG, et al. (2006):** Association of impaired diurnal blood pressure variation with a subsequent decline in glomerular filtration rate. *Arch Intern Med*; 166: 846–852.
- **DeBruyne JP, Weaver DR and Reppert SM. (2007):** Peripheral circadian oscillators require CLOCK. *Curr Biol*; 17: 538–9.
- **De Guchtenaere A, et al. (2007):** Nocturnal polyuria is related to absent circadian rhythm of glomerular filtration rate. *J Urol*; 178:2626–2629.
- **De Zeeuw D, Remuzzi G, Parving HH et al. (2004):** Albuminuria, a therapeutic target for cardiovascular protection in type 2 diabetic patients with nephropathy. *Circulation*; 110: 921–927.
- **Degaute JP, Van de Borne P, Linkowski P and van Cauter E. (2001):** Quantitative analysis of the 24-hour blood pressure and heart rate patterns in young men. *Hypertension*; 18: 199–210.

- **DiFresco V, Landman M, Jaber BL and white AC. (2000):** Dialysis disequilibrium syndrome: an unusual cause of respiratory failure in the medical intensive care unit. *Intensive Care Med*; 26: 628–630.
- **Dijk Derk-Jan and Malcolm von Schantz. (2005):** "Timing and Consolidation of Human Sleep, Wakefulness, and Performance by a Symphony of Oscillators". *J Biol Rhythms* (SagePub); 20 (4): 279–290. Retrieved 2010-10-14.
- **Dinarello CA. (1992):** Interleukin-1 and tumor necrosis factor and their naturally occurring antagonists during hemodialysis. *Kidney Int*; 38: 68–77.
- **Doi M, Takahashi Y, Komatsu R, Yamazaki F, Yamada H, Haraguchi S, Emoto N, Okuno Y, Tsujimoto G, Kanematsu A, Ogawa O, Todo T and Tsutsui K. (2009):** Salt-sensitive hypertension in circadian clock-deficient Cry-null mice involves dysregulated adrenal Hsd3b6. *Nature Medicine*; 16 : 67–74.
- **Duffy Jeanne F, Kenneth P and Wright JR. (2005):** "Entrainment of the Human Circadian System by Light (Review)". *J Biol Rhythms* (Sage); 20 (4): 326–338.
- **Ekmek cioglu C. (2006):** Melatonin receptors in humans: biological role and clinical relevance. *Biomed Pharmacother*; 60: 97–108.
- **Eladari D, Chambrey R, Frische S, Vallet M and Edwards A. (2009):** Pendrin as a regulator of ECF and blood pressure. *Current Opinion in Nephrology and Hypertension*; 18: 356–362.

- **Ernst ME. (2009):** Nighttime blood pressure is the blood pressure. *Pharmacotherapy*; 29: 3–6.
- ***European College of Neuropsychopharmacology - Published: 2010-09-***
- **Fakitsas P, Adam G, Daidie D, Van Bemmelen MX, Fouladkou F, Patrignani A, Wagner U, Warth R, Camargo SM and Staub O. (2007):** Verrey Early aldosterone-induced gene product regulates the epithelial sodium channel by deubiquitylation. *Journal of the American Society of Nephrology*; 18: 1084–1092.
- **Feillet CA, Mendoza J, Albrecht U, Pévet P and Challet E. (2008):** Forebrain oscillators ticking with different clock hands. *Mol Cell Neurosci*; 37:209–21.
- **Figueiro MG and Rea MS. (2010):** "Lack of short-wavelength light during the school day delays dim light melatonin onset (DLMO) in middle school students". *Neuro Endocrinology Letters*; 31 (1): 92–6.
- **Firsov D and Bonny O. (2010):** Circadian regulation of renal function. *Kidney International*;78: 640–645.
- **Fujii T, Uzu T, Nishimura M, Takeji M, Kuroda S, Nakamura S, Inenaga T and Kimura G. (1999):** Circadian rhythm of natriuresis is disturbed in nondipper type of essential hypertension. *Am J Kidney Dis*; 33: 29–35.

- **Fukuda M, Goto N and Kimura G. (2006a):** Hypothesis on renal mechanism of non-dipper pattern of circadian blood pressure rhythm. *Medical Hypotheses*; 67: 802–806.
- **Fukuda M, Masahiro M, Miyagi S, Sengo K, Takeshi U, Yoshida A and Kimura G. (2006b):** Polynicturia in chronic kidney disease is related to natriuresis rather than to water diuresis. *Nephrol Dial Transplant*; 21:2172–2177.
- **Fukuda M, Munemura M, Usami T, Nakao N, Takeuchi O, Kamiya Y, Yoshida A and Kimura G. (2004):** Nocturnal blood pressure is elevated with natriuresis and proteinuria as renal function deteriorates in nephropathy. *Kidney Int*; 65:621–625.
- **Gallego M and Virshup DM. (2007):** "Post-translational modifications regulate the ticking of the circadian clock". *Nat Rev Mol Cell Biol*; 8 (2): 139–48.
- **Garcia-Ortiz L, Gomez-Marcos MA, Martin-Moreiras J, Gonzalez-Elena LJ, Recio-Rodriguez JI, Castano-Sanchez Y, Grandes G and Martinez-Salgado C. (2009):** Pulse pressure and nocturnal fall in blood pressure are predictors of vascular, cardiac and renal target organ damage in hypertensive patients (LOD-RISK study). *Blood Press Monit*; 14: 145–151.
- **Gardner MJ, Hubbard KE, Hotta CT, Dodd AN and Webb AA. (2006):** "How plants tell the time". *The Biochemical Journal*; 397 (1): 15–24.

- **Gatzka CD, Schobel HP, Klingbeil AU, Neumayer HH and Schmieder RE. (1995):** Normalization of circadian blood pressure profiles after renal transplantation. *Transplantation*; 59: 1270–1274.
- **Geron R et al. (2006):** Polymorphonuclear leucocyte priming in long intermittent nocturnal haemodialysis patients—is melatonin a player? *Nephrol Dial Transplant*; 21: 3196–3201.
- **Goto N, Uchida K, Morozumi K, Ueki T, Matsuoka S, Katayama A, Haba T, Tominaga Y, Fukuda M, Nakao A and Kimura G. (2005):** Circadian blood pressure rhythms is disturbed by nephrectomy. *Hypertens Res*; 28:301–306.
- **Granados-Fuentes D, Tseng A and Herzog ED. (2006):** A circadian clock in the olfactory bulb controls olfactory responsivity. *J Neurosci*; 26:12219–25.
- **Grandin LD, Alloy LB and Abramson LY. (2006):** The social zeitgeber theory, circadian rhythms, and mood disorders: review and evaluation. *Clin Psychol Rev*; 26: 679-694.
- **Guilding C and Piggins HD. (2007):** Challenging the omnipotence of the suprachiasmatic timekeeper: are circadian oscillators present throughout the mammalian brain? *Eur J Neurosci*; 25: 3195–216.
- **Guillaumond F, Dardente H, Giguère V and Cermakian N. (2005):** Differential control of Bmal1 circadian transcription by REVERB and ROR nuclear receptors. *J Biol Rhythms*; 20:391–403.

- **Gumz ML, Cheng K, Lynch IJ, Stow LR, Greenlee MM, Cain BD and Wingo CS. (2010):** Regulation of ENaC expression by the circadian clock protein period 1 in mpkCCDc14 cells. *Biochim Biophys Acta*; 1799: 622–629.
- **Gumz ML, Lynch IJ, Greenlee MM, Rudin A, Cain BD, Weaver DR and Wingo CS. (2009):** The circadian clock protein Period 1 regulates expression of the renal epithelial sodium channel in mice. *Journal of Clinical Investigation*; 119: 2423–2434.
- **Halperin ML, Cheema-Dhadli S, Lin SH and Kamel KS. (2006):** Control of potassium excretion: a Paleolithic perspective *Current Opinion in Nephrology and Hypertension*; 15:430–436.
- **Hanly P. (2004):** Sleep apnea and daytime sleepiness in end-stage renal disease. *Semin Dial*; 17: 109–114.
- **Hanly P, Gabor JY, Chan C et al. (2003):** Daytime sleepiness in patients with CRF: impact of nocturnal hemodialysis. *Am J Kidney Dis*; 41: 403-410.
- **Hastings M, O'Neill JS and Maywood ES. (2007):** Circadian clocks: regulators of endocrine and metabolic rhythms. *J Endocrinol*; 195:187–98.
- **Hatanaka F, Matsubara C, Myung J, Yoritaka T, Kamimura N, Tsutsumi S, Kanai A, Suzuki Y, Sassone-Corsi P, Aburatani H, Sugano S and Takumi T. (2010):** Genome-wide profiling of the core clock protein BMAL1 targets reveals a strict relationship with metabolism. *Molecular and Cellular Biology*; 30: 5636–5648.

- **Hebert SC, Desir G, Giebisch G and Wang W. (2005):** Molecular diversity and regulation of renal potassium channels. *Physiological Reviews*; 85: 319–371.
- **Heneghan JF, Akhavein A, Salas MJ, Shmukler BE, Karniski LP, Vandorpe DH and Alper SL. (2010):** Regulated transport of sulfate and oxalate by SLC26A2/DTDST. *American Journal of Physiology Cell Physiology*; 298: 1363–1375.
- **Hermida RC. (2007):** Ambulatory blood pressure monitoring in the prediction of cardiovascular events and effects of chronotherapy: Rationale and design of the MAPEC study. *Chronobiol Int*; 24: 749–775.
- **Hermida RC and Ayala DE. (2009):** Chronotherapy with the angiotensin-converting enzyme inhibitor ramipril in essential hypertension: Improved blood pressure control with bedtime dosing. *Hypertension*; 54: 40–46.
- **Hermida RC, Ayala DE and Fernández JR. (2010):** Influence of circadian time of hypertension treatment on cardiovascular risk: results of the MAPEC study. *Chronobiology Int*; 8: 1629–1651.
- **Hermida RC, Calvo C, Ayala DE, Dominguez MJ, Covelo M, Fernandez JR, Fontao MJ and Lopez JE. (2004):** Administration-time-dependent effects of doxazosin GITS on ambulatory blood pressure of hypertensive subjects. *Chronobiol Int*; 21: 277–296.

- **Herzog HD. (2007):** Neurons and networks in daily rhythms. *Nat Rev Neurosci*; 8:790–802.
- **Herzog HD and Schwartz WJ. (2002):** A neural clockwork for encoding circadian time. *J Appl Physiol*; 92:401–8.
- **Heuck C, Skjaerbaek C, Orskov H et al. (1999):** Circadian variation in serum free ultrafiltrable insulin-like growth factor I concentrations in healthy children. *Pediatr Res*; 45: 733-736.
- **Hirshkowitz M. (2004):** Normal human sleep: an overview. *Med Clin North Am*; 88: 551–565.
- **Holley JL, Nespor S and Rault RA. (1992):** Comparison of reported sleep disorders in patients on chronic hemodialysis and continuous peritoneal dialysis. *Am J Kidney Dis*; 19: 156–161.
- **Hou J, Renigunta A, Yang J and Waldegger S. (2010):** Claudin-4 forms paracellular chloride channel in the kidney and requires claudin-8 for tight junction localization. *Proceedings of the National Academy of Sciences of the United States of America*; 107:18010–18015.
- **Ignatowska-Switalska H. (1983):** Circadian rhythm of PGE₂, PGF₂ alpha and 6-keto-PGF₁ alpha urinary excretion in healthy women. *Prostaglandins leukotrienes Medicine*; 11: 233–240.
- **Jin X, et al. (1999):** A molecular mechanism regulating rhythmic output from the suprachiasmatic circadian clock. *Cell*; 96:57–68.
- **Jorge Mendoza and Etienne Challet. (2009):** Brain Clocks: From the Suprachiasmatic Nuclei to a Cerebral Network. *The Neuroscientist*; 15 (5): 477-488.

- **Kamperis K, Rittig S, Jorgensen KA and Djurhus JC. (2006):** Nocturnal polyuria in monosymptomatic nocturnal enuresis refractory to desmopressin treatment. *Am J Physiol Renal Physiol*; 291: 1232–1240.
- **Karasek M, Szuflet A, Chrzanowski W, Zylinska K and swietoslawski J. (2005):** Decreased melatonin nocturnal concentrations in hemodialyzed patients. *Neuro Endocrinol Lett*; 26: 653–656.
- **Karasek M, Szuflet A, Chrzanowski W, Zylinska K and Swietoslawski J. (2002):** Circadian serum melatonin profiles in patients suffering from chronic renal failure. *Neuro Endocrinol Lett*; 23 (1): 97–102.
- **Karatsoreos IN, Yan L, LeSauter J and Silver R. (2004):** Phenotype matters: identification of light-responsive cells in the mouse suprachiasmatic nucleus. *J Neurosci*; 24:68–75.
- **Kimura G, Dohi Y and Fukuda M. (2010):** Salt sensitivity and circadian rhythm of blood pressure: The keys to connect CKD with cardiovascular events. *Hypertens Res*; 33: 515–520.
- **Kimura T, Allen PB, Nairn AC and Caplan MJ. (2007):** Arrestins and spinophilin competitively regulate Na⁺,K⁺-ATPase trafficking through association with a large cytoplasmic loop of the Na⁺,K⁺-ATPase. *Molecular Biology of the Cell*; 18: 4508–4518.
- **Kirkland JL, Lye M, Levy DW and Banerjee AK. (1983):** Patterns of urine flow and electrolyte secretion in healthy elderly people. *Br Med J*; 285:1665–1667.

- **Ko CH and Takahashi JS. (2006):** "Molecular components of the mammalian circadian clock". *Hum Mol Genet*; 15 Spec No 2: R271–7.
- **Koch BC, Nagtegaal JE et al. (2009):** Circadian sleep–wake rhythm disturbances in end-stage renal disease. *Nat Rev Nephrol*; 5: 407–416.
- **Konturek SJ, Konturek PC, Brzozowski T and Bubenik GA. (2007):** Role of melatonin in upper gastrointestinal tract. *J Physiol Pharmacol*; 58 (6): 23–52.
- **Lamia KA, Storch KF and Weitz CJ. (2008):** Physiological significance of a peripheral tissue circadian clock. *Proc Natl Acad Sci USA*; 105:15172–15177.
- **Lamont EW, Robinson B, Steward J and Amir S. (2005):** The central and basolateral nuclei of the amygdala exhibit opposite diurnal rhythms of expression of the clock protein Period2. *Proc Natl Acad Sci USA*; 102:4180–4.
- **Lemmer B. (2006):** The importance of circadian rhythms on drug response in hypertension and coronary heart disease—from mice and man. *Pharmacol Ther*; 111: 629–651.
- **Leunissen, KML and Kooiman JP. (2000):** Hemodialysis and Krediet RT. Peritoneal dialysis. In *Clinical Nephrology* (Eds De Jong, P.E., Koomans, H.A. and Weening, J.J.) 395-423 (Elsevier healthcare, Maarssen, 2000).

- **Levi F. (2001):** Circadian chronotherapy for human cancers. *Lancet Oncol*; 2: 307– 315.
- **Lisa R. Stow and Michelle L. Gumz (2011):** The Circadian Clock in the Kidney. *J Am Soc Nephrol*; 22: 598–604.
- **Liu AC, Lewis WG and Kay SA. (2007):** Mammalian circadian signaling networks and therapeutic targets. *Nat Chem Biol*; 3: 630-639.
- **Lowrey PL and Takahashi JS. (2004):** "Mammalian circadian biology: elucidating genome-wide levels of temporal organization". *Annu Rev Genomics Hum Genet*; 5: 407–41.
- **Macías-Núñez JF and Cameron S. (2005):** The ageing kidney. In *Oxford Textbook of Clinical Nephrology*, J.S. Cameron, ed. Oxford: Oxford University Press.
- **Macías-Núñez JF, Bondía Román A and Rodriguez-Commes JL. (1987):** Physiology and disorders of water balance and electrolytes in the elderly. In *Renal Function and Disease in the Elderly*, J.F. Macías-Núñez and J.S. Cameron, eds. London: Butterworths; pp. 67–93.
- **Macías-Núñez JF, Musso CG, Rivera H, Imperiali N and Algranati L. (2006):** Sodium loss induced hyponatremia in the elderly on a low sodium diet. *Esp Geriatr Gerontol*; 41(4): 411–419.
- **Malherbe C, De Gasparo M, De Hertogh R and Hoet JJ. (1999):** Circadian variations of blood sugar and plasma insulin levels in man. *Diabetologia*; 5: 397– 404.

- **Mansoor GA, White WB, McCabe EJ and Giacco S. (2000):** The relationship of electronically monitored physical activity to blood pressure, heart rate, and the circadian blood pressure profile. *Am J Hypertens*; 13: 262–267.
- **Markus RP, Ferreira ZS, Fernandes PA and Cecon E. (2007):** The immune-pineal axis: a shuttle between endocrine and paracrine melatonin sources. *Neuroimmunomodulation*; 14: 126–133.
- **Mc Keigue PM and Reynard JM. (2000):** Relation of nocturnal polyuria of the elderly to essential hypertension. *Lancet*; 355:436–488.
- **McAinsh J and Cruickshank JM. (1990):** Beta-blockers and central nervous system side effects. *Pharmacol Ther*; 46: 163–197.
- **Meijer JH and Schwartz WJ. (2003):** In search of the pathways for light induced pacemaker resetting in the suprachiasmatic nucleus. *J Biol Rhythms*; 18:235–49.
- **Mendelssohn D et al. (2004):** Sleep disorders and quality of life in chronic kidney disease patients in the predialysis stage [abstract]. *J Am Soc Nephrol*; 15: 132A.
- **Mendoza J, Pévet P and Challet E. (2007):** Circadian and photic regulation of clock and clock-controlled proteins in the suprachiasmatic nuclei of calorie-restricted mice. *Eur J Neurosci*; 25:3691–701.

- **Merlino G et al. (2006):** Sleep disorders in patients with end-stage renal disease undergoing dialysis therapy. *Nephrol Dial Transplant*; 21: 184–190.
- **Mills JN and Stanbury SW. (1992):** Persistent 24-hour renal excretory rhythm on a 12-hour cycle of activity. *Journal of Physiology*; 117: 22–37.
- **Minors DS and Waterhouse JM. (1982):** Circadian rhythms of urinary excretion: The relationship between the amount excreted and the circadian changes. *J Physiol*; 327:39–51.
- **Mistlberger RE and Skene DJ. (2004):** Social influences on mammalian circadian rhythms: animal and human studies. *Biol Rev Camb Philos Soc*; 79:533–56.
- **Moore Ede MC, Brennan MF and Ball MR. (1975):** Circadian variation of intercompartmental potassium fluxes in man. *Journal of Applied Physiology*; 38: 163–170.
- **Moore JG and Englert E. (1999):** Circadian rhythm of gastric acid secretion in man. *Nature*; 226: 1261–1262.
- **Mucsi I et al. (2004):** Sleep disorders and illness intrusiveness in patients on chronic dialysis. *Nephrol Dial Transplant*; 19: 1815–1822.
- **Musso CG. (2002):** Geriatric nephrology and the “nephrogeriatric giants.” *Int. Urol. Nephrol*; 34(2):255–256.

- **Musso CG, De Miguel R, Algranati L and Dos Ramos Farias E. (2005):** Renal potassium excretion: Comparison between chronic disease patients and old people. *Int Urol Nephrol*; 37:167–170.
- **Musso CG, De Miguel R, Imperiali N and Algranati L. (2005):** Water metabolism in the elderly with immobility syndrome. *Proc. 8th Int. Conf. Geriatr. Nephrol. Urol.*, Thessaloniki, Greece: Syllabus; p. 285.
- **Musso CG, López Novoa J and Macías-Núñez JF. (2005):** Handling of water and sodium by the senescent kidney. Interpretation of a clearance technique for functional study. *Rev Esp Geriatr Gerontol*; 40(2):114–119.
- **Musso CG, López-Novoa JM and Macías-Núñez JF. (2004):** Renal tubular function in the old old. *Rev Esp Geriatr Gerontol*; 39(5):314–319.
- **Nagtegaal E et al. (1998):** Correlation between concentrations of melatonin in saliva and serum in patients with delayed sleep phase syndrome. *Ther Drug Monit*; 20: 181–183.
- **Nagtegaal JE. (2002):** Chronobiological, Clinical and Pharmacological aspects of melatonin in Human Circadian Rhythm Dysfunction. In *Treatise on Pineal Gland and Melatonin*, eds. Haldar C, Singaravel M, Kumar Maitra S. Science Publishers: Enfield, pp 461-89.
- **Ohdo S. (2010):** Chronotherapeutic strategy: Rhythm monitoring, manipulation and disruption. *Adv Drug Deliv Rev*; 62: 859–875.

- **Parker KP, Bliwise DL and Rye DB. (2000):** Hemodialysis disrupts basic sleep regulatory mechanisms: building hypotheses. *Nurs Res*; 49: 327–332.
- **Parker KP, Bliwise DL, Bailey JL and Rye DB. (2005):** Polysomnographic measures of nocturnal sleep in patients on chronic, intermittent daytime haemodialysis vs those with chronic kidney disease. *Nephrol Dial Transplant*; 20: 1422–1428.
- **Parker KP. (2003):** Sleep disturbances in dialysis patients. *Sleep Med Rev*; 7: 131–143.
- **Peralta CA, Hicks LS, Chertow GM et al. (2005):** Control of hypertension in adults with chronic kidney disease in the United States. *Hypertension*; 45: 1119–1124.
- **Perrin NE, Torbjornsdotter TB, Jaremko GA, et al. (2004):** Follow-up of kidney biopsies in normoalbuminuric patients with type 1 diabetes. *Pediatr Nephrol*; 19: 1004–1013.
- **Pévet P, Agez L, Bothorel B, Saboureau M, Gauer F and Laurent V. (2006):** Melatonin in the multi-oscillatory mammalian circadian world. *Chronobiol Int*; 23:39–51.
- **Pickering TG and Kario K. (2001):** Nocturnal non-dipping: what does it augur? *Curr Opin Nephrol Hypertens*; 10: 611– 616.
- **Pogue V, Rahman M, Lipkowitz M, Toto R, Miller E, Faulkner M, Rostand S, Hiremath L, Sika M, Kendrick C, Hu B, Greene T, Appel L and Phillips RA. (2009):** Disparate estimates of hypertension control from ambulatory and clinic blood pressure measurements in hypertensive kidney disease. *Hypertension*; 53: 20 –27.

- **Polonia J, Diogo D, Caupers P and Damasceno A. (2003):** Influence of two doses of irbesartan on non-dipper circadian blood pressure rhythm in salt-sensitive black hypertensives under high salt diet. *J Cardiovasc Pharmacol*; 42: 98–104.
- **Pons M, Cambar J and Waterhouse JM. (1996):** Renal hemodynamic mechanisms of blood pressure rhythms. *Ann NY Acad Sci*; 783: 95–112.
- **Pons M, Cambar J and Waterhouse JM. (1996):** Renal hemodynamic mechanisms and blood pressure rhythms. *Ann NY Acad Sci*; 783: 95–112.
- **Portaluppi F, Vergnani L, Manfredini R, degli Uberti EC and Fersini C. (1995):** Time-dependent effect of isradipine on the nocturnal hypertension in chronic renal failure. *Am J Hypertens*; 8: 719–726.
- **Prasanthi NI, Swathi G and Manikiran SS. (2011):** Chronotherapeutics: A new vista in novel drug delivery systems. *International Journal of Pharmaceutical Sciences Review and Research*; 6(2):66-75.
- **Qureshi A and Lee-Chiong T. (2004):** Medications and their effects on sleep. *Med ClinNorth Am*; 88: 751–766.
- **Refinetti R and Menaker M. (1992):** Review: The circadian rhythm of body temperature. *Physiol. Behav*; 51: 613-637.

- **Reid KJ and Zee PC. (2005):** Circadian disorders of the sleep-wake cycle. in Principles and Practice of Sleep Medicine (eds Kryger MH, Roth T & Dement WC.) 691–702 (elsevier saunders, Philadelphia, 2005).
- **Reppert SM and Weaver DR. (2002):** Coordination of circadian timing in mammals. *Nature*; 418:935–41.
- **Roberts D and Smith DJ. (1996):** Erythropoietin does not demonstrate circadian rhythm in healthy men. *J Appl Physiol*; 80: 847–851.
- **Roberts MM and Robinson AG. (1993):** Hyponatremia in the elderly: Diagnosis and management. *Geriatr Nephrol Urol*; 3:43–50.
- **Roelfsema F, van der Heide D and Smeenk D. (1980):** Circadian rhythms of urinary electrolyte excretion in freely moving rats. *Life Sci*; 27:2303–2309.
- **Rossier BC and Schild L. (2008):** Hypertension finds a new rhythm. *Hypertension*; 52: 595–600.
- **Rossier BC and Stutts MJ. (2009):** Activation of the epithelial sodium channel (ENaC) by serine proteases. *Annual Review of Physiology*; 71: 361–379.
- **Rossier BC, Pradervand S, Schild L and Hummler E. (2002):** Epithelial sodium channel and the control of sodium balance: interaction between genetic and environmental factors. *Annual Review of Physiology*; 64: 877–897.

- **Routledge FS, McFetridge-Durdle JA and Dean CR. (2007):** Night-time blood pressure patterns and target organ damage: A review. *Can J Cardiol*; 23: 132–138.
- **Routledge FS, McFetridge-Durdle JA and Dean CR. (2007):** Night-time blood pressure patterns and target organ damage: A review. *Can J Cardiol*; 23: 132–138.
- **Rudic RD and Fulton DJ. (2009):** The Role of Clock Genes in Cardiometabolic Disease. Pressed for time: the circadian clock and hypertension. *J Appl Physiol*; 107:1328-1338.
- **Sachdeva A and Weder AB. (2006):** Nocturnal sodium excretion, blood pressure dipping, and sodium sensitivity. *Hypertension*; 48: 527–533.
- **Sachdeva A and Weder AB. (2006):** Nocturnal sodium excretion, blood pressure dipping, and sodium sensitivity. *Hypertension*; 48:527–533.
- **Sahar S and Sassone-Corsi P. (2009):** Metabolism and cancer: the circadian clock connection. *Nat Rev Cancer*; 9:886-896.
- **Saifur Rohman M, Emoto N, Nonaka H, Okura R, Nishimura M, Yagita K, van der Horst GT, Matsuo M, Okamura H and Yokoyama M. (2005):** Circadian clock genes directly regulate expression of the Na()/H() exchanger NHE3 in the kidney. *Kidney Int*; 67: 1410– 1419.
- **Sarafidis PA, Li S, Chen SC, Collins AJ, Brown WW, Klag MJ and Bakris GL. (2008):** Hypertension awareness, treatment, and control in chronic kidney disease. *Am J Med*;121: 332–340.

- **Scheer FA, Wright KP, Kronauer RE and Czeisler CA. (2007):** Nicolelis, Miguel. ed. "Plasticity of the intrinsic period of the human circadian timing system". PLoS ONE; 2 (1): 721.
- **Schibler U. (2006):** Circadian time keeping: the daily ups and downs of genes, cells, and organisms. Prog Brain Res; 153:271–82.
- **Schmieder RE, Langenfeld MR, Hilgers KF. (1997):** Endogenous erythropoietin correlates with blood pressure in essential hypertension. Am J Kidney Dis; 29: 376-382.
- **Schmitt CP, Homme M and Schaefer F. (2005):** Structural organization and biological relevance of oscillatory parathyroid hormone secretion. Pediatr Nephrol; 20:346–351.
- **Scortegagna M, Ding K, Zhang Q et al. (2005):** HIF-2alpha regulates murine hematopoietic development in an erythropoietin-dependent manner. Blood; 105: 3133-3140.
- **Semjonova Milena. (2003):** "Healthy Lighting, from a lighting designer's perspective". Milena Lighting Design.
- **Sharma VK. (2003):** "Adaptive significance of circadian clocks". Chronobiology International; 20 (6): 901–19.
- **Shearman LP, Sriram S, Weaver DR, Maywood ES, Chaves I, Zheng B, Kume K, Lee CC, van der Horst GT, Hastings MH and Reppert SM. (2000):** "Interacting molecular loops in the mammalian circadian clock". Science; 288 (5468): 1013–9.
- **Silver S and LeSauter J. (2008):** Circadian and homeostatic factors in arousal. Ann N Y Acad Sci; 1129:263–74.

- **Simko F and Pechanova O. (2009):** Potential roles of melatonin and chronotherapy among the new trends in hypertension treatment. *J Pineal Res*; 47: 127–133.
- **Smolensky MH and Labrecque G. (1997):** Chronotherapeutics, *Pharm News*; 4: 10–16.
- **Smolensky MH, Hermida RC, Ayala DE, Tiseo R and Portaluppi F. (2010):** Administration-timedependent effects of blood pressure-lowering medications: Basis for the chronotherapy of hypertension. *Blood Press Monit*; 15: 173–180.
- **Son GH, et al. (2008):** Adrenal peripheral clock controls the autonomous circadian rhythm of glucocorticoid by causing rhythmic steroid production. *Proc Natl Acad Sci USA*; 105:20970–20975.
- **Staessen JA, Birkenhager W, Bulpitt CJ, Fagard R, Fletcher AE, Lijnen P, Thijs L and Amery A. (1993):** The relationship between blood pressure and sodium and potassium excretion during the day and night. *J Hypertens*; 11:443–447.
- **Steele A, DeVeber H, Quaggin SE, Scheich A, Ethier J and Halperin ML. (1994):** What is responsible for the diurnal variation in potassium excretion? *Am Journal of Physiology*; 267: 554–560.
- **Svensson P, de Faire U, Sleight P, Yusuf S and Ostergren J. (2001):** Comparative effects of ramipril on ambulatory and office blood pressures: a HOPE Substudy. *Hypertension*; 38: 28–32.

- **Takeda A, Toda T, Fujii T and Matsui N. (2009):** Bedtime administration of long-acting antihypertensive drugs restores normal nocturnal blood pressure fall in nondippers with essential hypertension. *Clin Exp Nephrol*; 13: 467–472.
- **Tang SC et al. (2006):** Alleviation of sleep apnea in patients with chronic renal failure by nocturnal cycler-assisted peritoneal dialysis compared with conventional continuous ambulatory peritoneal dialysis. *J Am Soc Nephrol*; 17: 2607–2616.
- **Tapleton S. (1992):** Etiologies and indicators of powerlessness in persons with end-stage renal disease. in *Coping with Chronic Illness: Overcoming Powerlessness* (ed. Miller JF.) 163–178 (F. A. Davis, Philadelphia, 1992).
- **The Merck Manual [online]** <http://www.merck.com/mmpe/index.html> (2006–2008).
- **Timio M, Venanzi S, Lolli S, Lippi G, Verdura C, Monarca C and Guerrini E. (1995):** “Non-dipper” hypertensive patients and progressive renal insufficiency: A 3-year longitudinal study. *Clin Nephrol*; 43: 382–387.
- **Torbjornsdotter TB, Jaremko GA and Berg UB. (2001):** Ambulatory blood pressure and heart rate in relation to kidney structure and metabolic control in adolescents with Type I diabetes. *Diabetologia*; 44: 865–873.
- **Touitou Y, Touitou C, Charransol G, Reinberg A, Thomas J, Bogdan A, Barthelemy C and Desgrez P. (1983):** Alterations in circadian rhythmicity in calcium oxalate renal stone formers. *Internal Journal of Chronobiology*; 8: 175–192.

- **Ueda HR, Hayashi S, Chen W, Sano M, Machida M, Shigeyoshi Y, Iino M and Hashimoto S. (2005):** "System-level identification of transcriptional circuits underlying mammalian circadian clocks". *Nat Genet*; 37 (2): 187–92.
- **Unruh ML, Hartunian MG, Chapman MM and Jaber BL. (2003):** Sleep quality and clinical correlates in patients on maintenance dialysis. *Clin Nephrol*; 59: 280–288.
- **Uzu T and Kimura G. (1999):** Diuretics shift circadian rhythm of blood pressure from nondipper to dipper in essential hypertension. *Circulation*; 100:1635–1638.
- **Uzu T, Fujii T, Nishimura M, Kuroda S, Nakamura S, Inenaga T and Kimura G. (1999):** Determinants of circadian blood pressure rhythm in essential hypertension. *Am J Hypertens*; 12: 35–39.
- **Van Acker BAC, Koomen GCM and Arisz L. (1995):** Drawbacks of the constant-infusion-technique for measurement of renal function. *Am J Physiol*; 268: 552–563.
- **Van Acker BAC, Koomen GCM and Koopman MG et al. (2003):** Discrepancy between circadian rhythms of inulin and creatinine clearance. *J Lab Clin Med*; 120: 400–410.
- **Van der Putten K, Braam B, Jie KE et al. (2008):** Mechanisms of Disease: erythropoietin resistance in patients with both heart and kidney failure. *Nat Clin Pract Nephrol*; 4: 47-57.

- **Van der Putten K, Braam B, Jie KE et al. (2009):** Circadian rhythm of Erythropoietin and IGF-1 in chronic kidney disease. *Nat Clin Pract Nephrol*; 12: 120-135.
- **Vaziri ND, Oveisi F, Reyes GA, et al. (1996):** Dysregulation of melatonin metabolism in chronic renal insufficiency: role of erythropoietin-deficiency anemia. *Kidney Int*; 50: 653-656.
- **Veizis EI, Carlin CR and Cotton CU. (2004):** Decreased amiloride-sensitive Na⁺ absorption in collecting duct principal cells isolated from BPK ARPKD mice. *American Journal of Physiology. Renal Physiology*; 286: 244–254.
- **Vener KJ and Reddy A. (1992):** Timed treatment of the arthritic diseases: a review and hypothesis, *Arthritis Rheum*; 22: 83– 97.
- **Vitaterna MH, King DP, Chang AM et al. (1994):** "Mutagenesis and mapping of a mouse gene, Clock, essential for circadian behavior". *Science*; 264 (5159): 719–25.
- **Voogel AJ, et al. (2001):** Circadian rhythms in systemic hemodynamics and renal function in healthy subjects and patients with nephrotic syndrome. *Kidney Int*; 59:1873–1880.
- **Wadei HM, Am H, Taler SJ, Cosio FG, Griffin MD, Grande JP, Larson TS, Schwab TR, Stegall MD and Textor SC. (2007):** Diurnal blood pressure changes one year after kidney transplantation: Relationship to allograft function, histology, and resistive index. *J Am Soc Nephrol*; 18: 1607–1615.

- **Walker S, Fine A and Kryger MH. (1995):** Sleep complaints are common in a dialysis unit. *Am J Kidney Dis*; 26: 751–756.
- **Wang Q, Horisberger JD, Maillard M, Brunner HR, Rossier BC and Burnier M. (2000):** Salt and angiotensin II-dependent variations in amiloride-sensitive rectal potential difference in mice. *Clinical and Experimental Pharmacology and Physiology*; 27: 60–66.
- **Wang Q, Maillard M, Schibler U, Burnier M and Gachon F. (2010):** Cardiac hypertrophy, low blood pressure, and low aldosterone levels in mice devoid of the three circadian PAR bZip transcription factors DBP, HLF, and TEF. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*; 299: 1013–1019.
- **Wang S, Meng F, Xu J and Gu Y. (2009):** Effects of lipids on ENaC activity in cultured mouse cortical collecting duct cells. *Journal of Membrane Biology*; 227: 77–85.
- **Wang X, Tang J, Xing L, Shi G, Ruan H, Gu X, Liu Z, Wu X, Gao X, and Xu Y. (2010):** Interaction of MAGED1 with nuclear receptors affects circadian clock function. *EMBO J*; 29:1389-1400.
- **White WB. (2000):** Ambulatory blood pressure monitoring: Dippers compared with non-dippers. *Blood Press Monit*; 5[1]: 17–23.
- **White WB. (2008):** Relating cardiovascular risk to out-of-office blood pressure and the importance of controlling blood pressure 24 hours a day. *Am J Med*; 121: S2–S7.

- **Williams D, Croal B, Furnace J, Ross S, Witte K, Webster M, Critchen W and Webster J. (2006):** The prevalence of a raised aldosterone-renin ratio (ARR) among new referrals to a hypertension clinic. *Blood Pressure*; 15: 164–168.
- **Witte K and Lemmer B. (2002):** Development of inverse circadian blood pressure pattern in transgenic hypertensive rats. *Chronobiol Int*; 16: 293–303.
- **Yamato M, Ishida N, Iwatani H, Yamato M, Rakugi H, Ito T. (2009):** Kid-1 participates in regulating ERK phosphorylation as a part of the circadian clock output in rat kidney. *J Receptor Signal Transduction Res*; 29: 94–99.
- **Yamato M, Ito T, Iwatani H, Yamato M, Imai E and Rakugi H. (2010):** E-cadherin and claudin-4 expression has circadian rhythm in adult rat kidney. *J Nephrol*; 23: 102–110.
- **Yoo SH et al. (2004):** PERIOD2: LUCIFERASE real-time reporting of circadian dynamics reveals persistent circadian oscillations in mouse peripheral tissues. *Proc Natl Acad Sci USA*; 101: 5339-5346.
- **Yusuf S, Sleight P, Pogue J, Bosch J, Davies R and Dagenais G. (2000):** Effects of an angiotensin-converting-enzyme inhibitor, ramipril, on cardiovascular events in high-risk patients. The Heart Outcomes Prevention Evaluation Study Investigators. *N Engl J Med*; 342: 145–153.
- **Zaoui P and Hakim RM. (1994):** The effects of the dialysis membrane on cytokine release. *J Am Soc Nephrol*; 4: 1711–1718.

- **Zivkovic Bora. (2008):** "Circadian Quackery". A Blog Around the Clock. ScienceBlogs. Retrieved 2010-02-23.
- **Zuber AM, Centeno G, Pradervand S, Nikolaeva S, Maquelin L, Cardinaux L, Bonny O and Firsov D. (2009):** Molecular clock is involved in predictive circadian adjustment of renal function. Proceedings of the National Academy of Sciences of the United States of America; 106: 16523–16528.