



REFERENCES

- AAP (American Academy of Pediatrics) (2003):*** Committee of infectious diseases : Red book 26th edition. AAP E/K Grove Village III, 578 – 580.
- AAP (American Academy of Pediatrics) (2009):*** Red book online. Section 2 : Recommendations for care of children in special circumstances : Infections spread by direct contact.
- Abdisso A, Asrat D, Kronvall G, et al., (2011):*** Throat carriage rate and antimicrobial susceptibility pattern of group A streptococci in healthy Ethiopian school children. Ethop Med J, 49(2): 125-130.
- Altindis M, Derekoy FS and Ceri A (2001):*** Turkish primary school students as carriers of group A beta hemolytic streptococci and susceptibility of strains to penicillin and erythromycin. J.Chemother.,13:444-445
- Anderl JN, Franklin MJ and Stewart PS (2000):*** Role of antibiotic penetration limitation in Klebsiella pneumonia biofilm resistance to ampicillin and ciprofloxacin. Antimicrob Agents Chemother, 44(7): 1818-1824.
- Armengol CE, Schlager TA and Hendley JO (2004):*** Sensitivity of a rapid antigen detection test for group A streptococci in a private pediatric office setting. Pediatrics, 113 (4): 923 – 927.
- Attia MW, Zaoutis T, Klein JD and Meier (2001):*** Performance of a predictive model for streptococcal pharyngitis in children. Arch Pediatr Adolesc Med. ;155(6): 687-691



- Ayoub EM, Barrett DJ, MacLarean NK, et al., (1986):** Association of class II human histocompatibility leucocyte antigen with rheumatic fever. J Clin Invest, 77 : 2019 – 2026.
- Baddour LM, Wilson WR, Bayer AS, et al., (2005):** Infective endocarditis : diagnosis, antimicrobial therapy and management of complications : A statement for health care professionals from the committee on rheumatic fever, endocarditis and Kawasaki disease, council on cardiovascular disease in the young, and the councils on the clinical cardiology, stroke, and cardiovascular surgery and anesthesia, American Heart Association : endorsed by the Infectious Diseases Society of America. Circulation, 111 : 394 – 434.
- Baron EJ and Finegold SM (1990):** Optical methods for laboratory diagnosis of infectious diseases. In: Bailey and Scott's Diagnostic Microbiology Chapter 7, PP 64-80. 8th edition , C V Mosby Company.
- Berkovitch M, Vaido A, Zhavtis D, et al., (1999):** Group A streptococcal pharyngitis in children less than 2 years of age more common than it thought. Clin Pediatr, 38(6): 361-363.
- Bisno AL, Brito MO and Collins CM (2003):** Molecular basis of group A streptococcal virulence. Lancet Infect Dis, 3 (14): 191 – 200.
- Bisno AL, Gerber MA, Gwaltney JM, et al., (2002):** Practice guidelines for the diagnosis and management of group A streptococcal pharyngitis. Clin Infect Dis, 35 (2): 113 – 125.
- Bisno AL, Gerber MA, Gwaltney JM, et al., (1997):** Diagnosis and management of group A streptococcal pharyngitis : a practice



guidelines. Infectious Diseases Society of America. Clin Infect Dis., 25 : 574 – 583.

Bliziotis IA, Ntziora F, Lawrence KR, et al., (2007): Rifampin as adjuvant treatment of gram positive bacterial infections : A systemic review of comparative clinical trials. Eur J Clin Microbiol Infect Dis, 26 : 849 – 856.

Brahmadathan RN and Cladstone P (2006): Microbiological diagnosis of streptococcal pharyngitis. Indian J Med Microbiol, 24 (2): 92 – 96.

Braitto A, Galagani I, Mohammed MR, et al., (2004): Epidemiology of strptococcus group A in school aged children in Pemba. East Afr Med J , 81(6): 307-312.

Brook I (1985 a): Failure of penicillin to eradicate GABHS tonsillitis, causes and management. J. otolaryngol, 30 (6): 324 – 329.

Brook I (1985 b): Role of beta lactamase producing bacteria in the failure of penicillin to eradicate group A streptococci pediater Infect. Dis. 4 : 491 – 495.

Brook I (1989): Treatment of patients with acute recurrent tonsillitis due to group A beta hemolytic streptococci : A prospective randomized study comparing penicillin and amoxicillin clavulanate potassium. J Antimicrob Chemother, 24 (2): 227 – 233.

Brook I (2001): Review failure of penicillin to eradicate group A beta hemolytic streptococcal tonsillitis: causes and management. J. Otolaryngol, 30 (6): 324 – 329.



- Brook I (2005):** The role of bacterial interference in otitis, sinusitis and tonsillitis. *Otolaryngol Head Neck Surgery*, 133 : 139 – 146.
- Brook I (2009):** The role of beta lactamase producing bacteria in mixed infections. *BMC Infectious Diseases*, 9 : 202 – 205.
- Brook I and Dohar JE (2006):** Management of group A beta hemolytic streptococcal pharyngitis in children. *Journal of Family practice*, 55 (12) : S1 – S11.
- Brook I and Foote PA (2005):** Efficacy of penicillin versus cefdinir in eradication of group A streptococci and tonsillar flora. *Antimicrob Agents Chemother*, 49 : 4787 – 4788.
- Brook I and Gerber AE (1998):** Persistence of group A beta hemolytic streptococci in tooth brushes and removable orthodontic appliances following treatment of pharyngotonsillitis. *Arch Otolaryngol Head Neck Surg*, 124 : 993 – 995.
- Brook I and Gober AE (2008):** Failure to eradicate streptococci and beta lactamase producing bacteria. *Acta Paediatrica*, 97 (2): 193 – 195.
- Brook I and Yocum P (1984):** quantitative measurement of beta lactamase in tonsils of children with recurrent tonsillitis. *Acta Otolaryngol*, 98 : 556 – 559.
- Brooks GF, Carroll KC, Butel JS, et al., (2007):** The streptococci. In : Jauetz, Melnik and Adelberg's *Medical Microbiology*, 24th edition. Chapter 15, PP: 233 – 248. McGraw Hill.



CDC (Centers for Diseases Control and Prevention) (1992): Principles of epidemiology, 2nd edition. Atlanta US, Department of Health and Human Services.

CDC (Centers for Diseases Control and Prevention) (2012): Principles of epidemiology in Public Health practice, 3rd edition Lesson I : Introduction to epidemiology Section 10 : Chain of Infection May (2012).

Chaudhary S, Bilinsky SA, Hennessy JL, et al., (1985): Penicillin V and rifampin for the treatment of group A streptococcal pharyngitis : a randomized trial of 10 days penicillin vs 10 days penicillin with rifampin during the final 4 days of therapy. J Pediatr 106 : 481 – 486.

Cheesbrough M (2006)(a): Biochemical tests to identify bacteria , catalase test. In : District Laboratory Practice in Tropical Countries. Part 2, Chapter 7.5, PP 62-70 2nd edition. Cambridge University Press.

Cheesbrough M (2006)(b): Streptococcus pyogenes, sensitivity to bacitracin. In: District Laboratory Practice in Tropical Countries. Part 2, Chapter 7.18.2 , PP 159-162 2nd edition. Cambridge University Press.

Chiou CS, Liao TL, Wang TH, et al., (2004): Epidemiological and molecular characterization of Streptococcus pyogenes recovered from scarlet fever patients in central Taiwan from 1996 to 1999. J Clin Microbiol, 42 (9) : 3998 – 4006.

Chiu J (2000): Control of communicable diseases manual, 17th edition. Washington, Dc. American Public Health Association.



- Chole RA and Faddis BT (2003):** Anatomical evidence of microbial biofilms in tonsillar tissues. A possible mechanism to explain chronicity. Arch Otolaryngol Head Neck Surg, 129 (6): 634 – 636.
- Ciftci E, Dogru U, Guriz H, et al., (2003):** Antibiotic susceptibility of streptococcus pyogenes strains isolated from throat cultures of children with tonsillo pharyngitis. Journal of Ankara Medical School, 25(1): 15-20.
- Cleg HW, Ryan AG, Dallas SD, et al., (2006):** Treatment of streptococcal pharyngitis with once daily compared with twice daily amoxicillin : a non inferiority trial. Ped Infect Dis J, 25 (9): 761 – 767.
- Clinical and Laboratory Standards Institute (CLSI).(2009):** Performance standards for antimicrobial disc susceptibility tests, approved standards. Tenth edition CLSI document Moz. Alo Wayne, Pennsylvania, USA.
- Clinical and Laboratory Standards Institute (CLSI). (2010):** Performance standards for antimicrobial disc susceptibility testing. Twentieth informational supplement. CLSI document M100S20. Wayne, Pennsylvania, USA.
- Coburn B, Grassl GA and Finlay BB (2007):** Salmonella ,the host and the disease:a brief review. Immunol Cell Biol,85:112-118.
- Collee JG and Marr W (1996):** Specimen collection, culture container and media. In: Collee JG, Fraser AG, Marmion BP and Simmons A (eds) Mackie and McCartney Practical Medical Microbiology.. Churchill Livingstone, Edinburg, P : 103.



- Conley J, Olson ME, Cook LS, et al., (2003):** Biofilm formation of group A streptococci : Is there a relationship with treatment failure. J Clin Microbiol, 41 (9): 4043 – 4048.
- Cunningham MW (2000):** Pathogenesis of group A streptococcal infection. Clin Microbiol Rev, 13 (3) : 470 – 511.
- Danchin MA, Carlin JB, Devenish W, et al., (2005):** New normal ranges of antistreptolysin O and antideoxyribonuclease B titres for Australian Children. J pediatr Child health, 41 : 583 – 586.
- Danchin MH, Rogers S, Kelpie L, et al., (2007):** Burden of acute sorethroat and group A streptococcal pharyngitis in school aged children and their families in Australia. Pediatrics 120(5): 950-957.
- DeMuri G (2012):** The carrier state of group A streptococci. [WWW.UWhealth.org/Pediatric pathways/The carrier state of group A streptococci/33144](http://WWW.UWhealth.org/Pediatric_pathways/The_carrier_state_of_group_A_streptococci/33144)
- Donde S, Mishra A and Kochhar P (2012):** Azithromycin in acute bacterial respiratory tract infections : An Indian non interventional study. Indian J Otolaryngol Head Neck Surg Published on line 7 January 2012.
- Donlan RM (2001):** Biofilm formation : a clinically relvant microbiological process. Clin Infect Dis, 33 (8): 1387 – 1392.
- DuBose KC (2002):** Group A streptococcal Pharyngitis Prim Care Update Ob Gyn, 9: 222 – 225.
- DuGuid IG, Evans E, Brown MR, et al., (1990):** Growth rate – dependent killing by ciprofloxacin of biofilm derived



Staphylococcus epidermidis, evidence for cell cycle dependency. J Antimicrob Chemother, 30 : 791 – 802.

Dumre SP, Sapkota K, Adhikari N, et al., (2009): Asymptomatic throat carriage and antimicrobial resistance pattern of Streptococcus pyogenes in Nepalese school children. Kathmandu University Medical Journal, 7(28) : 392-396.

Durmaz R, Durmaz B, Bayraktar M, et al., (2003): Prevalence of group A streptococcal carriers in asymptomatic children and clonal relatedness among isolates in Malatya, Turkey. J Clin Microbiol, 41: 5285-87.

Dutz W and Rossipal E (1976): Persistent cell mediated immune deficiency following infantile stress during the first six months of life. Eur J Ped, 122 (2): 117 – 130.

Dykhuisen RS, Golder D, Reid TM, et al., (1996): Phenoxymethy / penicillin versus Co-amoxiclav in the treatment of acute streptococcal pharyngitis and the role of beta lactamase activity in saliva. J Antimicrob Chemother, 37 (1) : 133 – 138.

Evans DJ, Allison DG, Brown MR, et al., (1990): Effects of growth rates on resistance of gram negative biofilms to ceftrimide. J Antimicrob Chemother, 26 : 473 – 478.

Facklam R (2002): What happened to the streptococci : Overview of taxonomic and nomenclature changes. Clin Microbiol Rev, 15 (4): 613 – 630.

Fae KC, DaSilva DD, Oshrio SE, et al., (2006): Mimicry in recognition of cardiac myosin peptides by heart intralesional T cell clones from rheumatic heart disease. J Immunol, 176 : 5662 – 5670.



- Falagas ME, Fragoulis KN and Bliziotis IA (2006):** Oral rifampin for prevention of *S. aureus* carriage – related infections in patients with renal failure – a meta analysis of randomized controlled trials. *Nephrol Dial Transplant*, 21 (9): 2536 – 2542.
- Falck G (1997):** Group A streptococci in household pets eyes – a source of infections in humans. *Scand J Infect Dis*, 29 : 469 – 471.
- Fazeil MR, Ghaemi E, Tabarraei A, et al., (2003):** Group A streptococcal serotypes isolated from healthy school children in Iran: *Eur J Clin Microbial Infect Dis*, 22(8): 475-478.
- Fisher MC (2007):** Pseudomembranous colitis. In : Kliegman RM, Behrman RE, Jenson HB, and Stanton BF (eds). *Nelson Textbook of Pediatrics*. 18th editions chapter 209, P : 1230 Saunders Elsevier.
- Fux CA, Costerton JW, Stewart PS, et al., (2005):** Survival strategies of infectious biofilms. *Trends Microbiol*, 13 (1): 34 – 40.
- Gerber MA (1989):** Comparison of throat cultures and rapid antigen detection tests for diagnosis of streptococcal pharyngitis. *Pediatr Infect Dis J*, 8 : 820 – 824.
- Gerber MA (2007):** Group A streptococcus. In : Kliegman RM, Jenson HB, Behrman RE and Stanton BF. (eds). *Nelson textbook of Pediatrics* 8th edition. Chapter 182, PP 1135 – 1145. Saunders Elsevier.
- Gerber MA, Baltimore R, Eaton CB, et al., (2009):** Prevention of rheumatic fever and diagnosis and treatment of acute streptococcal pharyngitis. *Circulation*, 119 (11): 1541 – 1551.



- Gerber MA, Randolph MF and Mayo DR (1988):** The group A streptococcal carrier state, A reexamination. *Am J Dis Child*, 142 (5): 562 - 565.
- Gleich – Theurer U, Aymanns S, Haas G, et al., (2009):** Human serum induces streptococcal C5a peptidase expression. *Infect Immun*, 77 (9): 3817 – 3825.
- Goodwin MA.** A Case I won't Forget. In : Sepedham D, Rao S and Hitchcock K (2008): Should you treat carriers of pharyngeal group A Streptococci ? *clinical Inquires* Vol. 57, No. 10.
- Gray BM (1998):** Streptococcal infections. In : Evans AS and Brachman PS (eds). *Bacterial infections in humans, epidemiology and control*. 3rd edition. New York Springer.
- Gunnarson RK, Holm SE, and Soderstorm M (1997):** The prevalence of beta hemolytic streptococci in throat specimens from healthy children and adults. Implications for the clinical value of throat cultures. *Scand J Prim Health Care*, 15: 149-155.
- Gur E, Akkus S, Arvas A, et al., (2002):** Prevalence of positive throat cultures of GABHS among school children in Istanbul. *Indian Pediatr* 39, 569-573.
- Hamil J (1993):** Multicenter evaluation of azithromycin and penicillin V in the treatment of acute streptococcal pharyngitis and tonsillitis in children. *J Antimicrob Chemother*, 31 : 89 – 94.
- Haslam DB and St Gema JW (2009):** Classification of streptococci. In : Longs S, Pickering LK, and Probu CG (eds). *Long principles*



and practice of pediatric infectious diseases 3rd ed Chapter 17. Elsevier.

Hayes SS and Williamson H (2001): Management of group A beta hemolytic streptococcal pharyngitis. Am Fam Physician, 63 (8): 1557 – 1565.

Henriet S, Kaguelidou F, Bidet P, et al., (2010): Invasive group A streptococcal infection and molecular characterization in a french pediatric tertiary center. Eur. J. Clin Microbiol Infect Dis. 29(3): 341-346.

Hofkosh D, Wald ER and Wald ER (1988): Prevalence of non-group-A beta-hemolytic streptococci in childhood pharyngitis. South Med J.;81(3):329–331

Hyden GF and Turner RB (2007): Acute pharyngitis. In : Kliegman RM, Behrman RE, Jenson HB, and Stanton BF (eds). Nelson Textbook of Pediatrics 18th edition. Chapter 378, PP : 1752. Saunders Elsevier.

Jabra – Rizk MA, Meiller TF, James CE, et al., (2006): Effect of Farnesol on Staphylococcus aureus biofilm formation and antimicrobial susceptibility. Antimicrob Agents Chemother, 50 : 1463 – 1469.

Jasir A, Noorani A, Mirsalehian A and Schalen C (2000): Isolation rates of Streptococcus pyogenes in patients with acute pharyngotonsillitis and among healthy school children in Iran. Epidemiol Infect.; 124(1):47–51



Johnson DR, Kaplan EL, Sramek J, et al., (1996): laboratory diagnosis of group A streptococcal infections WHO, Geneva Switzerland, P : 111. ISBN-13 9789241544955.

Kaplan EL (1980): The group A streptococcus upper respiratory tract carrier state : an enigma. J Pediatr, 97 (3): 337 – 345.

Kaplan EL (1996): Recent epidemiology of group A streptococcal infection in North America and abroad An Overview. Pediatrics, 97 (6): 945 – 948.

Kaplan EL, Gastanaduy AS and Huwe BB (1981): The role of the carrier in treatment failure after antibiotic for group A streptococci in the upper respiratory tract. J Lab Clin Med, 98 (3): 326 – 335.

Kaplan EL, Top FH, Dudding BA, et al., (1971): Diagnosis of streptococcal pharyngitis : differentiation of active infection from the carrier state in symptomatic child. J Infect Dis, 123 (5): 490 – 501.

Karoui R, Majeed H A, Yousaf A M, et al., (1982): Hemolytic streptococci and streptococcal antibodies in normal school children in Kuwait. American Journal of Epidemiology, 116(4): 709-721.

Kasper KJ, Nur–ur Rahman AK, Nooh MM, et al., (2008): Molecular requirements for MHC class II alpha-chain engagement and allelic discrimination by the bacterial superantigen streptococcal pyrogen exotoxin C. J Immunol 181 (5) : 3384 – 3392.



- Kerdelmidis M, Lennon DR, Aroll B, et al., (2010):** The primary prevention of rheumatic fever. J Pediatr Child Health 46(9): 534-548.
- Keusch GT (2003):** The history of nutrition : Malnutrition, infection and Immunity, J Nutr, 133 (1): 3365 – 3405.
- Kim S, and Lee N Y, (2004):** Epidemiology and antibiotic resistance of group A streptococci isolated from healthy school children in Korea. J Antimicrob Chemother, 54(2):447-450.
- Kim-Farley RJ (1997):** Control of infectious diseases in:Detels R, Holland WW, McEwen J, and Omenn GS. Oxford textbook of public health.3 rd edition, chapter 28,pp:1561-1581 Oxford University press
- Koller T, Manetti AG, Kreikemeyer B, et al., (2010):** Typing of the pilus protein – encoding FCT region and biofilm formation as novel parameters in epidemiological investigations of Streptococcus pyogenes isolates from various infection sites. J med Microbiol, 59 : 442 – 452.
- Korvick JA, Peacock JE, Muder RR, et al., (1992):** Addition of rifampin to combination antibiotic therapy for Pseudomonas aeruginosa bacteremia : Prospective trial using the Zelen protocol. Antimicrob Agents Chemother 36 (3) : 620 – 625.
- Krishna Kumar R, Rammohan R, Narula J, et al., (1999):** Epidemiology of Streptococcal Pharyngitis, rheumatic fever and rheumatic heart disease. In : Narula J, Virmani R, Reddy KS, and Tandon R (eds). Rheumatic fever. P : 41 – 78. Washington DC: American Registry of Pathology.



- Kuhn SM, Preiksaitis J, Tyrrel GJ, et al., (2001):** Evaluation of potential factors contributing to microbiological treatment failure in *Streptococcus pyogenes* pharyngitis. *Can J Infect Dis*, 12 : 33 – 39.
- Kumar R, Vohra H, Chakraborty A, et al., (2009):** Epidemiology of group A streptococcal pharyngitis and impetigo , Across sectional and follow up study in a rural community in northern India. *Indian J Med Res*, 130.765-771.
- Lafontaine ER, Wall D, Vanlerberg SL, et al., (2004):** *Moraxella catarrhalis* coaggregates with *streptococcus pyogenes* and modulate interactions of *S. pyogenes* with human epithelial cells. *Infect Immun*, 72 (11): 6689 – 6693.
- Lancefield RC (1935):** A serological differentiation of human and other groups of hemolytic streptococci. *J Exp Med*, 57 : 571 – 595.
- Lapento D, Ruben C, Chi E, et al., (1994):** Group A streptococci efficiently invade human respiratory epithelial cells. *Proc Natl Acad Sci USA*, 91 : 12115 – 12119.
- Lappin E and Ferguson AJ (2009):** Gram positive toxic shock syndromes. *Lancet Infect Dis*, 9 (5) : 281 – 290.
- Last JM (1997):** Public health and human ecology, 2nd edition. Stanford, CA. Appleton and Lange.
- Lennon DR, Farrell E, Martin DR, et al., (2008):** Once daily amoxicillin versus twice daily penicillin V in group A beta hemolytic streptococcal pharyngitis *Arch Dis Child*, 93 : 474 – 478.



Levinson W (2006): Host defenses.in:Review of Medical Microbiology and Immunology.9th edition,chapter 8,pp:53-61.Mc Graw Hill

Lieu TA, Fleisher GR and Schwartz JS (1988): Clinical evaluation of a latex agglutination test for streptococcal pharyngitis: performance and impact on treatment rates. *Pediatr Infect Dis J*; 7(12):847–854

Lloyd CAC, Jacob SE and Menon T (2006): Pharyngeal carriage of group A streptococci in school children in Chennai. *Indian J Med Res*, 124 : 195 – 198.

Lok AS and Mc Mahon BJ (2007): Chronic hepatitis B.*Hepatology*,45(2): 507-539.

Manetti AG, Koller T, Becherelli M, et al., (2010): Environmental acidification drives streptococcus pyogenes pilus expression and microcolony formation on epithelial cells in a FCT – dependent manner. *PLOS one*, 5 (11) : e13864.

Martin JM, Green M, Barbadora KA, et al., (2004): Group A streptococci among school – aged children: Clinical Characteristics and the carrier state. *Pediatrics*, 114 : 1212 – 19.

Mayer G and Van Ore S (1983): Recurrent pharyngitis in a family of four : Household pets as reservoir of GAS. *Postgrad Med* 74 (1): 277 – 279.

Mc Millan JA, Sandstrom C Weiner LB (1986): Viral and bacterial organisms associated with acute pharyngitis in a school-aged population. *J Pediatr*;109(5):747–752-Unceta L , CuemoY, Gonzalez A, Santos J ,Fleitas C, andPiedra L (2005): Group A



Streptococcus: a study of carrier status—implications for the diagnostic value of throat culture. *Acta Pediátrica Española*;63(9):358–362

Michos AG, Bakoula CG, Braoudaki M, et al., (2009): Macrolide resistance in *Streptococcus pyogenes*. Prevalence, resistance determinants, and *emm* types *Diagn Microbiol Infect Dis* 64 (3): 295 – 299.

Molinari G and Chhatawi GS (1998): Invasion and survival of *streptococcus pyogenes* in eukaryotic cells correlates with the source of the clinical isolates. *J Infect Dis*, 177 : 1600 – 1607.

Murakami J, Kawabata S, Terao Y, et al., (2002): Distribution of *emm* genotypes and superantigen genes of *Streptococcus pyogenes* isolated in Japan, 1994 – 9. *Epidemiol Infect*, 128 (3): 397 – 404.

Murphy TK, Krulan R and Leckman J (2010): The immunobiology of Tourette's disorder, pediatric autoimmune neuropsychiatric disorders associated with streptococcus and related disorders. *Journal of Child and Adolescent Psychopharmacology* 20(4): 317-331.

Muthusamy D, Boppe A and Suresh SP (2012): The prevalence of group A beta hemolytic streptococcal carriers among school children in Coimbatore, South India. *J Clin Diag Research*, 8(7):1181-1183

Nandi S, Kumar R, Ray P, et al., (2001): Group A streptococcal sore throat in a periurban population of northern India: A one year prospective study. *Bulletin of WHO*, 79: 528-533.



- Neeman R, Keller N, Brazilai A, et al., (1998):** Prevalence of internalization associated gene, prt F1 among persistent group A streptococcus strains isolated from asymptomatic carriers. Lancet, 352 : 1974 – 1977.
- O'Doherty B, Pilfors G, Quinn PT, et al., (1996):** Azithromycin versus penicillin V in the treatment of pediatric patients with acute streptococcal pharyngitis / tonsillitis. Eur J Clin Microbiol Infect Dis, 15 : 718 – 724.
- Ogawa T, Terao Y, Okuni H, et al., (2011):** Biofilm formation or internalization into epithelial cells enable Streptococcus pyogenes to evade antibiotic eradication in patients with pharyngitis. Microbial Pathogenesis, 51 (1) : 58 – 68.
- Orvidus LJ, StSauver JL and Weaver AL (2006):** Efficiency of tonsillectomy in treatment of recurrent group A beta hemolytic streptococcal pharyngitis. Laryngoscope, 116 (11) : 1946 – 1950.
- Osler RJ (2010):** Molecular pathogenesis of necrotizing Fasciitis. Ann Rev Pathol., 5 : 1- 13.
- Osterholm M, Hedberg CW and Mac Donald KL (1995):** Epidemiology of infectious diseases.in:Mandell GL, Bennette JE, and Dolin R(eds).Mandell,Douglas and Bennett principles and practice of infectios diseases. Fourth edition,chapter 10 ,pp:158-168, Churchill Livingstone
- Osterlund A, Popa R, Nikkila T, et al., (1997):** Intracellular reservoir of streptococcus pyogenes in vivo : a possible explanation for recurrent pharyngotonsilitis. Laryngoscope, 107 : 640 – 647.
- Ozturk CE, Yavuz T, Kaya D, et al (2004):** The rate of asymptomatic throat carriage of GAS in school children and associated ASO titers in Duzce,Turkey.Jpn J Infect Dis,57:271-272



- Paradise JL, Bluestone CD, Cloborn DK, et al., (2002):** Tonsillectomy and adenoidectomy for recurrent throat infection in moderately affected children. *Pediatrics*, 110 : 7 – 15.
- Parija SC (2009):** Streptococcus and Enterococcus. In : Parija SC (ed): *Textbook of Microbiology and Immunology*. Chapter 24, P 191 – 200, Elsevier India.
- Pichichero M E, Marsocci S M, Murphy M L, et al., (1999):** Incidence of streptococcal carriers in private pediatric practice. *Arch Pediatr Adolesc Med*, 153(6):624-628.
- Pichichero ME and Casey JR (2003):** Defining and dealing with carriers of group A streptococci. *Contemporary Pediatr*, 20 : 46 – 56.
- Pichichero ME, Green JL, Francis AB, et al., (1998):** Recurrent group A streptococcal tonsilopharyngitis. *Pediatr Infect Dis J*, 17 (9) : 809 – 815.
- Pickering LK (2006):** Committee on Infectious Diseases Group A Streptococcal infections. In pickering LK (ed) *Red book : Report of the committee on Infectious Diseases*, 27th ed. Elk Grove village III: American Academy of pediatrics 2006 : 610 – 620.
- Prakash K and Lakshmy A (1992):** Streptococcal throat carriage in school children with special reference to seasonal incidence. *Southeast Asian J Trop Med Public Health*, 23(4): 705-710.
- Reed BD, Huck W, Lutz LJ and Zazove P (1988):** Prevalence of Chlamydia trachomatis and Mycoplasma pneumoniae in children with and without pharyngitis. *J Fam Pract*.;26(4):387–392



- Rimon AW, Hamza HS, Vince A, et al., (2005):** Evaluation of the WHO clinical decision rules for streptococcal pharyngitis. Arch Dis Child, 90 (10) : 1066 – 1070.
- Robert AL, Connolly KL, Krise DJ, et al., (2012):** Detection of group A streptococci in tonsils from pediatric patients revealed high rate of asymptomatic streptococcal carriage. BMC Pediatric, 12 : 3.
- Rodriguez-Iturbe B, and Musser JM(2008):** The current state of post streptococcal glomerulonephritis. J Am Soc Nephrol 19: 1855-64.
- Rose G (1991):** Cardiovascular diseases. In : Holland WW. Detels R, and Knox G (eds). Textbook of public health, 2nd ed. P : 185 – 187. Oxford University Press.
- Ruoff KL and Bisno AL (2009):** Classification of streptococci. In : Mandell GL, Bennett JE and Dolin R (eds): Mandella, Douglas and Bennett's Principles and Practice of Infectious Diseases. 7th ed. Chapter 197. Churchill living stone.
- Rushing J (2007):** Clinical do's and don'ts: Obtaining a throat culture, Nursing , 37(3):327-329.
- Sawhney R and Berry V (2009):** Bacterial biofilm formation, pathogenicity, diagnostics and control. An Overview. Indian J Med Sci, 63 (7) : 313 - 321.
- Schrager HM, Alberti S, Cywes C, et al., (1998):** Hyaluronic acid capsule modulate M protein – mediated adherence and act as a ligand for attachment of group A streptococcus to CD44 on human keratinocytes. J Clin Invest, 101 : 1708 – 1716.



Schroeder BM (2003): Practice guidelines : Diagnosis and management of group A Streptococcal pharyngitis. Am Fam Physicians, 67 (4) : 880 – 884.

Schwartz RH, Gerber MA and McCoy P (1985): Effect of atmosphere of incubation on the isolation of group A streptococci from throat cultures. J Lab Clin Med, 106 : 88 – 92.

Schwarz – Linek U, Hook M and Potts JR (2006): Fibronectin binding proteins in Gram positive cocci. Microbes Infect, 8 : 2291 – 2298.

Sela S, Neeman R, Keller N, et al., (2000): Relationship between asymptomatic carriage of Streptococcus pyogenes and the ability of the strains to adhere to and be internalized by cultured epithelial cells. J Med Microbiol, 49 : 499 – 502.

Sevinc I and Enoz M (2008): The prevalence of GABHS in healthy Turkish children in day-care centres in Ankara. Chang Gung Med J, 31:554-558.

Sha K, Pei-Ru X, Li-Kun D L, et al., (2010): prevalence of upper respiratory tract group A streptococcal carriage in school aged children from Tulufan City and Buejia Country of Xinjiang province. Clinical Research, 12(8): 616-618.

Shaikh N, Leonard E, and Martin JM (2010): Prevalence of streptococcal pharyngitis and streptococcal carriage in children : A meta-analysis. Pediatrics, 126(3): 557-564.

Shaikh N, Swaminathan N and Hooper EG (2012): Accuracy and precision of the signs and symptoms of streptococcal



pharyngitis in children : A Systemic Review. J Pediatr , 160 : 487 – 493.

Shet A and Kaplan EL (2002): Review, clinical use and interpretation of group A streptococcal antibody tests : a practical approach for the pediatrician or primary care physician. Pediatr Infect Dis, 21 (5) : 420 – 426.

Shet A and Kaplan EL (2004): Addressing the burden of group A streptococcal disease in India. Indian J Pediatr 71(1):41-48.

Shulman ST, Tanz RR and Gerber MA (2000): Streptococcal infections. In : Stevens DL and Kaplan EL (eds). Clinical aspects, microbiology and molecular pathogenesis. P : 76 – 101 Oxford University Press.

Sierig G, Cywes C, Wessels MR, et al., (2003): Cytotoxic effects of Streptolysin O and streptolysin S enhance the virulence of poorly encapsulated group A streptococci. Infect Immun, 71 (1) : 446 – 455.

Simon HK and Steel RW (2012): Pediatric pharyngeal medications. www. Emedicine. Medscape. Com.

Smith TD, Wilkinson V and Kaplan EL (1989): Group A streptococcal associated upper respiratory tract infections in a day-care center. Pediatrics, 83: 380-384.

Starr CR, and Engleberg NC (2006): Role of hyaluronidase in subcutaneous spread and growth of group A streptococci. Infect Immun, 74 (1) : 40 – 48.



- Steinhoff MC and Rimoin AW (2004):** Epidemiology, clinical presentation and diagnosis of streptococcal pharyngitis in developing countries of the world. In : Pechere JC, and Kaplan E (eds). Streptococcal pharyngitis issues in infectious Diseases, P : 49 – 65 Basel Karger.
- Stevens DL (2004):** Virulence factors of streptococcus pyogenes. In : pechere JC, Kaplan EL (eds): Streptococcal pharyngitis. Issues in Infectious diseases, P. 3 – 15. Bascl. Krager.
- Stoodley L, Costerton JW and Stoodley P (2004):** Bacterial biofilms. From the natural environment to infectious diseases. Nature Review Microbiology, 2 : 95 – 108.
- Strelkauskas A, Strelkauskas J and Strelkausks DM (2009):** Requirements for infection. In : Microbiology : A clinical approach chapter 5, pp 79 – 98. Garland Science.
- Suci PA, Mittelman MW, Yu PF, et al., (1994):** Investigations of ciprofloxacin penetration into Pseudomonas aeruoginaso biofilms. Antimicrob Agents Chemather, 38 : 2125 – 2133.
- Tanz RR and Shulman ST (2007):** Chronic pharangeal carriage of group A streptococci. Pediatr Infect Dis J, 26 (3): 175 – 176.
- Tanz RR, Poncher JR, Corydon KE, et al., (1991):** Clindamycin treatment of chronic pharyngeal carriage of group A streptococci. J. Pediatric, 119:123-128
- Tanz RR, Shulman ST, Barthel MJ, et al., (1985):** Penicillin plus rifampin eradicates pharangeal carriage of group A streptococci. J Pediatr 106 (6): 876 – 880.



- Telmesani AMA and Ghazi Ho (2002):** A study of group A streptococcal bacteria , isolation from children less than 12 years with acute tonsillitis , pharyngitis and healthy primary school children. J Fam Commun Med, 9(2): 23-26.
- Todar K (2011) :** Streptococcus pyogenes and streptococcal diseases. In :
Todar's online textbook of microbiology.
- Treese O, Jouenne T and Junter JA (1995):** The role of oxygen limitation in the resistance of agar – entrapped sessile like Escherichia coli to aminoglycosides and B – lactam antibiotics. J Antimicrob Chemother, 36 : 521 – 526.
- Tsai PJ, Lin YS, Kuo CF, et al., (1999):** Group A streptococcus induces apoptosis in human epithelial cells. Infect Immun, 67 : 4334 – 4339.
- Unceta L, Cuerno Y, Gonzalez A et al (2005):** Group A streptococcus : a study of the carrier state-implication for the diagnostic value of throat culture. Acta Pediatrica Espanola.,63(9):358-362 **cited from;** Shaikh N et al 2010
- Walker MJ, McArthur JD, McKay F, et al., (2005):** Is plasminogen deployed as Streptococcus pyogenes virulence Factor ? Trends Microbiol, 13 : 308 – 313.
- Wexler D, Chenoweth D and Cleary P (1985):** Mechanism of action of the group A Streptococcal C5_a inactivator. Proc Natl Acad Sci USA, 82 (23): 8144 – 8148.



WHO (2004): Rheumatic fever and rheumatic heart disease report of WHO study group – World Health Organization Geneva (2004). Technical report series No 923.

WHO (2005): Group A streptococcal vaccine development: current status and issues of relevance to less developed countries. Geneva WHO/ FCH/ CAH/0509.

Wood DN, Chaussee MA, Chaussee MS, et al., (2005): Persistence of streptococcus pyogenes in stationary phase cultures. J Bacterial 187 (10) : 3319 – 3328.