

References

- Abd Al-Sabour, M., Farrag, M. and Al-Naggar, T. (1999):*** The performance of new simplified acute physiological scores SAPS II in patients with respiratory failure managed in respiratory ICU .Egyptian journal of chest, 48(2), 90-96.
- Acute respiratory distress syndrome network. (2000):*** ventilation with lower tidal volumes as compared with traditional tidal volumes for acute lung injury and the acute respiratory distress syndrome .New England Journal of Medicine, 342, 1301-1307.
- Aglan, A. (2005):*** Alexandria Manual of mechanical ventilation, 1st Ed, Egypt, pp16-17.
- American Association of Critical – Care Nurses (2005):*** Practice alert: Dye in enteral feeding. AACN News. Retrieved October 5, 1005, from [www.aacn. Org AACN/aacnnews.nsf /Get Article /Articlethree224](http://www.aacn.org/AACN/aacnnews.nsf/GetArticle/Articlethree224). on November, 2011.
- American Association of Critical Care Nurses. (2005):*** Critical care concepts, pp (1-3), on website [http://www. aacn.org/](http://www.aacn.org/)
- American Association of Critical-Care Nurses. (2005).*** AACN: Essentials of critical-care nursing. Chicago: McGraw-Hill.
- Anderson, L. (2005):*** Metabolic complications of total parenteral Nutrition: effect of a nutrition support service. J Parenteral Enteral Nutr 20:206.
- Anonymous, S. (2002):*** ‘Eye care for intensive care patients’, Best Practice Vol 6 (1). pp10-15.
- Anthony, J. & Sengare. (2006):*** Intensive Care Unit; Encyclopedia; P.111, [http:// www.surgery- encyclopedia/ICU](http://www.surgery-encyclopedia/ICU) on 1/2/2011.

- ASPEN(2005):** Board of directors and the clinical guidelines task force ,guidelines for the use of parenteral and enteral nutrition in adult and pediatric patients .J pen .parenteral-enteral 26(1)138.
- Badr, M.E., Abdel -Aziz, M., and El-Sawi, K.A (2000):** Monitoring adult ventilator dependent patient's responses to nutritional schedule at ICU El- Manial university hospital J.Al-Azhar Jul –Oct (29), 203-216.
- Barr, J.&Hecht, M. (2004):** Outcomes in critically ill patients before and after the implementation of an evidence-based nutritional management protocol. Chest, 125(4), PP1446-1457.
- Barton, R.G. (2004):** Proceedings of the Society of Critical Care Medicine Board Review Course. Phoenix, AZ.
- Bellini, L.M. (2006):** Assessment of nutrition in the critically ill. Retrieved on August 28, 2006, from www.utdol.com/utd/content/topic.do?topickey=cc_medi/17912. on 12/3/2012.
- Berman,A.,Synder,S.& Jachson,C.(2009):** skills in clinical nursing ,6th ed.Pearson comp,pp;526-532.
- Bernard, A. (2004):** Defining and assessing tolerance in enteral nutrition. Nutr Clin Pract. 19: 481.
- Bersten, A. &Soni, N. (2003):** Oh's intensive care manual, 5th ed. Elsevier comp, USA, PP909-9010.
- Bonten, M.J. (2005):** Prevention of hospital acquired pneumonia: European perspective. Infect Dis Clin N Am; 17(4):pp773-784.
- Bourke,S.&Burns,G.(2011):**Respiratory Medicine ,8th ed .Blackwell comp ,USA,P32.
- Branson, R.D. (2005):** Mechanical Ventilation, 2nd Ed, W.B. Saunders Company: Philadelphia, Pennsylvania.PP325-359.

- Brunner, L., Bare, B., & Smeltzer, S. (2009):** Brunner and Suddarth's .text book of medical surgical nursing ,12th ed ,Lippincott Williams &Willkins ,pp1053-1072.
- Buchman, A. (2006):** Clinical nutrition in gastrointestinal disease ,1ST ed Slack comp ,USA, p479.
- Burns, S.M. (2005):** Mechanical ventilation of patients with acute respiratory distress syndrome and patients requiring weaning .The evidence guiding practice .Critic Care Nurse, 25(4), 14-16, 18, 20-2
- Celik, S. & Kanan, N. (2006):** Use of isotonic sodium chloride solution on endotracheal suctioning in critically ill patients. Dimensions of Critical Care Nursing 25(1), pp 11-14
- Christman, J.W .and McCain, R.W. (1993):** A sensible approach to the nutritional support of mechanically ventilated critically patients IC med. 19:129-136.
- Colice, G. (2006):** "Historical Perspective on the Development of Mechanical Ventilation". Principles & Practice of Mechanical Ventilation, 2 ed, McGraw-Hill comp, New York. P415.
- Corbridge, T. & Corbridge, S. (2005):** Severe asthma exacerbation .In M.P.Fink, E.Abrham, & P.M.Kochanek, Textbook of critical care ,5th ed ., Philadelphia: Saunders, pp587-597
- Craven, F.R., & Hirnle, J.C. (2000):** Fundamentals of Nursing: Human Health and function .3rd ed. Vital signs assessment, p.p.414-445.
- Criner, G., Barnette, E. & D'alonze. (2010):** Critical care study guide & review, 2nd ed, Springer Company, London, p225.
- Daren, K. & Heyland, M. (2004):** Validation of the Canadian clinical practice guidelines for nutrition support in mechanically ventilated, critically ill adult patients: Results of a prospective observational study Crit Care Med 32(11) P, 2260.

- Digman, C. (2005):** Hyperglycemia in the critically ill. *Nutr Clin Care*, 8: 93.
- Dodek, P. & Heyland, D. (2004):** Evidence-Based Clinical Practice Guideline for the Prevention of Ventilator-Associated Pneumonia, *Ann Intern Med*. VOL.141:PP305-313.
- Dominic, J. (2011):** Intensive Care Unit (ICU), Intensive Care Unit (ICU) Overview, <http://www.healthcommunities.com>, Friday, 7 October, 2011.
- Douglas, S.L., Daly, B.J., Gordon, N., & Brennan, P.F. (2002):** Survival and quality of Life: short-term versus long- term ventilator patients. *Critical Care Medicine*, 30, 2655-2662.
- Eisenberg, P. (2002):** An overview of diarrhea in the patients receiving enteral nutrition. *Gastroenterology Nursing* 25(3): 95 – 104.
- Elliott, D. & Chaboyer, W. (2012):** Critical care nursing .2nd ed , Mosby comp, USA. p509.
- Epstein, S.K. (2004):** “Weaning from Mechanical Ventilation”. *Respiratory Care*. Vol 47, No. 4.
- Ertel, K. (2000).** Modern skin cleansers. *Dermatol Clin*; 18(4): 561-75.
- Esteban, A. (2004):** A comparison of four methods of weaning patients from mechanical ventilation. *N Engl J Med* 332: 345–50
- Esteban, A.A, Alia, I., Gordan, F., and Bone, R. (2000):** How is mechanical ventilation employed in the intensive care unit? *Am J Respir crit care Med* 161:1450
- Flesher, M.E. (2005):** Assessing the metabolic and clinical consequences of early enteral feeding in the malnourished patient. *J Parenter Enteral Nutr*. 29: 108.
- Foramen, M. & Fulmer, T. (2011):** Critical care nursing of older adults best practice , 3rd ed , springer comp , New Yourk , p 288.

- Fuhrman, M.P. (2001):** The American Society for Parenteral and Enteral Nutrition (A.S.P.E.N). Standards of Practice for nutrition support dietitians. J Am Diet Assoc. 101 : 825.
- Fuhrman, M.P. (2004):** Hepatic proteins and nutrition assessment. J Am Diet Assoc. 104: 1358.
- Fung, E.B. (2000):** Estimating energy expenditure in critically ill adults and children. AACN Clinical Issues, 11(4), 480 – 497.
- Gorrol, A. & Mulley, G. (2009):** Primary care medicine, office evaluation and management of the adult patient, 6th ed. Lippincott, USA, pp74-80.
- Greifzu, S. (2002):** ‘Caring for the chronically critically ill’, RN, 65 (7), pp 42-49.
- Halpern, N.A. & Pastores, S.M. (2005):** "Critical care medicine in the United States." Critical care medicine 32 (6): p1254.
- Hanson & Timothy. (2002):** Cardiothoracic intensive care: Operation and administration. “Seminars in thoracic cardiovascular Surgery; 362(12):PP.876.
- Hanson, C.W., Deuschman, C.S. & Bshringer, E.C. (2006):** Effects of an organized critical care service on out come and Resource utilization, Critical care medicine Journal; 770(27): P324.
- Hasan, A. (2010):** Understanding Mechanical Ventilation: Practical Handbook, Complication of Mechanical Ventilation, Chapter10, 1st ed ,Springer comp ,London ,PP319-325.
- Hassan, A.E. (2004):** study of nutritional status for ventilated dependent patients at intensive care unit Shebin El-Kom university hospital ,Master thesis faculty of nursing ,Monofeya university.
- Hassan, A.E. (2009):** Effect of nutritional support on recovery outcomes of patients with hepatic encephalopathy, Dectorate thesis, faculty of nursing, Monofeya University.

- Hegner,B.,&Needham ,F.(2003):**Assisting in long term care,4th ed
Delmar company ,USA,pp.341-342.
- Hemfield, S.B.&Williams, P.J. (1998):** Nutritional assessment by clinical
&biochemical methods in Modern nutrition in health and
disease, 7th ed .Edited by M.E.Shils and V.R.young
Philadelphia, Lea &Febiger, p.p817-860.
- Hess, D.R. (2005).** Respiratory Care Principles and Practice.1st ed , W.B.
Saunders Company: Philadelphia, Pennsylvania.pp225-230.
- Hess,R.&Gavlin,F.(2012):**Respiratory care ;principles &practices,2nd
Ed, Jones&Barlett comp, USA.p.228.
- Heyland, D. & Rupinder, D. (2003):** Canadian clinical practice
guidelines for nutrition support in mechanically ventilated,
critically ill adult patients. J Parenter Enteral Nutr, 27(5), 355-
373.
- Higgins, P., Lipson, A. & Daly, B. (2006):** Assessing nutritional status in
chronically critically ill adult patients, Am J Crit Care, 15(2): pp
166-176.
- Hise, M. (2005):** Evidence – based clinical practice: dispelling the
myths. Nutr Clin Pract. 20: 294.
- Jaber, S. & Chanques, G. (2003):** Post-extubation stridor in intensive
care patients. Intensive Care Med; vol 29: 69–74
- Jindal, S.&Shankar, P. (2011):** Text book of pulmonary &critical care
medicine, 3rd ed,Jaypee comp, USA .P1924.
- John, A.D. and Sieber, F.E. (2004):** Age associated issues: geriatrics.
Anesthesiol Clin North Am. 22: 45.
- Johnson, T. (2012):** Critical Care Pharmacotherapeutic, 1st ed
Jones&Barlett comp, USA.p.47

- Joint Commission on Accreditation of Health Care Organization(JCAHO) (2006):** Retrived January 6, 2006 from www.jcaho.org. On 15-4-2012.
- Joint Commission Resources. (2004):** improving care in the ICU, USA, p3.
- Jones, B. &Andrew, L. (1999):** Comparison of an elemental or polymeric elemental enteral diet with normal gastrointestinal function.GUT, 24-74-84.
- Kahn, J.M., Goss, C.H. &Heagerty, P.J. (2006):** "Hospital volume and the out come of mechanical ventilation", New England Journal; 355(1): PP41-50.
- Kaplow, R. &Hardin, S. (2007):** Critical care nursing: synergy for optimal outcomes, Nutrition concepts for clinical practice in the critically ill adult, USA,Chapter 33, P438,
- Kirby, D. & Parisian. (2011):** enteral and parenteral nutrition, available at<http://patients.gi.org/topics/enteral-and-parenteral-nutrition/> on 10-4-2012
- Krenitsky, J. (2005):** Adjust body weight, pro: Evidence to support the use of adjusted body weight in calculating calories requirements. Nutrition in clinical practice, 20(4) 486-473.
- Kumpf, V.J&Chessman, K.H. (2005):** Enteral nutrition. In: DiPiro, J.T, Talbert, R.L., Yee, G.CEds. Pharmacotherapy: a pathophysiologic approach. 6th Ed. New York: McGraw-Hill; 2615-34.
- Lacey, K., and Pritchett, E. (2003):** Nutrition Care Process and Model: ADA adopts road map to quality care and outcomes management. J Am Diet Assoc. 103: 1061.
- Landrum, M. (2011):** fast facts for the critical care nurse, critical care nursing, Springer comp, USA, pp68-69.

- Lanken, P. N. (2002).** The Intensive Care Unit Manual. 2nd ed, W.B. Saunders Company: Philadelphia, Pennsylvania. pp45-55.
- Larson, E.L., Ciliberti. T. & Abraham, J. (2004):** Comparison of traditional and disposable bed baths in critically ill patients. *Am J Crit Care*; 13(3):pp235-241.
- Lemone, P. & Burke, K (2008):** Medical surgical nursing; Critical thinking in client care, vol (1), 4th ed, Pearson comp, Canada, p621.
- Lewis, S., Collier, I. & Heitkemper, M. (2005):** Medical Surgical Nursing “Assessment of Clinical Problems”, 4th ed, Mosby company, USA, pp 621-623.
- Lindgren, V. & Ames, N. (2005):** Caring for Patients on Mechanical Ventilation: What Research Indicates is Best Practice. *American Journal of Nursing* 105(5), pp50-60.
- Lord, L., & Harrington, M. (2005):** Enteral nutrition implementation and management. In: Merritt, R., DeLegge, M.H, Holcombe, B., Eds. The ASPEN nutrition support practice manual. 2nd ed Silver Spring, MD: American Society for Parenteral and Enteral Nutrition; 76-89.
- Macintyre, N.R. (2004):** “Invasive Mechanical Ventilation in Adults: Conference Summary”. *Respiratory Care* Vol. 47, No. 4.
- Magnuson, B.L, Clifford, T.M., & Hoskins L.A. (2005):** Enteral nutrition and drug administration, interactions, and complications. *Nutr Clin Pract.* 20:618-24.
- Manthous, C.A. & Alnuaimat, H.M. (2006):** Effects of a Medical intensives on patient care in a community teaching Hospital; *Myoclinic Proceedings*: 72(5):P.39.
- Marino, P., & Sutin, K. (2007):** The ICU BOOK, Critical care medicine 3rd ed, Lippincott Wilkins USA .pp 45: 58.

- May, H. (2001):** Control of Infection in General Practice and Primary Care, Birmingham Health Authority: Birmingham.
- McCaffree, J. (2003):** Position of the American Dietetic Association: Integration of medical nutrition therapy and pharmacotherapy. J Am Diet Assoc. 103: 1363.
- McClave, S.A., DeMeo, M.T., Delegge, M.H., DiSario, A. & Heyland D.K. (2002):** North American summit on aspiration in the critically ill patient: Consensus statement. Journal of Parenteral and Enteral Nutrition, 26 (6), S80 –S85.
- McClave, S.A., Lukan, J.K., Stefater, J.A. & Matheson, P.J. (2005):** Poor validity of residual volumes as a marker for risk of aspiration in critically ill patients. Critical Care Medicine, 33(2), 324 – 330.
- Metheny, N.A. (2002):** Inadvertent intracranial nasogastric tube placement. American Journal of Nursing, 102 (8), 25 – 27.
- Metheny,M.(2012):** Fluid and electrolyte balance ,Nursing consideration ,5th ed.Jones company, Canada ,p246.
- Mohammed, A.S. (2004):** Effect of protocol of nursing care on mechanically ventilated patient's outcomes doctoral degree thesis, faculty of nursing, Monofeya University.
- Mohammed, L.M. (2008):** Developing nursing care standard for patients with respiratory failure on mechanical ventilator, doctoral degree thesis, faculty of nursing, Ain shams university.
- Mooney,G. &Comerford, D.(2003):**central venous line .nursing times ,99(10),p28.
- Moshier, A. (2009):** Lippincott Manual of Nursing Practice Series: Assessment, 2nd ed ,AwoltersCO, philadelphia, pp.29-32.

- Murray, M.J., Cowen, J., Erestad, B., & Gray, A. W. (2002):** Clinical practice guidelines for sustained neuromuscular blockade in the adult critically ill patient. *Critical Care Med*, 30(1), 142-156.
- National center of continuing Education (2006):** Incon website <http://www.aacn.org> on 12/4/2012.
- Novak, F. (2002):** Glutamine supplementation in serious illness: a systematic review of the evidence. *Crit Care Med*. 30: 2022.
- Osborn, S., & Adam, S. (2009):** Oxford hand book of critical care nursing ;gastrointestinal dysfunction and nutrition ,8th ed , Toronto Melbourne ,Oxford, New Yourk ,p364.
- Ostrovesky, G. (2012):** Mechanical Ventilation Support on Critical Care Available at: <http://www.medgadget.com/> on 1/4/2012
- Padua, C., Kenny, A., & Planchon, C. (2004):** Enteral feeding :what the evidence say .*American Journal of Nursing* 104(7), 26-70.
- Parrish, C. & McCray, S. (2003):** Nutrition support for the mechanically ventilated patient. *Crit Care Nurse*, 23(1), 77-80
- Phyllis, T., Connie, G. & Mary, J. (2010):** Care of the patient requiring mechanical ventilation, *Critical care nursing*. Philadelphia: W.B. Saunders, New Yourk, pp 233-238.
- Polter, P.A. & Perry, A.G. (1997):** Mechanical ventilator .fundamental of nursing 4th ed, Mosby comp U.S.A.
- Preedy, V., Martin, C. & Waston, R. (2011):** Handbook of behavior, food & nutrition ,Springer comp ,USA, Pp1285-1286
- Prins, A. (2010):** Nutritional Assessment for Critically Ill Patients, *Am J Clin Nutr*, 23(1) P15.
- Racco, M. (2009): Nutrition in ICU:** Nutritional support for mechanically ventilated patients in intensive care Unit.; available at, www.Modern medicine .com. On 15-3-2012.

- Raoof, S.&Khan (2003):** Mechanical Ventilation manual, Philadelphia, Pennsylvania, p21-23.
- Rolfes, S. &Whitney, E. (2006):** Understanding normal and clinical nutrition .7th ed .Belmont C.A.: Thamson Wadsworth.p520.
- Saleh, A.S. (1997):** physiology of nursing, blood plasma, Oxford, New Yourk, pp32-33.
- Serag, H.A. (2008):** Ventilator associated pneumonia: impact of designed training program on nurse's knowledge, practice, and patient out comes at intensive care unit, Benha university hospital, doctoral degree thesis, faculty of nursing, Benha University.
- Seres, D. (2005):** Surrogate nutrition markers, malnutrition, and adequacy of nutritional support. Nutrition in Clinical Practice, 20, 308 – 313.
- Simko, M., Cowell, C. & Gillbride, J. (1995):** Nutritional assessment .A comprehensive guide for planning intervention, 2nd ed Gaither burg Md: Aspen.
- Singh, N., Gupt, D. &Jindal, K. (2009):** An assessment of nutritional support to critically ill patients and its correlation with outcomes in respiratory ICU,Resp Care,Vol 54(12)1688-1696.
- Skipper, A. (2012):** Dietitian's hand book of enteral and parenteral nutrition, 3rd ed .Jones comp, USA, P269.
- Sohn, A. (2001):** Prevalence of nosocomial infections in neonatal intensive care unit patients: Results from the first national point-prevalence survey. *J Pediatr* 139: 821-7.
- Squadrone, V., Gregoretti, C., & Ranieri, V. (2005):** Patient-ventilator interaction. In M.P.Fink,E.Abraham,&P.M.Kochanek,Textbook of critical care ,5th ed ,Philadelephia:Saunders, pp.505-5010

- Stark,A.(2004):** Innovation in the design of the ICU ,new trends that incorporate patient and family centered design retriaved May p36.
- Stiller, K. (2000):** Physiotherapy in intensive care: towards evidencebased practice. Chest; 118(6):pp1801—1813.
- Sudakin, T. (2006):** supporting nutrition with TEN or TPN .Nursing, 36(12), 52-55.
- Tablan,O.C.,Anderson,L.J.&Bridges,C.(2003):**Guidelines for preventing health-care-associated pneumonia; recommendation of CDC and Health Care Infection Control Practice Advisory Committee. Morbidity and Mortality Weekly Report, 53(RR03), 1-36.
- Taha, A. S. (2006):** emergency nursing care for critically ill patients: impact of designed teaching protocol on nurses’ knowledge and practices in ICU at Benha university hospital, Master thesis, faculty of nursing Benha University.
- Thelan, L. & Stacy, K. (2006):** Critical Care Nursing: Diagnosis and management, 5th ed., St. Louis: Mosby.
- Thomas, D.R. (2001):** Annals of long term care: Clinical care and aging. A Complete Primer on Enteral Feeding, 9 (1), 41 – 48.
- Thompson, C., and Fuhrman, M.P. (2005):** Nutrients and wound healing: still searching for the magic bullet. Nutr Clin. Pract. 20: 331.
- Tobin, M.J. (2006):** Principles and Practice of Mechanical Ventilation. 2 ed, Mc Graw- Hill comp, New York.pp 207-210.
- Troy,B. (2009):**Nutrition and Diagnosis- Related Care,Enteral and Parenteral Nutrition Intervention .6th ed, Lippincott Philadelphia, New York. P826.

- Tucker, J. (2002):** Patient volume staffing, and workload in relation – risk – adjusted outcomes in random stratified sample of UK Intensive care unite PP 359-399.
- Van den, G., Wouters, P., Boullion, R., Weekers, F., Verwaest, C., & Schetz, M. (2003):** Outcome benefit of intensive insulin therapy in the critically ill: Insulin dose versus glycemic control. *Critical Care Medicine*, 31, 359 – 366.
- Varon, J. & Acosta, p. (2010):** Handbook of critical and intensive care medicine, 2nd ed, London; p1
- Veterans Affairs Total Parenteral Nutrition Cooperative Study group (1991):** Pre operative total parenteral nutrition in surgical patient, *Engl.J.Med*, 325:525-532.
- Walsh, T.S. (2004):** Evaluation of simple criteria to predict successful weaning from mechanical ventilation in intensive care patients. *Br J Anaesth*; 92: PP793-799.
- Watter, D.A. (2003):** Care of the critically ill patient in the tropics and sub tropics, Macmillan Education, Ltd .*Journal of Nursing*, 9(5), 267-271.
- White, L. (2005):** Foundation of Basic nursing 2nd ed, Thomson, USA, p 357.
- Williams, T.A. & Leslie, G.D. (2005):** A review of the nursing care of enteral feeding tubes in critically ill adults: *Intensive Crit Care Nurs.* 21 (1):5-15.
- Wischmeyer, P. (2001):** Glutamine administration reduces Gram – negative bacteremia in severely burned patients: a prospective, randomized, double blind trial versus is nitrogenous control. *Crit Care Med*, 29: 2075.

Wyckoff, M. & Houghton, D. (2009): critical care; concepts, role, and practice for acute care nurse practitioner , 1st ed, Springer comp, USA, p384.

Yusuf, S., Hawken, S., Bautista, L., Franzosi, G., & Commerford, P. (2005): Obesity and the risk of myocardial infarction in 27,000 participants from 52 countries: A case – control study. *Lancet*, 366 (9497), 1640 – 1649.

Zoldam, D., Spitzer, C. & Hafner, H. (2005): Surveillance of nosocomial infections in a neurological intensive care unit. *Infect Control Hosp Epidemiol: Off J Soc Hosp Epidemiol Am*; 26(8):pp726-731.